

Pinstripe Track Jacket

STYLE # TBD-001

SEASON SP/SU 26

DATE 29 SEP 2026

REV 01


SILHOUETTE

Cropped track jacket, raglan sleeves, stand collar with front zip closure. Relaxed body, elasticated shirred hem and cuffs for a boxy, pulled-in fit.


COLORWAY — CHOCOLATE / GOLD



GROUND
#46291B



STRIPE
#755240



LOGO
#EEE3CB



HARDWARE
#C9A24A

SIZE RANGE

XS · S · M · L · XL




FRONT VIEW — COLORED MOCKUP

BRANDING


Left chest embroidery: "Alhara" script wordmark, ecru thread on chocolate ground.

01 Stand collar + zip




Full front zip, gold-tone metal chain zipper. Stand collar, self-fabric, topstitched edge.

02 Raglan sleeve seam




Raglan seam from underarm to collar, topstitched 1/4" double-needle for durability and shape.

03 Besom zip pockets



Angled besom zip pockets at hip, self-fabric welt, matching gold-tone zip pull.

04 Shirred hem



Elasticated shirred waist hem, three rows of encased elastic for gathered, blouson finish.

05 Elastic cuff



Narrow encased elastic cuff, self-fabric, gathered finish matching hem treatment.

06 Chest logo



Embroidered "Alhara" script wordmark, left chest placement, ecru thread on chocolate ground.

Fabric, Trims & Measurements

FABRIC



CONTENT	Nylon/cotton pinstripe weave
GROUND	Chocolate brown (#46291B), tonal pinstripe
STRIPE	Light brown (#755240), fine, ~8 mm spacing
HAND	Crisp, lightweight woven, matte crinkle
LINING	Unlined, tricot facing at collar

TRIMS & HARDWARE

Item	Spec
Main zip	Gold-tone antique brass, chain teeth, branded pull
Pocket zips (2)	Gold-tone metal, matching main zip
Zip tape	Chocolate, matched to ground
Waist elastic	3-row encased elastic, shirred
Cuff elastic	Single encased elastic band
Embroidery	Ecru thread (#EEE3CB), satin stitch, left chest

MEASUREMENT SPEC (IN) – GRADE PER SIZE SET

Point of Measure	XS	S	M	L	XL
Chest width	–	–	–	–	–
Body length (HPS)	–	–	–	–	–
Sleeve length	–	–	–	–	–
Hem width (relaxed)	–	–	–	–	–
Cuff opening (relaxed)	–	–	–	–	–

Fill in POM values from your sample measurements before sending to factory.