# Low Level Design(LLD) FIFA-19 ANALYSIS

Revision Number 1.0

Last Date of Revision: 12/09/2021

#### PREPARED FOR:

iNeuron

#### PREPARED BY:

Rachit Agarwal

Aarsh Sapra

# **DOCUMENT VERSION CONTROL:**

DATE	VERSION	DESCRIPTION	AUTHOR
12/09/2021	1.0	First version of LLD completed	Rachit Agarwal Aarsh Sapra

# **Contents**

HEADINGS	PAGE NO
1.) Document Version Control	2
2.) Introduction	4
3.) Architecture	5-7
4.) Architecture Description	7-8
5.) Deployment	8-9
6.) Unit Test Cases	9-10

## 1.Introduction


## 1.1 What is a Low-Level design document?

The purpose of the Low-level design document (LLDD) is to give the internal logic design of the actual program code for the E-Commerce dashboard. LDD describes the class diagrams with the methods and relations between classes and programs specs. It describes the modules so that the programmer can directly code the program from the document.

## 1.2 Scope

Low-level design (LLD) is a component-level design process that follows a step-by-step refinement process. The process can be used for designing data structures, required software architecture, source code and ultimately, performance algorithms. Overall, the data organization may be defined during requirement analysis and then refined during data design work. For business analytics low level documents encompasses the architecture and configuration of the bi tool used as well as dataset information and use cases.

## 2. Architecture



#### **Tableau Server Architecture**

Tableau has a highly scalable, n-tier client-server architecture that serves mobile clients, web clients and desktop-installed software. Tableau Server architecture supports fast and flexible deployments.

The following diagram shows Tableau Server's architecture:

#### **Tableau Communication Flow**




Tableau Server is internally managed by the multiple server processes.

## 1. Gateway/Load Balancer:

It acts as an Entry gate to the Tableau Server and also balances the load to the Server if multiple Processes are configured.

## 2. Application Server:

Application Server processes (wgserver.exe) handle browsing and permissions for the Tableau Server web and mobile interfaces. When a user opens a view in a client device, that user starts a session on Tableau Server. This means that an Application Server thread starts and checks the permissions for that user and that view.

## 3. Repository:

Tableau Server Repository is a PostgreSQL database that stores server data. This data includes information about Tableau Server users, groups and group assignments, permissions, projects, data sources, and extract metadata and refresh information.

## 4. VIZQL Server:

Once a view is opened, the client sends a request to the VizQL process (vizqlserver.exe). The VizQL process then sends queries directly to the data source, returning a result set that is rendered as images and presented to the user. Each VizQL Server has its own cache that can be shared across multiple users

#### 5. Data Engine:

It Stores data extracts and answers queries.

## 6. Backgrounder:

The backgrounder Executes server tasks which includes refreshes scheduled extracts, tasks initiated from tabemd and manages other background tasks.

#### 7. Data Server:

Data Server Manages connections to Tableau Server data sources It also maintains metadata from Tableau Desktop, such as calculations, definitions, and groups

## 3. Architecture Description

## 3.1. Data Description

The Dataset contains data for all the players that featured in fifa-19

- 1. **Name**: Name of the player.
- 2. **Age**: Age of the player.
- 3. Nationality: Place of birth of the player.
- 4. **Potential**: A score between 0-100, higher value indicating higher potential.
- 5. **Overall**: A score between 0-100, higher value indicating higher overall performance of the player
- 6. **Club**: Name of the club for which he plays
- 7. **Value**: Net worth of the player in euros.
- 8. Wage: Wages of the player in euros
- 9. **Preferred foot**: Preferred foot of the player
- 10. **International Reputation**: A score between 0-5, indicating their international reputation
- 11. **Weak foot**: A score between 0-5, indicating how good they are with their weaker foot.
- 12. **Skill moves**: A score between 0-5 to rank different skill moves they have.
- 13. Work Rate: Work rate of the player

14. **Position**: Starting position of the player

15. **Height**: Height of player in foot

16. Weight: Weight of player in lbs

17. **Jersey Number**: Jersey no of the player

18. **Different measures of performance**: Crossing, Finishing, Heading accuracy, Short passing, dribbling, curve, long passing, dribbling, ball control, acceleration, sprint speed, agility, balance, reaction, interception, shot power, jumping, stamina, strength and goalkeeper stats, etc on a scale between 0-100 to measure each performance metric

19. **Release Clause**: Amount of money required to release the player in euros.

## 3.2. Web Scraping

Web scraping is a technique to automatically extract content and data from websites using bots. It is also known as web data extraction or web harvesting. Some of the python libraries used for web scraping are Beautiful Soup, Scrapy, Selenium, etc.

The dataset was provided to us as a csv file, and it was scraped from www.sofifa.com

#### 3.3. Data Transformation


In the Transformation Process, we do the essential preprocessing and cleaning before importing it into tableau for data visualization.

Since there were no missing values or human entry errors our dataset is ready

## 3.4. Deployment

Visualizing data on its own is not enough. Once the dashboard is created, it needs to be made accessible such that all concerned professionals can use it to study key factors and make certain improvements or changes. IT companies have shifted their focus towards deployment of such dashboards based on various business intelligence tools and Tableau is no exception We deploy our dashboard on **tableau public** 

## PREVIEW OF THE STORY



## 4. Unit Test Cases

TEST CASE DESCRIPTION	EXPECTED RESULTS
Nationality multiple value filter	When clicked on the filter, a drop down should occur which has a List of countries in the dataset. The dashboard filters its result using nationality as the context.
Nationality filter by clicking on the country on map	When a user clicks on any country on the map, the results are filtered based on that country.
Relation Between Age and Wage of top 10 players filtered by nationality	Scatter plot showing the correlation using custom football shape instead of default circles
Relation between overall performance and potential	Scatter plot showing the correlation using custom shape instead of default circles
Top 10 highest earning players	A bar chart showing top 10 players which can be filtered based on nationality

Fifa card for top 3 players	Customizable fifa card for top 3 players of the selected club.
A single value filter for top clubs in the world	When clicked a dropdown occur, which allows the user to select one club of interest and the statistics are filtered for the top 3 players of that club
Radar chart for top 3 players	Statistics of top 3 players of each club can be compared more easily using a radar chart
Statistics of individual player	Dual axis - bar charts scaled to 100 are used to compare 2 players and make quick insights about who is better.
Player 1 club as a context filter	A drop down occurs which allows the user to select the club of the player they want to see the stats of.
Player 1 filter	A drop down occurs which allows the user to select the name of the player they want to compare from the selected club.
Player 2 club as a context filter	A drop down occurs which allows the user to select the club of the player they want to compare with.
Player 2 filter	A drop down occurs which allows the user to select the name of the player they want to compare with from the selected club.