

Applied Data Science - Quiz 4

Name *

Kishan I

Registered Roll Number/Registered
Number *

Please enter the number as displayed in the
profile section in the platform

[813819205032](#)

Registered Email id *

Please enter the email id used to login to the
platform

kishanshanki1234@gmail.com



Select your Training Batch *

B11-5A1E



KNN Algorithm can be used for *

- ☐ Only for Classification
- ☐ Only for Regression
- ☒ Both Classification and Regression
- ☐ None of the Mentioned

The goal of clustering a set of data is to *

- ☒ divide them into groups of data that are near each other
- ☐ choose the best data from the set
- ☐ determine the nearest neighbors of each of the data



The most commonly used measure of similarity is the ____ or its square. *

- ☒ euclidean distance
- ☐ city-block distance
- ☐ Chebychev's distance
- ☐ Manhattan distance

Which of the following is required by K-means clustering? *

- ☐ defined distance metric
- ☐ number of clusters
- ☐ initial guess as to cluster centroids
- ☒ All of the above

which of the following is an ibm cloud service *

- ☐ IBM watson

Which cross validation method use for hyperparameter tuning in machine learning *

- ☐ Grid-searchcv
- ☐ Randomisedsearchcv
- ☐ BOTH
- ☒ None of the above

Techniques used for handling imbalanced dataset *

- ☐ SMOTE
- ☐ Option OVERSAMPLING
- ☐ UNDERSAMPLING
- ☒ All of the above

Flask is a web development framework created in _____ language *



Flask is a web development framework ★
created in _____ language

- ☐ C
- ☒ Python
- ☐ Java
- ☐ Javascript

What is WSGI? ★

- ☒ Web Server Gateway Interface
- ☐ Web Service Gateway Interface
- ☐ Website Server Gateway Interface
- ☐ Web Static Gateway Interface

What is the purpose of the Kernel Trick? ★

- ☒ To transform the problem from supervised to unsupervised learning.

To transform the problem from

What is WSGI? *

- ☒ Web Server Gateway Interface
- ☐ Web Service Gateway Interface
- ☐ Website Server Gateway Interface
- ☐ Web Static Gateway Interface

What is the purpose of the Kernel Trick? *

- ☒ To transform the problem from supervised to unsupervised learning.
- ☐ To transform the problem from regression to classification
- ☐ To transform the data from nonlinearly separable to linearly separable
- ☐ To transform the problem from supervised to unsupervised learning

This content is neither created nor endorsed by Google. -
[Terms of Service](#) - [Privacy Policy](#)

Google Forms