

RELEASE - JDBCCon/src/main/java/JDBCDemo/JDBCCon/StudentDatabase.java - Spring Tool Suite 4

Search Project Run Window Help

```
17      // Establish connection
18      Connection conn = DriverManager.getConnection(url, user, password);
19      // Create PreparedStatement
20      PreparedStatement pstmt = conn.prepareStatement(insertQuery)
21  ) {
22      // Insert sample data
23      pstmt.setString(1, "aarth");
24      pstmt.setInt(2, 20);
25      pstmt.setString(3, "A");
26      pstmt.setString(4, "aarth.0412@gmail.com");
27
28      // Execute the query
29      int rowsInserted = pstmt.executeUpdate();
30
31      // Check if insertion was successful
32      if (rowsInserted > 0) {
33          System.out.println("A new student record was inserted successfully!");
34      }
35      } catch (SQLException e) {
36          e.printStackTrace();
37      }
38  }
```

ions  
-annotations

Problems @ Javadoc Declaration Console X

<terminated> StudentDatabase [Java Application] C:\Users\DELL\Desktop\sts-4.26.0.RELEASE\plugins\org.eclipse.justj.openjdk.hotspot.jre.full.win  
A new student record was inserted successfully!

no match (incl. \* an

SQL Workbench

Local instance MySQL80 x

Edit View Query Database Server Tools Scripting Help

SQL File 5\* lab5 i\* SQL File 5\* SQL File 5\* x

Limit to 1000 rows

```
2
3 • USE school;
4
5 • CREATE TABLE students (
6     id INT AUTO_INCREMENT PRIMARY KEY,
7     name VARCHAR(100),
8     age INT,
9     grade VARCHAR(10),
10    email VARCHAR(100)
11 );
12 • SELECT * FROM students;
13
```

Result Grid

id	name	age	grade	email
1	aarthy	20	A	aarthy.0412@gmail.com

students 3 x


Apply Revert Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
10	19:41:06	CREATE TABLE students ( id INT AUTO_INCREMENT PRIMARY KEY, name VARCH...	Error Code: 1050. Table 'students' already exists	0.000 sec
11	19:41:06	SELECT * FROM students LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec
12	19:41:22	SELECT * FROM students LIMIT 0, 1000	2 row(s) returned	0.015 sec / 0.000 sec

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.



# MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help



Navigator

SCHEMAS

Filter objects

- amitdb
- company
- company1
- companyproduct
- companysalary
- customer
- customerdb
- employee
- salary
- store
- sys

SQL File 5\* lab5 i\* SQL File 5\* SQL File 5\* x SQL File 6\*

```

15      IN student_name VARCHAR(100),
16      IN student_age INT,
17      IN student_grade VARCHAR(10),
18      IN student_email VARCHAR(100)
19  )
20  BEGIN
21      INSERT INTO students (name, age, grade, email) VALUES (student_name, student_age, student_grade, student_email)
22  END $$
23
24  DELIMITER ;
25  SELECT * FROM students;
26

```

Limit to 1000 rows

Result Grid Filter Rows: Edit: Export/Import: Wrap Cell Content: A

id	name	age	grade	email
1	aarthy	20	A	aarthy.0412@gmail.com
NULL	NULL	NULL	NULL	NULL



Administration Schemas

Information

No object selected

students 3 x students 5 students 6 students 9 students 10 students 12 students 13 Apply Revert Context Help

Output

Action Output

#	Time	Action	Message
4	20:03:09	CREATE TABLE students ( id INT AUTO_INCREMENT PRIMARY KEY, name VARCHAR(100), age INT, grade VARCHAR(10), email VARCHAR(100) )	Error Code: 1050. Table 'students' already exists
5	20:03:09	CREATE PROCEDURE insert_student( IN student_name VARCHAR(100), IN student_age INT, IN student_grade VARCHAR(10), IN student_email VARCHAR(100) )	Error Code: 1304. PROCEDURE insert_student already exists
6	20:03:09	SELECT * FROM students LIMIT 0, 1000	2 empty rows

Object Info Session