

Software Engineering
Lab - 02


PES1UG24CS176
Aarush G
5C

1. Available Epics:







2. Backlog - All user stories and story points:




3. Active Sprint:



4. Burndown Chart:





Reflections:

1) Yes, the estimations provided a reasonable representation of the relative effort required for the user stories. The stories were estimated using Fibonacci story points based on complexity, effort, and uncertainty. The SSL/TLS monitoring story was assigned the highest estimate of 8 points because it involves performing TLS handshakes and extracting certificate information, while the simpler management and audit stories were assigned 3 points. Since the sprint was simulated, the estimates could not be compared against real development effort, but they provided a useful basis for planning.

2) Yes. The backlog was prioritized according to the importance of the functionality to the Domain & SSL Certificate Expiry Alert System. SSL/TLS monitoring, WHOIS monitoring, and expiry alert generation were given High priority because they are central to detecting and responding to certificate and domain expiry. Domain and endpoint management was also given High priority, while audit-result recording was assigned Medium priority. This ordering ensured that the core monitoring and alerting functionality received greater attention during sprint planning.

3) The simulated Sprint 1 followed the planned workflow. The five selected user stories, totalling 24 story points, were added to Sprint 1 with the goal of implementing core domain and SSL monitoring with expiry alert functionality. The stories progressed through To Do to In Progress to Done to simulate development during the sprint. The sprint therefore aligned with the planned scope, although the work was completed much earlier than would normally be expected in a real one-week sprint because this was a simulation.

4) The burndown chart started with 24 story points and ultimately reached 0 remaining points, indicating that the entire planned sprint workload was completed. The actual burndown was much faster than the ideal guideline, showing that the simulated team completed its assigned work early. This suggests that the team had sufficient capacity for the selected workload. However, because the sprint was simulated and the work was completed in a short period, the result should not be treated as a reliable measure of real-world team velocity.