# **GATE 2021 ES**

#### ee25btech11035 - Kushal B N

### 1 GENERAL APTITUDE (GA)

Q.1 - Q.5 Multiple Choice Question (MCQ), carry ONE mark each (for each wrong answer: -1/3)

1) The current population of a city is 11,02,500. If it has been increasing at the rate of 5% per annum, what was its population 2 years ago? (GATE ES 2021)

a) 9,92,500

c) 10,00,000

b) 9,95,006

d) 12,51,506

2) p and q are positive integers and  $\frac{p}{q} + \frac{q}{p} = 3$ , then,  $\frac{p^2}{q^2} + \frac{q^2}{p^2}$  (GATE ES 2021)


a) 3

b) 7

c) 9

d) 11

1



3) The least number of squares that must be added so that the line P-Q becomes the line of symmetry is \_\_\_\_\_ (GATE ES 2021)

a) 4

b) 3

c) 6


d) 7

4) *Nostalgia* is to *anticipation* as \_\_\_\_\_ is to \_\_\_\_\_ Which one of the following options maintains a similar logical relation in the above sentence? (GATE ES 2021)

<ul><li>a) Present, past</li><li>b) Future, past</li></ul>	c) Past, future d) Future, present
5) Consider the following sentences: (i) I woke up from sleep. (ii) I woked up from sleep. (iii) I was woken up from sleep. (iv) I was wokened up from sleep. Which of the above sentences are gram	nmatically CORRECT? (GATE ES 2021)
a) (i) and (ii) b) (i) and (iii)	c) (ii) and (iii) d) (i) and (iv)
Q.6 - Q.10 Multiple Choice Question wrong answer: -2/3).	(MCQ), carry TWO marks each (for each
<ul> <li>6) Given below are two statements and two Statement 1: All purple are green.</li> <li>Statement 2: All black are green.</li> <li>Conclusion I: Some black are purple.</li> <li>Conclusion II: No black is purple.</li> <li>Based on the above statements and consist logically CORRECT?</li> <li>a) Only conclusion I is correct.</li> <li>b) Only conclusion II is correct.</li> <li>c) Either conclusion I or II is correct.</li> <li>d) Both conclusion I and II are correct.</li> </ul>	clusions, which one of the following options (GATE ES 2021)
7) Computers are ubiquitous. They are us from agriculture to space exploration. At topic. AI enables computers to learn, givin front of a computer for long hours c Which of the following can be deduced (i) Nowadays, computers are present in (ii) Computers cannot be used for solving the computers are present in (iii) Computers cannot be used for solving the computers are present in (iii) Computers cannot be used for solving the computers are present in (iii) Computers cannot be used for solving the computers are unique to space and the computers are present in (iii) Computers are unique to space and the computers are present in (iii) Computers are unique to space and the computer are present in (iii) Computers are unique to space and the computer are present in (iii) Computers are unique to space and the computer are present in (iii) Computers are present in (iiii) Computers are present in (iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii	I from the above passage? almost all places. ang problems in engineering. e and negative effects of using computers.
b) (ii) and (iv)	d) (i) and (iii)
diagonal to get two triangles. In the ne	t. In the first step, it is cut along the main ext step, one of the cut triangles is revolved e. The volume of the resulting cone, in cubic (GATE ES 2021)

a)  $\frac{\pi}{3}$ 

- b)  $\frac{2\pi}{3}$
- c)  $\frac{3\pi}{2}$
- d)  $3\pi$



9) The number of minutes spent by two students, *X* and *Y*, exercising every day in a given week are shown in the bar chart above.


The number of days in the given week in which one of the students spent a minimum of 10% more than the other student, on a given day, is (GATE ES 2021)

a) 4

b) 5

c) 6

d) 7



10) Corners are cut from an equilateral triangle to produce a regular conved hexagon as shown in the figure above.

The ratio of the area of the regular convex hexagon to the area of the original equilateral triangle is (GATE ES 2021)

a) 2:3

c) 4:5

b) 3:4

d) 5:6

#### 2 Environmental Science and Engineering(ES)

Q.1 - Q.18 Multiple Choice Question (MCQ), carry ONE mark each (for each wrong answer: -1/3).

1) A tangent is drawn on the curve of the funtion  $y = x^2$  at the point (x, y) = (3, 9). The slope of the tangent is \_\_\_\_. (GATE ES 2021)

a) 3

b) 6

c) 9

d) 12

2)  $\lim_{x\to 0} \frac{x^2}{\sin x}$ 

(GATE ES 2021)

a) 0

b) 1

c) 2

d) -1

3) The table below shows the carbon content of four samples of powdered coal. If these four samples are mixed completely, what would be the resultant carbon percentage of the mixture by weight?

Sample number	Mass of sample (kg)	Carbon % by weight
1	2	88
2	1	90
3	2	80
4	1	90

(GATE ES 2021)

a) 58 %

b) 86 %

c) 87 %

d) 90 %

4) A sample of air is collected in the morning at an ambient temperature of 25°C. The concentration of carbon monoxide (CO) in this sample is 30 ppmv (ppm by volume). The same sample is analysed later in the afternoon when the sample temperature is 35°C. The analysis results will show the CO concentration as (GATE ES 2021)

a) < 29 ppmv


b) > 30 ppmv c) = 30 ppmv d) = 29 ppmv

5) In fluid statics, the line of action of the buoyant force always acts through the (GATE ES 2021)

- a) centre of gravuty of any submerged body
- b) centroid of the volume of any floating body
- c) centroid of the displaced volume of fluid by the body
- d) centroid of the volume of fluid vertically above the body
- 6) What is the order of preference of the various elements in integrated waste management hierarchy (highest preference to lowest preference)? (GATE ES 2021)

- a) Reduce > Reuse & recycle > Energy recovery > Landfilling
- b) Reuse & recycle > Reduce > Energy recovery > Landfilling
- c) Reduce > Energy recovery > Reuse & recycle > Landfilling
- d) Reduce > Reuse & recycle > Landfilling > Energy recovery
- 7) If d is the depth of an quifier through which water is flowing, then the relationship between permeability K and transmissibility (also known as transmissivity)T is given (GATE ES 2021)
  - a) T = Kd
- b) T = K/d c)  $T = \sqrt{Kd}$
- d)  $K = \sqrt{Td}$
- 8) Which of the following is the terminal electron acceptor in the electron transport chain of aerobic respiration? (GATE ES 2021)
  - a) Water
  - b) NADH
  - c)  $O_2$
  - d) Cytochrome-c
- 9) Which of the following causes 'Type-I' settling in a sedimentation tank? (GATE ES 2021)
  - a) Agglomeration
  - b) Compression
  - c) Force of gravity
  - d) Charge neutralization
- 10) In the context of noise pollution, SPL is the sound pressure level in decibels (dB). The relationship between SPL, the root mean square (rms) sound pressure p, and the reference (hearing threshold) pressure  $p_o$  is expressed as \_\_\_\_\_. (GATE ES 2021)
  - a) SPL =  $20 \times \log_{10} \frac{p}{p_o}$

  - b) SPL =  $20 \times \log_{10} \frac{p_o}{p}$ c) SPL =  $20 \log_{10} \frac{p_o}{p}$ d) SPL =  $20 + \log_{10} \frac{p}{p}$
  - d) SPL =  $20 + \log_{10} \frac{p}{p_0}$
- 11) The following block diagram highlights the typical phases of the life cycle of a product. In the figure, 'P', 'Q', and 'R' represent various possible scopes of analyses in life cycle assessment. Which of the following statements is true? (GATE ES 2021)



- a) 'R' represents cradle-to-grave analysis.
- b) 'P' represents cradle-to-gate analysis.
- c) 'O' represents gate-to-grave analysis.

- d) 'R' represents gate-to-gate analysis.
- 12) The United Nations Conference on Environment and Development was held in 1992 in Rio de Janeiro, Brazil. During this conference, several environmental management principles were adopted by many countries.

Which one of the following principles allows the governments to take mitigation measures on the environmental issues having serious threats or irreversible damage, even if there is scientific uncertainty about such issues? (GATE ES 2021)

- a) Polluters pay principle
- b) Precautionary priniciple
- c) Extended producer responsibility
- d) Common but differentiated responsibilities
- 13) Choose the correct order of biodegradability (highest to lowest) of the following municipal solid waste components. (GATE ES 2021)
  - a) Food > Newspaper > Polyvinyl Chloride (PVC)
  - b) Newspaper > Food waste > Polyvinyl Chloride (PVC)
  - c) Food waste > Polyvinyl Chloride (PVC) > Newspaper
  - d) Polyvinyl Chloride(PVC) > Food waste > Newspaper
- 14) In proximate analysis, when a 10kg moisture-free solid sample is heated in a furnace at 950°C in the *absence* of air, its mass is reduced by 6kg. If the same 10kg moisture-free solid sample is heated in the furnace at the same temperature in the *presence* of air, its mass is reduced by 7kg. The percentage of fixed carbon in the sample is . (GATE ES 2021)
  - a) 20 %
  - b) 60 %
  - c) 10 %
  - d) 30 %
- 15) Chlorine is most effective as a water disinfectant at a pH of \_\_\_\_\_. (GATE ES 2021)
  - a) 6
  - b) 8
  - c) 10
  - d) 12
- 16) The oxidation states of 'N' in  $NH_4^+$ ,  $NO_2^-$  and NO are \_\_\_\_\_, respectively. (GATE ES 2021)
  - a) +2, -3, and +3
  - b) -3, +3, and +2
  - c) -3, +3, and -4
  - d) +4, -2, and +2
- 17) What is the pH of a water sample having  $H^+$  concentration of 10mg/L? The atomic weight of H is 1g/mol. (GATE ES 2021)
  - a) 2
  - b) 4

- c) 6
- d) 8
- 18) Which of the following pairing of nucleotide bases is present in double helix DNA? (GATE ES 2021)
  - a) Thymine Cystosine
  - b) Adenine Thymine
  - c) Cytosine Adenine
  - d) Uracil Thymine
- 19) Which of the following is/are both greenhouse gas(es) and ozone depleting substance(s)? (GATE ES 2021)
  - a) CFC 11
  - b) *CO*<sub>2</sub>
  - c) HCFC 22
  - d)  $N_2O$
- 20) The ordinary differential equation

$$\frac{dy}{dx} = x^2 y$$

has y as the dependent variable and x as the independent variable. Which of the following classification(s) is/are applicable to the equation? ( $GATE\ ES\ 2021$ )

- a) Linear
- b) Non-linear
- c) First order
- d) Second order
- 21) Consider the following equation:

$$x^3 - 10x^2 + 31x - 30 = 0$$

Which of the following is/are the root(s) of the above equation? (GATE ES 2021)

- a) 1
- b) 2
- c) 3
- d) 4
- 22) A wind rose is a representation of meteorological conditions. Which of the follwing is are included in this representation? (GATE ES 2021)
  - a) Mixing height
  - b) Wind Speed
  - c) Wind direction
  - d) Percentage of time
  - Q.23-Q.25 Numerical Answer Type(NAT), carry ONE mark each (no negative marks).
- 23) A flocculation tank used for water treatment has a velocity gradient (G) of  $800s^{-1}$ . The volume of the tank is  $40m^3$ . The dynamic viscosity of water is  $9 \times 10^{-4} Ns/m^2$ . The theoretical power required to maintain the given velocity gradient is \_\_\_\_\_ kW (rounded off to the nearest integer). ( $GATE\ ES\ 2021$ )
- 24) In a sample, the growth of microbial cells started with an initial concentration of

 $5 \times 10^4$  cells per millilitre (mL) of the sample. After a certain time period, the cell concentration was found to be  $1280 \times 10^4$  cells per mL of the sample. Assuming binary fission of cells and no cell death, the number of generations of cell growth occurred in this time period is \_\_\_\_\_ (answer in integer). (GATE ES 2021)

25) A water jet discharging from a 4cm diameter orifice has a diameter of 3.5cm at its vena contracta. The coefficient of velocity is defined as the ratio of the actual velocity of the jet at vena contracta to the theoretical velocity of the jet. If the coefficient of velocity is 0.98, the coefficient of discharge for the orifice will be (rounded off to two decimal places). (GATE ES 2021)

Q.26-Q.34 Multiple Choice Question (MCQ), carry TWO mark each (for each wrong answer: -2/3).

26) The  $2 \times 2$  matrices P and Q satisfy the following relations:

$$P + Q = \begin{pmatrix} 3 & 1 \\ 2 & 12 \end{pmatrix} \text{ and}$$

$$P - Q = \begin{pmatrix} -1 & -7 \\ 8 & 2 \end{pmatrix}$$

The matrix Q is equal to

(GATE ES 2021)

- a)  $\begin{pmatrix} 2 & 4 \\ -3 & 5 \end{pmatrix}$ b)  $\begin{pmatrix} 1 & -3 \\ 5 & 7 \end{pmatrix}$ c)  $\begin{pmatrix} 2 & -3 \\ 4 & 5 \end{pmatrix}$ d)  $\begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix}$
- 27) A biased die has six faces numbered as k = 1, 2, 3, 4, 5, and 6. On rolling the die, the probability of the number k appearing is proportional to  $k^2$ . What is the probability (GATE ES 2021) that an even number will appear on rolling the die?
  - a)  $\frac{35}{91}$ b)  $\frac{56}{91}$ c)  $\frac{12}{21}$
- 28) Match the entries in Column I with the correct entries in column II. (GATE ES 2021)

Column I	Column II
P. Diffusion	(i) Pasquill
Q. Drag force	(ii) Fick
R. Atmospheric stability	(iii) Stokes

- a) P-(iii), Q-(ii), R-(ii), S-(i)
- b) P-(iv), Q-(ii), R-(iii), S-(i)
- c) P-(iii), Q-(i), R-(ii), S-(iv)

- d) P-(i), Q-(iii), R-(iv), S-(ii)
- 29) Which of the following international multilateral agreements (conventions, protocols) from column I match with the entries in Column II? (GATE ES 2021)

Column I	Column II
P. Ramsar Convention	(i) Ozone depletion
Q. Kyoto Protocol	(ii) Trans-boundary movement of hazardous wastes
R. Basel Convention	(iii) Climate change
S. Montreal Protocol	(iv) Conservation of wetlands

- a) P-(iv), Q-(iii), R-(ii)
- b) P-(ii), Q-(i), R-(iii)
- c) P-(i), Q-(iii), R-(ii)
- d) P-(oo), Q-(iii), R-(i)
- 30) An ideal PFR or an ideal CFSTR may be used to degrade a pollutant with first order reaction kinetics. Both the reactors are fed with the same inlet concentration and the same volumetric flow rate, and are designed to achieve the same outlet concentration. Which of the following statements is true when comparing PFR with CFSTR?

PFR is Plug Flow Reactor.

CFSTR is Continuous Flow Stirred Tank Reactor (also referred to as CSTR). (GATE ES 2021)

- a) PFR will always require less reactor volume than CFSTR.
- b) PFR will require the same reactor volume as CFSTR.
- c) CFSTR will always require less reactor volume than PFR.
- d) CFSTR can sometimes require less reactor volume than PFR.
- 31) A 200mL sample of water has an initial pH = 9. In order to determine alkalinity, the sample was titrated using 0.02N  $H_2SO_4$  acid to an end point of pH = 4.5. In the titration, 25mL of 0.02N  $H_2SO_4$  acid was required. What is the total alkalinity of the sample in mg/L as  $NaHCO_3$ ?

[Atomic weight (g/mol): Ca = 40, Na = 23, H = 1, C = 12, S = 32, and O = 16]  $(GATE\ ES\ 2021)$ 

- a) 20
- b) 125
- c) 210
- d) 305
- 32) A sewage treatment plant (STP) receives sewage at a flow rate of  $20000m^3$  per day. The sewage has 200mg/L of suspended solids. Assume 60% suspended solids are removed in the primary clarifier. The underflow (i.e. sludge) removed from the clarifier contains 5% solids (by weight).

The daily volume of the sludge generated will be \_\_\_\_\_  $m^3$  per day. Assume sludge density =  $1000kg/m^3$ . (GATE ES 2021)

- a) 48
- b) 80
- c) 480
- d) 800
- 33) In context of municipal solid waste treatment, match the equipment in List I with their function in List II. (GATE ES 2021)

List I	List II
P. Trommel	(i) Size reduction
Q. Magnetic separator	(ii) Aluminium separation
R. Hammer mill	(iii) Screening
S. Eddy current separator	(iv) Ferrous metal recovery

- a) P-(iii), Q-(iv), R-(i), S-(ii)
- b) P-(iii), Q-(ii), R-(iv), S-(i)
- c) P-(i), Q-(iv), R-(iii), S-(ii)
- d) P-(iv), Q-(ii), R-(i), S-(iii)
- 34) The characteristics of a water sample are as follows:  $Na^+ = 92 \text{ mg/L}$ ,  $K^+ = 19.5 \text{ mg/L}$ ,  $Ca^{2+} = 40 \text{ mg/L}$ , and  $Mg^{2+} = 24 \text{ mg/L}$ . What is the sodium adsorption ratio (SAR) of the water sample which may be considered for irrigation purposes? Atomic weight (g/mol): Na = 23. K = 39. Ca = 40. and Mg = 24. (GATE ES 2021)
  - a) 2.83
  - b) 1.94
  - c) 2.00
  - d) 4.00
  - Q.35-Q.40 Multiple Select Question (MSQ), carry TWO mark each (no negative marks).
- 35) Which of the following is true for the nitrifying bacteria belonging to genus *Nitrobacter?* (GATE ES 2021)
  - a) They are autotrophs.
  - b) They are eukaryotes.
  - c) They convert chemical energy to cellular energy using mitochondria.
  - d) They convert  $NO_3^-$  to  $NO_2^-$ .
- 36) Which of the following is/are the dominant mechanism(s) for the renoval of spherical particles with diameter less than  $10\mu m$  from a gas stream using a fabric filter? (GATE ES 2021)
  - a) Impaction
  - b) Gravitation

- c) Interception
- d) Diffusion
- 37) In air pollutio, which of the following is/are classified as primary pollutants? (GATE ES 2021)
  - a) Carbon Monoxide (CO)
  - b) Sulphur dioxide  $(SO_2)$
  - c) Ozone  $(O_3)$
  - d) Nitrogen dioxide  $(NO_2)$
- 38) Which of the following is/are correct for the process of glycolysis? (GATE ES 2021)
  - a) There is net decrease in standard Gibbs free energy
  - b) The end product is glyceraldehyde 3-phosphate.
  - c) First phase includes the phosphorylation of the glucose molecule.
  - d) It results in the net gain of NADH.
- 39) In the context of water quality, which of the following is/are correct for the most probable number (MPN) of a water sample? (GATE ES 2021)
  - a) The estimated organisms are gram negative,
  - b) It is based on the assumption of Poisson distribution.
  - c) It measures the exact number of microorganisms present in the sample.
  - d) It includes the quantification of pathogenic virus.
- 40) For any particular location, which of the following would influence the solar radiation incident on a rooftop solar water heater? (GATE ES 2021)
  - a) Heater surface temperature
  - b) Day of the year
  - c) Hot water temperature
  - d) Sky clearness

Q.41-Q.55 Numerical Answer Type (NAT), carry TWO mark each (no negative marks).

41) If f(x) + 3f(g(x)) = x - 2,

where 
$$g(x) = \frac{3x+1}{x-3}$$
,

then the value of the ratio  $\frac{f(5)}{f(8)}$  is \_\_\_\_\_ (answer in integer). (GATE ES 2021) 42) Consider a funtion y = f(x) which satisfies the following equation:  $\frac{d^2y}{dx^2} - \frac{dy}{dx} = 0$ 

$$\frac{d^2y}{dx^2} - \frac{dy}{dx} = 0$$

As 
$$x \to -\infty$$
,  $y = 1$ , and at  $x = 0$ ,  $y = 2$ .

The value of  $\frac{dy}{dx}$  at x = 0 is \_\_\_\_\_ (answer in integer). (GATE ES 2021) 43) The concentration of  $NO_2$  in the air at NTP is reported as 0.30 ppmv (ppm by

volume). The concentration of  $NO_2$  in  $\mu g/m^3$  is (rounded off to the nearest integer).

[At NTP, temperature = 298K, pressure = 1atm, and one mole of ideal gas occupies 24.45*L*]

[Molecular weight of  $NO_2 = 46g/mol$ ]

(GATE ES 2021)

44)	In open channel flow, the specific energy is the total energy per unit weight of a liquid, where the component potential energy is measured from the bed of the channel as the datum. A rectangular channel of $10m$ width carries $20m^3/s$ of water. The depth of flowing water is $1m$ . The specific energy for this flow condition is $m$ (rounded off to one decimal place).
	Consider acceleration due to gravity $(g) = 10m/s^2$ . (GATE ES 2021)
45)	Two reservoirs are connected by a pipeline consisting of two pipes 'A' and 'B' in series. The two pipes are of same length and have the same Darcy friction factor. If the internal diameter of pipe 'B' is twice as large as the internal diameter of pipe 'A', the ratio of the head loss in pipe 'A' to that in pipe 'B' is (answer in integer). Neglect all minor losses. (GATE ES 2021)
46)	In a field test of a geological formation of permeable soil (porosity = 20%), the hydraulic gradient was found to be 2%. The actual seepage velocity of the flow was found to be $0.0025m/s$ . Assume that the flow is in the laminar regime. The permeability( $K$ ) of the aquifer is $m/s$ (rounded off to three decimal places). (GATE ES 2021)
47)	An underground hazardous waste storage tank is leaking. The contaminant concentration directly beneath the site is $0.5mg/L$ . The contaminant is travelling at an effective rate of 0.4 m per day towards a water well which is $2km$ away. Assume that the degradation of the contaminant follows a first order reaction, and the initial concentration of the contaminant becomes half in 10 years. In this case, the contaminant concentration expected at the well under steady
	state conditions is mg/L (rounded off to two decimal places) (GATE ES 2021)
48)	The net profit expected from a manufacturing unit is ₹6000 per year. The operational life of the unit is 15 years. Assuming a fixed discount rate of 8% per annum, the net present worth of the profit earned over the operational life is ₹ (answer in integer).
49)	A 900mm internal diameter sewer is laid at a slope of 0.004 and has an actual flow of $0.15m^3/s$ . Assuming Manning's roughness coefficient to be 0.013, the ratio of the actual flow to the flow when the sewer is running full is (rounded off to two decimal places).
	Take $\pi = 3.14$ . (GATE ES 2021)
50)	A 10 million litres per day (MLD) sewage treatment plant (STP) is based on the Activated Sludge Process (ASP). First, the sewage undergoes primary treatment and the resulting treated sewage has $BOD_5$ of $140mg/L$ concentration. This is further passed through a $1500m^3$ capacity aeration tank (in ASP), where the mixed liquor volatile suspended solids (MLVSS) concentration is maintained at $3000mg/L$ . The concentration of $BOD_5$ of the treated sewage is $5mg/L$ .  The Food to Microorganisms ratio (F/M) of the ASP is $day^{-1}$ (rounded)
	off to two decimal places). (GATE ES 2021)
51)	The municipal solid waste (MSW) generated in a community (population = $100000$ ) is disposed on a $12 \times 10^4 m^2$ landfill site, which can be filled to a total depth of $25m$

(including soil cover). Assume that MSW is generated	l at a rate of 2.5kg per person
per day and its compacted density is $800kg/m^3$ . If the	volumetric ratio of MSW and
soil cover is 5:1, the useful life of the landfill site is	years (rounded off to
the nearest integer).	(GATE ES 2021)

- 53) The molar concentrations (M, i.e.mol/L) of some ionic species in a water sample were estimated as follows:  $Na^+ = 0.25M$ ;  $Ca^{2+} = 0.12M$ ;  $Cl^- = 0.32M$ ;  $HCO_3^- = 0.05M$ .
  - The ionic strength of this water sample is  $\_\_\_\_M$  (up to two decimal places). (GATE ES 2021)
- 54) Excess amount of solid calcium sulphate  $(CaS O_4)$  was added to a pure water sample (pH = 7) so that some solids remain undissolved at the equilibrium. The solubility product of  $CaS O_4$  is  $2 \times 10^{-5} mol^2/L^2$ . The molar concentration of  $S O_4^{2-}$  in this water sample at equilibrium will be \_\_\_\_\_ mol/L (rounded off to three decimal places).  $(GATE\ ES\ 2021)$
- 55) A facultative pond system for sewage treatment consists of two ponds in series. The hydraulic retention time (HRT) of each pond is 6 days. The total  $BOD_5$  reduction through the entire pond system is 90%. If the ponds are considered to be completely mixed, then the rate constant describing the  $BOD_5$  removal is \_\_\_\_\_\_  $day^{-1}$  (rounded off to two decimal points). Assume that the rate constant is same for both the ponds. (GATE ES 2021)

## END OF THE QUESTION PAPER