# 5.3.6 Matgeo

AI25BTECH11012 - Garige Unnathi

### Question

If the pair of equations 3x - y + 8 = 0 and 6x - ry + 16 = 0 represents coincident lines, then the value of r is

### Solution

Let:

$$r_1 = \begin{bmatrix} 3 & -1 \end{bmatrix} \mathbf{x} = -8 \tag{1}$$

$$r_2 = \begin{bmatrix} 6 & -r \end{bmatrix} \mathbf{x} = -16 \tag{2}$$

For coincident lines:

$$r_2 = \kappa r_1 \tag{3}$$

#### Solution

Solving using above equation

[6 
$$-r$$
]  $\mathbf{x} + 16 = \kappa([3 -1] \mathbf{x} + 8)$  (4)

$$= \begin{bmatrix} 3\kappa & -1\kappa \end{bmatrix} \mathbf{x} + 8\kappa \tag{5}$$

By comparing we get:

$$\kappa = 2$$
 (6)

$$\begin{bmatrix} 6 & -r \end{bmatrix} \mathbf{x} + 16 = \begin{bmatrix} 6 & -2 \end{bmatrix} \mathbf{x} + 16 \tag{7}$$

## Solution

since LHS should be equal to RHS:

$$r=2 (8)$$