# 4.3.22

Kavin B-EE25BTECH11033

August 31,2025

# Question

Find the ratio in which the line segment joining  $\mathbf{A}(1,-5)$  and  $\mathbf{B}(-4,5)$  is divided by the X axis. Also find the coordinates of the point of division.

### Theoretical Solution

Let the vector  $\mathbf{P}$  be the point on x-axis

$$\mathbf{P} = \begin{pmatrix} x \\ 0 \end{pmatrix} , \tag{1}$$

Given the points,

$$\mathbf{A} = \begin{pmatrix} 1 \\ -5 \end{pmatrix} \quad \mathbf{B} = \begin{pmatrix} -4 \\ 5 \end{pmatrix} \tag{2}$$

The points **A**, **P**, **B** are collinear.

#### Formulae

#### Points A, P, B are defined to be collinear if

$$rank(\mathbf{P} - \mathbf{A} \quad \mathbf{B} - \mathbf{A}) = 1 \tag{3}$$

$$\mathbf{P} - \mathbf{A} = \begin{pmatrix} x - 1 \\ 5 \end{pmatrix} \tag{4}$$

$$\mathbf{B} - \mathbf{A} = \begin{pmatrix} -5\\10 \end{pmatrix} \tag{5}$$

### Theoretical Solution

$$\begin{pmatrix} \mathbf{P} - \mathbf{A} & \mathbf{B} - \mathbf{A} \end{pmatrix} = \begin{pmatrix} x - 1 & -5 \\ 5 & 10 \end{pmatrix} \tag{6}$$

$$R_1 \leftrightarrow R_2 \implies \begin{pmatrix} 5 & 10 \\ x - 1 & -5 \end{pmatrix}$$
 (7)

$$R_2 \rightarrow 2R_2 + R_1 \implies \begin{pmatrix} 5 & 10 \\ 2x + 3 & 0 \end{pmatrix}$$
 (8)

For rank 1, the second row must be zero:

$$2x + 3 = 0 \implies x = -3/2$$
 (9)

$$\therefore \mathbf{P} = \begin{pmatrix} -3/2 \\ 0 \end{pmatrix}$$

## Equation

Section formula for a vector P which divides the line formed by vectors A and B in the ratio k:1 is given by

$$\mathbf{P} = \frac{k\mathbf{B} + \mathbf{A}}{k+1} \tag{10}$$

$$k\left(\mathbf{P} - \mathbf{B}\right) = \mathbf{A} - \mathbf{P} \tag{11}$$

$$\implies k = \frac{(\mathbf{A} - \mathbf{P})^{\top} (\mathbf{P} - \mathbf{B})}{\|\mathbf{P} - \mathbf{B}\|^2}$$
 (12)

### Theoretical Solution

$$(\mathbf{A} - \mathbf{P})^{\top} (\mathbf{P} - \mathbf{B}) = \begin{pmatrix} 5/2 & -5 \end{pmatrix} \begin{pmatrix} 5/2 \\ -5 \end{pmatrix} = 125/4 \tag{13}$$

$$\|\mathbf{P} - \mathbf{B}\|^2 = \left(\sqrt{(5/2)^2 + (-5)^2}\right)^2 = 125/4$$
 (14)

$$\implies k = 1 \tag{15}$$

Therefore the ratio in which  ${f P}$  divides the line segment joining the points  ${f A}$  and  ${f B}$  is 1:1

