

## 1.2.23 – Matgeo Assignment

ai25btech11015 – M Sai Rithik

## Question

Represent graphically a displacement of 40 km,  $30^\circ$  west of south.

## Coordinate Convention

We choose the coordinate axes as:

$$\text{East} \equiv +x, \quad \text{West} \equiv -x, \quad \text{North} \equiv +y, \quad \text{South} \equiv -y.$$

The unit column for South is

$$\mathbf{s} = \begin{bmatrix} 0 \\ -1 \end{bmatrix}.$$

## Rotation Matrix

For rotation by angle  $\theta$  anti clockwise,

$$R(\theta) = \begin{bmatrix} \cos \theta & -\sin \theta \\ \sin \theta & \cos \theta \end{bmatrix}.$$

Since “30° west of south” means clockwise rotation of 30° or anti-clockwise rotation of 330°, we apply

$$\mathbf{u} = R(330^\circ)\mathbf{s}.$$

## Direction Column

$$\mathbf{u} = \begin{bmatrix} \cos 330^\circ & -\sin 330^\circ \\ \sin 330^\circ & \cos 330^\circ \end{bmatrix} \begin{bmatrix} 0 \\ -1 \end{bmatrix} = \begin{bmatrix} -\frac{1}{2} \\ -\frac{\sqrt{3}}{2} \end{bmatrix}.$$

## Displacement Column

With magnitude 40 km:

$$\mathbf{d} = 40\mathbf{u} = 40 \begin{bmatrix} -\frac{1}{2} \\ -\frac{\sqrt{3}}{2} \end{bmatrix} = \begin{bmatrix} -20 \\ -20\sqrt{3} \end{bmatrix} \text{ km.}$$

Endpoint:

$$(x, y) = (-20, -20\sqrt{3}) \text{ km.}$$

# Graphical Representation




Figure: Displacement vector: 40 km,  $30^\circ$  west of south

# C Code

```
#include <stdio.h>
#include <stdlib.h>
#include <math.h>
#include "libs/matfun.h"

int main() {

    /* This code calculates 30 degrees west of south */

    // Create 2x2 rotation matrix
    double **R = rotMat(-M_PI/6);
    // Create 2x1 south vector (column vector)
    double **v = createMat(2, 1);
    v[0][0] = 0;
    v[1][0] = -1;

    // Multiply: (2x2) * (2x1) = (2x1)
    double **rotated = Matmul(R, v, 2, 2, 1);

    // Print result
    printf("Rotated vector: (%.4f, %.4f)\n", rotated[0][0], rotated
        [1][0]);
```



# C Code

```
FILE *fp = fopen("var.dat", "w");  
if (fp != NULL) {  
    fprintf(fp, "%.4f\n%.4f\n", rotated[0][0], rotated[1][0]);  
    fclose(fp);  
} else {  
    printf("Error opening file for writing.\n");  
}  
  
return 0;  
}
```

# Python Code

```
import matplotlib.pyplot as plt
import numpy as np
# Code by M SAI RITHIK
# 1.2.23 Represent graphically a displacement
# of 40 km, 30 west of south.
# ( 20 , 20 3 )

coords = np.loadtxt('var.dat', delimiter=' ')
point = np.array(coords) * 40

origin = np.array([0,0])

vec = np.array([origin,point])

plt.plot(vec[:,0], vec[:,1], color="red",label="AB")
plt.scatter(vec[:,0], vec[:,1],color = "red")
plt.title("Displacement Vector")

plt.text(vec[0,0],vec[0,1],"A")
plt.text(vec[1,0],vec[1,1],"B")
```

# Python Code

```
plt.axhline(0, color='black')    # x-axis
plt.axvline(0, color='black')    # y-axis
plt.xlabel("x")
plt.ylabel("y")
plt.grid(True)
plt.axis("equal")
plt.legend(loc="best")
plt.show()
plt.savefig('../figs/fig.png', dpi=300)
```