Get Expiries Plus

GET /expired-instruments/expiries

API to retrieve all the expiries for a given underlying instrument. This API is useful for traders and analysts who need to know all available expiry dates for a specific instrument to plan their trading strategies accordingly.

Expiries is currently not available for the MCX. The API will retrieve the complete list of expiry dates (including weekly and monthly) for the instrument, covering up to six months of historical expiries.

Request

```
curl --location 'https://api.upstox.com/v2/expired-instruments/expiries?
instrument_key=NSE_INDEX%7CNifty%2050' \
--header 'Content-Type: application/json' \
--header 'Authorization: Bearer {your_access_token}' \
--header 'Accept: application/json'
```

For additional samples in various languages, please refer to the Sample code section on this page.

Path Parameters

instrument_key

REQUIRED

Required

TYPE

string

DESCRIPTION

Key of an underlying symbol. For the regex pattern applicable to this field, see the Field Pattern Appendix.

Responses

200 4XX

Response Body


```
{
  "status": "success",
  "data": [
    "2024-10-03",
    "2024-10-10",
    "2024-10-17",
    "2024-10-24",
    "2024-10-31",
    "2024-11-07",
    "2024-11-14",
    "2024-11-21",
    "2024-11-28",
    "2024-12-05",
    "2024-12-12",
    "2024-12-19",
    "2024-12-26",
    "2025-01-02",
    "2025-01-09",
    "2025-01-16",
    "2025-01-23",
    "2025-01-30",
    "2025-02-06",
```


status

TYPE

`string`

DESCRIPTION

A string indicating the outcome of the request. Typically `success` for successful operations.

data

TYPE

`array`

DESCRIPTION

List of all available expiry dates in format `YYYY-MM-dd`

Sample Code

Get Expiries for given instrument

Curl | Python | Node.js | Java | PHP | Python SDK | Node.js SDK | Java SDK

```python
import requests

url = 'https://api.upstox.com/v2/expired-instruments/expiries?
instrument_key=NSE_INDEX%7CNifty%2050'
headers = {
    'Content-Type': 'application/json',
    'Authorization': 'Bearer {your_access_token}',
    'Accept': 'application/json'
}

response = requests.get(url, headers=headers)

# Check the response status
if response.status_code == 200:
    # Do something with the response data (e.g., print it)
    print(response.json())
else:
    # Print an error message if the request was not successful
    print(f"Error: {response.status_code} - {response.text}")
```