

Aarya Arban

S11 - 07

Aim: To implement vectors and strings

PROGRAM:

```
public class ProgramString{

    public static void main(String[] args){

        String s1= "Aarya is my name";

        String s2= "Im in java lab";

        String s3= "AARYA is my name";

        String s4= "Im learning java";


        System.out.println(" The length of the string s1 :"+s1.length());

        System.out.println(" The length of the string s2 :"+s2.length());

        System.out.println(" The length of the string s3 :"+s3.length());

        System.out.println(" The length of the string s4 :"+s4.length());


        System.out.println(" The index of the string s1 :"+s1.charAt(3));

        System.out.println(" The index of the string s2 :"+s2.charAt(4));

        System.out.println(" The index of the string s3 :"+s3.charAt(5));

        System.out.println(" The index of the string s4 :"+s4.charAt(6));


        System.out.println(" The uppercase of the string s1 :"+s1.toUpperCase());

        System.out.println(" The lowercase of the string s1 :"+s1.toLowerCase());

        System.out.println(" The uppercase of the string s2 :"+s2.toUpperCase());
```

```
System.out.println(" The lowercase of the string s2 : " +s2.toLowerCase());  
  
System.out.println(" The uppercase of the string s3 : " +s3.toUpperCase());  
  
System.out.println(" The lowercase of the string s3 : " +s3.toLowerCase());
```

```
System.out.println(" The uppercase of the string s4 : " +s4.toUpperCase());  
  
System.out.println(" The lowercase of the string s4 : " +s4.toLowerCase());
```

```
System.out.println(" The concatenation of the string s1 : " +s1.concat(s2));  
  
System.out.println(" The concatenation of the string s2 : " +s2.concat(s3));  
  
System.out.println(" The concatenation of the string s3 : " +s3.concat(s4));  
  
System.out.println(" The concatenation of the string s4 : " +s4.concat(s1));
```

```
System.out.println(" The substring of the string s1 : " +s1.substring(9,11));  
  
System.out.println(" The substring of the string s2 : " +s2.substring(6,10));  
  
System.out.println(" The substring of the string s3 : " +s3.substring(0,5));  
  
System.out.println(" The substring of the string s4 : " +s4.substring(3,11));
```

```
System.out.println(" The replacement of the string s1 : "  
+s1.replace("my","his"));
```

```
System.out.println(" The replacement of the string s2 : "  
+s2.replace("in","outside"));
```

```
System.out.println(" The replacement of the string s3 : " +s3.replace(  
"SOHAM","soham"));
```

```
System.out.println(" The replacement of the string s4 : "  
+s4.replace("learning","pursuing"));
```

```
System.out.println("Te index of the string s1 "+s1.indexOf('n'));
```

```

System.out.println("The index of the string s1 "+s2.indexOf('j'));

System.out.println("The index of the string s1 "+s3.indexOf('M'));

System.out.println("The index of the string s1 "+s4.indexOf('a'));


String s5= "", s6= "";

s5= s1.replace("Aarya","Soham");

s6=s1.concat("he is best");


System.out.println("The index of the string s1 "+s5);

System.out.println("The index of the string s1 "+s6);

```

```

    }
}

```

Output:

```

The length of the string s1 :16

The length of the string s2 :14

The length of the string s3 :16

The length of the string s4 :16

The index of the string s1 :a

The index of the string s2 :n

The index of the string s3 :

The index of the string s4 :r

The uppercase of the string s1 :AARYA IS MY NAME

The lowercase of the string s1 :aarya is my name

```

The uppercase of the string s2 :IM IN JAVA LAB

The lowercase of the string s2 :im in java labT

he uppercase of the string s3 :AARYA IS MY NAME

The lowercase of the string s3 :aarya is my name

The uppercase of the string s4 :IM LEARNING JAVA

The lowercase of the string s4 :im learning java