

Aarya Vijay Arban

S11-07

Aim: Write a program for creating a calculator.

Program:

```
import java.awt.*;
import java.awt.event.*;

class Calculator extends Frame implements ActionListener
{
    Frame f=new Frame();
    Label l=new Label("Enter number one");
    Label l1=new Label("Enter number two");
    Label l2=new Label("Result");
    Button b=new Button("Add");
    Button b1=new Button("Subtract");
    Button b2=new Button("Multiply");
    Button b3=new Button("Divide");
    Button b4=new Button("Cancel");
    TextField t=new TextField();
    TextField t1=new TextField();
    TextField t2=new TextField();
    Calculator()
    {
        l.setBounds(50,100,100,20);
        l1.setBounds(50,150,100,20);
        l2.setBounds(50,200,100,20);
        b.setBounds(50,250,50,20);
        b1.setBounds(120,250,50,20);
        b2.setBounds(190,250,50,20);
        b3.setBounds(260,250,50,20);
```

```

        b4.setBounds(330,250,50,20);

t.setBounds(200,100,100,20);
t1.setBounds(200,150,100,20);
t2.setBounds(200,200,100,20);

        f.add(b);

        f.add(b1);

        f.add(b2);

        f.add(b3);

        f.add(b4);

        f.add(t);

        f.add(t1);

        f.add(t2);

        f.add(l);

        f.add(l1);

        f.add(l2);

        b.addActionListener(this);

        b1.addActionListener(this);

        b2.addActionListener(this);

        b3.addActionListener(this);

        b4.addActionListener(this);

        f.setTitle("Aarya's Calculator");

        f.setLayout(null);

        f.setSize(500,500);

        f.setVisible(true);
    }

    public void actionPerformed(ActionEvent e)
    {

        int n1=Integer.parseInt(t.getText());

```

```

        int n2=Integer.parseInt(t1.getText());

        if(e.getSource()==b)
        {
            t2.setText(String.valueOf(n1+n2));
        }

        if(e.getSource()==b1)
        {
            t2.setText(String.valueOf(n1-n2));
        }

        if(e.getSource()==b2)
        {
            t2.setText(String.valueOf(n1*n2));
        }

        if(e.getSource()==b3)
        {
            t2.setText(String.valueOf(n1/n2));
        }

        if(e.getSource()==b4)
        {
            System.exit(0);
        }
    }

    public static void main (String[] args)
    {
        Frame f=new Calculator();
    }
}

```

Output:

 Aarya's Calculator—□×

Enter number one

10

Enter number two

20

Result

30

Add

Subtract

Multiply

Divide

Cancel