

Aarya Vijay Arban

S11-07

Aim: Write a program for creating Menubar

Code-1:

```
import java.awt.*;

class Notepad
{
    Notepad()
    {
        Frame f= new Frame("MenuBar");

        MenuBar mb= new MenuBar();
        f.setMenuBar(mb);

        Menu fi= new Menu("File");
        mb.add(fi);

        MenuItem N= new MenuItem("New");
        MenuItem O= new MenuItem("Open");
        MenuItem S= new MenuItem("Save");
        MenuItem SA= new MenuItem("SaveAs");
        MenuItem E= new MenuItem("Exit");

        fi.add(N);
        fi.add(O);
        fi.add(S);
        fi.add(SA);
        fi.add(E);

        Menu ed= new Menu("Edit");
        mb.add(ed);

        MenuItem C= new MenuItem("Cut");
        MenuItem Co= new MenuItem("Copy");
```

```
MenuItem P= new MenuItem("Paste");  
MenuItem D= new MenuItem("Delete");  
ed.add(C);  
ed.add(Co);  
ed.add(P);  
ed.add(D);
```


```
Menu vi= new Menu("View");  
mb.add(vi);  
MenuItem Z= new MenuItem("Zoom");  
    Menu submenu= new Menu("Zoom");  
    MenuItem in= new MenuItem("Zoom in");  
    MenuItem out= new MenuItem("Zoom out");  
    submenu.add(in);  
    submenu.add(out);  
    vi.add(submenu);
```

```
MenuItem Sb= new MenuItem("Statusbar");  
    vi.add(Z);  
    vi.add(Sb);
```

```
Menu hp= new Menu("Help");  
mb.add(hp);  
MenuItem vh= new MenuItem("View help");  
MenuItem an= new MenuItem("About Notepad");  
MenuItem sf= new MenuItem("Send Feedback");  
hp.add(vh);  
    hp.add(an);  
    hp.add(sf);
```

```
f.setVisible(true);  
  
f.setSize(400,400);  
  
f.setLayout(null);  
  
}  
  
public static void main(String []args)  
{  
  
    new Notepad();  
  
}  
  
}
```

Output:



Code-2:

```
import javax.swing.*;

import java.awt.event.*;

public class NewMenubar implements ActionListener
{
    JFrame f;
    JMenuBar mb;
    JMenu file, edit, help;
    JMenuItem cut, copy, paste, selectAll;
    JTextArea ta;

    NewMenubar()
    {
        f=new JFrame();
        mb= new JMenuBar();
        f.setJMenuBar(mb);
        f.add(mb);
        file= new JMenu("File");
        edit= new JMenu("Edit");
        help= new JMenu("Help");
        mb.add(file);
        mb.add(edit);
        mb.add(help);

        cut= new JMenuItem("Cut");
        copy= new JMenuItem("Copy");
        paste= new JMenuItem("Paste");
        selectAll= new JMenuItem("Select all");
    }
}
```

```
edit.add(cut);  
edit.add(copy);  
edit.add(paste);  
edit.add(selectAll);
```

```
cut.addActionListener(this);  
copy.addActionListener(this);  
paste.addActionListener(this);  
selectAll.addActionListener(this);
```

```
ta= new JTextArea();  
ta.setBounds(20,20 ,360, 320);  
f.add(ta);
```

```
f.setLayout(null);  
f.setSize(400,400);  
f.setVisible(true);
```

```
}
```

```
public void actionPerformed(ActionEvent e)  
{  
    if(e.getSource()==cut)  
        ta.cut();  
    if(e.getSource()==copy)  
        ta.copy();  
    if(e.getSource()==paste)  
        ta.paste();  
    if(e.getSource()==selectAll)  
        ta.selectAll();  
}
```

```
}  
public static void main(String[] args)  
{  
    new NewMenubar();  
}  
}
```

Output:

