

Aarya Arban

S11-07

Aim: To implement SQL queries

SQL Queries:

```
CREATE TABLE Emp_Aarya (  
    ID int NOT NULL,  
    LastName varchar(255) NOT NULL,  
    FirstName varchar(255),  
    Age int,  
    PRIMARY KEY (ID)  
);
```

```
CREATE TABLE Person_Aarya (  
    ID int NOT NULL,  
    LastName varchar(255) NOT NULL,  
    FirstName varchar(255) NOT NULL,  
    Age int NOT NULL,  
    Constraint PK_Person PRIMARY KEY (ID)  
);
```

```
CREATE TABLE Order_Aarya (  
    OrderID int NOT NULL,  
    OrderNumber int NOT NULL,  
    PersonID int,  
    PRIMARY KEY (OrderID),  
    FOREIGN KEY (PersonID) REFERENCES Persons(PersonID)  
);
```

```
CREATE TABLE Student_Aarya (  
    ID int NOT NULL,  
    LastName varchar(255) NOT NULL,  
    FirstName varchar(255),  
    Age int,
```

```
        CHECK (Age>=18)
    );

CREATE TABLE Faculty_Aarya(
    ID int NOT NULL,
    LastName varchar(255) NOT NULL,
    FirstName varchar(255),
    Age int,
    City varchar(255) DEFAULT 'Mumbai'
);
```

Output:

Available Tables

Emp_Aarya

ID	LastName	FirstName	Age
empty			

Faculty_Aarya

ID	LastName	FirstName	Age	City
empty				

Order_Aarya

OrderID	OrderNumber	PersonID
empty		

Person_Aarya

ID	LastName	FirstName	Age
empty			

Student_Aarya

ID	LastName	FirstName	Age
empty			