

DV Project – Minimum Requirements & Guidelines

Course Code: 2311162L

Course Name: Data Visualization Lab


Academic Year: 2025–26


Student Details

- **Student Name:** Aaryan Umashankar Vishwakarma
- **PRN Number:** 202501110209
- **Division:** AL2 & **Batch:** A25
- **DatasetName & Source:** Kaagle DataSet (Pizza Sales Report)

➤ Project Requirements

1. Data Loading





Here, I have successfully loaded all my dataset in Powerbi

2. Data Transformation (cleaning, preprocessing steps)

- Before

Untitled - Power Query Editor

Home Transform Add Column View Tools Help

Close & Apply New Source Recent Sources Enter Data Data source settings Manage Parameters Export query results Refresh Preview Advanced Editor Choose Columns Remove Columns Keep Rows Remove Rows Sort Split Column Group By Use First Row as Headers Replace Values Merge Queries Append Queries Combine Files Combine

Queries [3]

List of Orders Order Details Sales target

= Table.TransformColumnTypes(#"Promoted Headers",{"Order ID", type text}, {"Order Date", type date}, {"CustomerName", type text}, {"State", type text}, {"City", type text})

Order ID	Order Date	CustomerName	State	City
1 B-25601	01-04-2018	Bharat	Gujarat	Ahmedabad
2 B-25602	01-04-2018	Pearl	Maharashtra	Pune
3 B-25603	03-04-2018	Jahan	Madhya Pradesh	Bhopal
4 B-25604	03-04-2018	Divsha	Rajasthan	Jaipur
5 B-25605	05-04-2018	Kasheen	West Bengal	Kolkata
6 B-25606	06-04-2018	Hazel	Karnataka	Bangalore
7 B-25607	06-04-2018	Sonakshi	Jammu and Kashmir	Kashmir
8 B-25608	08-04-2018	Aarushi	Tamil Nadu	Chennai
9 B-25609	09-04-2018	Ilitesh	Uttar Pradesh	Lucknow
10 B-25610	09-04-2018	Yogesh	Bihar	Patna
11 B-25611	11-04-2018	Anita	Kerala	Thiruvananthapuram
12 B-25612	12-04-2018	Shrichand	Punjab	Chandigarh
13 B-25613	12-04-2018	Mukesh	Haryana	Chandigarh
14 B-25614	13-04-2018	Vandana	Himachal Pradesh	Simla
15 B-25615	15-04-2018	Bhavna	Sikkim	Gangtok
16 B-25616	15-04-2018	Kanak	Goa	Goa
17 B-25617	17-04-2018	Sagar	Nagaland	Kohima
18 B-25618	18-04-2018	Manju	Andhra Pradesh	Hyderabad
19 B-25619	18-04-2018	Ramesh	Gujarat	Ahmedabad
20 B-25620	20-04-2018	Sarita	Maharashtra	Pune
21 B-25621	20-04-2018	Deepak	Madhya Pradesh	Bhopal
22 B-25622	22-04-2018	Monisha	Rajasthan	Jaipur
23 B-25623	22-04-2018	Atharv	West Bengal	Kolkata
24 B-25624	22-04-2018	Vini	Karnataka	Bangalore
25 B-25625	23-04-2018	Pinky	Jammu and Kashmir	Kashmir
26 B-25626	23-04-2018	Bhishm	Maharashtra	Mumbai

5 COLUMNS, 560 ROWS Column profiling based on top 1000 rows

Query Settings

PROPERTIES

Name

List of Orders

ALL PROPERTIES

APPLIED STEPS

Source

Promoted Headers

Changed Type

Activate Windows

Go to Settings to activate Windows.

PREVIEW DOWNLOADED AT 01:45 PM

After

Untitled - Power Query Editor

Home Transform Add Column View Tools Help

Table: Transpose, Reverse Rows, Count Rows, Detect Data Type, Fill, Rename, Pivot Column, Convert to List, Split Column, Format, Extract, Parse, Statistics, Standard, Scientific, Rounding, Information, Date, Time, Duration, Run R script, Run Python script

Queries [3]: Orders, Order Details, Sales target

fx: = Table.TransformColumns(#"Cleaned Text",{"CustomerName", Text.Trim, type text})

Order ID	Order Date	CustomerName	State	City
1 B-25601	01-04-2018	Bharat	Gujarat	Ahmedabad
2 B-25602	01-04-2018	Pearl	Maharashtra	Pune
3 B-25603	03-04-2018	Jahan	Madhya Pradesh	Bhopal
4 B-25604	03-04-2018	Divsha	Rajasthan	Jaipur
5 B-25605	05-04-2018	Kasheen	West Bengal	Kolkata
6 B-25606	06-04-2018	Hazel	Karnataka	Bangalore
7 B-25607	06-04-2018	Sonakshi	Jammu and Kashmir	Kashmir
8 B-25608	08-04-2018	Aarushi	Tamil Nadu	Chennai
9 B-25609	09-04-2018	Iltesh	Uttar Pradesh	Lucknow
10 B-25610	09-04-2018	Yogesh	Bihar	Patna
11 B-25611	11-04-2018	Anita	Kerala	Thiruvananthapuram
12 B-25612	12-04-2018	Shrichand	Punjab	Chandigarh
13 B-25613	12-04-2018	Mukesh	Haryana	Chandigarh
14 B-25614	13-04-2018	Vandana	Himachal Pradesh	Simla
15 B-25615	15-04-2018	Bhavna	Sikkim	Gangtok
16 B-25616	15-04-2018	Kanak	Goa	Goa
17 B-25617	17-04-2018	Sagar	Nagaland	Kohima
18 B-25618	18-04-2018	Manju	Andhra Pradesh	Hyderabad
19 B-25619	18-04-2018	Ramesh	Gujarat	Ahmedabad
20 B-25620	20-04-2018	Sarita	Maharashtra	Pune
21 B-25621	20-04-2018	Deepak	Madhya Pradesh	Bhopal
22 B-25622	22-04-2018	Monisha	Rajasthan	Jaipur
23 B-25623	22-04-2018	Atharv	West Bengal	Kolkata
24 B-25624	22-04-2018	Vini	Karnataka	Bangalore
25 B-25625	23-04-2018	Pinky	Jammu and Kashmir	Kashmir
26 B-25626	23-04-2018	Bhishm	Maharashtra	Mumbai

5 COLUMNS, 560 ROWS Column profiling based on top 1000 rows

PREVIEW DOWNLOADED AT 02:06 PM

Query Settings: PROPERTIES Name: Orders, APPLIED STEPS: Source, Promoted Headers, Changed Type, Cleaned Text, Trimmed Text

Here, Column Name – “CustomerName” has been Cleaned and Trimmed

Untitled - Power Query Editor

Home Transform Add Column View Tools Help

Table: Transpose, Reverse Rows, Count Rows, Detect Data Type, Fill, Rename, Pivot Column, Convert to List, Split Column, Format, Extract, Parse, Statistics, Standard, Scientific, Rounding, Information, Date, Time, Duration, Run R script, Run Python script

Queries [3]: Orders, Order Details, Sales target

fx: = Table.TransformColumns(#"Cleaned Text1",{"State", Text.Trim, type text})

Order ID	Order Date	CustomerName	State	City
1 B-25601	01-04-2018	Bharat	Gujarat	Ahmedabad
2 B-25602	01-04-2018	Pearl	Maharashtra	Pune
3 B-25603	03-04-2018	Jahan	Madhya Pradesh	Bhopal
4 B-25604	03-04-2018	Divsha	Rajasthan	Jaipur
5 B-25605	05-04-2018	Kasheen	West Bengal	Kolkata
6 B-25606	06-04-2018	Hazel	Karnataka	Bangalore
7 B-25607	06-04-2018	Sonakshi	Jammu and Kashmir	Kashmir
8 B-25608	08-04-2018	Aarushi	Tamil Nadu	Chennai
9 B-25609	09-04-2018	Iltesh	Uttar Pradesh	Lucknow
10 B-25610	09-04-2018	Yogesh	Bihar	Patna
11 B-25611	11-04-2018	Anita	Kerala	Thiruvananthapuram
12 B-25612	12-04-2018	Shrichand	Punjab	Chandigarh
13 B-25613	12-04-2018	Mukesh	Haryana	Chandigarh
14 B-25614	13-04-2018	Vandana	Himachal Pradesh	Simla
15 B-25615	15-04-2018	Bhavna	Sikkim	Gangtok
16 B-25616	15-04-2018	Kanak	Goa	Goa
17 B-25617	17-04-2018	Sagar	Nagaland	Kohima
18 B-25618	18-04-2018	Manju	Andhra Pradesh	Hyderabad
19 B-25619	18-04-2018	Ramesh	Gujarat	Ahmedabad
20 B-25620	20-04-2018	Sarita	Maharashtra	Pune
21 B-25621	20-04-2018	Deepak	Madhya Pradesh	Bhopal
22 B-25622	22-04-2018	Monisha	Rajasthan	Jaipur
23 B-25623	22-04-2018	Atharv	West Bengal	Kolkata
24 B-25624	22-04-2018	Vini	Karnataka	Bangalore
25 B-25625	23-04-2018	Pinky	Jammu and Kashmir	Kashmir
26 B-25626	23-04-2018	Bhishm	Maharashtra	Mumbai

5 COLUMNS, 560 ROWS Column profiling based on top 1000 rows

PREVIEW DOWNLOADED AT 02:20 PM

Query Settings: PROPERTIES Name: Orders, APPLIED STEPS: Source, Promoted Headers, Changed Type, Cleaned Text, Trimmed Text, Cleaned Text1, Trimmed Text1

Here, Column Name – “State” has been Cleaned and Trimmed

Untitled - Power Query Editor

Home

Transform

Add Column

View

Tools

Help

Group By

Use First Row as Headers

Count Rows

Transpose

Reverse Rows

Detect Data Type

Fill

Rename

Pivot Column

Convert to List

Data Type: Text

Replace Values

Unpivot Columns

Move

Split Column

Format

Extract

Parse

Merge Columns

Statistics

Standard

Scientific

Rounding

Information

Date

Time

Duration

Run R script

Run Python script

Queries [3]

<

Here, Column Name – “City” has been Cleaned and Trimmed

Untitled - Power Query Editor

Home Transform Add Column View Tools Help

Group By Use First Row as Headers Count Rows

Transpose Reverse Rows Detect Data Type Fill Rename Pivot Column Convert to List

Replace Values Unpivot Columns Move

Split Column Format Extract Parse

Statistics Standard Scientific Rounding Information

Date Time Duration Run R Run Python script

Queries [3]

fx = Table.TransformColumns(#"Cleaned Text",{{"Category", Text.Trim, type text}})

Order ID	Amount	Profit	Quantity	Category	Sub-Category
1	B-25601	1275	-1148	7 Furniture	Bookcases
2	B-25601	66	-12	5 Clothing	Stole
3	B-25601	8	-2	3 Clothing	Hankerchief
4	B-25601	80	-56	4 Electronics	Electronic Games
5	B-25602	168	-111	2 Electronics	Phones
6	B-25602	424	-272	5 Electronics	Phones
7	B-25602	2617	1151	4 Electronics	Phones
8	B-25602	561	212	3 Clothing	Saree
9	B-25602	119	-5	8 Clothing	Saree
10	B-25603	1355	-60	5 Clothing	Trousers
11	B-25603	24	-30	1 Furniture	Chairs
12	B-25603	193	-166	3 Clothing	Saree
13	B-25603	180	5	3 Clothing	Trousers
14	B-25603	116	16	4 Clothing	Stole
15	B-25603	107	36	6 Clothing	Stole
16	B-25603	12	1	2 Clothing	Hankerchief
17	B-25603	38	18	1 Clothing	Kurti
18	B-25604	65	17	2 Clothing	T-shirt
19	B-25604	157	5	9 Clothing	Saree
20	B-25605	75	0	7 Clothing	Saree
21	B-25606	87	4	2 Clothing	Shirt
22	B-25607	50	15	4 Clothing	Leggings
23	B-25608	1364	-1864	5 Furniture	Tables
24	B-25608	476	0	3 Furniture	Chairs
25	B-25608	257	23	5 Clothing	Hankerchief
26	B-25608	856	385	6 Electronics	Printers

6 COLUMNS, 999+ ROWS Column profiling based on top 1000 rows

PREVIEW DOWNLOADED AT 02:32 PM

Query Settings

PROPERTIES

Name

Order Details

APPLIED STEPS

Source

Promoted Headers

Changed Type

Cleaned Text

Trimmed Text

Activate Windows

Go to Settings to activate Windows.

Here, Column Name – “Category” has been Cleaned and Trimmed

Removed unwanted spaces and special characters using Trim and Clean functions.

Query Settings

PROPERTIES

Name

Order Details

APPLIED STEPS

Source

Promoted Headers

Changed Type

Cleaned Text

Trimmed Text

Removed Duplicates

6 COLUMNS, 500 ROWS Column profiling based on top 1000 rows

PREVIEW DOWNLOADED AT 02:51 PM

Duplicate Order IDs were removed to maintain data integrity.

Query Settings

PROPERTIES

Name

Sales target

APPLIED STEPS

Source

Promoted Headers

Changed Type

Filtered Rows

Filtered Rows1


Filtered Rows2

3 COLUMNS, 36 ROWS Column profiling based on top 1000 rows


PREVIEW DOWNLOADED AT 02:53 PM

Removed null values to ensure consistency in analysis.


3. Creating Data Model (relationships)



Orders table is connected with Order Details using Order ID in a one-to-many relationship.




Calendar table is connected to Orders table using Order Date to enable time-based analysis.




A relationship was created between the Calendar and Sales Target table using Month-Year column to enable proper time-based comparison between actual sales and targets.

4. Creation of Custom Calendar Table



5. Preparation of Schema Diagram (*Star / Snowflake*)



The final schema used in this project is a Star Schema. The Order Details table acts as the central fact table because it contains measurable values such as Amount, Profit, and Quantity. Orders, Calendar, and Sales Target act as dimension tables because they provide descriptive information such as customer, location, date, and target details. This schema supports efficient filtering, accurate aggregation, and meaningful dashboard analysis.

6. Writing Grain (level of data detail)

Definition of Grain

Grain refers to the level of detail at which data is stored in a table. It defines what a single row in a table represents. Proper identification of grain ensures accurate aggregation and meaningful analysis.

- Grain of Each Table

Table Name	Grain (Level of Detail)
Orders	One row per Order ID
Order Details	One row per product (sub-category) in each order
Sales_Target	One row per Category per Month
Calendar	One row per Date

- Main Grain of the Project

The main grain of the project is at the **product-level transaction per order**. This means each row in the **Order Details (Fact Table)** represents a single product sold within a specific order.

- Importance of Grain

Identifying the correct grain is essential because it:

- Ensures correct aggregation of data
- Prevents duplication and double counting
- Helps in building accurate relationships between tables
- Improves clarity and reliability of the data model

- Problems Without Proper Grain


If grain is not properly defined:

- Incorrect totals may be generated
- Duplicate values may appear
- Relationships may become invalid
- Insights derived from the dashboard may be misleading


7. Selection of Appropriate Visuals

Sr. No.	Visual Type	Fields Used	Purpose / Insight
1	Card	Total Sales	Displays overall sales performance
2	Card	Total Profit	Shows total profit generated
3	Card	Total Orders	Shows number of orders placed
4	Card	Total Quantity	Shows total quantity of products sold
5	Card	Profit Margin %	Shows profitability of business
6	Line Chart	MonthYear (Calendar) → Total Orders	Shows Orders trend over time


Sr. No.	Visual Type	Fields Used	Purpose / Insight
7	Bar Chart	Category → Total Sales	Compares sales across categories
8	Column Chart	Sub-Category → Total Profit	Shows profit distribution across sub-categories
9	Pie Chart	Category → Total Sales	Shows contribution of each category
10	Map	State → Total Sales	Displays geographical distribution of sales




KPI cards are used to display key business metrics in a simple and clear format for quick understanding of overall performance.




Line chart is used to analyze the trend of sales over time and identify growth or decline patterns.




Bar chart is used to compare sales across different product categories.




Pie chart shows the percentage contribution of each category to total sales.




Slicers visual provides buttons to Interaction by the user to the dataset.



At-Last, I added the “Funnel” visual for total order done by the category-wise in e-commerce dataset and remove table put in Page-2 & added Navigation Button of all Pages.



Different types of visuals were selected based on the nature of data. KPI cards are used for summary metrics, line charts for trend analysis, bar and column charts for comparisons, pie charts for proportion analysis, and Funnel for insights and navigation buttons. This ensures better understanding and effective data storytelling.



📌 Page 2 Title:
Product Analysis Dashboard

✔️ *Objective of the Dashboard*

The Product Analysis dashboard page was created to analyze product performance based on sales, profit, quantity, category, and sub-category. Interactive visuals, slicers, and bookmarks were used to provide detailed and dynamic analysis of products.

✔️ *Visuals Used in Product Analysis Page*

Sr. No.	Visual Type	Fields Used	Purpose / Insight
1	KPI Card	Total Sales	Displays overall sales performance
2	Stacked Bar Chart	Sub-Category, Year, Total Sales	Compares sales across sub-categories and years
3	KPI Card	Total Sales by Year	Shows yearly sales summary
4	Stacked Column Chart	Category, Year, Total Sales	Compares category-wise sales by year
5	Hierarchy Slicer	Category → Sub-Category	Enables drill-based product filtering
6	Table Visual	Quantity, Category, Profit, Date, Amount, City, CustomerName	Displays detailed transactional data

Sr. No.	Visual Type	Fields Used	Purpose / Insight
7	Bookmark Buttons	Sales View / Profit View	Allows switching between dashboard views
8	Year Slicer	Year	Filters dashboard data year-wise
9	Insight Panel	Key business insights	Provides quick understanding of business performance

✔ *Explanation of Interactive Features*

◆ 1. Hierarchy Slicer

A hierarchy slicer was added using Category and Sub-Category fields to provide interactive filtering and drill-based product analysis. Users can expand and collapse categories to analyze specific products.

◆ 2. Bookmark Buttons

Bookmarks were implemented to create dynamic dashboard views. Users can switch between Sales View and Profit View using interactive buttons. This improves user experience and dashboard storytelling.

◆ 3. Drill Down Functionality

Drill-down functionality was added in charts using Category and Sub-Category hierarchy. This allows users to move from higher-level analysis to detailed product-level analysis interactively.

◆ 4. Slicers


Slicers were added for Year and Product Hierarchy to allow dynamic filtering of dashboard visuals. This improves dashboard interactivity and analytical flexibility.

✔ *Key Insights from Product Analysis Dashboard*

- Electronics category generates the highest sales.
- Furniture category contributes maximum profit.
- Clothing category has the highest order volume.
- Sales performance varies across years and product categories.
- Sub-category analysis helps identify high-performing products.

✔ *Conclusion*

The Product Analysis dashboard helps in understanding category-wise and sub-category-wise business performance. Interactive features such as slicers, drill-down, and bookmarks improve usability and provide detailed insights into product sales and profitability.



📌 Page 3 Title:
Location & Customer Analysis Dashboard

✔️ *Objective of the Dashboard*

The Location & Customer Analysis dashboard was created to analyze geographical sales distribution and customer-based business performance. This page helps in understanding state-wise and city-wise sales trends using maps, slicers, and interactive visuals.

✔️ *Visuals Used in the Dashboard*

Sr. No.	Visual Type	Fields Used	Purpose / Insight
1	Tile Slicer	State	Allows interactive filtering based on states
2	Map / Azure Maps	State, City, Total Sales	Displays geographical distribution of sales
3	Stacked Bar Chart	State, Year, Total Sales	Compares state-wise sales across years
4	Tooltip Information	City, Sales	Provides detailed location information on hover
5	Interactive Filters	State and City	Enables dynamic geographical analysis

✓ *Explanation of Dashboard Components*

◆ 1. State Tile Slicer

A tile slicer was added for states to allow users to interactively filter dashboard visuals based on selected states. This improves dashboard usability and geographical analysis.

◆ 2. Map Visual

A map visual was used to display city-wise and state-wise sales distribution geographically. Bubble sizes represent sales values, helping identify high-performing and low-performing regions.

◆ 3. State-wise Sales Comparison

A stacked bar chart was added to compare state-wise sales across different years. This helps in understanding regional sales growth and performance trends over time.

◆ 4. Interactive Filtering

Interactive filtering allows all visuals to respond dynamically when users select a particular state or city. This enhances analytical flexibility and dashboard interactivity.

✓ *Key Insights from Dashboard*

- Gujarat and Maharashtra contribute high sales values.
- Sales are concentrated in major cities such as Bangalore, Delhi, Hyderabad, and Pune.
- Certain states show significant sales growth from 2018 to 2019.
- Geographical analysis helps identify high-performing business regions.
- Interactive filtering improves detailed regional analysis.

✓ *Conclusion*

The Location & Customer Analysis dashboard helps in understanding geographical business performance using maps and interactive visuals. It enables users to identify high-performing regions, compare yearly sales trends, and analyze customer distribution effectively.

8. Create *minimum 5 Measures*

The screenshot shows the Microsoft Power BI Desktop interface. The ribbon is set to 'Table tools' > 'Measure tools'. The 'Name' field contains 'Total Sales', the 'Format' is 'Whole number', and the 'Data category' is 'Uncategorized'. The 'Home table' is 'Order Details'. The formula bar shows the DAX measure: `1 Total Sales = SUM('Order Details'[Amount])`. The main view displays a data table with columns: Order ID, Amount, Profit, Quantity, Category, Sub-Category, and Order Date. The table contains 500 rows of data. The right-hand pane shows the 'Data' view with a search bar and a list of tables: Calendar, Order Details, and Sales_target. Under 'Order Details', the fields Amount, Category, Order Date, Order ID, Profit, Quantity, and Sub-Category are listed. The 'Total Sales' measure is highlighted in the list. At the bottom, a status bar indicates 'Table: Order Details (500 rows) Column: Total Sales (0 distinct values)'.

Order ID	Amount	Profit	Quantity	Category	Sub-Category	Order Date
B-25623	53	1	4	Clothing	Stole	22-04-2018 00:00:00
B-25627	55	-39	4	Clothing	Stole	23-04-2018 00:00:00
B-25630	133	12	5	Clothing	Stole	24-04-2018 00:00:00
B-25649	27	-25	2	Clothing	Stole	05-05-2018 00:00:00
B-25670	74	29	3	Clothing	Stole	25-05-2018 00:00:00
B-25672	27	-15	1	Clothing	Stole	28-05-2018 00:00:00
B-25687	17	6	1	Clothing	Stole	11-06-2018 00:00:00
B-25706	31	-11	4	Clothing	Stole	01-07-2018 00:00:00
B-25707	8	-6	1	Clothing	Stole	01-07-2018 00:00:00
B-25719	29	10	2	Clothing	Stole	12-07-2018 00:00:00
B-25722	48	-8	8	Clothing	Stole	17-07-2018 00:00:00
B-25723	26	-24	1	Clothing	Stole	18-07-2018 00:00:00
B-25732	16	-5	2	Clothing	Stole	27-07-2018 00:00:00
B-25733	43	-43	7	Clothing	Stole	28-07-2018 00:00:00
B-25740	40	-37	3	Clothing	Stole	03-08-2018 00:00:00
B-25745	44	-8	3	Clothing	Stole	09-08-2018 00:00:00
B-25758	8	-2	1	Clothing	Stole	22-08-2018 00:00:00
B-25765	139	14	3	Clothing	Stole	29-08-2018 00:00:00
B-25775	50	-17	2	Clothing	Stole	08-09-2018 00:00:00
B-25783	25	-11	1	Clothing	Stole	15-09-2018 00:00:00
B-25788	12	3	1	Clothing	Stole	21-09-2018 00:00:00
B-25792	74	-25	3	Clothing	Stole	24-09-2018 00:00:00
B-25807	16	6	1	Clothing	Stole	07-10-2018 00:00:00
B-25815	35	14	2	Clothing	Stole	10-10-2018 00:00:00
B-25816	391	113	8	Clothing	Stole	12-10-2018 00:00:00
B-25821	60	21	4	Clothing	Stole	16-10-2018 00:00:00
B-25834	16	5	1	Clothing	Stole	29-10-2018 00:00:00

The Total Sales measure is created to calculate the overall revenue generated from all transactions. It helps in understanding the overall business performance.

The screenshot shows the Microsoft Power BI Desktop interface. The ribbon is set to 'Table tools' > 'Measure tools'. The 'Name' field contains 'Total Profit', the 'Format' is 'Whole number', and the 'Data category' is 'Uncategorized'. The 'Home table' is 'Order Details'. The formula bar shows the DAX measure: `1 Total Profit = SUM('Order Details'[Profit])`. The main view displays a data table with columns: Order ID, Amount, Profit, Quantity, Category, Sub-Category, and Order Date. The table contains 500 rows of data. The right-hand pane shows the 'Data' view with a search bar and a list of tables: Calendar, Order Details, and Sales_target. Under 'Order Details', the fields Amount, Category, Order Date, Order ID, Profit, Quantity, and Sub-Category are listed. The 'Total Profit' measure is highlighted in the list. At the bottom, a status bar indicates 'Table: Order Details (500 rows) Column: Total Profit (0 distinct values)'.

Order ID	Amount	Profit	Quantity	Category	Sub-Category	Order Date
B-25623	53	1	4	Clothing	Stole	22-04-2018 00:00:00
B-25627	55	-39	4	Clothing	Stole	23-04-2018 00:00:00
B-25630	133	12	5	Clothing	Stole	24-04-2018 00:00:00
B-25649	27	-25	2	Clothing	Stole	05-05-2018 00:00:00
B-25670	74	29	3	Clothing	Stole	25-05-2018 00:00:00
B-25672	27	-15	1	Clothing	Stole	28-05-2018 00:00:00
B-25687	17	6	1	Clothing	Stole	11-06-2018 00:00:00
B-25706	31	-11	4	Clothing	Stole	01-07-2018 00:00:00
B-25707	8	-6	1	Clothing	Stole	01-07-2018 00:00:00
B-25719	29	10	2	Clothing	Stole	12-07-2018 00:00:00
B-25722	48	-8	8	Clothing	Stole	17-07-2018 00:00:00
B-25723	26	-24	1	Clothing	Stole	18-07-2018 00:00:00
B-25732	16	-5	2	Clothing	Stole	27-07-2018 00:00:00
B-25733	43	-43	7	Clothing	Stole	28-07-2018 00:00:00
B-25740	40	-37	3	Clothing	Stole	03-08-2018 00:00:00
B-25745	44	-8	3	Clothing	Stole	09-08-2018 00:00:00
B-25758	8	-2	1	Clothing	Stole	22-08-2018 00:00:00
B-25765	139	14	3	Clothing	Stole	29-08-2018 00:00:00
B-25775	50	-17	2	Clothing	Stole	08-09-2018 00:00:00
B-25783	25	-11	1	Clothing	Stole	15-09-2018 00:00:00
B-25788	12	3	1	Clothing	Stole	21-09-2018 00:00:00
B-25792	74	-25	3	Clothing	Stole	24-09-2018 00:00:00
B-25807	16	6	1	Clothing	Stole	07-10-2018 00:00:00
B-25815	35	14	2	Clothing	Stole	10-10-2018 00:00:00
B-25816	391	113	8	Clothing	Stole	12-10-2018 00:00:00
B-25821	60	21	4	Clothing	Stole	16-10-2018 00:00:00
B-25834	16	5	1	Clothing	Stole	29-10-2018 00:00:00

The Total Profit measure is created to calculate the total profit earned from sales. It helps in identifying whether the business is operating profitably.

FileHomeHelpTable toolsMeasure tools

NameTotal QuantityFormatWhole numberData categoryUncategorized

Home tableOrder Details

StructureFormattingPropertiesCalculations

1 Total Quantity = SUM('Order Details'[Quantity])

Order ID	Amount	Profit	Quantity	Category	Sub-Category	Order Date
B-25623	53	1	4	Clothing	Stole	22-04-2018 00:00:00
B-25627	55	-39	4	Clothing	Stole	23-04-2018 00:00:00
B-25630	133	12	5	Clothing	Stole	24-04-2018 00:00:00
B-25649	27	-25	2	Clothing	Stole	05-05-2018 00:00:00
B-25670	74	29	3	Clothing	Stole	25-05-2018 00:00:00
B-25672	27	-15	1	Clothing	Stole	28-05-2018 00:00:00
B-25687	17	6	1	Clothing	Stole	11-06-2018 00:00:00
B-25706	31	-11	4	Clothing	Stole	01-07-2018 00:00:00
B-25707	8	-6	1	Clothing	Stole	01-07-2018 00:00:00
B-25719	29	10	2	Clothing	Stole	12-07-2018 00:00:00
B-25722	48	-8	8	Clothing	Stole	17-07-2018 00:00:00
B-25723	26	-24	1	Clothing	Stole	18-07-2018 00:00:00
B-25732	16	-5	2	Clothing	Stole	27-07-2018 00:00:00
B-25733	43	-43	7	Clothing	Stole	28-07-2018 00:00:00
B-25740	40	-37	3	Clothing	Stole	03-08-2018 00:00:00
B-25745	44	-8	3	Clothing	Stole	09-08-2018 00:00:00
B-25758	8	-2	1	Clothing	Stole	22-08-2018 00:00:00
B-25765	139	14	3	Clothing	Stole	29-08-2018 00:00:00
B-25775	50	-17	2	Clothing	Stole	08-09-2018 00:00:00
B-25783	25	-11	1	Clothing	Stole	15-09-2018 00:00:00
B-25788	12	3	1	Clothing	Stole	21-09-2018 00:00:00
B-25792	74	-25	3	Clothing	Stole	24-09-2018 00:00:00
B-25807	16	6	1	Clothing	Stole	07-10-2018 00:00:00
B-25815	35	14	2	Clothing	Stole	10-10-2018 00:00:00
B-25816	391	113	8	Clothing	Stole	12-10-2018 00:00:00
B-25821	60	21	4	Clothing	Stole	16-10-2018 00:00:00
B-25834	16	5	1	Clothing	Stole	29-10-2018 00:00:00

Data

Search

Calendar

Order Details

Amount

Category

Order Date

Order ID

Profit

Quantity

Sub-Category

Total Profit

Total Quantity

Total Sales

Orders

Sales_target

Table: Order Details (500 rows) Column: Total Quantity (0 distinct values)

The Total Quantity measure is used to calculate the total number of items sold. It helps in analyzing product demand and sales volume.

FileHomeHelpTable toolsMeasure tools

NameTotal OrdersFormatWhole numberData categoryUncategorized

Home tableOrder Details

StructureFormattingPropertiesCalculations

1 Total Orders = DISTINCTCOUNT(Orders[Order ID])

Order ID	Amount	Profit	Quantity	Category	Sub-Category	Order Date
B-25623	53	1	4	Clothing	Stole	22-04-2018 00:00:00
B-25627	55	-39	4	Clothing	Stole	23-04-2018 00:00:00
B-25630	133	12	5	Clothing	Stole	24-04-2018 00:00:00
B-25649	27	-25	2	Clothing	Stole	05-05-2018 00:00:00
B-25670	74	29	3	Clothing	Stole	25-05-2018 00:00:00
B-25672	27	-15	1	Clothing	Stole	28-05-2018 00:00:00
B-25687	17	6	1	Clothing	Stole	11-06-2018 00:00:00
B-25706	31	-11	4	Clothing	Stole	01-07-2018 00:00:00
B-25707	8	-6	1	Clothing	Stole	01-07-2018 00:00:00
B-25719	29	10	2	Clothing	Stole	12-07-2018 00:00:00
B-25722	48	-8	8	Clothing	Stole	17-07-2018 00:00:00
B-25723	26	-24	1	Clothing	Stole	18-07-2018 00:00:00
B-25732	16	-5	2	Clothing	Stole	27-07-2018 00:00:00
B-25733	43	-43	7	Clothing	Stole	28-07-2018 00:00:00
B-25740	40	-37	3	Clothing	Stole	03-08-2018 00:00:00
B-25745	44	-8	3	Clothing	Stole	09-08-2018 00:00:00
B-25758	8	-2	1	Clothing	Stole	22-08-2018 00:00:00
B-25765	139	14	3	Clothing	Stole	29-08-2018 00:00:00
B-25775	50	-17	2	Clothing	Stole	08-09-2018 00:00:00
B-25783	25	-11	1	Clothing	Stole	15-09-2018 00:00:00
B-25788	12	3	1	Clothing	Stole	21-09-2018 00:00:00
B-25792	74	-25	3	Clothing	Stole	24-09-2018 00:00:00
B-25807	16	6	1	Clothing	Stole	07-10-2018 00:00:00
B-25815	35	14	2	Clothing	Stole	10-10-2018 00:00:00
B-25816	391	113	8	Clothing	Stole	12-10-2018 00:00:00
B-25821	60	21	4	Clothing	Stole	16-10-2018 00:00:00
B-25834	16	5	1	Clothing	Stole	29-10-2018 00:00:00

Data

Search

Calendar

Order Details

Amount

Category

Order Date

Order ID

Profit

Quantity

Sub-Category

Total Orders

Total Profit

Total Quantity

Total Sales

Orders

Sales_target

Table: Order Details (500 rows) Column: Total Orders (0 distinct values)

The Total Orders measure is created to count the number of unique orders placed by customers. It helps in understanding customer activity and transaction frequency.

Untitled - Power BI Desktop

File Home Help Table tools Measure tools

Name Profit Margin % Format General Data category Uncategorized

Home table Order Details \$ % % Auto

Structure Formatting Properties Calculations

1 Profit Margin % = DIVIDE([Total Profit], [Total Sales], 0)

Order ID	Amount	Profit	Quantity	Category	Sub-Category	Order Date
B-25623	53	1	4	Clothing	Stole	22-04-2018 00:00:00
B-25627	55	-39	4	Clothing	Stole	23-04-2018 00:00:00
B-25630	133	12	5	Clothing	Stole	24-04-2018 00:00:00
B-25649	27	-25	2	Clothing	Stole	05-05-2018 00:00:00
B-25670	74	29	3	Clothing	Stole	25-05-2018 00:00:00
B-25672	27	-15	1	Clothing	Stole	28-05-2018 00:00:00
B-25687	17	6	1	Clothing	Stole	11-06-2018 00:00:00
B-25706	31	-11	4	Clothing	Stole	01-07-2018 00:00:00
B-25707	8	-6	1	Clothing	Stole	01-07-2018 00:00:00
B-25719	29	10	2	Clothing	Stole	12-07-2018 00:00:00
B-25722	48	-8	8	Clothing	Stole	17-07-2018 00:00:00
B-25723	26	-24	1	Clothing	Stole	18-07-2018 00:00:00
B-25732	16	-5	2	Clothing	Stole	27-07-2018 00:00:00
B-25733	43	-43	7	Clothing	Stole	28-07-2018 00:00:00
B-25740	40	-37	3	Clothing	Stole	03-08-2018 00:00:00
B-25745	44	-8	3	Clothing	Stole	09-08-2018 00:00:00
B-25758	8	-2	1	Clothing	Stole	22-08-2018 00:00:00
B-25765	139	14	3	Clothing	Stole	29-08-2018 00:00:00
B-25775	50	-17	2	Clothing	Stole	08-09-2018 00:00:00
B-25783	25	-11	1	Clothing	Stole	15-09-2018 00:00:00
B-25788	12	3	1	Clothing	Stole	21-09-2018 00:00:00
B-25792	74	-25	3	Clothing	Stole	24-09-2018 00:00:00
B-25807	16	6	1	Clothing	Stole	07-10-2018 00:00:00
B-25815	35	14	2	Clothing	Stole	10-10-2018 00:00:00
B-25816	391	113	8	Clothing	Stole	12-10-2018 00:00:00
B-25821	60	21	4	Clothing	Stole	16-10-2018 00:00:00
B-25834	16	5	1	Clothing	Stole	29-10-2018 00:00:00

Table: Order Details (500 rows) Column: Profit Margin % (0 distinct values)

Activate Windows
Go to Settings to activate Windows.

Update available (click to download)

The Profit Margin Percentage measure is created to evaluate profitability by comparing profit with total sales. It helps in understanding business efficiency.

9. Create *minimum 5 Calculated Columns*

Mini DV Project • Last saved: Today at 6:07 PM

File Home Help Table tools Column tools

Name: Order Year Format: Whole number Summarization: Sum Data category: Uncategorized

Structure Formatting Properties Sort Groups Relationships Calculations

1 Order Year = YEAR(Orders[Order Date])

Order ID	Order Date	CustomerName	State	City	Order Year
B-25601	01 April 2018	Bharat	Gujarat	Ahmedabad	2018
B-25602	01 April 2018	Pearl	Maharashtra	Pune	2018
B-25603	03 April 2018	Jahan	Madhya Pradesh	Bhopal	2018
B-25604	03 April 2018	Divsha	Rajasthan	Jaipur	2018
B-25605	05 April 2018	Kasheen	West Bengal	Kolkata	2018
B-25606	06 April 2018	Hazel	Karnataka	Bangalore	2018
B-25607	06 April 2018	Sonakshi	Jammu and Kashmir	Kashmir	2018
B-25608	08 April 2018	Aarushi	Tamil Nadu	Chennai	2018
B-25609	09 April 2018	Jitesh	Uttar Pradesh	Lucknow	2018
B-25610	09 April 2018	Yogesh	Bihar	Patna	2018
B-25611	11 April 2018	Anita	Kerala	Thiruvananthapuram	2018
B-25612	12 April 2018	Shrichand	Punjab	Chandigarh	2018
B-25613	12 April 2018	Mukesh	Haryana	Chandigarh	2018
B-25614	13 April 2018	Vandana	Himachal Pradesh	Simla	2018
B-25615	15 April 2018	Bhavna	Sikkim	Gangtok	2018
B-25616	15 April 2018	Kanak	Goa	Goa	2018
B-25617	17 April 2018	Sagar	Nagaland	Kohima	2018
B-25618	18 April 2018	Manju	Andhra Pradesh	Hyderabad	2018
B-25619	18 April 2018	Ramesh	Gujarat	Ahmedabad	2018
B-25620	20 April 2018	Sarita	Maharashtra	Pune	2018
B-25621	20 April 2018	Deepak	Madhya Pradesh	Bhopal	2018
B-25622	22 April 2018	Monisha	Rajasthan	Jaipur	2018
B-25623	22 April 2018	Atharv	West Bengal	Kolkata	2018
B-25624	22 April 2018	Vini	Karnataka	Bangalore	2018
B-25625	23 April 2018	Pinky	Jammu and Kashmir	Kashmir	2018
B-25626	23 April 2018	Bhishm	Maharashtra	Mumbai	2018
B-25627	23 April 2018	Hitika	Madhya Pradesh	Indore	2018

Table: Orders (560 rows) Column: Order Year (3 distinct values)

Update available (click to download)

The Order Year calculated column was created to extract the year from the order date. It helps in year-wise sales and profit analysis.

Mini DV Project • Last saved: Today at 6:07 PM

File Home Help Table tools Column tools

Name: Order Month Format: Text Summarization: Don't summarize Data category: Uncategorized

Structure Formatting Properties Sort Groups Relationships Calculations

1 Order Month = FORMAT(Orders[Order Date], "MMMM")

Order ID	Order Date	CustomerName	State	City	Order Year	Order Month
B-25633	26 April 2018	Amit	Sikkim	Gangtok	2018	April
B-25634	26 April 2018	Sanjay	Goa	Goa	2018	April
B-25635	26 April 2018	Nidhi	Nagaland	Kohima	2018	April
B-25636	26 April 2018	Nishi	Maharashtra	Mumbai	2018	April
B-25637	26 April 2018	Ashmi	Madhya Pradesh	Indore	2018	April
B-25638	26 April 2018	Parth	Maharashtra	Pune	2018	April
B-25639	27 April 2018	Lisha	Madhya Pradesh	Bhopal	2018	April
B-25640	27 April 2018	Paridhi	Rajasthan	Jaipur	2018	April
B-25641	27 April 2018	Parishi	West Bengal	Kolkata	2018	April
B-25642	28 April 2018	Ajay	Karnataka	Bangalore	2018	April
B-25643	29 April 2018	Kirti	Jammu and Kashmir	Kashmir	2018	April
B-25644	30 April 2018	Mayank	Maharashtra	Mumbai	2018	April
B-25645	01 May 2018	Yaanvi	Madhya Pradesh	Indore	2018	May
B-25646	01 May 2018	Sonal	Bihar	Patna	2018	May
B-25647	03 May 2018	Sharda	Kerala	Thiruvananthapuram	2018	May
B-25648	04 May 2018	Aditya	Punjab	Chandigarh	2018	May
B-25649	05 May 2018	Rachna	Haryana	Chandigarh	2018	May
B-25650	06 May 2018	Chirag	Maharashtra	Mumbai	2018	May
B-25651	07 May 2018	Anurag	Madhya Pradesh	Indore	2018	May
B-25652	08 May 2018	Tushina	Goa	Goa	2018	May
B-25653	08 May 2018	Farah	Nagaland	Kohima	2018	May
B-25654	10 May 2018	Sabah	Maharashtra	Mumbai	2018	May
B-25655	11 May 2018	Nida	Madhya Pradesh	Indore	2018	May
B-25656	11 May 2018	Priyanka	Maharashtra	Pune	2018	May
B-25657	13 May 2018	Tulika	Madhya Pradesh	Bhopal	2018	May
B-25658	14 May 2018	Shelali	Rajasthan	Jaipur	2018	May
B-25659	15 May 2018	Sanskriti	West Bengal	Kolkata	2018	May

Table: Orders (560 rows) Column: Order Month (13 distinct values)

Update available (click to download)

The Order Month column was created to identify the month in which each order was placed. It is useful for monthly trend analysis.

Mini DV Project • Last saved: Today at 6:07 PM

File Home Help **Table tools** **Column tools**

Name: Month Number Format: Whole number Summarization: Sum Data type: Whole number Data category: Uncategorized

Structure: 1 Month Number = MONTH(Orders[Order Date])

Order ID	Order Date	CustomerName	State	City	Order Year	Order Month	Month Number
B-25633	26 April 2018	Amit	Sikkim	Gangtok	2018	April	4
B-25634	26 April 2018	Sanjay	Goa	Goa	2018	April	4
B-25635	26 April 2018	Nidhi	Nagaland	Kohima	2018	April	4
B-25636	26 April 2018	Nishi	Maharashtra	Mumbai	2018	April	4
B-25637	26 April 2018	Ashmi	Madhya Pradesh	Indore	2018	April	4
B-25638	26 April 2018	Parth	Maharashtra	Pune	2018	April	4
B-25639	27 April 2018	Lisha	Madhya Pradesh	Bhopal	2018	April	4
B-25640	27 April 2018	Paridhi	Rajasthan	Jaipur	2018	April	4
B-25641	27 April 2018	Parishi	West Bengal	Kolkata	2018	April	4
B-25642	28 April 2018	Ajay	Karnataka	Bangalore	2018	April	4
B-25643	29 April 2018	Kirti	Jammu and Kashmir	Kashmir	2018	April	4
B-25644	30 April 2018	Mayank	Maharashtra	Mumbai	2018	April	4
B-25645	01 May 2018	Yaanvi	Madhya Pradesh	Indore	2018	May	5
B-25646	01 May 2018	Sonal	Bihar	Patna	2018	May	5
B-25647	03 May 2018	Sharda	Kerala	Thiruvananthapuram	2018	May	5
B-25648	04 May 2018	Aditya	Punjab	Chandigarh	2018	May	5
B-25649	05 May 2018	Rachna	Haryana	Chandigarh	2018	May	5
B-25650	06 May 2018	Chirag	Maharashtra	Mumbai	2018	May	5
B-25651	07 May 2018	Anurag	Madhya Pradesh	Indore	2018	May	5
B-25652	08 May 2018	Tushina	Goa	Goa	2018	May	5
B-25653	08 May 2018	Farah	Nagaland	Kohima	2018	May	5
B-25654	10 May 2018	Sabah	Maharashtra	Mumbai	2018	May	5
B-25655	11 May 2018	Nida	Madhya Pradesh	Indore	2018	May	5
B-25656	11 May 2018	Priyanka	Maharashtra	Pune	2018	May	5
B-25657	13 May 2018	Tulika	Madhya Pradesh	Bhopal	2018	May	5
B-25658	14 May 2018	Shelfali	Rajasthan	Jaipur	2018	May	5
B-25659	15 May 2018	Sanskriti	West Bengal	Kolkata	2018	May	5

Table: Orders (560 rows) Column: Month Number (13 distinct values)

Update available (click to download)

The Month Number column was created to sort month names in correct calendar order instead of alphabetical order.

Mini DV Project • Last saved: Today at 6:07 PM

File Home Help **Table tools** **Column tools**

Name: Profit Status Format: Text Summarization: Don't summarize Data type: Text Data category: Uncategorized

Structure: 1 Profit Status = IF (CALCULATE(SUM('Order Details'[Profit])) >= 0, "Profit", "Loss")

Order ID	Order Date	CustomerName	State	City	Order Year	Order Month	Month Number	Profit Status
B-25601	01 April 2018	Bharat	Gujarat	Ahmedabad	2018	April	4	Loss
B-25602	01 April 2018	Pearl	Maharashtra	Pune	2018	April	4	Loss
B-25603	03 April 2018	Jahan	Madhya Pradesh	Bhopal	2018	April	4	Loss
B-25604	03 April 2018	Divsha	Rajasthan	Jaipur	2018	April	4	Profit
B-25605	05 April 2018	Kasheen	West Bengal	Kolkata	2018	April	4	Profit
B-25606	06 April 2018	Hazel	Karnataka	Bangalore	2018	April	4	Profit
B-25607	06 April 2018	Sonakshi	Jammu and Kashmir	Kashmir	2018	April	4	Profit
B-25608	08 April 2018	Aarushi	Tamil Nadu	Chennai	2018	April	4	Loss
B-25609	09 April 2018	Jitesh	Uttar Pradesh	Lucknow	2018	April	4	Profit
B-25610	09 April 2018	Yogesh	Bihar	Patna	2018	April	4	Loss
B-25611	11 April 2018	Anita	Kerala	Thiruvananthapuram	2018	April	4	Loss
B-25612	12 April 2018	Shrichand	Punjab	Chandigarh	2018	April	4	Loss
B-25613	12 April 2018	Mukesh	Haryana	Chandigarh	2018	April	4	Profit
B-25614	13 April 2018	Vandana	Himachal Pradesh	Simla	2018	April	4	Profit
B-25615	15 April 2018	Bhavna	Sikkim	Gangtok	2018	April	4	Profit
B-25616	15 April 2018	Kanak	Goa	Goa	2018	April	4	Profit
B-25617	17 April 2018	Sagar	Nagaland	Kohima	2018	April	4	Loss
B-25618	18 April 2018	Manju	Andhra Pradesh	Hyderabad	2018	April	4	Profit
B-25619	18 April 2018	Ramesh	Gujarat	Ahmedabad	2018	April	4	Profit
B-25620	20 April 2018	Sarita	Maharashtra	Pune	2018	April	4	Profit
B-25621	20 April 2018	Deepak	Madhya Pradesh	Bhopal	2018	April	4	Loss
B-25622	22 April 2018	Manish	Rajasthan	Jaipur	2018	April	4	Profit

Table: Orders (560 rows) Column: Profit Status (2 distinct values)

Update available (click to download)

The Profit Status column was created in the Orders table by aggregating profit from the Order Details table. It classifies each order as Profit or Loss based on the total profit of that order.

Mini DV Project • Last saved: Today at 6:07 PM

File Home Help Table tools Column tools

Name Order Size Category Format Text Summarization Don't summarize Data category Uncategorized Sort by column Data groups Manage relationships New column

```

1 Order Size Category =
2 IF(
3   CALCULATE(SUM('Order Details'[Quantity])) >= 10,
4   "Large Order",
5   IF(
6     CALCULATE(SUM('Order Details'[Quantity])) >= 5,
7     "Medium Order",
8     "Small Order"
9   )
10 )

```

Order ID	Order Date	CustomerName	State	City	Order Year	Order Month	Month Number	Profit Status	Order Size Category
B-25601	01 April 2018	Bharat	Gujarat	Ahmedabad	2018	April	4	Loss	Medium Order
B-25602	01 April 2018	Pearl	Maharashtra	Pune	2018	April	4	Loss	Small Order
B-25603	03 April 2018	Jahan	Madhya Pradesh	Bhopal	2018	April	4	Loss	Medium Order
B-25604	03 April 2018	Divsha	Rajasthan	Jaipur	2018	April	4	Profit	Small Order
B-25605	05 April 2018	Kasheen	West Bengal	Kolkata	2018	April	4	Profit	Medium Order
B-25606	06 April 2018	Hazel	Karnataka	Bangalore	2018	April	4	Profit	Small Order
B-25607	06 April 2018	Sonakshi	Jammu and Kashmir	Kashmir	2018	April	4	Profit	Small Order
B-25608	08 April 2018	Aarushi	Tamil Nadu	Chennai	2018	April	4	Loss	Medium Order
B-25609	09 April 2018	Jitesh	Uttar Pradesh	Lucknow	2018	April	4	Profit	Small Order
B-25610	09 April 2018	Yogesh	Bihar	Patna	2018	April	4	Loss	Small Order
B-25611	11 April 2018	Anita	Kerala	Thiruvananthapuram	2018	April	4	Loss	Small Order
B-25612	12 April 2018	Shrichand	Punjab	Chandigarh	2018	April	4	Loss	Small Order
B-25613	12 April 2018	Mukesh	Haryana	Chandigarh	2018	April	4	Profit	Medium Order
B-25614	13 April 2018	Vandana	Himachal Pradesh	Simla	2018	April	4	Profit	Small Order
B-25615	15 April 2018	Bhavna	Sikkim	Gangtok	2018	April	4	Profit	Medium Order
B-25616	15 April 2018	Kanak	Goa	Goa	2018	April	4	Profit	Medium Order
B-25617	17 April 2018	Sagar	Nagaland	Kohima	2018	April	4	Loss	Medium Order
B-25618	18 April 2018	Manju	Andhra Pradesh	Hyderabad	2018	April	4	Profit	Small Order
B-25619	18 April 2018	Ramesh	Gujarat	Ahmedabad	2018	April	4	Profit	Medium Order
B-25620	20 April 2018	Savita	Maharashtra	Pune	2018	April	4	Profit	Small Order

Table: Orders (560 rows) Column: Order Size Category (3 distinct values)

Activate Windows
Go to Settings to activate Windows.

Update available (click to download)

The Order Size Category column was created to classify orders based on total quantity purchased. It helps in analyzing customer buying behavior and identifying high-volume orders.

10. Apply minimum 7 Time Intelligence Functions

The screenshot shows the Power BI Desktop interface. The 'Measure tools' ribbon is active. The 'Name' field is set to 'Previous Month Sales'. The 'Format' is set to 'Whole number'. The 'Data category' is set to 'Uncategorized'. The 'Home table' is 'Order Details'. The 'Structure' pane shows the formula for 'Previous Month Sales'.

```
1 Previous Month Sales =  
2 CALCULATE(  
3     [Total Sales],  
4     PREVIOUSMONTH(Calendar[Date])  
5 )
```

The 'Data' pane on the right shows the 'Previous Month Sales' measure selected. The table below shows the data for 'Previous Month Sales'.

Order ID	Amount	Profit	Quantity	Category	Sub-Category	Order Date
B-25623	53	1	4	Clothing	Stole	22-04-2018 00:00:00
B-25627	55	-39	4	Clothing	Stole	23-04-2018 00:00:00
B-25630	133	12	5	Clothing	Stole	24-04-2018 00:00:00
B-25649	27	-25	2	Clothing	Stole	05-05-2018 00:00:00
B-25670	74	29	3	Clothing	Stole	25-05-2018 00:00:00
B-25672	27	-15	1	Clothing	Stole	28-05-2018 00:00:00
B-25687	17	6	1	Clothing	Stole	11-06-2018 00:00:00
B-25706	31	-11	4	Clothing	Stole	01-07-2018 00:00:00
B-25707	8	-6	1	Clothing	Stole	01-07-2018 00:00:00
B-25719	29	10	2	Clothing	Stole	12-07-2018 00:00:00
B-25722	48	-8	8	Clothing	Stole	17-07-2018 00:00:00
B-25723	26	-24	1	Clothing	Stole	18-07-2018 00:00:00
B-25732	16	-5	2	Clothing	Stole	27-07-2018 00:00:00
B-25733	43	-43	7	Clothing	Stole	28-07-2018 00:00:00
B-25740	40	-37	3	Clothing	Stole	03-08-2018 00:00:00
B-25745	44	-8	3	Clothing	Stole	09-08-2018 00:00:00
B-25758	8	-2	1	Clothing	Stole	22-08-2018 00:00:00
B-25765	139	14	3	Clothing	Stole	29-08-2018 00:00:00
B-25775	50	-17	2	Clothing	Stole	08-09-2018 00:00:00
B-25783	25	-11	1	Clothing	Stole	15-09-2018 00:00:00
B-25788	12	3	1	Clothing	Stole	21-09-2018 00:00:00
B-25792	74	-25	3	Clothing	Stole	24-09-2018 00:00:00
B-25807	16	6	1	Clothing	Stole	07-10-2018 00:00:00
B-25815	35	14	2	Clothing	Stole	10-10-2018 00:00:00

Table: Order Details (500 rows) Column: Previous Month Sales (0 distinct values)

The Previous Month Sales measure was created to calculate sales of the previous month. It helps in comparing current sales performance with the immediately preceding month.

The screenshot shows the Power BI Desktop interface. The 'Measure tools' ribbon is active. The 'Name' field is set to 'MTD Sales'. The 'Format' is set to 'Whole number'. The 'Data category' is set to 'Uncategorized'. The 'Home table' is 'Order Details'. The 'Structure' pane shows the formula for 'MTD Sales'.

```
1 MTD Sales =  
2 TOTALMTD(  
3     [Total Sales],  
4     Calendar[Date]  
5 )
```

The 'Data' pane on the right shows the 'MTD Sales' measure selected. The table below shows the data for 'MTD Sales'.

Order ID	Amount	Profit	Quantity	Category	Sub-Category	Order Date
B-25623	53	1	4	Clothing	Stole	22-04-2018 00:00:00
B-25627	55	-39	4	Clothing	Stole	23-04-2018 00:00:00
B-25630	133	12	5	Clothing	Stole	24-04-2018 00:00:00
B-25649	27	-25	2	Clothing	Stole	05-05-2018 00:00:00
B-25670	74	29	3	Clothing	Stole	25-05-2018 00:00:00
B-25672	27	-15	1	Clothing	Stole	28-05-2018 00:00:00
B-25687	17	6	1	Clothing	Stole	11-06-2018 00:00:00
B-25706	31	-11	4	Clothing	Stole	01-07-2018 00:00:00
B-25707	8	-6	1	Clothing	Stole	01-07-2018 00:00:00
B-25719	29	10	2	Clothing	Stole	12-07-2018 00:00:00
B-25722	48	-8	8	Clothing	Stole	17-07-2018 00:00:00
B-25723	26	-24	1	Clothing	Stole	18-07-2018 00:00:00
B-25732	16	-5	2	Clothing	Stole	27-07-2018 00:00:00
B-25733	43	-43	7	Clothing	Stole	28-07-2018 00:00:00
B-25740	40	-37	3	Clothing	Stole	03-08-2018 00:00:00
B-25745	44	-8	3	Clothing	Stole	09-08-2018 00:00:00
B-25758	8	-2	1	Clothing	Stole	22-08-2018 00:00:00
B-25765	139	14	3	Clothing	Stole	29-08-2018 00:00:00
B-25775	50	-17	2	Clothing	Stole	08-09-2018 00:00:00
B-25783	25	-11	1	Clothing	Stole	15-09-2018 00:00:00
B-25788	12	3	1	Clothing	Stole	21-09-2018 00:00:00
B-25792	74	-25	3	Clothing	Stole	24-09-2018 00:00:00
B-25807	16	6	1	Clothing	Stole	07-10-2018 00:00:00
B-25815	35	14	2	Clothing	Stole	10-10-2018 00:00:00

Table: Order Details (500 rows) Column: MTD Sales (0 distinct values)

The Month-to-Date (MTD) Sales measure was created to calculate cumulative sales from the beginning of the current month up to the selected date. It helps in tracking monthly sales progress.

Mini DV Project • Last saved: Today at 12:22 PM

Search

AARYAN VISHWAKARMA

File Home Help Table tools Measure tools

Share

Name QTD Sales Format Whole number Data category Uncategorized

Home table Order Details \$ % 0

Structure Formatting Properties Calculations

1 QTD Sales =
2 TOTALQTD(
3 [Total Sales],
4 Calendar[Date]
5)

Order ID	Amount	Profit	Quantity	Category	Sub-Category	Order Date
B-25623	53	1	4	Clothing	Stole	22-04-2018 00:00:00
B-25627	55	-39	4	Clothing	Stole	23-04-2018 00:00:00
B-25630	133	12	5	Clothing	Stole	24-04-2018 00:00:00
B-25649	27	-25	2	Clothing	Stole	05-05-2018 00:00:00
B-25670	74	29	3	Clothing	Stole	25-05-2018 00:00:00
B-25672	27	-15	1	Clothing	Stole	28-05-2018 00:00:00
B-25687	17	6	1	Clothing	Stole	11-06-2018 00:00:00
B-25706	31	-11	4	Clothing	Stole	01-07-2018 00:00:00
B-25707	8	-6	1	Clothing	Stole	01-07-2018 00:00:00
B-25719	29	10	2	Clothing	Stole	12-07-2018 00:00:00
B-25722	48	-8	8	Clothing	Stole	17-07-2018 00:00:00
B-25723	26	-24	1	Clothing	Stole	18-07-2018 00:00:00
B-25732	16	-5	2	Clothing	Stole	27-07-2018 00:00:00
B-25733	43	-43	7	Clothing	Stole	28-07-2018 00:00:00
B-25740	40	-37	3	Clothing	Stole	03-08-2018 00:00:00
B-25745	44	-8	3	Clothing	Stole	09-08-2018 00:00:00
B-25758	8	-2	1	Clothing	Stole	22-08-2018 00:00:00
B-25765	139	14	3	Clothing	Stole	29-08-2018 00:00:00
B-25775	50	-17	2	Clothing	Stole	08-09-2018 00:00:00
B-25783	25	-11	1	Clothing	Stole	15-09-2018 00:00:00
B-25788	12	3	1	Clothing	Stole	21-09-2018 00:00:00
B-25792	74	-25	3	Clothing	Stole	24-09-2018 00:00:00
B-25807	16	6	1	Clothing	Stole	07-10-2018 00:00:00
B-25815	35	14	2	Clothing	Stole	10-10-2018 00:00:00

Table: Order Details (500 rows) Column: QTD Sales (0 distinct values)

Update available (click to download)

Data

Search

Calendar

Order Details

Amount

Category

MTD Sales

Order Date

Order ID

Previous Month Sales

Profit

Profit Margin %

QTD Sales

Quantity

Sub-Category

Total Orders

Total Profit

Total Quantity

Total Sales

Orders

Sales_target

Activate Windows

Go to Settings to activate Windows.

The Quarter-to-Date (QTD) Sales measure was created to calculate cumulative sales for the current quarter. It helps in evaluating quarterly business performance.

Mini DV Project • Last saved: Today at 12:22 PM

Search

AARYAN VISHWAKARMA

File Home Help Table tools Measure tools

Share

Name YTD Sales Format Whole number Data category Uncategorized

Home table Order Details \$ % 0

Structure Formatting Properties Calculations

1 YTD Sales =
2 TOTALYTD(
3 [Total Sales],
4 Calendar[Date]
5)

Order ID	Amount	Profit	Quantity	Category	Sub-Category	Order Date
B-25623	53	1	4	Clothing	Stole	22-04-2018 00:00:00
B-25627	55	-39	4	Clothing	Stole	23-04-2018 00:00:00
B-25630	133	12	5	Clothing	Stole	24-04-2018 00:00:00
B-25649	27	-25	2	Clothing	Stole	05-05-2018 00:00:00
B-25670	74	29	3	Clothing	Stole	25-05-2018 00:00:00
B-25672	27	-15	1	Clothing	Stole	28-05-2018 00:00:00
B-25687	17	6	1	Clothing	Stole	11-06-2018 00:00:00
B-25706	31	-11	4	Clothing	Stole	01-07-2018 00:00:00
B-25707	8	-6	1	Clothing	Stole	01-07-2018 00:00:00
B-25719	29	10	2	Clothing	Stole	12-07-2018 00:00:00
B-25722	48	-8	8	Clothing	Stole	17-07-2018 00:00:00
B-25723	26	-24	1	Clothing	Stole	18-07-2018 00:00:00
B-25732	16	-5	2	Clothing	Stole	27-07-2018 00:00:00
B-25733	43	-43	7	Clothing	Stole	28-07-2018 00:00:00
B-25740	40	-37	3	Clothing	Stole	03-08-2018 00:00:00
B-25745	44	-8	3	Clothing	Stole	09-08-2018 00:00:00
B-25758	8	-2	1	Clothing	Stole	22-08-2018 00:00:00
B-25765	139	14	3	Clothing	Stole	29-08-2018 00:00:00
B-25775	50	-17	2	Clothing	Stole	08-09-2018 00:00:00
B-25783	25	-11	1	Clothing	Stole	15-09-2018 00:00:00
B-25788	12	3	1	Clothing	Stole	21-09-2018 00:00:00
B-25792	74	-25	3	Clothing	Stole	24-09-2018 00:00:00
B-25807	16	6	1	Clothing	Stole	07-10-2018 00:00:00
B-25815	35	14	2	Clothing	Stole	10-10-2018 00:00:00

Table: Order Details (500 rows) Column: YTD Sales (0 distinct values)

Update available (click to download)

Data

Search

Calendar

Order Details

Amount

Category

MTD Sales

Order Date

Order ID

Previous Month Sales

Profit

Profit Margin %

QTD Sales

Quantity

Sub-Category

Total Orders

Total Profit

Total Quantity

Total Sales

YTD Sales

Orders

Sales_target

Activate Windows

Go to Settings to activate Windows.

The Year-to-Date (YTD) Sales measure was created to calculate cumulative sales from the beginning of the year up to the selected date. It helps in analyzing yearly growth and performance.

Mini DV Project • Last saved: Today at 12:22 PM

File Home Help Table tools Measure tools

Name Sales LY Format Whole number Data category Uncategorized

Home table Order Details

Structure Formatting Properties Calculations

```
1 Sales LY =  
2 CALCULATE(  
3     [Total Sales],  
4     SAMEPERIODLASTYEAR(Calendar[Date])  
5 )
```

Order ID	Amount	Profit	Quantity	Category	Sub-Category	Order Date
B-25623	53	1	4	Clothing	Stole	22-04-2018 00:00:00
B-25627	55	-39	4	Clothing	Stole	23-04-2018 00:00:00
B-25630	133	12	5	Clothing	Stole	24-04-2018 00:00:00
B-25649	27	-25	2	Clothing	Stole	05-05-2018 00:00:00
B-25670	74	29	3	Clothing	Stole	25-05-2018 00:00:00
B-25672	27	-15	1	Clothing	Stole	28-05-2018 00:00:00
B-25687	17	6	1	Clothing	Stole	11-06-2018 00:00:00
B-25706	31	-11	4	Clothing	Stole	01-07-2018 00:00:00
B-25707	8	-6	1	Clothing	Stole	01-07-2018 00:00:00
B-25719	29	10	2	Clothing	Stole	12-07-2018 00:00:00
B-25722	48	-8	8	Clothing	Stole	17-07-2018 00:00:00
B-25723	26	-24	1	Clothing	Stole	18-07-2018 00:00:00
B-25732	16	-5	2	Clothing	Stole	27-07-2018 00:00:00
B-25733	43	-43	7	Clothing	Stole	28-07-2018 00:00:00
B-25740	40	-37	3	Clothing	Stole	03-08-2018 00:00:00
B-25745	44	-8	3	Clothing	Stole	09-08-2018 00:00:00
B-25758	8	-2	1	Clothing	Stole	22-08-2018 00:00:00
B-25765	139	14	3	Clothing	Stole	29-08-2018 00:00:00
B-25775	50	-17	2	Clothing	Stole	08-09-2018 00:00:00
B-25783	25	-11	1	Clothing	Stole	15-09-2018 00:00:00
B-25788	12	3	1	Clothing	Stole	21-09-2018 00:00:00
B-25792	74	-25	3	Clothing	Stole	24-09-2018 00:00:00
B-25807	16	6	1	Clothing	Stole	07-10-2018 00:00:00
B-25815	35	14	2	Clothing	Stole	10-10-2018 00:00:00

Table: Order Details (500 rows) Column: Sales LY (0 distinct values)

Update available (click to download)

Data

Search

- Calendar
- Order Details
 - Amount
 - Category
 - MTD Sales
 - Order Date
 - Order ID
 - Previous Month Sales
 - Profit
 - Profit Margin %
 - QTD Sales
 - Quantity
 - Sales LY
 - Sub-Category
 - Total Orders
 - Total Profit
 - Total Quantity
 - Total Sales
 - YTD Sales
- Orders
 - Sales target

Activate Windows
Go to Settings to activate Windows.

The Sales Last Year (LY) measure was created to calculate sales for the same period in the previous year. It helps in performing year-over-year comparison.

Mini DV Project • Last saved: Today at 12:22 PM

File Home Help Table tools Measure tools

Name MoM Growth % Format General Data category Uncategorized

Home table Order Details

Structure Formatting Properties Calculations

```
1 MoM Growth % =  
2 DIVIDE(  
3     [Total Sales] - [Previous Month Sales],  
4     [Previous Month Sales],  
5     0  
6 )
```

Order ID	Amount	Profit	Quantity	Category	Sub-Category	Order Date
B-25623	53	1	4	Clothing	Stole	22-04-2018 00:00:00
B-25627	55	-39	4	Clothing	Stole	23-04-2018 00:00:00
B-25630	133	12	5	Clothing	Stole	24-04-2018 00:00:00
B-25649	27	-25	2	Clothing	Stole	05-05-2018 00:00:00
B-25670	74	29	3	Clothing	Stole	25-05-2018 00:00:00
B-25672	27	-15	1	Clothing	Stole	28-05-2018 00:00:00
B-25687	17	6	1	Clothing	Stole	11-06-2018 00:00:00
B-25706	31	-11	4	Clothing	Stole	01-07-2018 00:00:00
B-25707	8	-6	1	Clothing	Stole	01-07-2018 00:00:00
B-25719	29	10	2	Clothing	Stole	12-07-2018 00:00:00
B-25722	48	-8	8	Clothing	Stole	17-07-2018 00:00:00
B-25723	26	-24	1	Clothing	Stole	18-07-2018 00:00:00
B-25732	16	-5	2	Clothing	Stole	27-07-2018 00:00:00
B-25733	43	-43	7	Clothing	Stole	28-07-2018 00:00:00
B-25740	40	-37	3	Clothing	Stole	03-08-2018 00:00:00
B-25745	44	-8	3	Clothing	Stole	09-08-2018 00:00:00
B-25758	8	-2	1	Clothing	Stole	22-08-2018 00:00:00
B-25765	139	14	3	Clothing	Stole	29-08-2018 00:00:00
B-25775	50	-17	2	Clothing	Stole	08-09-2018 00:00:00
B-25783	25	-11	1	Clothing	Stole	15-09-2018 00:00:00
B-25788	12	3	1	Clothing	Stole	21-09-2018 00:00:00
B-25792	74	-25	3	Clothing	Stole	24-09-2018 00:00:00
B-25807	16	6	1	Clothing	Stole	07-10-2018 00:00:00

Table: Order Details (500 rows) Column: MoM Growth % (0 distinct values)

Update available (click to download)

Data

Search

- Calendar
- Order Details
 - Amount
 - Category
 - MoM Growth %
 - MTD Sales
 - Order Date
 - Order ID
 - Previous Month Sales
 - Profit
 - Profit Margin %
 - QTD Sales
 - Quantity
 - Sales LY
 - Sub-Category
 - Total Orders
 - Total Profit
 - Total Quantity
 - Total Sales
 - YTD Sales
- Orders
 - Sales target

Activate Windows
Go to Settings to activate Windows.

The Month-over-Month (MoM) Growth Percentage measure was created to analyze monthly sales growth trends. It helps in identifying increases or decreases in sales performance compared to the previous month.

Mini DV Project • Last saved: Today at 12:22 PM

File Home Help **Table tools** **Measure tools** [Share](#)

Name: YoY Growth % Format: General Data category: Uncategorized

Home table: Order Details \$ % 00 Auto

Structure Formatting Properties Calculations

1 YoY Growth % =
2 DIVIDE(
3 [Total Sales] - [Sales LY],
4 [Sales LY],
5 0
6)

Order ID	Amount	Profit	Quantity	Category	Sub-Category	Order Date
B-25623	53	1	4	Clothing	Stole	22-04-2018 00:00:00
B-25627	55	-39	4	Clothing	Stole	23-04-2018 00:00:00
B-25630	133	12	5	Clothing	Stole	24-04-2018 00:00:00
B-25649	27	-25	2	Clothing	Stole	05-05-2018 00:00:00
B-25670	74	29	3	Clothing	Stole	25-05-2018 00:00:00
B-25672	27	-15	1	Clothing	Stole	28-05-2018 00:00:00
B-25687	17	6	1	Clothing	Stole	11-06-2018 00:00:00
B-25706	31	-11	4	Clothing	Stole	01-07-2018 00:00:00
B-25707	8	-6	1	Clothing	Stole	01-07-2018 00:00:00
B-25719	29	10	2	Clothing	Stole	12-07-2018 00:00:00
B-25722	48	-8	8	Clothing	Stole	17-07-2018 00:00:00
B-25723	26	-24	1	Clothing	Stole	18-07-2018 00:00:00
B-25732	16	-5	2	Clothing	Stole	27-07-2018 00:00:00
B-25733	43	-43	7	Clothing	Stole	28-07-2018 00:00:00
B-25740	40	-37	3	Clothing	Stole	03-08-2018 00:00:00
B-25745	44	-8	3	Clothing	Stole	09-08-2018 00:00:00
B-25758	8	-2	1	Clothing	Stole	22-08-2018 00:00:00
B-25765	139	14	3	Clothing	Stole	29-08-2018 00:00:00
B-25775	50	-17	2	Clothing	Stole	08-09-2018 00:00:00
B-25783	25	-11	1	Clothing	Stole	15-09-2018 00:00:00
B-25788	12	3	1	Clothing	Stole	21-09-2018 00:00:00
B-25792	74	-25	3	Clothing	Stole	24-09-2018 00:00:00
B-25807	16	6	1	Clothing	Stole	07-10-2018 00:00:00

Table: Order Details (500 rows) Column: YoY Growth % (0 distinct values)

Update available (click to download)

Activate Windows. Go to Settings to activate Windows.

Data

Search

- Calendar
- Order Details
 - Amount
 - Category
 - MoM Growth %
 - MTD Sales
 - Order Date
 - Order ID
 - Previous Month Sales
 - Profit
 - Profit Margin %
 - QTD Sales
 - Quantity
 - Sales LY
 - Sub-Category
 - Total Orders
 - Total Profit
 - Total Quantity
 - Total Sales
 - YoY Growth %
 - YTD Sales

The Year-over-Year (YoY) Growth Percentage measure was created to compare current year sales with previous year sales. It helps in evaluating long-term business growth trends.

➡ Time Intelligence functions were implemented using DAX measures to perform advanced date-based analysis. These functions help in analyzing monthly, quarterly, and yearly business performance, identifying trends, and comparing current sales with historical data.

11. Publish Report to *Power BI Service*

Table: Order Details (500 rows)

Order ID	Amount	Profit	Quantity	Category	Sub-Cat
B-25951	102	13	2	Clothing	Stole
B-25957	147	73	3	Clothing	Stole
B-25964	199	0	4	Clothing	Stole
B-25973	571	108	12	Clothing	Stole
B-25977	27	1	1	Clothing	Stole
B-25984	304	97	6	Clothing	Stole
B-25987	299	0	6	Clothing	Stole
B-25993	44	8	2	Clothing	Stole
B-25999	26	-17	1	Clothing	Stole
B-26002	80	22	3	Clothing	Stole
B-26005	87	10	3	Clothing	Stole
B-26008	22	4	1	Clothing	Stole
B-26011	93	44	2	Clothing	Stole
B-26024	168	18	6	Clothing	Stole
B-26025	155	5	3	Clothing	Stole
B-26037	171	68	7	Clothing	Stole
B-26040	38	9	2	Clothing	Stole
B-26042	36	15	3	Clothing	Stole
B-26043	185	48	4	Clothing	Stole
B-26055	227	48	5	Clothing	Stole
B-26056	70	24	3	Clothing	Stole
B-26062	44	-40	3	Clothing	Stole
B-26065	146	19	5	Clothing	Stole
B-26075	34	12	2	Clothing	Stole
B-26076	91	22	2	Clothing	Stole
B-26082	95	5	2	Clothing	Stole
B-26090	80	22	3	Clothing	Stole

Table: Order Details (500 rows)

Order ID	Amount	Profit	Quantity	Category	Sub-Category	Order Date
B-25951	102	13	2	Clothing	Stole	13-01-2019 00:00:00
B-25957	147	73	3	Clothing	Stole	18-01-2019 00:00:00
B-25964	199	0	4	Clothing	Stole	20-01-2019 00:00:00
B-25973	571	108	12	Clothing	Stole	
B-25977	27	1	1	Clothing	Stole	
B-25984	304	97	6	Clothing	Stole	
B-25987	299	0	6	Clothing	Stole	
B-25993	44	8	2	Clothing	Stole	
B-25999	26	-17	1	Clothing	Stole	
B-26002	80	22	3	Clothing	Stole	
B-26005	87	10	3	Clothing	Stole	
B-26008	22	4	1	Clothing	Stole	
B-26011	93	44	2	Clothing	Stole	
B-26024	168	18	6	Clothing	Stole	
B-26025	155	5	3	Clothing	Stole	
B-26037	171	68	7	Clothing	Stole	
B-26040	38	9	2	Clothing	Stole	
B-26042	36	15	3	Clothing	Stole	
B-26043	185	48	4	Clothing	Stole	
B-26055	227	48	5	Clothing	Stole	
B-26056	70	24	3	Clothing	Stole	
B-26062	44	-40	3	Clothing	Stole	
B-26065	146	19	5	Clothing	Stole	
B-26075	34	12	2	Clothing	Stole	
B-26076	91	22	2	Clothing	Stole	
B-26082	95	5	2	Clothing	Stole	
B-26090	80	22	3	Clothing	Stole	

I have Successfully Published my Full Project on PowerBi Services

12. Map your project to a relevant *SDG Goal*

SDG 9

Industry, Innovation and Infrastructure

This project is mapped to SDG Goal 9: Industry, Innovation and Infrastructure. The dashboard uses data analytics and visualization techniques to improve business decision-making, operational efficiency, and digital transformation.



13. Provide meaningful *Insights / Inferences* for each visual

KPI Cards

Total sales reached 135K indicating strong business performance.

Category Chart

Electronics category generated the highest sales among all categories.

Profit Chart

Furniture category contributed maximum profit.

Year Trend

Sales performance improved significantly in 2019 compared to 2018.



Map


Major sales were concentrated in metro cities such as Bangalore, Delhi, and Pune.

Table

Certain customers contributed repeatedly to high sales transactions.

14. Create a proper *Dashboard / Storyboard*





15. Apply *Data Storytelling* techniques

- ✓ KPI cards
- ✓ Interactive slicers
- ✓ Drill down
- ✓ Bookmarks
- ✓ Navigation buttons
- ✓ Insights panel
- ✓ Hierarchy filtering
- ✓ Trend analysis

Data storytelling techniques were applied using interactive visuals, KPI cards, slicers, bookmarks, drill-down functionality, navigation buttons, and insight panels. These techniques improve user engagement and make business insights easier to understand.

➤ ***Interactivity Requirements***

16. Use *Slicers and Filters* effectively
17. Implement *Bookmarks*
18. Add *Page Navigation* (buttons for smooth flow)
19. Use *Parameters* (what-if analysis / dynamic visuals)
20. Create interactive and user-friendly report design

➤ ***Submission & Evaluation Requirements***

21. Upload complete project on *GitHub* and submit the link on *Moodle*
22. Ensure *no plagiarism* (strictly avoid copying content)
23. Dataset should be *unique (no repetition allowed)*
24. Perform proper *demonstration with viva*
25. Create and submit a *video of your report/Dashboard explanation*

➤ ***Additional Suggestions***

26. Maintain proper naming conventions for fields and measures (separate Guideline will be provided for video)
27. Ensure dashboard is *visually appealing and easy to understand*
28. Focus on solving a *real-world problem* using your dataset