EXPERIMENT: 12

NAME : Aaryan Singh **UID : 23BCC70008**

Part A: Simulating a Deadlock Between Two Transactions

Description:

Given a table StudentEnrollments containing student records, simulate a situation where two concurrent transactions (from different users) try to update overlapping records in different orders, resulting in a deadlock. Demonstrate how such deadlocks are detected and how they can be avoided using proper transaction ordering.

Input Format:

- **Table StudentEnrollments with columns:**
  - **student_id (INT, Primary Key)**
  - **student_name (VARCHAR(100))**
  - **course_id (VARCHAR(10))**
  - **enrollment_date (DATE)**

Output Format:

Demonstrate that one transaction will be rolled back automatically by the database to resolve the deadlock.

Constraints:

- **Use two user sessions to run START TRANSACTION simultaneously.**
- **Ensure the transactions access rows in reverse order to trigger a deadlock.**
- **Database must support deadlock detection (e.g., MySQL, PostgreSQL).**

Sample Input:

StudentEnrollments

student_id	student_name	course_id	enrollment_date
1	Ashish	CSE101	2024-06-01
2	Smaran	CSE102	2024-06-01
3	Vaibhav	CSE103	2024-06-01

Sample Output:

Transaction 2 is aborted due to a detected deadlock.

Explanation of Output:

Both transactions try to lock each other's rows in reverse order. This causes a deadlock, and the database automatically rolls back one transaction (usually the one that waited longest) to break the cycle.

Query:

```
-- ========================================
-- Part A: Deadlock Simulation in a Single Script
-- ========================================

DROP TABLE IF EXISTS StudentEnrollments;

CREATE TABLE StudentEnrollments (
    student_id INT PRIMARY KEY,
    student_name VARCHAR(100),
    course_id VARCHAR(10),
    enrollment_date DATE
) ENGINE=InnoDB;

INSERT INTO StudentEnrollments (student_id, student_name, course_id, enrollment_date)
VALUES
(1, 'Ashish', 'CSE101', '2024-06-01'),
(2, 'Smaran', 'CSE102', '2024-06-01');

-- ========================================
-- Simulate deadlock
-- ========================================
```

```
-- Transaction 1
START TRANSACTION;
UPDATE StudentEnrollments
SET enrollment_date = '2024-07-01'
WHERE student_id = 1;

-- Simulate concurrent access
DO SLEEP(1);

-- Attempt to update student_id = 2
-- This will conflict if another transaction has locked it
UPDATE StudentEnrollments
SET enrollment_date = '2024-07-02'
WHERE student_id = 2;

COMMIT;

-- Transaction 2 (run immediately after Transaction 1 starts)
START TRANSACTION;
UPDATE StudentEnrollments
SET enrollment_date = '2024-08-01'
WHERE student_id = 2;

DO SLEEP(1);

UPDATE StudentEnrollments
SET enrollment_date = '2024-08-02'
WHERE student_id = 1;

COMMIT;

-- ========================================
-- Final table state
SELECT * FROM StudentEnrollments;
```

OUTPUT:

Explanation:

- Two transactions try to update the same rows **in reverse order**.
- Each transaction holds a lock the other needs → **deadlock**.
- MySQL detects it and **rolls back one transaction** automatically to resolve it.

Key point: Access rows in the **same order** in all transactions to avoid deadlocks.

Part B: Applying MVCC to Prevent Conflicts During Concurrent Reads/Writes

Description:

Use the MVCC (Multiversion Concurrency Control) approach to allow User A to read a record and User B to update the same record concurrently without blocking or conflict. Demonstrate how MVCC provides a consistent snapshot to the reader while allowing the writer to update.

Input Format:

- **Table StudentEnrollments with the same structure.**

Output Format:

User A sees the old value during the transaction.
User B successfully updates the row without waiting.

Constraints:

- **Use databases that support MVCC (e.g., PostgreSQL, MySQL InnoDB).**
- **Avoid SELECT FOR UPDATE; use normal SELECT in repeatable read or snapshot isolation mode.**

Sample Input:

student_id	student_name	course_id	enrollment_date
1	Ashish	CSE101	2024-06-01

Sample Output:

- **User A sees: enrollment_date = 2024-06-01**
- **User B updates to: 2024-07-10**
- **User A continues to see the old value in the transaction until commit.**

Explanation of Output:

MVCC ensures User A reads a consistent snapshot taken at the start of the transaction, unaffected by concurrent updates. This enables non-blocking concurrency.

Query:

```
-- ========================================

-- Part B: MVCC Demonstration in MySQL

-- ========================================


DROP TABLE IF EXISTS StudentEnrollments;


CREATE TABLE StudentEnrollments (
    student_id INT PRIMARY KEY,
    student_name VARCHAR(100),
    course_id VARCHAR(10),
    enrollment_date DATE
) ENGINE=InnoDB;


INSERT INTO StudentEnrollments (student_id, student_name, course_id, enrollment_date)
VALUES
(1, 'Ashish', 'CSE101', '2024-06-01');


-- ========================================

-- User A: Reader (REPEATABLE READ)

-- ========================================
```

```
-- Start transaction for User A
START TRANSACTION;

-- User A reads the record
SELECT student_id, student_name, course_id, enrollment_date
FROM StudentEnrollments
WHERE student_id = 1;

-- Output: enrollment_date = 2024-06-01

-- ========================================
-- User B: Writer (Concurrent update)
-- ========================================
-- In another session, User B updates the same row
-- For simulation in single script, we emulate delay
UPDATE StudentEnrollments
SET enrollment_date = '2024-07-10'
WHERE student_id = 1;

-- Commit User B's transaction
COMMIT;

-- ========================================
```

-- Back to User A: still in transaction

-- ==

-- User A reads again before committing

SELECT student_id, student_name, course_id, enrollment_date

FROM StudentEnrollments

WHERE student_id = 1;

-- Output: enrollment_date = 2024-06-01 (old snapshot due to MVCC)

-- Commit User A's transaction

COMMIT;

-- ==

-- Final check: outside transactions

-- ==

SELECT * FROM StudentEnrollments;

-- Output: enrollment_date = 2024-07-10 (reflects User B's update)

OUTPUT:

Explanation:

- **User A** starts a transaction and reads a row.
- **User B** updates the same row and commits.
- **User A** still sees the old value until they commit.
  Key point: MVCC allows **non-blocking reads** by giving each transaction a **consistent snapshot** of the data at its start.

Part C: Comparing Behavior With and Without MVCC in High-Concurrency

Description:

Evaluate how MVCC vs. traditional locking behaves when multiple users access the same row for read and write. Use SELECT FOR UPDATE to demonstrate blocking in a non-MVCC system and contrast that with MVCC-based reads and updates.

Input Format:

Same StudentEnrollments table and data.

Output Format:

Two scenarios:

- **With Locking: Readers are blocked until the writer commits.**
- **With MVCC: Readers get consistent data without blocking.**

Constraints:

- **MVCC-supported database (e.g., PostgreSQL).**
- **Use different isolation levels or query techniques to simulate both cases.**

Sample Input:

student_id	student_name	course_id	enrollment_date
1	Ashish	CSE101	2024-06-01

Sample Output:

- **Without MVCC: Reader blocks until writer commits.**
- **With MVCC: Reader sees 2024-06-01 even while the writer updates to 2024-07-10.**

Explanation of Output:

- **Traditional locking causes blocking and delays.**
- **MVCC enables concurrent operations with no blocking, ensuring performance and consistency.**

Query:

```
-- ========================================
-- Part C: Locking vs MVCC Demonstration
-- ========================================

DROP TABLE IF EXISTS StudentEnrollments;

CREATE TABLE StudentEnrollments (
    student_id INT PRIMARY KEY,
    student_name VARCHAR(100),
    course_id VARCHAR(10),
    enrollment_date DATE
) ENGINE=InnoDB;
```

```
INSERT INTO StudentEnrollments (student_id, student_name, course_id,
enrollment_date)

VALUES

(1, 'Ashish', 'CSE101', '2024-06-01');


-- ========================================

-- Scenario 1: With Locking (SELECT FOR UPDATE)

-- ========================================

-- Transaction 1: Writer locks the row

START TRANSACTION;

SELECT * FROM StudentEnrollments WHERE student_id = 1 FOR UPDATE;

-- Row is now locked


-- Normally, in a real concurrent session:

-- Transaction 2: Reader trying SELECT FOR UPDATE would block until Transaction 1
commits


-- Simulate waiting

DO SLEEP(2);


-- Commit writer

UPDATE StudentEnrollments

SET enrollment_date = '2024-07-10'

WHERE student_id = 1;

COMMIT;
```

```
-- ========================================
-- Scenario 2: With MVCC (Normal SELECT, REPEATABLE READ)
-- ========================================
-- Transaction 3: Reader (MVCC)
START TRANSACTION;
SET TRANSACTION ISOLATION LEVEL REPEATABLE READ;
SELECT * FROM StudentEnrollments WHERE student_id = 1;
-- Output: enrollment_date = 2024-07-10 (snapshot at start of transaction)

-- Transaction 4: Writer updates concurrently
UPDATE StudentEnrollments
SET enrollment_date = '2024-08-15'
WHERE student_id = 1;
COMMIT;

-- Back to Transaction 3: Reader still sees snapshot
SELECT * FROM StudentEnrollments WHERE student_id = 1;
-- Output: enrollment_date = 2024-07-10 (old snapshot due to MVCC)

COMMIT;

-- ========================================
-- Final table check
SELECT * FROM StudentEnrollments;
-- Output:
```

Explanation:

- **With SELECT FOR UPDATE (locking):** Readers block if a writer has locked the row.
- **With normal SELECT in REPEATABLE READ (MVCC):** Readers see a consistent snapshot while writers update concurrently.

Key point: MVCC avoids blocking, improves concurrency, and ensures **read consistency**.