

System Provisioning and Configuration Management Submitted by:

NAME: Tanishqua Tellakula SAP ID: 500084269

Roll number: R120220007

Batch: B1(Hons)

EXPERIMENT 10 Creating Multiple IAM Users in Terraform

Objective:

Learn how to use Terraform to create multiple IAM users with unique settings.

Prerequisites:

- · Terraform installed on your machine.
- \cdot AWS CLI configured with the necessary credentials.

Steps:

1. Create a Terraform Directory:

mkdir terraform-iam-users cd terraform-iam-users

- · Create Terraform Configuration Files:
- · Create a file named main.tf:

```
PS D:\Terraform-Demo\terraform-ec2-for-each> cd ...
PS D:\Terraform-Demo> mkdir terraform-iam-users

Directory: D:\Terraform-Demo> mkdir terraform-iam-users

Mode Lastwritetime Length Name

PS D:\Terraform-Demo> cd terraform-iam-users

PS D:\Terraform-Demo\terraform-iam-users
```

iam.tf

```
variable "iam_users" {

type = list(string)

default = ["user1", "user2", "user3"]
}

resource "aws_iam_user" "iam_users" {

count = length(var.iam_users)

name = var.iam_users[count.index]

tags = {
```

```
Name = "${var.iam_users[count.index]}"
}
```

In this configuration, we define a list variable iam_users containing the names of the IAM users we want to create. The aws_iam_user resource is then used in a loop to create users based on the values in the list.

2. Initialize and Apply:

Run the following Terraform commands to initialize and apply the configuration:

```
terraform init
terraform apply
```

Terraform will prompt you to confirm the creation of IAM users. Type yes and press Enter.

```
you run "terraform init" in the future.

Terraform has been successfully initialized!

You may now begin working with Terraform. Try running "terraform plan" to see any charges that are required for your infrastructure. All Terraform commands should now work.

If you ever set or change modules or backend configuration for Terraform, rerun this command to reinitialize your working directory. If you forget, other commands will deter it and remind you to do so if necessary.

PS D:\Terraform.Demo\terraform.iam.userss
```

```
aws_iam_user.iam_users[1]: Creating...
aws_iam_user.iam_users[0]: Creating...
aws_iam_user.iam_users[0]: Creating...
aws_iam_user.iam_users[0]: Creation complete after 2s [id=user1]
aws_iam_user.iam_users[1]: Creation complete after 2s [id=user2]
aws_iam_user.iam_users[2]: Creation complete after 2s [id=user3]

Apply_complete! Resources: 3 added, 0 changed, 0 destroyed.
```

3. Verify Users in AWS Console:

- · Log in to the AWS Management Console and navigate to the IAM service.
- · Verify that the IAM users with the specified names and tags have been created.



4. Update IAM Users:

- · If you want to add or remove IAM users, modify the iam_users list in the main.tf file.
- · Rerun the terraform apply command to apply the changes:

terraform apply

5. Clean Up:

· After testing, you can clean up the IAM users:

terraform destroy

· Confirm the destruction by typing yes.

```
Enter a value: yes

aws_iam_user.iam_users[1]: Destroying... [id=user2]

aws_iam_user.iam_users[0]: Destroying... [id=user1]

aws_iam_user.iam_users[0]: Destroying... [id=user3]

aws_iam_user.iam_users[0]: Destruction complete after 1s

aws_iam_user.iam_users[0]: Destruction complete after 1s

aws_iam_user.iam_users[2]: Destruction complete after 1s

Destroy complete! Resources: 3 destroyed.

Destroy complete! Resources: 3 destroyed.

PS D:\Terraform-Demo\terraform-iam-users>
```

6. Conclusion:

This lab exercise demonstrates how to create multiple IAM users in AWS using Terraform. The use of variables and loops allows you to easily manage and scale the creation of IAM users. Experiment with different user names and settings in the main.tf file to understand how Terraform provisions resources based on your configuration.