

AutoML: Neural Architecture Search (NAS)


Search Spaces

Bernd Bischl Frank Hutter Lars Kotthoff
Marius Lindauer Joaquin Vanschoren

Basic Neural Architecture Search Spaces





Chain-structured space
(different colours:
different layer types)





More complex space
with multiple branches
and skip connections

Cell Search Spaces [Zoph et al. 2018]





Two possible cells






Architecture composed
of stacking together
individual cells

Details on Cell Search Spaces [Zoph et al. 2018]

- 2 types of cells: normal and reduction cells
- For each type of cell: B blocks, each with 5 choices
 - Choose two previous feature maps (from this cell)
 - For each of these, choose an operation (3×3 conv, max-pool, etc.)
 - Choose a merge operation to combine the two results (concat or add)



Example of an architecture sample with $B=5$



Source: [Zoph et al. 2018]

Pros and Cons of Cell Search Space

What are some pros and cons of the cell search space compared to the basic one?

Please think about this for a few minutes before continuing.

Pros and Cons of Cell Search Space

Pros:

- Reduced search space size; speed-ups in terms of search time.
- Transferability to other datasets (e.g., cells found on CIFAR-10 transfer to ImageNet)
- Stacking repeating patterns is proven to be a useful design principle (ResNet, Inception, etc.)

Pros and Cons of Cell Search Space

Pros:

- Reduced search space size; speed-ups in terms of search time.
- Transferability to other datasets (e.g., cells found on CIFAR-10 transfer to ImageNet)
- Stacking repeating patterns is proven to be a useful design principle (ResNet, Inception, etc.)

Cons:

- Still need to (manually) determine the *macro* architecture, i.e., the way in which cells are connected.
- Limiting if different cells work better in different parts of the network
 - E.g., different spatial resolutions may favour different convolutions

Hierarchical representation of search space [Liu et al. 2017]


- Directed Acyclic Graph (DAG) representation of architectures
 - Each node is a latent representation; each edge is an operation/motif

Hierarchical representation of search space [Liu et al. 2017]

- Directed Acyclic Graph (DAG) representation of architectures
 - Each node is a latent representation; each edge is an operation/motif
- There are different **levels** of motifs
 - ▶ **Level-1 primitives**: standard operators; e.g., 3x3 conv, max pooling, ...


Hierarchical representation of search space [Liu et al. 2017]

- Directed Acyclic Graph (DAG) representation of architectures
 - Each node is a latent representation; each edge is an operation/motif
- There are different **levels** of motifs
 - ▶ **Level-1 primitives**: standard operators; e.g., 3x3 conv, max pooling, ...
 - ▶ **Level-2 motifs**: combinations of level-1 primitives




Hierarchical representation of search space [Liu et al. 2017]

- Directed Acyclic Graph (DAG) representation of architectures
 - Each node is a latent representation; each edge is an operation/motif
- There are different **levels** of motifs
 - ▶ **Level-1 primitives**: standard operators; e.g., 3x3 conv, max pooling, ...
 - ▶ **Level-2 motifs**: combinations of level-1 primitives



- ▶ **Level-3 motifs**: combinations of level-2 motifs



Pros and Cons of Hierarchical Search Space

What are some pros and cons of a hierarchical search space compared to the cell search space?

Please think about this for a few minutes before continuing.

Pros and Cons of Hierarchical Search Space

Pros:

- Flexibility of constructing building blocks and reusing them many times
 - ▶ like a cell search space
- Flexibility of using different building blocks in different parts of the network
 - ▶ like a basic search space
- Ability to reuse building blocks at various levels of abstraction
 - ▶ again, this pattern has been used in manual design, e.g., in Inception nets

Pros and Cons of Hierarchical Search Space

Pros:

- Flexibility of constructing building blocks and reusing them many times
 - ▶ like a cell search space
- Flexibility of using different building blocks in different parts of the network
 - ▶ like a basic search space
- Ability to reuse building blocks at various levels of abstraction
 - ▶ again, this pattern has been used in manual design, e.g., in Inception nets

Cons:

- Larger than cell search space
- Vastly more expressive than cell search space → potentially much harder to search

Questions to Answer for Yourself / Discuss with Friends

- Repetition:
What are some pros and cons of the cell search space compared to the basic one?
- Repetition:
Explain the way in which level-3 motifs in the hierarchical search space use level-2 motifs.
- Repetition:
What are some pros and cons of the hierarchical search space compared to the other ones?