# Aashir Farooqi

(949)-226-9612 | afarooqi@ucdavis.com | https://github.com/AashPointO

#### **Education**

## University of California, Davis

Fall 2016 - Summer 2020

B.S. Computer Engineering

GPA: 3.36

## **Technical Skills**

Programming/Markup Languages:

C/C++, Rust, Bash, RISC-V, Verilog, HTML/CSS, MATLAB, Java, JavaScript, LATEX. Technological Environments/Libraries:

SPICE, Linux, ModelSim, Vim, Android Studio, Quartus, Git, EAGLE, Altium.

## Experience

**Research Assistant** 

April 2018 - June 2020

**Miller Lab** (millerlab.faculty.ucdavis.edu)

Auditory Neuroscience and Speech Recognition Lab

- Independently brought up, prototyped, and implemented a hybrid hardware/firmware solution to cross-reference external audio and serial data inputs, with our EEG acquisition system in real-time. Brought latency down from the previous iteration by a factor of 10.
- Wrote a MATLAB wrapper which grabs the gaze angle from our eye-tracker through the Lab Streaming Layer API. Designed as a proof of concept to be incorporated into future studies which will require eye tracking data.
- Wrote embedded firmware code, created hardware schematics, and designed/assembled multiple PCBs in EAGLE.

#### Software Engineering Intern General Atomics

June 2018 - August 2018 EMS - Software and Controls

- Converted mathematical intensive algorithms of the aircraft landing simulation from MATLAB to C++, bringing the runtime of the simulation down by over a factor of 2. My conversion is now used in research and development of the actual aircraft landing system contracted for the world's most expensive aircraft carriers.
- Only intern in department of over 20 to earn "MVP" award for saving "hundreds of hours in simulation time and greatly reducing control system tuning efforts".

### **Projects**

Senior Design Project: Smart Dog Collar C & Verilog

Fall 2019 & Winter 2020

- Wrote embedded firmware and HDL code onto Cypress's PSoC. Incorporated a BLE module for wakeup interrupts
  and data transfer from a mobile application to our device. Communicated with external peripherals such as MEMS
  mics, accelerometers, and gyrometers through I<sup>2</sup>C, I<sup>2</sup>S, and SPI.
- Designed and assembled multiple iterations of PCBs through Altium, which incorporated the PSoC, external sensors, and a rechargeable battery.

IOS Games: Round 'a Bound, Tic-Tac Emoji Swift

Winter 2017 & Spring 2018

- Utilized the Spritekit API to detect physics collisions between nodes and to exhibit independently made animations and sounds.
- Incorporated an online leaderboard via a realtime database through Google's Firebase API, which parses through JSON data.
- Both originally published and reviewed on the App Store, culminating in over 250 downloads.

**Website:** *aashpointo.github.io/KmapWebsite* HTML/CSS & JavaScript

Winter 2018

- Incorporated the Quine-McCluskey method to output the *Sum of Products* and *Product of Sums* equations from a set of truth-table inputs.
- Unlike other K-Map Generating websites, mine allows for multiple outputs, an algorithm which is scalable up to an arbitrary number of bits, and a dynamically sizing table through incorporation of JavaScript.