Test Plan — KAN-5: Test plan creation

> Status: **DRAFT — pending human review.** Not approved until a QA owner signs off.

Field	Value
Jira key	KAN-5
Summary	Test plan creation
Issue type	Bug *(see Gap #3)*
Priority	Medium
Status	To Do
Reporter	aasha rani
Assignee	Unassigned
Components / Labels / Fix version	None
Linked issues / Attachments / Comments	None
Plan drafted	2026-10-14

> ⚠️ **Read this first:** The body of KAN-5 is an **unfilled template**. The feature name (`[Feature Name]`), the in-scope components and the out-of-scope items are still placeholder text. This draft therefore plans testing **of the ticket's own deliverables** (the test-planning work and its acceptance criteria) and lays out a **testing strategy framework** for the release. Feature-level test scenarios **cannot be written** until the author fills in the placeholders. Nothing below was invented to fill those gaps.

---

1. Scope & Objectives

- **In scope (as written in the ticket):**
  - A formal Test Plan document, linked to KAN-5 or published in Confluence.
  - A high-level list of the test environments and test data the release needs.
  - A risk mitigation plan for likely testing blockers.
  - A definition of testing types: manual, automated, regression, E2E, integration and security (performance is named in the Background).
  - Placeholder Test Execution tickets, or Zephyr/Xray folders.
  - Stakeholder review and sign-off by the Product Manager and the Lead Developer.
- **In scope (feature under test):** ❌ **Not defined.** The ticket still reads "[List key components, e.g., the new payment gateway API, user profile UI updates]".
- **Out of scope:** ❌ **Not defined.** The ticket still reads "[e.g., Load testing for legacy modules not touched in this release]". Until this is filled in, the following are treated as out of scope:
  - Writing detailed test cases or automation scripts. The skill requires plan approval first.
  - Running any tests.
- **Objective:** KAN-5 counts as "tested" when each of its five acceptance criteria can be shown as met:
  1. The plan exists and is linked.
  2. Strategy and testing types are defined.

3. Environments and data are identified.
4. The PM and Lead Developer have approved it.
5. Execution placeholders exist.

Each criterion must also trace to the release's real feature scope, which is not known yet.

---

2. Gaps & Questions for the author

2a. Requirement checklist results

Checklist item	Result	Note
Clear user story / goal	⚠️	The goal ("prepare a test plan") is clear, but the feature it serves is a placeholder
Acceptance criteria are testable	⚠️	AC1, AC4 and AC5 are observable. AC2 ("clearly defined") and AC3 ("identified") are subjective
Happy path described	⚠️	The sub-task flow (Draft → Env analysis → Review → Sign-off) is given. The feature's happy path is missing
Negative / error paths	❌	Nothing is said about what happens if review is rejected or the environment is unavailable
Boundary & empty states	❌	Not applicable until the feature is known
State transitions / workflow	⚠️	The sub-tasks are "Optional", and no Jira workflow states are tied to them
Required test data	❌	Requested as an output, but no data domains are hinted at
Environment / config / flags	❌	None named ("devices, browsers, or sandbox accounts" is generic)
External dependencies	⚠️	Zephyr/Xray and Confluence are mentioned, but which one is used is not confirmed
Preconditions / setup	❌	None stated
Performance / load	⚠️	Named as a requirement, but no targets (SLA, TPS, p95) are given
Security / authorization	⚠️	Named, with no roles, threat areas or compliance needs
Accessibility (a11y)	❌	Not mentioned
i18n / l10n	❌	Not mentioned
Audit / logging / observability	❌	Not mentioned
Regression surface	⚠️	"Regression" is listed as a test type, but the impacted modules are not
Backward compatibility / migration	❌	Not mentioned
Mobile / browser matrix	⚠️	"Devices, browsers" is mentioned, but no matrix is given
Rollback / feature-flag behavior	❌	Not mentioned
No ambiguous wording	⚠️	"comprehensive", "clearly defined", "potential testing blockers"
Terms defined consistently	⚠️	"Test Execution tickets" and "Zephyr/Xray folders" are offered as alternatives with no decision
Mockups / designs linked	❌	No attachments or links

2b. Questions for the author

#	Area	Finding (⚠️/❌)	Question to author
1	Scope	❌ `[Feature Name]` is a placeholder	What feature or release is this test plan for? Is there an epic, PRD or fix version to link?
2	Scope	❌ In-scope and out-of-scope lists are placeholders	Which components, APIs and screens are changing? What is explicitly excluded?
3	Ticket hygiene	⚠️ Issue type is **Bug**	Should this be a Task or Story? A test-planning activity filed as a Bug will distort defect metrics.
4	Ownership	❌ Unassigned, no sprint or fix version	Who owns this, which sprint is it in, and what is the release date that "before development concludes" refers to?
5	Deliverable location	⚠️ "Linked to Jira **or** Confluence"	Where should the approved plan live: a Confluence space, a Jira attachment, or the repo?
6	Tooling	⚠️ "Test Execution tickets **or** Zephyr/Xray folders"	Which test-management tool is licensed on this Jira site? Is Zephyr or Xray actually installed?
7	Non-functional	⚠️ Performance named, no targets	What are the performance targets (response time, throughput, concurrent users)? Is there a baseline?
8	Non-functional	⚠️ Security named, no detail	What security scope applies: authn/authz roles, OWASP Top 10, PCI/PII, pen-test?
9	Non-functional	❌ a11y, i18n and logging not mentioned	Are WCAG 2.x AA, localization or audit logging needed for this release?
10	Environments	❌ None named	Which environments exist (Dev/QA/Staging/UAT)? Are there sandbox or third-party accounts? Who provisions them, and how long does that take?
11	Test data	❌ None named	Can production-like data be used, or must it be synthetic or masked? Are there data privacy constraints?
12	Browser/device	⚠️ Generic mention	What is the supported browser, OS and device matrix?
13	Approval	⚠️ "PM and Lead Developer approved"	Who are the named PM and Lead Developer? How is approval recorded (Jira comment, Confluence page approval, sign-off field)?
14	Automation	⚠️ "automated" listed	Which framework and CI pipeline will run the automated and regression suites? What coverage is expected?
15	Rollback	❌ Not mentioned	Is the feature behind a feature flag? Does rollback need to be tested?
16	Exit quality bar	❌ Not stated	What defect thresholds allow release (for example, 0 open P0/P1)?

---

3. Test Scenarios

Feature-level scenarios are **blocked by Gaps #1 and #2**. The scenarios below verify KAN-5's own acceptance criteria and deliverables. Each one traces to a stated AC, deliverable (D1–D3) or gap.

Acceptance criteria referenced:

- AC1: The plan is drafted and attached or linked.
- AC2: Scope, strategy and testing types are defined.
- AC3: Environments and test data are identified.
- AC4: The PM and Lead Developer have approved the plan.

- AC5: Execution placeholders are created.

ID	Priority	Type	Scenario	Maps to
TS-1	P0	Positive	The Test Plan document exists and is reachable from KAN-5 (attachment or link). Opening the link as a project member shows the document.	AC1, D1
TS-2	P0	Negative	A user who is not a project member opens the linked plan. Access follows the intended visibility, with no broken link or permission wall for stakeholders.	AC1, Gap 5
TS-3	P0	Positive	The plan names a real feature and lists in-scope and out-of-scope components. No `[placeholder]` text remains.	AC2, Gaps 1–2
TS-4	P0	Positive	The plan defines each testing type (manual, automated, regression, E2E, integration, security, performance), with an owner and approach for each.	AC2, Sub-task 1
TS-5	P1	Negative	A testing type named in the ticket (performance, security) has measurable targets in the plan, not just its name. The scenario fails if the targets are missing.	AC2, Gaps 7–8
TS-6	P0	Positive	The plan lists each test environment with its purpose, its owner and whether it is available.	AC3, D2, Gap 10
TS-7	P1	Positive	The plan lists required test data with its source (synthetic, masked or seeded) and a refresh method.	AC3, D2, Gap 11
TS-8	P1	Boundary	The environment list covers the full browser/device matrix: at least the minimum and maximum supported versions and one mobile viewport.	AC3, Gap 12
TS-9	P0	Positive	The risk mitigation plan lists at least one blocker for each area (environment, data, dependencies, schedule), each with an owner and a mitigation.	D3
TS-10	P0	Positive	Approval from the PM and the Lead Developer is recorded and traceable (named approver and date).	AC4, Sub-task 3–4, Gap 13
TS-11	P1	Negative	The review returns changes. The plan is revised, re-reviewed, and its version history shows the change. The ticket is not closed on a rejected plan.	AC4
TS-12	P1	Negative	Only one of the two required approvers signs off. AC4 is treated as **not met** and the ticket cannot move to Done.	AC4
TS-13	P0	Positive	Placeholder Test Execution tickets, or Zephyr/Xray folders, exist and are linked to KAN-5 or the release.	AC5, Gap 6
TS-14	P2	Negative	Zephyr/Xray is not installed on the site. The fallback (Jira Test Execution issue type, or a sub-task convention) is documented and used consistently.	AC5, Gap 6
TS-15	P1	Positive	Every scenario in the final plan traces back to an AC or a requirement. No orphaned scenarios.	AC2
TS-16	P2	Positive	The issue type is corrected (Bug → Task or Story), and an assignee, sprint and fix version are set.	Gaps 3–4

3a. Release strategy framework (fill in once Gaps 1–2 are answered)

Test level / type	Purpose	Default approach	Status
Smoke	The build is stable enough to test	Automated, runs on each deploy to QA	Ready to define
Functional (positive/negative/boundary)	Feature ACs are met	Manual first, then automated	❌ Blocked: no feature ACs
Integration / API	Contracts between the changed components	Automated API tests	❌ Blocked: components unknown

Test level / type	Purpose	Default approach	Status
E2E	Critical user journeys	Automated UI tests on the browser matrix	❌ Blocked: journeys unknown
Regression	No breakage in neighbouring modules	Automated suite in CI	⚠️ Impacted modules unknown
Security	Authn/authz, input validation, OWASP	Scan plus targeted manual tests	⚠️ Scope unknown (Gap 8)
Performance	Meets SLAs under expected load	Load test against targets	⚠️ Targets unknown (Gap 7)
Accessibility / i18n	Compliance, if required	Automated a11y scan plus manual check	❓ Not stated (Gap 9)
UAT	Business acceptance	PM-led	⚠️ Owner unknown (Gap 13)

4. Test Data & Environment

- **Data:** ❌ **Not specified in the ticket.** To be defined:
  - Data domains (users, accounts, transactions, and so on).
  - Volume for performance testing.
  - PII handling: masked or synthetic.
  - Seeding and reset scripts.
- **Environment / flags:** ❌ **Not specified.** For each environment (Dev / QA / Staging / UAT, for example), confirm:
  - The URL.
  - Its owner.
  - Its data-refresh cadence.
  - The feature flags in use.
  - Any third-party sandbox accounts.
- **Tooling referenced in the ticket:**
  - Jira (project KAN).
  - Confluence (plan location).
  - Zephyr or Xray (test management; still to be confirmed).
- **Roles / permissions:**
  - **Plan approval:** the Product Manager and the Lead Developer.
  - **Feature-level roles:** not defined, because the feature is unknown.

5. Risks & Assumptions

- **Assumptions made:**
  - KAN-5 is a meta-ticket: its deliverable is the plan, not product code.
  - The five ACs listed under "Definition of Done" are the full and authoritative acceptance criteria.
  - The optional sub-tasks reflect the intended workflow, even though they have not been created in Jira.
  - "Approved" means explicit, recorded approval from both named roles.
- **Risks:**

#	Risk	Likelihood	Impact	Mitigation
R1	The feature scope stays undefined, so the plan cannot be finalized	High	High	Escalate Gaps 1–2 to the reporter and PM. Time-box the clarification.
R2	Test environments are not provisioned before development ends	Medium	High	Raise environment requests now. Identify the provisioning owner and lead time (Gap 10).
R3	Zephyr/Xray is not available, which blocks AC5	Medium	Medium	Confirm licensing. Agree a fallback convention (TS-14).
R4	Approvers are unavailable or disagree, which delays sign-off	Medium	Medium	Name the approvers and a review deadline. Book the review session early.
R5	Non-functional targets are missing, so performance and security testing cannot pass or fail	High	Medium	Get numeric targets (Gaps 7–8) before strategy sign-off.
R6	The issue is misclassified as a Bug and skews defect metrics	High	Low	Change the issue type (Gap 3).
R7	Test data contains real PII	Low	High	Require masked or synthetic data. Have security review the data plan.

---

6. Entry / Exit criteria

- **Entry (to start finalizing the plan):**
  - Gaps 1, 2, 4 and 13 are answered: feature, scope, owner and approvers known.
  - A requirements source exists: a PRD, epic, or stories with ACs.
  - Development timeline and release date are known.
- **Exit (KAN-5 can move to Done):**
  - TS-1 to TS-13 pass: all P0 and P1 scenarios above.
  - No `[placeholder]` text remains in the plan.
  - Approval is recorded from the PM and the Lead Developer.
  - Execution placeholders are created and linked.
  - All open questions are resolved, or explicitly accepted as risks by the approvers.

HUMAN REVIEW GATE

- **I assumed:**
  - KAN-5's deliverable is the test plan itself.
  - The five DoD bullets are the complete acceptance criteria.
  - The optional sub-tasks show the intended workflow.
  - "Approved" means recorded approval from both the PM and the Lead Developer.
- **I could not confirm:**
  - The feature or release under test.
  - In-scope and out-of-scope components.
  - Environments and test data.
  - The test-management tool (Zephyr, Xray or neither).
  - Non-functional targets.
  - Approver names.
  - Release date.

    - Why the issue type is Bug.
- **Open questions blocking sign-off:** Gaps **#1, #2, #4, #6, #7, #8, #10, #11 and #13** (see Section 2b).
- ▶ **Approve, or edit, before I write test cases / automation.** Once the placeholders in KAN-5 are filled in, I can extend Section 3 with feature-level positive, negative, boundary and role-based scenarios.