



## "sPhotos"

# Premium Template By iDangero.us Documentation

Thank you for purchasing this item. If you have any questions that are beyond the scope of this help file, please feel free to contact us via support ticket form <a href="here">here</a>.

### **Table of Contents**

- 1. About "sPhotos"
- 2. sPhotos Files & Folders Structure
- 3. Installation
- 4. HTML Structure
- 5. sPhotos Configuration
- 6. Typography & Layout Grid
- 7. Inner Linking & Popup Window
- 8. Portfolio Page Structure
- 9. Portfolio Project Page Structure
- 10. Blog and Post layouts
- 11. CSS Files and Color Themes
- 12. PSD Files and Structure
- 13. Customization (Change Logo, Background)
- 14. JavaScripts
- 15. Ajax Contact Form
- 16. Licensing Terms


### 1. About "sPhotos"

**sPhotos** is the Ajax based animated website template. This template is intended for use as a photography portfolio with brief information about the author (photographer or studio).

Template is fully animated without the use of Flash technology. Smooth and good looking animation and Ajax features of this template are realized by using the JavaScript jQuery library.

This template is easy to redesign, it has very simple and clear API.

### 2. sPhotos Files & Folders Structure



**sPhotos** files are located in the **sphotos/** folder from the downloaded archive:

**content**: in this folder there are .php files with content pages.

css: folder with a .css files for different color themes.

*images*: here you can find layouts images and icons used in this Template and for other color themes.

includes: folder with the content of menu and slider

projects: folder with images for portfolio projects

**scripts**: JavaScripts and PHP scripts used in this template

And the main **index.html** in the root folder

### 3. Installation

To install **sPhotos** template you have to copy all files & folders from the **sphotos/** folder to your web-site root folder on the server (It could be a real server or local testing server).

### 4. HTML Structure

Let's look at the main HTML structure of the sPhotos template. Open index.php file with a text editor (Highly recommended to use Adobe® Dreamweaver® or Notepad ++ editors). **Index.php** structure:

```
<!DOCTYPE HTML>
<html>
<head>
                                                                         CSS and JavaScript files attachment
<meta http-equiv="Content-Type" content="text/html; charset=utf-8"</pre>
                             Site Title
<title>sPhotos</title>_
<link rel="stylesheet" type="text/css" href="css/sphotos.css" />
<script type="text/javascript" src="scripts/jquery-1.6.1.min.js"></script>
<script type="text/javascript" src="scripts/cufon-yui.js"></script>
<script type="text/javascript" src="scripts/Myriad Pro 400-Myriad Pro 600.font.js"></script>
<script type="text/javascript" src="scripts/jquery.id.chopslider-1.0.js"></script>
<script type="text/javascript" src="scripts/jquery.id.twitterfeed-1.0.js"></script>
<script type="text/javascript" src="scripts/sphotos.js"></script>
<!--[if lt IE 8]>
                                                                      CSS style sheet file used for IE7
<link rel="stylesheet" type="text/css" href="css/ie7.css" />
<![endif]-->
</head>
                                    Section with resizable background image
<body>
<div id="background">
 <img src="images/layouts/bg.jpg" alt=" "/>
</div>
                                                   Site Iogo
<div id="logo"></div>
                                            HTML content of the menu will be included from this file
<div id="menu">
 <?php include ("includes/menu.php") ?>
</div>
                                                               Your twitter username
<div class="tweets">
  <div class="close-tweets"></div>
  <a href="http://twitter.com/idangerous">@idangerous</a>
  d="tweets">_
                                Twitter feed will be loaded here
  HTML content of the slider will be included from this file
</div>
<?php include ("includes/slider.php") ?>
<div id="content"></div>
                                          "content" div is used to load content pages
<div id="dark-layer"></div>
<div id="portfolio"></div>
                                        "portfolio" div is used to load portfolio or project layouts
<div id="footer">
 <div class="copyright">2011 &copy; sPhotos by <a href="http://www.idangero.us">iDangero.us</a>. All
Rights Reserved</div>
                                                Footer
```

```
<div class="social-links">
    <a href="#"><img src="images/social/twitter.png" width="30" height="30" alt="tw"></a>
    <a href="#"><img src="images/social/fb.png" width="30" height="30" alt="fb"></a>
    <a href="#"><img src="images/social/flickr.png" width="30" height="30" alt="flickr"></a>
    <a href="#"><img src="images/social/blogger.png" width="30" height="30" alt="blogger"></a>
    <a href="#"><img src="images/social/ytube.png" width="30" height="30" alt="ytube"></a>
    <a href="#"><img src="images/socialSecondsynumbetlabo96"hecinglet="30" alt="in"></a>
    <a href="#"><img src="images/social/myspace.png" width="30" height="30" alt="myspace"></a>
  </div>
</div>
                         Container for the Flickr gallery
                                                            Flickr gallery title
<div id="flickr">
  <h2 class="fl-title">sPhotos Flickr Gallery
                                                          Link to your Flickr account
  <span class="fl-nav">
    <a class="fl-link" href="#"><img src="images/layouts/fl-link.png" width="20" height="20" alt=
"flickr"/> My Flickr Account</a>
    <a class="fl-link closeFlickr" href="#"><img src="images/layouts/close-flickr.png" width="20" height</pre>
="20" alt="flickr"/> Close Gallery</a>
  </span>
                                           Small flickr thumbs will be loaded into the "fl-
  </h2>
                                           photos" div. Full preview image will be loaded in to
  <div class="fl-photos"></div>
                                           the "fl-pFull" div, title and description of photo will
 <div class="fl-pFull"></div>
                                           be loaded into the "fl-pTitle" and "fl-pDescr" divs
 <div class="fl-pTitle"></div>
  <div class="fl-pDescr"></div>
</div>
                                           "loader-content" is the small rotated animated box on the dark-layer which
<div class="loader-content"></div>
                                           will appear when you'll try to load page with a content layout
<div class="ajax-loader"></div>
<div id="popup">
                                          Popup container is used to load
<div class="close-popup"></div>
                                          popup images
<div class="popup-content">
   <div class="p-image"></div>
   <div class="p-title"></div>
</div>
</div>
<div class="ajax-loader-2"></div>
</body>
</html>
```

Container with a social links

### Menu

Menu HTML content is located in the includes/menu.php file:

Div with a "menu-link" class contains parent menu links

```
"link-bg" div contains faded background image for menu link
<div class="menu-link">
  <div class="link-bg"></div>
  <a href="#" class="toHome">Home</a> </div>
<div class="menu-link">
  <div class="link-bg"></div>
                            Use unsorted lists for the submenus like in this example
  <a href="#">Portfolio</a>
  <span class="link-bg"></span><a href="#portfolio/portfolio-3" class="loadFolio">Portfolio 3 Col
</a>
    <span class="link-bg"></span><a href="#portfolio/portfolio-2" class="loadFolio">Portfolio 2 Col
</a>
    <span class="link-bg"></span><a href="#portfolio/portfolio-1" class="loadFolio">Portfolio Full
Width</a>
    <span class="link-bg"></span><a href="#portfolio/portfolio-mixed" class="loadFolio">Portfolio</a>
Mixed</a>
    <span class="link-bg"></span><a href="#project/demo-project" class="loadProject">Project Page</a
>
  Put every submenu into list element with tag.
</div>
<div class="menu-link">
  <div class="link-bg"></div>
  <a href="#flickr-gallery" class="loadFlickr">Flickr Gallery</a> </div>
<div class="menu-link">
 <div class="link-bg"></div>
  <a href="#">Features</a>
  <span class="link-bg"></span><a href="#content/features" class="loadContent">sPhotos Features</a>
>
    <span class="link-bg"></span><a href="#content/blog" class="loadContent">Blog Page</a>
    <span class="link-bg"></span><a href="#content/post" class="loadContent">Post Page</a>
    <span class="link-bg"></span><a href="#content/grid" class="loadContent">Layout Grid</a>
  </div>
<div class="menu-link">
  <div class="link-bg"></div>
  <a href="#content/about" class="loadContent">About</a> </div>
<div class="menu-link">
  <div class="link-bg"></div>
  <a href="#content/contacts" class="loadContent">Contacts</a> </div>
<div class="menu-link openTwitter"></div>
```

### Slider

Slider content is located in the includes/slider.php file. Let's look at this HTML more closely:

```
These two divs are used for slider back shadows
<div class="slider">
  <div class="s-shadow-t"></div>
                                           Slider's next and previous buttons
  <div class="s-shadow-b"></div>
  <a id="slide-next" href="#"></a> <a id="slide-prev" href="#"></a>
  <div id="slider">
    <div class="slide activeSlide"> <img src="images/slider/1.jpg" width="900" height="500" alt="slide1"</pre>
 /> </div>
    <div class="slide"> <img src="images/slider/2.jpg" width="900" height="500" alt="slide2" /> </div>
    <div class="slide"> <img src="images/slider/3.jpg" width="900" height="500" alt="slide3" />> </div>
    <div class="slide"> <img src="images/slider/4.jpg" width="900" height="500" alt="slide4" /> </div>
  </div>
                                       Container with a slide
                                                                   Slider's images. Every slider image must be inside
  <div class="slide-descriptions">
                                                                   of "slide" div. "activeSlide" class must be added for
                                       descriptions.
                                                                   the first slide
      <h3 class="slide-title">sPhotos Home Page</h3>
      <strong>sPhotos</strong> is the Ajax based animated website template. This template is intended
 for use as a photography portfolio with brief information about the author (photographer or studio).
<strong>sPhotos</strong> comes with the big awesome animated <a href="http://www.idangero.us/cs" target=</pre>
 '_blank">Chop Slider</a> on a home page. You can put any html content inside of this description block.
Read more about sPhotos <a href="#content/features" class="loadContent">features</a>.
    </div>
                                                                    HTML content of every slide's description
    <div>
                                                                    must be inside of simple div element
      <div class="slide-col" style="width:270px">
        <h3 class="slide-title">Flickr Integration</h3>
        <strong>sPhotos</strong> has awesome animated full-width <a href="#flickr-gallery" class=</a>
"loadFlickr">Flickr gallery</a>, which will load 100 recent photos from your Flickr account.
      </div>
      <div class="slide-col" style="width:270px">
        <h3 class="slide-title">Portfolio Layouts</h3>
        Photos comes with ready to use animated portfolio page. Check them out: <a href=</p>
"#portfolio/portfolio-3" class="blink loadFolio">Portfolio 3 Col</a>, <a href="#portfolio/portfolio-2"
class="blink loadFolio">Portfolio 2 Col</a>, <a href="#portfolio/portfolio-1" class="blink loadFolio">
Portfolio 1 Col</a>, <a href="#portfolio/portfolio-mixed" class="blink loadFolio">Portfolio Mixed</a>.</
      </div>
      <div class="slide-col" style="width:270px">
        <h3 class="slide-title">Portfolio Project Page</h3>
        Look at the example of the portfolio <a href="#project/demo-project" class="loadProject">
project page</a>.
      </div>
    </div>
    <div><h3 class="slide-title">Just a Photo</h3></div>
    <div><h3 class="slide-title">Another Photo</h3></div>
  </div>
                                             Descriptions will be loaded here
  <div class="slide-descr"></div>
</div>
<div id="slide-loader">
                                          This container is used for slides
  <div class="dummy-blocks">
                                          animation
    <div class="dummy-first"></div>
    <div class="dummy-last"></div>
```

</div>

### 5. sPhotos Configuration

sPhotos configuration is located in the main script file in the scripts/sphotos.js file. Let's open this file with a text editor:

```
sP = {
   replaceFonts : ".cufoned,.menu-link
a,.loader-content,.slide-title,h2.heading,h3.blog-title,h3.inner-heading,.p-title,.folio-title,.pr-headi
ng, h2.image-title,.full-size,.fit-screen,.fl-title,.fl-pTitle,.fl-link,.tweet-uname",
   shareTwitter : true,
   twitterUsername: "idangerous",
   shareFaceBook : true,
   faceBookLikeURL: "http://www.idangero.us",
   flickrAPIKey: "30a37e5dd95ab44d8e38443027a7c4e7",
   flickrUserID: "64011873@N04",
   sliderParams : {
       loader : "#slide-loader",
       slide : ".slide",
       nextTrigger : "a#slide-next",
       prevTrigger: "a#slide-prev",
       type: "multi",
       disableCSS3 : true,
       xOffset: 20,
      yOffset: 20,
       hPieces: 10,
       vPieces: 10,
       rotate : 0 ,
       rotateSymmetric: false,
       scaleX:1,
       scaleY:1,
       dur1: 600,
       dur2 :600,
       dur3: 600,
       pieceDelay: 50,
       xFadeDelay :0,
       hideControls:true,
       onStart: function() {hideDescr()},
       onEnd: function() {showDescr()}
   twitterFeed : {
       container : "#tweets",
       username : "idangerous",
       numberOfTweets: 3,
       tweetFormat : ''
                  + ''
                  + '%tweetText'
                  + ''
                  + 'on %tweetDate'
                  + ''
}
```

### **Project Page Settings**

#### shareTwitter

Boolean value. Should the tweet button be on the project photo preview page

#### twitterUsername

String value. Your twitter username. Will be used in the TWEET button code

#### shareFacebook

Boolean value. Should the LIKE button be on the project photo preview page

#### faceBookLikeURL

String value. URL to like which will be used in the LIKE button code

### Flickr Gallery Settings

#### flickrAPIKey

String value. Your Flickr API key

#### flickrUserID

String value. Your Flickr username

### Cufon replacement

#### replaceFonts

String value. List of CSS selectors of the elements for which will be executed font replacement.

### Slider Settings

#### loader

String value. CSS selector of the slide-loader container.

#### slide

String value. CSS selector of the single slide container.

#### nextTrigger

String value. CSS selector of the "slide-next" element.

#### prevTrigger

String value. CSS selector of the "slide-prev" element.

#### type

String value. Can be "vertical", "horizontal" or "multi"

#### disableCSS3

Boolean value. "true" or "false"

#### xOffset

Numeric value. Horizontal offset of slide pieces in px

#### yOffset

Numeric value. Vertical offset of slide pieces in px

#### hPieces

Numeric value. Number of horizontal pieces. Used in "horizontal" and "multi" sliders type.

#### **vPieces**

Numeric value. Number of vertical pieces. Used in "vertical" and "multi" sliders type.

#### rotate

Numeric value. Rotate angle in degrees for each slide piece

#### rotateSymmetric

Boolean value. "true" or "false"

#### scaleX

Numeric value. Horizontal scale multiplier for each slide piece

#### scaleY

Numeric value. Vertical scale multiplier for each slide piece

#### dur1

Numeric value. Duration in ms for the first transition part

#### dur2

Numeric value. Duration in ms for the second transition part – cross fade time for each slide peace to the new image

#### dur3

Numeric value. Duration in ms for the last (final) transition part

#### pieceDelay

Numeric value. Delay in ms for the each slide piece

#### xFadeDelay

Numeric value. Delay in ms between first transition part and start of cross fade (second transition part)

#### hideControls

Boolean value. "true" or "false". Should the slider triggers be hidden during the animation

#### onStart

Function. Which function will be executed in the beginning of the slider animation

#### onEnd

Function. Which function will be executed after the slider animation is completed

### **Twitter Feed**

#### container

Container for the Twitter feed. In this case this is the element with a "tweets" id attribute. By the default it is located in the right bottom module - 
 id="tweets">

#### username

Your Twitter Username here.

#### numberOfTweets

Number of your recent tweets (including re-tweets) to display

#### teetFormat

HTML format to display every tweet. If you want to use your own tweet formatting feel free to edit default format.

### 6. Typography & Layout Grid

### Additional Myriad Pro font usage

sPhotos is powered with an awesome additional Myriad Pro font. Its usage is available due to the Cufon JavaScript library.

To use Myriad Pro font for template elements all you need is to add "cufoned" class to them.

### **Headings**

There are two headings used in this template.

### sPhotos Features

You need the following formatting for such headings:

<h2 class="heading">Some Heading</h2>

### Imageless Design

You need the following formatting for such headings:

<h3 class="inner-heading">Imageless Design</h3>

### **Buttons**




To create button you have to create "link" or "button" element with a "button" (or "button-s" class for small buttons) class

You should use the following formatting for buttons:

```
<a href="#" class="button">Big Button</a>
or
<input type="submit" class="button-s" value="Small Button" />
```

### Layout Grid

sPhotos comes with a ready to use layout grid which gives you full control over your content pages.



### 7. Inner Linking & Popup Window

As the sPhotos is the "one-page" Ajax template, all additional content should be loaded with Ajax using the special classes for the links. So let's see how the Inner Linking works. This you should know first:

All files with HTML content you want to load with Ajax request must be located in the content/ folder.

All files must have a .php extension.

### Loading Content into Content Section

This type of request we use when we need to load page with HTML content like blog, post, contacts, features etc..

**Example.** We want to load HTML content from the **content/about.php** file into the content section. We should use the following formatting: When we'll specify a "loadContent" class, the

> script will load file content with Ajax into Content Section

<a href="#content/about" class="loadContent">About</a>

Before file name we have to specify type of loaded content right after the hash character. "content" means that we will load the file into the content section

Filename of the php file from the content/ folder specified in the href attribute after the hash character.

### **Loading Portfolio Page**

This type of request we use when we need to load page with portfolio HTML content like blog, post, contacts, features etc. in the special Portfolio section.

**Example.** We want to load HTML content from the content/portfolio.php file into the Portfolio section. We should use the following formatting:

<a href="#portfolio/portfolio" class="loadFolio">Portfolio</a>

When we'll specify a "loadFolio" class, the script will load file content with Aiax into Before file name we have to specify type of Portfolio Section with a special animation

loaded content right after the hash character. "portfolio" means that we will load the file into the portfolio section

Filename of the php file from the content/ folder specified in the href attribute after the hash character.

### Loading Portfolio Project

This type of request we use when we need to load page with portfolio project.

**Example.** We want to load HTML content from the **content/demo-project.php** file into the portfolio section. We should use the following formatting:



### Returning to the home page

section with the special animation


It is very easy to return to home page. All you need is to use the following formatting for the links:

```
<a href="#" class="toHome">Home Page</a>
```

As you can see it is very easy to use Inner Linking. All you need is to specify filename in the HREF attribute after the hash character and to specify the appropriate class to load content.

### **Using Popup Window**


sPhotos comes with easy to use popup window to show your images in full size. All you need is to use the following formatting:



### 8. Portfolio Page Structure

Let's look at the portfolio page HTML structure on the simplified code of the mixed portfolio page:


<a href="https://doi.org/10.1001/journal.com/page">https://doi.org/10.1001/journal.com/page</a>



<div class="folio-item f-full">
 <h3 class="folio-item f-full">
 <h3 class="folio-itele">Don River</h3>
 <a style="float:left; margin:0 20px 20px 0" href="#project/demo-project" class="blink loadProject">class="blink loadProject">class="blink loadProject">class="blink loadProject">class="blink loadProject">class="blink loadProject">class="blink loadProject">class="blink loadProject">class="blink loadProject" class="blink loadProject" amet, consectetur adipiscing elit. Suspendisse non quam ut sapien convallis sagittis non id orci. Suspendisse non quam ut sapien convallis sagittis non id orci. Lorem ipsum dolor sit amet, consectetur adipiscing elit.
 <a class="button-s loadProject" href="#project/demo-project">Project Photos</a>
 <div class="clear"></div></div></div></div>

### 9. Portfolio Project Page Structure

Let's look at the portfolio project page HTML structure on the simplified code of the demo project (content/demo-project.php) page:





Project Title <h2 class="pr-heading">Demo Project Photos</h2> **Project Description** <div class="pr-description"> <div class="pr-descr"> <img src="images/demo/10.jpg" style="float:left; margin:0 20px 10px 0" /><strong>Project description here</strong>. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nunc venenatis consequat lacus sed consequat. Etiam vehicula mollis laoreet. Etiam est urna, imperdiet id commodo sed, lobortis sit amet dui. Cras id ante ac purus lobortis facilisis at vitae lacus. Integer at quam erat. Nunc cursus leo in dolor ultricies tempor tempus ipsum accumsan. Vestibulum eget ipsum ante. Donec elementum elit at lectus vestibulum imperdiet venenatis diam blandit. Ut iaculis facilisis lacus ut convallis. In sed velit magna. Morbi vulputate rhoncus porta. Donec eget neque et erat ultrices varius in ac felis. Image loader contains images which will be show while full size photo loading </div> <div class="image-loader"></div> Full image will be loaded here <div class="full-image"></div> Image title will be placed here <h2 class="image-title"></h2> <div class="next-image"></div> -Prev and Next buttons <div class="prev-image"></div> <div class="image-controls"> <div class="full-size">Full Size <span class="im-size"></span></div> <div class="fit-screen">Fit To Screen</div> Full Photo size will be placed here </div> Container with a links-thumbs </div> Full size photo source <h2 class="pr-heading click" >Click on photo for full-size preview</h2> <div class="pr-images">< <a data-title="Title of Image 1 Here" class="blink" href="projects/demo-project/1-b.jpg"><img src=</p> "projects/demo-project/1.jpg" width="110" height="83" alt=" " /></a> <a data-title="Title of Image 2 Here" class="blink" href="projects/demo-project/2-b.jpg"><img src=</pre> "projects/demo-project/2.jpg" width="110" height="83" alt=" " /></a> <a data-title="Title of Image 3 Here" class="blink" href="projects/demo-project/3-b.jpg"><img src= "projects/demo-project/3.jpg" width="110" height="83" alt=" " /></a> <a data-title="Title of Image 4 Here" class="blink" href="projects/demo-project/4-b.jpg"><img src= "projects/demo-project/4.jpg" width="110" height="83" alt=" " /></a> <a data-title="Title of Image 5 Here" class="blink" href="projects/demo-project/5-b.jpg"><img src=</p> "projects/demo-project/5.jpg" width="110" height="83" alt=" " /></a> <a data-title="Title of Image 6 Here" class="blink" href="projects/demo-project/6-b.jpg"><img src= "projects/demo-project/6.jpg" width="110" height="83" alt=" " /></a> <a data-title="Title of Image 7 Here" class="blink" href="projects/demo-project/7-b.jpg"><img src=</pre> "projects/demo-project/7.jpg" width="110" height="83" alt=" " /></a> <a data-title="Title of Image 8 Here" class="blink" href="projects/demo-project/8-b.jpg"><img src= "projects/demo-project/8.jpg" width="110" height="83" alt=" " /></a> <a data-title="Title of Image 9 Here" class="blink" href="projects/demo-project/9-b.jpg"><img src=</pre> "projects/demo-project/9.jpg" width="110" height="83" alt=" " /></a> <a data-title="Title of Image 10 Here" class="blink" href="projects/demo-project/10-b.jpg"><img src= "projects/demo-project/10.jpg" width="110" height="83" alt=" " /></a> <a data-title="Title of Image 11 Here" class="blink" href="projects/demo-project/11-b.jpg"><img src= "projects/demo-project/11.jpg" width="110" height="83" alt=" " /></a> <a data-title="Title of Image 12 Here" class="blink" href="projects/demo-project/12-b.jpg"><img src=</pre> "projects/demo-project/12.jpg" width="110" height="83" alt=" " /></a> <a data-title="Title of Image 13 Here" class="blink" href="projects/demo-project/13-b.jpg"><img src=</pre> "projects/demo-project/13.jpg" width="110" height="83" alt=" " /></a> <a data-title="Title of Image 14 Here" class="blink" href="projects/demo-project/14-b.jpg"><img src= "projects/demo-project/14.jpg" width="110" height="83" alt=" " /></a> <a data-title="Title of Image 15 Here" class="blink" href="projects/demo-project/15-b.jpg"><img src=</p>

<a data-title="Title of Image 16 Here" class="blink" href="projects/demo-project/16-b.jpg"><img src=</pre>

Thumb source


"projects/demo-project/15.jpg" width="110" height="83" alt=" " /></a>

"projects/demo-project/16.jpg" width="110" height="83" alt=" " /></a>

<div class="clear"></div>

</div>

### 10. Blog & Post Layouts



Page 1 of 7 1 2 3 ... 7

Pagination

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nunc semper nibh congue ligula imperdiet accumsan ac eu sem. Donec condimentum luctus felis eu dignissim. Aliquam erat volutpat. Quisque sed eleifend elit. In hac habitasse platea dictumst.

Let's look at the HTML code of blog post on the example of first post:

</div>

```
Blog Title
<div class="content-bg">
                                            Blog Post Container
  <h2 class="heading">sPhotos Blog</h2>
  <div class="blog-post one-half"> -
                                                             Blog Post Title
                                                                                  Blog Post Information
      <h3 class="blog-title">Old Russian Car</h3>
      <div class="post-info"><span class="b-date">4 June, 2011<span class="b-comments">3
Comments</span> <span class="b-tags"><a href="#">car</a>, <a href="#">old car</a>, <a href="#">russia</a
></span></div>
      <a class="loadContent blink" href="#content/post"><img src="images/demo/1.jpg" width="400"</p>
height="200" alt=" " /></a>
                                                                                                        Post
     Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nunc semper nibh conque ligula
                                                                                                     image/link
imperdiet accumsan ac eu sem. Donec condimentum luctus felis eu dignissim. Aliquam erat volutpat.
Quisque sed eleifend elit. In hac habitasse platea dictumst.
      <a class="loadContent button" href="#content/post">Read More</a>
                                                                           Post short description
  </div>
  <div class="blog-post one-half last">
                                                   Read more button
      ---- Other Post ----
  </div>
  <div class="clear"></div>
  <div class="blog-post one-half">
      ---- Other Post ----
  </div>
  <div class="blog-post one-half last">
      ---- Other Post ----
  </div>
  <div class="blog-post">
     ---- Other Post ----
  </div>
  <div class="blog-post">
      ---- Other Post ----
                                                         Pagination
  </div>
  <div class="clear"></div>
  <div class="pagination">
   <span>Page 1 of 7</span> <a href="#" class="active-page">1</a> <a href="#">2</a> <a href="#">3</a
> ... <a href="#">7</a>
  </div>
```

### Single Post Page

#### **Old Russian Car**

Post Title

(L) 4 June, 2011 P 3 Comments Car, old car, russia

Post Information: added date, comments, tags



Post Content

Vivamus et aliquet ante. Sed convallis viverra metus non rutrum. Cras venenatis odio a nisl congue ullamcorper. Quisque aliquam tortor vel odio suscipit commodo. Curabitur dictum, felis nec ornare aliquet, dui erat ultricies dolor, vitae tincidunt justo purus et elit. Sed augue enim, eleifend vel luctus vel, varius ac dui. Integer lorem diam, sagittis vitae ultricies aliquet, molestie eget mi. Etiam sagittis fringilla urna, et porta felis aliquet at. Aenean pellentesque laoreet nulla vel ultricies. Donec ante ipsum, iaculis ac egestas sit amet, adipiscing vel orci. Fusce accumsan, sem eu sollicitudin faucibus, tortor est dapibus diam, hendrerit consectetur mi urna quis tellus. Ut vitae lacus at dolor vehicula posuere vitae ut nisi. Morbi adipiscing viverra ultricies.

Suspendisse elementum arcu eu elit elementum volutpat. In neque magna, bibendum id bibendum id, commodo sit amet odio. Sed lacinia, est vitae semper dapibus, lorem sem molestie est, id fermentum sapien massa vitae leo. Praesent elementum fringilla pretium. Maecenas egestas euismod semper. Suspendisse convallis feugiat fringilla. Sed nec fringilla sapien.

Suspendisse consequat commodo placerat. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos himenaeos. Proin et dolor lectus. Vestibulum lorem leo, conseguat non blandit vel. commodo non ipsum. Praesent quis convallis augue. Nam vestibulum tristique tempor. Quisque elementum nunc id nisi fringilla nec consequat ligula bibendum. Curabitur velit metus, suscipit vitae suscipit at, consequat nec leo. Aenean tortor tellus, sollicitudin eu molestie fermentum, tristique vel diam Ut justo nunc, aliquam a fermentum ut, auctor fermentum ipsum. Vivamus luctus augue id lacus cursus vitae semper lectus varius. Maecenas adipiscing convallis mi id laoreet. Nam tristique massa mattis ligula iaculis vel mollis erat facilisis. Donec accumsan adipiscing orci, ut hendrerit tellus lacinia in. Etiam auctor sapien sapien, et lobortis massa. Sed a ultrices enim. In eget convallis augue.



Popup Images





Comments

#### Comments



iDangero.us on June 8, 2011

Wow! Great post



Vladimir on June 7, 2011

Suspendisse consequat commodo placerat. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos



iDangero.us on June 6, 2011

Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos himenaeos. Proin et dolor lectus. Vestibulum lorem leo, consequat non blandit vel, commodo non ipsum. Praesent quis convallis augue. Nam vestibulum tristique tempor. Quisque elementum nunc id nisi fringilla nec consequat ligula bibendum.

Leave a	Rep	ly
---------	-----	----

Name:

Email:\*

Comment\*

Add a Comment form

Let's look at the HTML code of blog single post page on the example of demo post (content/post.php):

```
Post Title
<div class="content-bg">
  <h2 class="heading">Old Russian Car</h2>
  <div class="post-info">
                                                           Post Information: added date, comments,
     <span class="b-date">4 June, 2011</span>
                                                                         tags
     <span class="b-comments">3 Comments</span>
     <span class="b-tags"><a href="#">car</a>, <a href="#">old car</a>, <a href="#">russia</a></span>
  </div>
                                 Any HTML post content
  ---- Post Content ----
  </div>
                                       Comments. Every comment must be inside of div with a "comment" class
  <div class="clear"></div>
  <div class="comments">
    <h3 class="inner-heading">Comments</h3>
    <div class="comment"> <img class="avatar" width="50" height="50" src="images/demo/av1.jpg" alt="" />
      <div class="comment-content">
        <h3 class="author">iDangero.us <span class="c-date">on June 8, 2011</span></h3>
                                                                                                   Avatar
        <div class="comment-text">Wow! Great post</div>
                                                                              Comment info
      </div>
                                                  Comment text
    </div>
    <div class="comment">
        ---- Other Comment -----
    </div>
    <div class="comment">
        ---- Other Comment ----
    </div>
  </div>
                                                         Comment form
  <div class="reply-form">
    <h3 class="inner-heading">Leave a Reply</h3>
    <form action="javascript:void(0)" method="post">
      >
        <label>Name:* <br/>>
          <input type="text" class="text" />
          </label>
      >
        <label>Email:* <br/>
          <input type="text" class="text" />
          </label>
      >
        <label>Comment:* <br/>
          <textarea class="textarea" cols="20" rows="5"></textarea>
           </label>
      <input type="submit" class="button" value="Post Comment" />
    </form>
  </div>
  <div class="clear"></div>
</div>
```

### 11. CSS Files

There are two CSS files used in this Template You can find css attachment in the HEAD section of index.html file.

```
<head>
------
<link rel="stylesheet" type="text/css" href="css/sphotos.css" />
------
<link rel="stylesheet" type="text/css" href="css/ie7.css" />
-------
</head>
```

By default they are located in the **css/** folder. You can easily change the path or filename in the **href** attribute of **link** tag.

sphotos.css file contains all general layouts for the template. It is separated into sections:

```
/* --- Common Rules --- */

There are common rules in this section, such as font size, fonts, link colors, layout images etc.

/* --- Headings--- */

Some rules for headings

/* --- Logo--- */

Some rules for Logo

/* --- Menu--- */

Rules menu items and submenus

/* --- Footer--- */

Rules for the footer and social links

/* --- Content Loader--- */

Style rules for the content loader

/* --- Content--- */

Few rules for home content section

/* --- Layout Grid--- */
```

Rules for the content Layout Grid

```
/* --- Blog--- */
This section contains style rules for blog and its elements
/*---- Portfolio----*/
Styling rules for the portfolio page
/* --- Portfolio Project--- */
Rules for the portfolio project page
/* --- Flickr Gallery--- */
This section contains style rules for the Flickr Gallery
/*--- Forms----*/
Styling rules for the forms and its elements
/* --- Popup Window--- */
Some rules for popup window
/* --- Ajax-Loader--- */
Rule for the Ajax Loader
/* --- Slider--- */
Rules for the home page slider
/* --- Twitter Feed--- */
Rules for the twitter feed
/*---End of CSS File---*/
```

If you would like to edit a specific section of the site, simply find the appropriate section in the CSS file, and then scroll down until you find the appropriate style that needs to be edited.

And the last CSS file ie7.css contains few rules for Internet Explorer 7 browser.

### 12. PSD Files & Structure

There are **two** layered **.psd** files comes with the **sPhotos** template. You can locate them into **psd/** folder form the downloaded archive. Using these files you can easily redesign template.

To edit these files you'll need an Adobe™ Photoshop™ (Recommended is CS4 or higher version)

First .psd file is **sphotos.psd**. It contains all general layouts for template styling:



Last psd file is the **social-links.psd**, it contains social icons styling:



All layers in these file are well organized and easy to understand and redesign.

### 13. Customization

To customize sPhotos template you need to use included psd files and probably to make some changes in template CSS files. Because the sPhotos is imageless template all you really have to do before start is to just change background image of template and logo.

### **Background Image**

It is located in the index.php file:

```
<div id="background">
  <img src="images/layouts/bg.jpg" alt=" "/>
</div>
```

Just change this SRC attribute to your new image and that is done. Try to use as large image as possible. Recommended to use it about 2000px in width.

### Logo

To change logo image, you need to replace default logo image in images/layouts/logo.png with yours one. Just try to make your new logo image not larger than **900x110**px

### 14. JavaScripts

sPhotos template uses six JavaScript files

Attachment of JavaScript files can be found in the HEAD section of index.php file:

You can easily change the path or filename in the **src** attribute of **script** tag.

The first script file is the jQuery (JavaScript library that greatly reduces the amount of code that you must write).

Second script file (cufon-yui.js) is the Cufon library. Used here for text replacement with a Myriad Pro font. Visit official website.

Third script file (Myriad\_Pro\_400-Myriad\_Pro\_600.font.js) is the encoded Myriad Pro font.

Next file (jquery.id.chopslider-1.0.js) is the exclusive Chop Slider for the jQuery.

Next one (jquery.id.twitterfeed-1.0.js) is the Twitter feed plugin for the jQuery.

And the final script file (sphotos.js) is the custom script used for animation, effects and Ajax requests. You can learn more about jQuery methods used here (fadeOut(), fadeIn(), fadeTo(), animate(), jQuery.get(), html(), delay(), hover() etc.) by visiting this jQuery Documentation Site.

### 15. Ajax Contact Form

HTML code of the contact page is in the **content/contacts.php** file:

```
<div class="content-bg">
 <div class="one-half">
                                                    Status message will be inserted here
   <h2 class="heading">Contacts</h2>
   <div class="contact-status"></div>
    <form name="contact" class="contact-form" action="javascript:sendMessage()" method="post">
     You can contact us using the following contact form:
       <label> Your Name:<br>
         <input id="contact name" type="text" class="text" name="name" size="30" />
       </label>
     >
       <label> Your Email:*<br>
         <input id="contact_email" onKeyUp="validateEmail('#contact_email')" type="text" class="text"</pre>
name="email" size="30" />
       </label>
     <label> Subject:<br>
         <input id="contact subject" style="color:#777" type="text" class="text" name="subject" size=</pre>
"30" />
       </label>
     <a>>
       <label> Message:*<br>
         <textarea id="contact message" onKeyUp="validateMessage()" name="message" class="textarea"</pre>
cols="30" rows="5"></textarea>
       </label>
     <em>Fields marked with an asterisk(*) are required</em>
     <input type="submit" class="button" value="Send Message" />
   </form>
 </div>
  <div class="one-half last">
   <h2 class="heading" style="color:#555">How To Find Us</h2>
   sPhotos Inc
   114 Second Lane Street, Rostov-na-Donu, 344013, Russian Federation 
   Work: +7-863-246-3608<br />
     Fax: +7-863-246-3608<br />
     Email: demo@idangero.us
  <div class="clear"></div>
</div>
```

If the all fields are correct sendMessage() script will send and Ajax request to the php mailing script located in the **scripts/send\_message.php** file. This script will send a message and will return mailing status message. Let's look at this script more closely:

```
if (isset($_POST['name']))    $name = $_POST['name'];
                                                                   Checking for existence of
if (isset($_POST['email'])) $email = $_POST['email'];
                                                                   these variables.
if (isset($ POST['subject'])) $subject = $ POST['subject'];
$mail_to = "demo@idangero.us"; // change this email to yours
                                                                               Message will be sent to
$message = stripslashes($message);
                                                                               this e-mail address. So
$headers = "From: ".$name." <".$email.">\r\n";
                                                                               you have to change it to
$headers .= "Reply-To: ".$email."\r\n";
                                                                               vours
$headers .= "X-Mailer: PHPMailer"."\r\n";
$headers .= "Content-Type: text/plain; charset=\"utf-8\"";
                                                                        Default headers for the e-
if (mail($mail to, $subject, $message, $headers)) {
                                                                        mail message.
<div class="mail-sent">
  <img style="margin-right:10px" src="images/message-sent.png" width="95" height="66" alt="0k" />
  Thanks! Your message has been successfully sent!
</div>
                                                                  If the message
<?php
                                                                   successfully sent,
                                                                   script will return this
else {
                                                                  HTML message.
<div class="mail-error">
  <img style="margin-right:10px" src="images/message-error.png" width="95" height="66" alt="Error" />
  Error Occured. Try again later.
</div>
<?php
                                                                  Otherwise script will
                                                                  return this HTML code
                                                                  with an error message.
```

You can easily edit this status messages using the any HTML formatting.

### 16. Licensing Terms

### Regular License (RL)

RL gives you as a customer non-exclusive & non-transferable right to use the product you've bought, in this case is the **sPhotos** (further "**Item**")

1. We do not limit the number of **Item**'s copies you are going to use. Using one **Item** you can create, for example, even 100 web-sites.

- 2. You can use the **Item** by itself or it's also possible to apply it in other project you work at.
- 3. You can use the **Item** for your own purpose as well as for your clients.
- 4. You can use the **Item** in commercial projects.
- 5. You can reproduce the **Item**:
- on a web-site or as a web-site
- as a part of software you create not for sale
- as a printed variant
- in digital(electronic) format (as a presentation or an e-book)
- in video products
- 6. All photos used on iDangero.us for demonstration photo gallery functioning are our private property (if only there is nothing said about contrary). It's prohibited to use these photos wherever.
- 7. You are not allowed to sell, resell, license or give the **Item** free (any way) without our written consent. Please, do not offer to do it to any person.
- 8. You also do not have the right to use the **Item** in a project for selling (for example, for other templates, scripts, graphics and so on).
- 9. It's prohibited to rework / redesign / reproduce the **Item** (i.e.to rename it or change graphics & so on) and after this to sell it as your own.
- 10.In spite of reselling limitation you could claim money for the **Item** from your client.
- 11.If the **Item** (the whole **Item** or its parts) is created with materials used by GNU General Public License (GPL) (or some other license) it means you should follow all the terms of the license using the **Item**.