Company Name	LoremIpsum	Project Title	Fossee
Group/Team Name	LoremIpsum	Subtitle	
Designer	LoremIpsum	Job Number	123
Date	18 /05 /2020	Client	LoremIpsum

## 1 Input Parameters

Module		Column Coverplate Weld Connection		
MainModule		Moment Connection		
Moment(l	Moment(kNm)*		10.0	
Shear(kN)*		10.0		
Axial (kN) *		10.0		
	•	Section		
	Column	Section *		HB 450*
	Mate	rial *	E 250 (Fe 410 W)A	
T	Ultimate strength, fu (MPa) 410		410	
	Yield Strength , fy (MPa)		250	
$(B-t)$ $\alpha$	Mass	92.5	Iz(mm4)	403000000.0
4 t	Area(mm2) -	11800.0	Iy(mm4)	30500000.0
ZZ D	A			
	D(mm)	450.0	rz(mm)	185.0
R <sub>1</sub>	B(mm)	250.0	ry(mm)	50.8
В	t(mm)	11.3	Zz(mm3)	1790000.0
¥	T(mm)	13.7	Zy(mm3)	242000.0
	FlangeSlope	94	Zpz(mm3)	1972600.0
	R1(mm)	15.0	Zpy(mm3)	242000.0
	R2(mm)	7.5		
Weld Details				
Weld Type		Fillet		
Type of weld fabrication		Shop Weld		
Material grade overwrite (MPa) Fu		410.0		

Company Name	LoremIpsum	Project Title	Fossee
Group/Team Name	LoremIpsum	Subtitle	
Designer	LoremIpsum	Job Number	123
Date	18 /05 /2020	Client	LoremIpsum

## 2 Design Checks

## 2.1 Weld Design Checks

Check	Required	Provided	Remarks
Min Weld Size (mm)	$Thickness of Thicker part \\ = max(13.7, 18.0) \\ = 18.0 \\ IS800: 2007 \ cl.10.5.2.3 \ Table 21, \\ t_{w_{min}} = 5$	12	Pass
Max Weld Size (mm)	Thickness of Thinner part $= Min(13.7, 18.0) = 13.7$ $t_{w_{max}} = 13.7$	12	Pass

Company Name	LoremIpsum	Project Title	Fossee
Group/Team Name	LoremIpsum	Subtitle	
Designer	LoremIpsum	Job Number	123
Date	18 /05 /2020	Client	LoremIpsum

## 3 3D View



Figure 1: 3D View