Company Name	LoremIpsum	Project Title	Fossee
Group/Team Name	LoremIpsum	Subtitle	
Designer	LoremIpsum	Job Number	123
Date	18 /05 /2020	Client	LoremIpsum

1 Input Parameters

Modu	ıle		Column	Coverplate Weld Connection
MainMo	odule			Moment Connection
Moment(I	kNm)*			10.0
Shear(l	(N)*			10.0
Axial (kN) *		100.0		
	Section			
	Column Section *		PBP 320X88.5	
	Mate	rial *		E 250 (Fe 410 W)A
т	Ultimate stren	ngth, fu (MPa)		410
	Yield Strengt	th , fy (MPa)		250
$(B-t)$ α	Mass	88.47	Iz(mm4)	187427000.0
4 t	Area(mm2) -	11270.0	Iy(mm4)	56269300.0
ZZ D	A			
	D(mm)	303.0	rz(mm)	129.0
R ₁	B(mm)	304.0	ry(mm)	70.7
В	t(mm)	12.0	Zz(mm3)	1237140.0
Y	T(mm)	12	Zy(mm3)	370190.0
•	FlangeSlope	90	Zpz(mm3)	1378610.0
	R1(mm)	2.7	Zpy(mm3)	370190.0
	R2(mm)	0.0		
Weld Details				
Weld T	Type			Fillet
Type of weld	fabrication			Shop Weld
Material grade over	rwrite (MPa) Fu			410.0

Company Name	LoremIpsum	Project Title	Fossee
Group/Team Name	LoremIpsum	Subtitle	
Designer	LoremIpsum	Job Number	123
Date	18 /05 /2020	Client	LoremIpsum

2 Design Checks

2.1 Weld Design Checks

Check	Required	Provided	Remarks
	Thickness of Thicker part		
	= max(12, 10.0)		
Min Weld Size (mm)	=12	8	Pass
	$IS800:2007\ cl.10.5.2.3\ Table 21,$		
	$t_{w_{min}} = 5$		
	Thickness of Thinner part		
Max Weld Size (mm)	= Min(12, 10.0) = 10.0	8	Pass
	$t_{w_{max}} = 10.0$		

Company Name	LoremIpsum	Project Title	Fossee
Group/Team Name	LoremIpsum	Subtitle	
Designer	LoremIpsum	Job Number	123
Date	18 /05 /2020	Client	LoremIpsum

3 3D View



Figure 1: 3D View