Class: ZCL_A_TC

Status: Active
Implemented interfaces
    IF_AMDP_MARKER_HDB (Marker Interface for DB Procedures)

Attributes

Description: CDS Table funcation class
Instantiation: Public
Final

Not released
Fixed pt.arithmetic
Category: General Object Type
Package: ZSA_ACC
Original lang.: EN

Created by: AAHIRE
Created on: 05.04.2019

Methods

Public methods

GET_DOMTEXT
Description:
Static method

```
METHOD GET_DOMTEXT BY DATABASE FUNCTION FOR HDB
        LANGUAGE SQLSCRIPT
        OPTIONS READ-ONLY
        USING DD07V.
  RETURN SELECT domvalue_l as domVal, ddtext as domtext
              FROM DD07V
                WHERE ddlanguage = session_context('LOCALE_SAP')
                AND   domname = :p_domname;
ENDMETHOD.
```

GET_DOMTEXT_FUNC
Description:
Static method

Importing parameter
  VALUE(IV_DOMAIN) TYPE DOMNAME

Returning parameter
  VALUE(IT_DOMAIN) TYPE DOMAIN

```
METHOD GET_DOMTEXT_FUNC BY DATABASE FUNCTION FOR HDB LANGUAGE
                    SQLSCRIPT OPTIONS READ-ONLY
                    USING DD07V.
    RETURN  SELECT domvalue_l as domVal, ddtext as domtext
                FROM DD07V
                  WHERE ddlanguage = session_context('LOCALE_SAP')
                  AND   domname = :iv_domain;
ENDMETHOD.
```

GET_DOMTEXT_PROC
Description:
Static method

Importing parameter
```
 VALUE(IV_DOMAIN) TYPE DOMNAME
```

Exporting parameter
```
 VALUE(IT_DOMAIN) TYPE DOMAIN

 METHOD GET_DOMTEXT_PROC BY DATABASE PROCEDURE FOR HDB LANGUAGE
                           SQLSCRIPT OPTIONS READ-ONLY
                           USING DD07V.
     it_domain = SELECT domvalue_l as domVal, ddtext as domtext
                    FROM DD07V
                    WHERE ddlanguage = session_context('LOCALE_SAP')
                    AND   domname = :iv_domain;
   ENDMETHOD.
```

GET_DOMTEXT_PROC_CALL_FUNC
Description:
Static method

Importing parameter
```
 VALUE(IV_DOMAIN) TYPE DOMNAME
```

Exporting parameter
```
 VALUE(IT_DOMAIN) TYPE ZCL_A_TC=>DOMAIN

 METHOD GET_DOMTEXT_PROC_CALL_FUNC BY DATABASE PROCEDURE FOR HDB LANGUAGE
                           SQLSCRIPT OPTIONS READ-ONLY
                           USING ZCL_A_TC=>GET_DOMTEXT.
     it_domain = SELECT *
         FROM "ZCL_A_TC=>GET_DOMTEXT"(
                 p_domname => :iv_domain);
   ENDMETHOD.
```

Redefined Methods

Local Types

```
*"* use this source file for any type of declarations (class
*"* definitions, interfaces or type declarations) you need for
*"* components in the private section
```
Local class definitions

```
*"* use this source file for the definition and implementation of
*"* local helper classes, interface definitions and type
*"* declarations
```
Macros

```
*"* use this source file for any macro definitions you need
*"* in the implementation part of the class
```

Overview