

Assignment no: 9

Creating a Laravel Project

- ❖ Procedure
- ❖ Open Command Prompt in the xampp/htdocs folder.
- ❖ Run:
 - ❖ Select the required options
 - Starter Kit:- None
 - Testing Framework:- 0
 - AI-assisted Coding:- No
 - Database:- MySQL
 - default database update :- yes
 - ignore – script :- yes
 - cd aashish
 - composer run dev
- ❖ After setup completion, run:
- ❖ Open the browser and search:
- ❖ Result
 - ❖ The Laravel project runs successfully in the browser is localhost:8000 url

```
Microsoft Windows [Version 10.0.26200.8457]
(c) Microsoft Corporation. All rights reserved.
```

```
C:\xampp.php\htdocs>laravel new aashish
```



```
Which starter kit would you like to install? [None]:
```

```
[none] ] None
[react] ] React
[svelte] ] Svelte
[vue] ] Vue
[livewire] ] Livewire
> |
```

```
C:\xampp.php\htdocs>cd aashish
C:\xampp.php\htdocs\aaashish>composer run dev
> Composer\Config::disableProcessTimeout
> npx concurrently -c "#93c5fd,#c4b5fd,#fdba74" "php artisan serve" "php artisan
[vite]
[vite] > dev
[vite] > vite
[vite]
[queue] INFO Processing jobs from the [default] queue.
[queue]
[server] INFO Server running on [http://127.0.0.1:8000].
[server]
[server] Press Ctrl+C to stop the server
[server]
[vite] VITE v7.3.3 ready in 575 ms
[vite]
[vite] → Local: http://localhost:5173/
[vite] → Network: use --host to expose
[vite]
[vite] LARAVEL v12.59.0 plugin v2.1.0
[vite]
[vite] → APP_URL: http://localhost:8000
[server] 2026-05-16 21:50:02 / .....
2.29ms
[server] 2026-05-16 21:50:03 /favicon.ico .....
4.07ms
[server] 2026-05-16 21:50:03 .....
4m 52s
```

Let's get started

Laravel has an incredibly rich ecosystem.
We suggest starting with the following.




- ① Read the [Documentation](#) »
- ② Watch video tutorials at [Laracasts](#) »

Deploy now



- **Made rounding for my project for Home page**

- Open a vs code and select my project
- Open a terminal
- Get prompt “php artisan migrate”
- And get prompt” php artisan make:view home”
- Go to web.php and router
- Go to [home.blade.php](#) and add html code
- Go to the browser”localhost:8000/home”




- **Made rounding for my project for about page**

- Open a vs code and select my project
- Open a terminal
- And get prompt" php artisan make:view about"
- Go to web.php and router
- Go to [about.blade.php](#) and add html code
- Go to the browser"localhost:8000/about"

```
web.php  X  about.blade.php  home.blade.php
routes > web.php
1  <?php
2
3  use Illuminate\Support\Facades\Route;
4
5  Route::get('/', function () {
6      return view('welcome');
7  });
8
9  Route::get('/home', function () {
10     return view('home');
11 });
12
13 Route::get('/about', function () {
14     return view('about');
15 });
```

```
web.php  X  about.blade.php  home.blade.php
resources > views > about.blade.php
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4      <meta charset="UTF-8">
5      <meta name="viewport" content="width=device-width, initial-scale=1.0">
6      <title>Document</title>
7  </head>
8  <body>
9      <h1>this is my about page </h1>
10     
12 </body>
13 </html>
```

```
PROBLEMS  OUTPUT  DEBUG CONSOLE  TERMINAL  PORTS
PS C:\xampp.php\htdocs\aaashish> php artisan migrate
[INFO] Nothing to migrate.
PS C:\xampp.php\htdocs\aaashish> php artisan make:view home
[INFO] View [C:\xampp.php\htdocs\aaashish\resources\views\home.blade.php] created successfully.
PS C:\xampp.php\htdocs\aaashish> php artisan make:view about
[INFO] View [C:\xampp.php\htdocs\aaashish\resources\views\about.blade.php] created successfully.
PS C:\xampp.php\htdocs\aaashish>
```



this is my about page



- **Made rounding for my page**

- Open a vs code and select my project
- Open a terminal
- And get prompt" php artisan make:view Ashish"
- Go to web.php and router
- Go to [Ashish.blade.php](#) and add html code
- Go to the browser"localhost:8000/Ashish"

The screenshot shows a development environment with VS Code and a web browser. In VS Code, the file `Ashish.blade.php` is open, displaying the following HTML code:

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>Document</title>
7 </head>
8 <body>
9   <h1>it is my own page </h1>
10  <h1>I am Aashish Pawar</h1>
11  <p>I am a passionate student with basic knowledge of web development. He is learning
    technologies like HTML, CSS, and JavaScript and is interested in improving his coding
    skills by building simple and creative web projects.</p>
12 </body>
13 </html>
```

Below the code editor, the terminal window shows the execution of the following commands:

```
PS C:\xampp.php\htdocs\aaashish> php artisan make:view home
INFO View [C:\xampp.php\htdocs\aaashish\resources\views\home.blade.php] created successfully.

PS C:\xampp.php\htdocs\aaashish> php artisan make:view about
INFO View [C:\xampp.php\htdocs\aaashish\resources\views\about.blade.php] created successfully.

PS C:\xampp.php\htdocs\aaashish> php artisan make:view Ashish
INFO View [C:\xampp.php\htdocs\aaashish\resources\views\Ashish.blade.php] created successfully.

PS C:\xampp.php\htdocs\aaashish>
```

The web browser at the bottom shows the rendered output of the `Ashish.blade.php` view at `localhost:8000/Ashish`:

it is my own page

I am Aashish Pawar

I am a passionate student with basic knowledge of web development. He is learning technologies like HTML, CSS, and JavaScript and is interested in improving his coding skills by building simple and creative web projects.