JEE–MAIN EXAMINATION – JANUARY 2026

(HELD ON WEDNESDAY 28TH JANUARY 2026) **TIME : 9:00 AM TO 12 :00 NOON**

CHEMISTRY — TEST PAPER WITH ANSWER

SECTION-A

51. 20.0 dm^3 of an ideal gas 'X' at 600 K and 0.5 MPa undergoes isothermal reversible expansion until pressure of the gas is 0.2 MPa. Which of the following option is correct ?

(Given: log 2 = 0.3010 and log 5 = 0.6989)

(1) w = – 9.1 kJ, $\Delta U = 0$, $\Delta H = 0$, q = 9.1 kJ

(2) w = 9.1 J, ΔU = 9.1 J, $\Delta H = 0$; q = 0

(3) w = + 4.1 kJ, $\Delta U = 0$, $\Delta H = 0$; q = – 4.1 kJ

(4) w = – 3.9 kJ, $\Delta U = 0$, $\Delta H = 0$; q = 3.9 kJ

Ans. (1)

52. CORRECT order of stability for the following is

$CH_2 = CH^-$, $CH_3 - CH_2^-$, $CH \equiv C^-$

(1) $CH_3 - CH_2^- > CH_2 = CH^- > CH \equiv C^-$

(2) $CH_2 = CH^- > CH \equiv C^- > CH_3 - CH_2^-$

(3) $CH \equiv C^- > CH_2 = CH^- > CH_3 - CH_2^-$

(4) $CH \equiv C^- > CH_3 - CH_2^- > CH_2 = CH^-$

Ans. (3)

53. At T(K), 2 moles of liquid A and 3 moles of liquid B are mixed. The vapour pressure of ideal solution formed is 320 mm Hg. At this stage, one mole of A and one mole of B are added to the solution. The vapour pressure is now measured as 328.6 mm Hg. The vapour pressure (in mm Hg) of A and B are respectively:

(1) 300, 200 (2) 600, 400

(3) 400, 300 (4) 500, 200

Ans. (4)

54. Consider the following reaction sequence

Compound (x) [76.6%C,6.38%H, vapour density 47] $\xrightarrow[(ii)H_3O^+]{(i)\,CO_2,NaOH,120°C,\ high\ pressure}$ Compound (y) (Major Product)

Compound (y) develops characteristic colour with neutral $FeCl_3$ solution.

Identify the **INCORRECT** statement from the following for the above sequence.

(1) Both compounds x and y will dissolve in NaOH.


(2) Compound y will dissolve in $NaHCO_3$ and evolve a gas.

(3) Compound x is more acidic than compound y.

(4) Both compounds x and y will burn with sooty flame.

Ans. (3)

55. Method used for separation of mixture of products (B and C) obtained in the following reaction is:



$+ Br_2 \xrightarrow{FeBr_3} A \xrightarrow[Conc.\ H_2SO_4]{Conc.\ HNO_3} B + C$

(1) Simple distillation (2) sublimation

(3) steam distillation (4) fractional distillation

Ans. (4)

56. Consider a weak base 'B' of pK_b = 5.699. 'x' mL of 0.02 M HCl and 'y' mL of 0.02 M weak base 'B' are mixed to make 100 mL of a buffer of pH 9 at 25°C. The values of 'x' and 'y' respectively are:

[Given: log 2 = 0.3010, log 3 = 0.4771, log 5 = 0.699]

(1)

x	y
11.1	88.9

(2)

x	y
42.7	57.3


(3)

x	y
14.3	85.7

(4)

x	y
85.7	14.3

Ans. (3)



57. An organic compound undergoes first order decomposition. The time taken for decomposition to $\left(\frac{1}{8}\right)^{th}$ and $\left(\frac{1}{10}\right)^{th}$ of its initial concentration are $t_{1/8}$ and $t_{1/10}$ respectively.

What is the value of $\frac{t_{1/8}}{t_{1/10}} \times 10$?


(log 2 = 0.3)

(1) 9 (2) 0.9

(3) 3 (4) 30

Ans. (1)

58. Given below are two statements for the following reaction sequence.



Statement I: Compound 'Z' will give yellow precipitate with NaOI.

Statement II: Compound 'Q' has two different types of 'H' atoms (aromatic : aliphatic) in the ratio 1 : 3.

In the light of the above statements, choose the ***correct*** answer from the option given below:

(1) Statement I is true but Statement II is false


(2) Both Statement I and Statement II are true

(3) Statement I is false but Statement II is true

(4) Both Statement I and Statement II are false

Ans. (2)

59. Given below are the four isomeric compounds (P, Q, R, S)



Identify **correct** statements from below.

A. Q, R and S will give precipitate with 2, 4 - DNP.

B. P and Q will give positive Bayer's test.

C. Q and R will give sooty flame.

D. R and S will give yellow precipitate with I_2/NaOH.

E. Q alone will deposit silver with Tollen's reagent

Choose the correct option.

(1) A, C and E only (2) A and E only

(3) C and E only (4) A, B, D and E only

Ans. (1)

60. Given below are two statements:

Statement I: The number of species among BF_4^-, SiF_4, XeF_4 and SF_4, that have unequal E–F bond lengths is two. Here, E is the central atom.

Statement II: Among O_2^-, O_2^{2-}, F_2 and O_2^+, O_2^- has the highest bond order.

In the light of the above statements, choose the ***correct*** answer from the options given below

(1) Both Statement I and Statement II are false

(2) Both Statement I and Statement II are true

(3) Statement I is true but Statement II is false

(4) Statement I is false but Statement II is true

Ans. (1)

61. Regarding the hydrides of group 15 elements EH_3 (E = N, P, As, Sb), select the correct statement from the following:

A. The stability of hydrides decreases down the group.

B. The basicity of hydrides decreases down the group.

C. The reducing character increases down the group.

D. The boiling point increases down the group.

Choose the ***correct*** answer from the options given below:

(1) A, B & C only (2) A & D only

(3) A, B, C & D (4) B & C only

Ans. (1)

62. Given below are two statements:

Statement I: Griss–Ilosvay test is used for the detection of nitrite ion, which involves the use of sulphanilic acid and α–naphthylamine reagent.

Statement II: In the above test, sulphanilic acid is diazotized by the acidified nitrite ion, which on further coupling with α–naphthylamine forms an azo-dye.

In the light of the above statements, choose the ***correct*** answer from the options given below

(1) Statement I is false but Statement II is true

(2) Both Statement I and Statement II are true


(3) Statement I is true but Statement II is false


(4) Both Statement I and Statement II are false


Ans. (2)




63. Consider the following reactions giving major product. Identify the correct reaction.

(1) 


(2) 

(3) 

(4) 

Ans. (4)

64. In the given pentapeptide, find out an essential amino acid (Y) and the sequence present in the pentapeptide:



Choose the correct answer from the options given below:

(1)

(Y)	(Sequence)
Threonine	Ser – Thr – Asp – Gly – Ala

(2)

(Y)	(Sequence)
Serine	Thr – Ser – Asp – Ala – Gly

(3)

(Y)	(Sequence)
Threonine	Thr – Ser – Asp – Gly – Ala

(4)

(Y)	(Sequence)
Serine	Ser – Asp – Thr – Ala – Gly

Ans. (3)

65. $Ph-CH=CH_2 \xrightarrow[HBr]{(PhCOO)_2} Product$

Consider the above reaction

A. The reaction proceeds through a more stable radical intermediate.

B. The role of peroxide is to generate $\dot{H}$ (Hydrogen radical).

C. During this reaction, benzene is formed as a biproduct.

D. 1-Bromo-2-phenylethane is fanned as the minor product.

E. The same reaction in absence of peroxide proceeds via carbocation intermediate.

Identify the correct statements. Choose the ***correct*** answer from the options given below:

(1) A & E Only (2) A, B & D Only

(3) C, D & E Only (4) A, C & E Only

Ans. (4)

66. The wave numbers of three spectral lines of H atom are considered. Identify the set of spectral lines belonging to Balmer series.

(R = Rydberg constant)

(1) $\frac{5R}{36}, \frac{3R}{16}, \frac{21R}{100}$ (2) $\frac{5R}{36}, \frac{8R}{9}, \frac{15R}{16}$

(3) $\frac{7R}{144}, \frac{3R}{16}, \frac{16R}{255}$ (4) $\frac{3R}{4}, \frac{3R}{16}, \frac{7R}{144}$

Ans. (1)

67.




Figure 1. electron probability density for 2s orbital




Figure 2. wave function for 2s orbital

Which of the following point in Figure 2 most accurately represents the nodal surface as shown in Figure 1 ?

(1) B (2) D

(3) C (4) A

Ans. (1)



68. Given below are two statements :

Statement I : The number of pairs, from the following, in which both the ions are coloured in aqueous solution is 3.

$[Sc^{3+}, Ti^{3+}]$, $[Mn^{2+}, Cr^{2+}]$, $[Cu^{2+}, Zn^{2+}]$ and $[Ni^{2+}, Ti^{4+}]$

Statement II : Th^{4+} is the strongest reducing agent among Th^{4+}, Ce^{4+}, Gd^{3+} and Eu^{2+}.

In the light of the above statements, choose the ***correct*** answer from the options given below

(1) Statement I is true but Statement II is false

(2) Statement I is false but Statement II is true

(3) Both Statement I and Statement II are false

(4) Both Statement I and Statement II are true

Ans. (3)

69. In period 4 of the periodic table, the elements with highest and lowest atomic radii are respectively.

(1) Na & Cl (2) K & Se

(3) K & Br (4) Rb & Br

Ans. (3)

70. The correct statement among the following is :

(1) $[Ni(CN)_4]^{2-}$ and $[NiCl_4]^{2-}$ are diamagnetic and $Ni(CO)_4$ is paramagnetic.

(2) $Ni(CO)_4$ and $[NiCl_4]^{2-}$ are diamagnetic and $[Ni(CN)_4]^{2-}$ is paramagnetic.

(3) $Ni(CO)_4$ and $[Ni(CN)_4]^{2-}$ are diamagnetic and $[NiCl_4]^{2-}$ is paramagnetic.

(4) $Ni(CO)_4$ is diamagnetic and $[NiCl_4]^{2-}$ and $[Ni(CN)_4]^{2-}$ are paramagnetic.

Ans. (3)

SECTION-B

71. 500 mL of 1.2 M KI solution is mixed with 500 mL of 0.2 M $KMnO_4$ solution in basic medium. The liberated iodine was titrated with standard 0.1 M $Na_2S_2O_3$ solution in the presence of starch indicator till the blue color disappeared. The volume (in L) of $Na_2S_2O_3$ consumed is_____. (Nearest integer)

Ans. (3)

72. Consider the following redox reaction taking place in acidic medium

$$BH_4^-(aq) + ClO_3^-(aq) \rightarrow H_2BO_3^-(aq) + Cl^-(aq)$$

If the Nernst equation for the above balanced reaction is

$$E_{cell} = E^o_{cell} - \frac{RT}{nF}\ \ell n\ Q,$$

Then the value of n is _____. (Nearest integer)

Ans. (24)

73. X is the number of geometrical isomers exhibited by $[Pt(NH_3)(H_2O)BrCl]$.

Y is the number of optically inactive isomer(s) exhibited by $[CrCl_2(ox)_2]^{3-}$

Z is the number of geometrical isomers exhibited by $[Co(NH_3)_3(NO_2)_3]$

The value of X + Y + Z is _____ .

Ans. (6)

74. 0.53 g of an organic compound (x) when heated with excess of nitric acid (concentrated) and then with silver nitrate gave 0.75 g of silver bromide precipitate. 1.0 g of (x) gave 1.32 g of CO_2 gas on combustion. The percentage of hydrogen in the compound (x) is _____ %. [Nearest Integer]

[Given : Molar mass in g mol^{-1} H : 1, C : 12, Br : 80, Ag : 108, O : 16; Compound (x) : $C_xH_yBr_z$]


Ans. (4)

75. Consider the dissociation equilibrium of the following weak acid $HA \rightleftharpoons H^+(aq) + A^-(aq)$

If the pKa of the acid is 4, then the pH of 10 mM HA solution is _____. (Nearest integer)

[Given : The degree of dissociation can be neglected with respect to unity]

Ans. (3)



ALLEN

For Class 12th Pass Students

RISE. REPEAT.
RANK UP IN JEE



JOIN LEADER COURSE
JEE (Main+Adv.) 2027

26th Mar & 15th Apr

Know more

ALLEN ONLINE

Think JEE 2027 will be your best shot?

Join the **Leader Online Course!**

Win up to **90%** scholarship via **ASAT**



Enrol Now

ALLEN ONLINE

Get REAL exam practice for JEE Main 2026

with the

Major Online Test Series!

- 13 full-syllabus tests
- 100+ additional mock tests
- 50,000+ teacher-recommended Qs. & more



Buy Now

ALLEN

Get The Latest

IIT-JEE Special Books


at Your Door Steps...!!

JOIN THE JOURNEY OF LEARNING

with

HANDBOOKS | ADVANCED-QB | SCORE PAPERS

PHYSICS EXPRESS | MAIN PYQ's | Adv. PYQ's



SHOP NOW

Available in
HINDI & ENGLISH