Laxmi Charitable Trust's
Sheth L.U.J College of Arts & Sir M.V. College of Science and Commerce
Department of Information Technology (B.Sc.I.T Semester V)
Full Stack development MERN Practical

M2 Practical-10

Roll No.:T050	Name: Aashu Yadav
Class:TYIT	Batch:1
Date of Assignment: 12-10-2026	Date/Time of Submission: 12-10-2026

Aim:-

Code : -

server.js

```
const express = require("express");
const mongoose = require("mongoose");
const cors = require("cors");
const app = express();
app.use(cors());
app.use(express.json());
// Connect to MongoDB
mongoose
.connect("mongodb://127.0.0.1:27017/CollegeDB")
  .then(() => {
    console.log("MongoDB Connected Successfully");
    app.listen(3000, () => {
      console.log("Server running on port 3000");
    });
  })
  .catch((error) => {
    console.log("MongoDB Connection Failed:", error.message);
  });

// Student Model
// Explicitly use the existing Students collection
const Student = mongoose.model(
  "Student",
  new mongoose.Schema(
    {
      rollNo: Number,
      name: {
        type: String,
        required: [true, "Student name is required"],
        trim: true,
      },
      course: {
        type: String,
        required: [true, "Course is required"],
        trim: true,
      },
      marks: {
        type: Number,
        required: [true, "Marks are required"],
        min: [0, "Marks cannot be less than 0"],
        max: [100, "Marks cannot exceed 100"],
      },
    },
    { strict: false }
  ),
  "Students"
);

// Validate student data
function validateStudent(data) {
  const { name, course, marks } = data;
  return (
    typeof name === "string" &&
    name.trim() !== "" &&
    typeof course === "string" &&
    course.trim() !== "" &&
    marks !== "" &&
```

```
    marks !== undefined &&
    Number.isFinite(Number(marks)) &&
    Number(marks) >= 0 &&
    Number(marks) <= 100
  );
}
// GET: Display all students
app.get("/students", async (req, res) => {
  try {
    const students = await Student.find();
    res.json(students);
  } catch (error) {
    res.status(500).json({
      message: "Error fetching students",
    });
  }
});
// POST: Add a student
app.post("/students", async (req, res) => {
  if (!validateStudent(req.body)) {
    return res.status(400).json({
      message:
        "Enter a valid name, course and marks
between 0 and 100",
    });
  }
  try {
    const studentData = {
      name: req.body.name.trim(),
      course: req.body.course.trim(),
      marks: Number(req.body.marks),
    };
    // Preserve existing Roll No style if
supplied
    if (req.body.rollNo !== undefined) {
      studentData.rollNo =
Number(req.body.rollNo);
    }
    const student = await
Student.create(studentData);
    res.status(201).json({
      message: "Student added successfully",
      student,
    });
  } catch (error) {
    res.status(400).json({
      message: "Unable to add student",
    });
  }
});
// PUT: Update a student
app.put("/students/:id", async (req, res) => {
  if
(!mongoose.isValidObjectId(req.params.id))
{
    return res.status(400).json({
      message: "Invalid student ID",
    });
  }
  if (!validateStudent(req.body)) {
    return res.status(400).json({
      message:
        "Enter a valid name, course and marks
between 0 and 100",
    });
  }

  try {
    const student = await
Student.findByIdAndUpdate(
      req.params.id,
      {
        name: req.body.name.trim(),
        course: req.body.course.trim(),
        marks: Number(req.body.marks),
      },
      {
        new: true,
        runValidators: true,
      }
    );

    if (!student) {
      return res.status(404).json({
        message: "Student not found",
      });
    }
    res.json({
```

```
      message: "Student updated
successfully",
      student,
    });
  } catch (error) {
    res.status(400).json({
      message: "Unable to update student",
    });
  }
});
// DELETE: Delete a student
app.delete("/students/:id", async (req, res)
=> {
  if
(!mongoose.isValidObjectId(req.params.id))
{
    return res.status(400).json({
      message: "Invalid student ID",
    });
  }
  try {
    const student = await
Student.findByIdAndDelete(
      req.params.id
    );

    if (!student) {
      return res.status(404).json({
        message: "Student not found",
      });
    }
    res.json({
      message: "Student deleted
successfully",
    });
  } catch (error) {
    res.status(500).json({
      message: "Error deleting student",
    });
  }
});
```

App.jsx

```
import { useEffect, useState } from "react";
import axios from "axios";

const API = "http://localhost:3000/students";


function App() {
  const [students, setStudents] =
useState([]);
  const [name, setName] = useState("");
  const [course, setCourse] = useState("");
  const [marks, setMarks] = useState("");
  const [editId, setEditId] = useState(null);
  const [error, setError] = useState("");
  // Get student records
  const getStudents = async () => {
    try {
      const response = await axios.get(API);
      setStudents(response.data);
      setError("");
    } catch (err) {
      setError("Unable to load students.
Check the backend.");
    }
  };
  useEffect(() => {
    getStudents();
  }, []);
  // Clear form
  const clearForm = () => {
    setName("");
    setCourse("");
    setMarks("");
    setEditId(null);
    setError("");
  };
  // Add or update student
  const saveStudent = async (e) => {
    e.preventDefault();
    setError("");
    if (!name.trim() || !course.trim() || marks
=== "") {
      setError("Please fill in all fields.");
      return;
    }
    if (
      !Number.isFinite(Number(marks)) ||
```


```
    Number(marks) < 0 ||
    Number(marks) > 100
   ) {
    setError("Marks must be between 0 and
100.");
    return;
   }
   const studentData = {
    name: name.trim(),
    course: course.trim(),
    marks: Number(marks),
   };
   try {
    let response;

    if (editId) {
     response = await axios.put(
      `${API}/${editId}`,
      studentData
     );
    } else {
     response = await axios.post(API,
studentData);
    }
    alert(response.data.message);
    clearForm();
    await getStudents();
   } catch (err) {
    setError(
     err.response?.data?.message ||
      "Unable to save student. Check the
backend."
    );
   }
  };
  // Load student details for editing
  const editStudent = (student) => {
   setEditId(student._id);
   setName(student.name || "");
   setCourse(student.course || "");
   setMarks(String(student.marks ?? ""));
   setError("");
  };
  // Delete student
  const deleteStudent = async (id) => {
   if (!window.confirm("Do you want to
delete this student?")) {
    return;
   }
   try {
    const response = await
axios.delete(`${API}/${id}`);
    alert(response.data.message);
    if (editId === id) {
     clearForm();
    }
    await getStudents();
   } catch (err) {
    setError(
     err.response?.data?.message ||
      "Unable to delete student."
    );
   }
  };
  return (
   <div>
    <h1>Student Management
System</h1>
    <h2>{editId ? "Update Student" : "Add
Student"}</h2>
    <form onSubmit={saveStudent}>
     <input
      type="text"
      placeholder="Student Name"
      value={name}
      onChange={(e) =>
setName(e.target.value)}
     />
     <input
      type="text"
      placeholder="Course"
      value={course}
      onChange={(e) =>
setCourse(e.target.value)}
     />


     <input
      type="number"
```

```
        placeholder="Marks (0-100)"
        min="0"
        max="100"
        step="any"
        value={marks}
        onChange={(e) =>
setMarks(e.target.value)}
      />
      <button type="submit">
        {editId ? "Update Student" : "Add
Student"}
      </button>
      {editId && (
        <button type="button"
onClick={clearForm}>
          Cancel
        </button>
      )}
    </form>
    {error && <p style={{ color: "red"
}}>{error}</p>}
    <h2>Student List</h2>
    <table border="1" cellPadding="8">
      <thead>
        <tr>
          <th>Roll No</th>
          <th>Name</th>
          <th>Course</th>
          <th>Marks</th>
          <th>Actions</th>
        </tr>
      </thead>
      <tbody>
        {students.length === 0 ? (
          <tr>
            <td colSpan="5">No students
available.</td>
          </tr>
        ) : (
          students.map((student) => (
            <tr key={student._id}>
              <td>{student.rollNo ?? "-"}</td>
              <td>{student.name}</td>
              <td>{student.course}</td>
              <td>{student.marks}</td>
              <td>
                <button
                  type="button"
                  onClick={() =>
editStudent(student)}
                >
                  Edit
                </button>
                <button
                  type="button"
                  onClick={() =>
deleteStudent(student._id)}
                >
                  Delete
                </button>
              </td>
            </tr>
          ))
        )}
      </tbody>
    </table>
  </div>
 );
}
export default App;
```







Output:-


Student Management System
Add Student
Student Name
Course
Marks (0-100)
Add Student
Student List
Roll No
Name
Course
Marks
Actions
101
Aashu
B.Sc. IT
90
Edit
Delete
102
abhi
B.Sc. IT
95
Edit
Delete
103
Radhika
B.Sc. IT
88
Edit
Delete
104
riya
cs
55
Edit
Delete
-
Siya
BCA
86
Edit
Delete

Deleted


localhost:5174 says
Student deleted successfully
OK


Roll No
Name
Course
Marks
Actions
101
Aashu
B.Sc. IT
90
Edit
Delete
103
Radhika
B.Sc. IT
88
Edit
Delete
104
riya
cs
55
Edit
Delete
-
Siya
BCA
86
Edit
Delete