

Name : Aashu Tiwari

PRN: 125M1H051

Web Technology Lab – Exercise 6 (Bootstrap)

Title : Responsive Web Interface using Bootstrap

Case Study: “Smart Event Hub”

A startup called Smart Event Hub is building a web platform where users can explore, register, and manage events such as workshops, webinars, and conferences. The company wants a responsive, modern UI prototype using Bootstrap to demonstrate to investors. You are hired as a frontend developer to build this prototype.

Index.html

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8" />

  <meta name="viewport" content="width=device-width, initial-scale=1.0"/>

  <title>Smart Event Hub</title>

  <!-- Bootstrap CDN -->

  <link          href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet">

  <style>

    body{
```

```
font-family: Arial, sans-serif;  
background-color: #f8f9fa;  
}
```

```
.hero-section {  
  background: linear-gradient(135deg, #0dcaf0, #6f42c1);  
  color: white;  
  padding: 120px 0;  
}
```

```
.event-card img {  
  height: 250px;  
  object-fit: cover;  
}
```

```
.event-card {  
  transition: 0.3s;  
  border: none;  
}
```

```
.event-card:hover {  
  transform: translateY(-5px);  
}
```

```
footer {  
  background: #111;  
  color: white;
```

```
padding:20px;
}
</style>
</head>

<body>

<!-- NAVBAR -->

<nav class="navbar navbar-expand-lg navbar-dark bg-dark sticky-top">
  <div class="container">
    <a class="navbar-brand fw-bold" href="#">Smart Event Hub</a>

    <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#menu">
      <span class="navbar-toggler-icon"></span>
    </button>

    <div class="collapse navbar-collapse" id="menu">

      <ul class="navbar-nav ms-auto">

        <li class="nav-item">
          <a class="nav-link active" href="index.html">Home</a>
        </li>

        <li class="nav-item">
```

```
<a class="nav-link" href="events.html">Events</a>
</li>
```

```
<li class="nav-item">
  <a class="nav-link" href="register.html">Register</a>
</li>
```

```
</ul>
```

```
</div>
```

```
</div>
```

```
</nav>
```

```
<!-- HERO -->
```

```
<section class="hero-section text-center">
```

```
<div class="container">
```

```
<h1 class="display-3 fw-bold">UPCOMING TECH EVENTS 2026</h1>
```

```
<p class="lead mt-4">
```

```
  Explore conferences, webinars, coding workshops and networking sessions.
```

```
</p>
```

```
<a href="events.html" class="btn btn-light btn-lg mt-3 px-5">
```

```
  Explore Events
```

```
</a>
```

</div>

</section>

<!-- FEATURED EVENTS -->

<section class="py-5">

<div class="container">

<div class="text-center mb-5">

<h2 class="fw-bold">Featured Events</h2>

<p class="text-muted">Top industry events selected for developers and professionals.</p>

</div>

<div class="row g-4">

<div class="col-md-4">

<div class="card shadow-lg event-card h-100">

<div class="card-body">

<h5 class="fw-bold">AI & Machine Learning Summit</h5>

<p class="text-muted">

Join AI experts and industry leaders to explore the future of intelligent systems.

</p>

Register Now

</div>

</div>

</div>

<div class="col-md-4">

<div class="card shadow-lg event-card h-100">

<div class="card-body">

<h5 class="fw-bold">Cloud Computing Conference</h5>

<p class="text-muted">

Discover modern cloud infrastructure and DevOps technologies.

</p>

[](register.html)

Register Now

</div>

</div>

</div>

<div class="col-md-4">

<div class="card shadow-lg event-card h-100">

<div class="card-body">

<h5 class="fw-bold">Cyber Security Workshop</h5>

<p class="text-muted">

Hands-on workshop focused on ethical hacking and cybersecurity defense.

</p>

Register Now

</div>

</div>

</div>

</div>

</div>

</section>

<!-- FOOTER -->

<footer class="text-center">

<div class="container">

<p class="mb-0">

© 2026 Smart Event Hub | Responsive Bootstrap Interface

</p>

</div>

</footer>


<script

src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"></script>

</body>

</html>

Screenshot:



Events.html

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="UTF-8">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
<title>Events Listing</title>
```

```
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet">
```

```
<style>
```

```
body{
  background:#f5f5f5;
  font-family:Arial, sans-serif;
}
```

```
.event-card img{
  height:260px;
  object-fit:cover;
}
```

```
.event-card {
  border:none;
  transition:0.3s;
```

```
}
```

```
.event-card:hover{  
  transform:scale(1.02);  
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<!-- NAVBAR -->
```

```
<nav class="navbar navbar-expand-lg navbar-dark bg-dark">
```

```
<div class="container">
```

```
<a class="navbar-brand fw-bold" href="index.html">
```

```
  Smart Event Hub
```

```
</a>
```

```
</div>
```

```
</nav>
```

```
<!-- EVENTS SECTION -->
```

```
<section class="py-5">
```

```
<div class="container">
```

```
<div class="d-flex justify-content-between align-items-center mb-4 flex-wrap">
```

```
<h1 class="fw-bold">UPCOMING EVENTS</h1>
```

```
<button class="btn btn-outline-dark">
```

```
  ALL EVENTS
```

```
</button>
```

```
</div>
```

```
<div class="row g-4">
```

```
<!-- EVENT 1 -->
```

```
<div class="col-sm-6 col-lg-3">
```

```
<div class="card shadow event-card h-100">
```

```
  
```

```
<div class="card-body">
```

```
  <small class="text-muted fw-bold">
```

FRI, APR 15 • 6:00 PM

</small>

<h5 class="fw-bold mt-2">

Tech Networking Event

</h5>

<p class="text-muted">

Pune Convention Center

</p>

REGISTER

</div>


</div>

</div>

<!-- EVENT 2 -->

<div class="col-sm-6 col-lg-3">

<div class="card shadow event-card h-100">

 src="https://images.unsplash.com/photo-1511578314322-379afb476865?q=80&w=1200&auto=format&fit=crop"

class="card-img-top">

<div class="card-body">

<small class="text-muted fw-bold">

SAT, APR 16 • 5:00 PM

</small>

<h5 class="fw-bold mt-2">

Startup Investor Meetup

</h5>

<p class="text-muted">

Mumbai Tech Arena

</p>

REGISTER

</div>

</div>

</div>

<!-- EVENT 3 -->

<div class="col-sm-6 col-lg-3">

<div class="card shadow event-card h-100">

<div class="card-body">

<small class="text-muted fw-bold">

MON, APR 20 • 8:00 PM

</small>

<h5 class="fw-bold mt-2">

AI Development Workshop

</h5>

<p class="text-muted">

Bangalore Innovation Hub

</p>

REGISTER

</div>

</div>

</div>

<!-- EVENT 4 -->

<div class="col-sm-6 col-lg-3">

<div class="card shadow event-card h-100">

<div class="card-body">

<small class="text-muted fw-bold">

WED, APR 25 • 7:00 PM

</small>

<h5 class="fw-bold mt-2">

Cyber Security Bootcamp

</h5>

<p class="text-muted">

Hyderabad Tech Park

</p>

REGISTER

</div>

</div>

</div>

</div>

</div>

</section>


<script

src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"></script>

</body>

</html>

Screenshot:



Register.html

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="UTF-8">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
<title>Event Registration</title>
```

```
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet">
```

```
<style>
```

```
body{
```

```
background:linear-gradient(135deg,#0dcaf0,#c400ff);
min-height:100vh;
display:flex;
align-items:center;
justify-content:center;
padding:30px;
font-family:Arial, sans-serif;
}
```

```
.form-box{
max-width:800px;
width:100%;
background:white;
border-radius:10px;
overflow:hidden;
}
```

```
.form-header{
background:#111;
color:white;
text-align:center;
padding:20px;
font-weight:bold;
font-size:28px;
}
```

```
.btn-register{
```

```
background:#ff4b5c;
color:white;
border:none;
}
```

```
.btn-register:hover{
background:#e63a4a;
color:white;
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<div class="form-box shadow-lg">
```

```
<div class="form-header">
```

```
EVENT REGISTRATION FORM
```

```
</div>
```

```
<div class="p-5">
```

```
<form class="needs-validation" novalidate>
```

```
<!-- NAME -->
```

```
<div class="row mb-4">
```

```
<label class="col-md-3 col-form-label fw-bold">
```

```
  Name
```

```
</label>
```

```
<div class="col-md-9">
```

```
<div class="row">
```

```
<div class="col-md-6 mb-3">
```

```
  <input type="text" class="form-control form-control-lg" placeholder="First Name"
required>
```

```
<div class="invalid-feedback">
```

```
  Enter first name
```

```
</div>
```

```
</div>
```

```
<div class="col-md-6">
```

```
  <input type="text" class="form-control form-control-lg" placeholder="Last Name"
required>
```

```
<div class="invalid-feedback">
```

```
  Enter last name
```

```
</div>
```

```
</div>
```

</div>

</div>

</div>

<!-- COMPANY -->

<div class="row mb-4">

<label class="col-md-3 col-form-label fw-bold">

Company

</label>

<div class="col-md-9">

<input type="text" class="form-control form-control-lg" placeholder="Company Name">

</div>

</div>

<!-- EMAIL -->

<div class="row mb-4">

<label class="col-md-3 col-form-label fw-bold">

Email

</label>

```
<div class="col-md-9">
```

```
<input type="email" class="form-control form-control-lg"  
  placeholder="example@email.com" required>
```

```
<div class="invalid-feedback">
```

```
  Enter valid email
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<!-- PHONE -->
```

```
<div class="row mb-4">
```

```
<label class="col-md-3 col-form-label fw-bold">
```

```
  Phone
```

```
</label>
```

```
<div class="col-md-9">
```

```
<div class="row">
```

```
<div class="col-md-3 mb-3">
```

```
<input type="text" class="form-control form-control-lg" placeholder="+91">
</div>
```

```
<div class="col-md-9">
  <input type="text" class="form-control form-control-lg"
    placeholder="Phone Number" required>
```

```
<div class="invalid-feedback">
  Enter phone number
</div>
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<!-- EVENT -->
```

```
<div class="row mb-4">
```

```
<label class="col-md-3 col-form-label fw-bold">
  Select Event
</label>
```

```
<div class="col-md-9">
```



```
<select class="form-select form-select-lg" required>
```

```
<option value="">
```

Choose Event

```
</option>
```

```
<option>
```

AI Development Workshop

```
</option>
```

```
<option>
```

Cloud Computing Conference

```
</option>
```

```
<option>
```

Cyber Security Bootcamp

```
</option>
```

```
</select>
```

```
<div class="invalid-feedback">
```

Please select an event

```
</div>
```

```
</div>
```

</div>

<!-- EXISTING CUSTOMER -->

<div class="row mb-5">

<label class="col-md-3 col-form-label fw-bold">

Existing Customer?

</label>

<div class="col-md-9 d-flex align-items-center gap-4">

<div class="form-check">

<input class="form-check-input" type="radio" name="customer">

<label class="form-check-label">

Yes

</label>

</div>

<div class="form-check">

<input class="form-check-input" type="radio" name="customer">

<label class="form-check-label">

No

</label>

</div>

</div>

</div>

<!-- BUTTON -->

<div class="row">

<div class="col-md-9 offset-md-3">

<button type="submit" class="btn btn-register btn-lg px-5">

REGISTER

</button>

</div>

</div>

</form>

</div>

```
</div>
```

```
<script>
```

```
((() => {
```

```
  'use strict'
```

```
  const forms = document.querySelectorAll('.needs-validation')
```

```
  Array.from(forms).forEach(form => {
```

```
    form.addEventListener('submit', event => {
```

```
      if (!form.checkValidity()) {
```

```
        event.preventDefault()
```

```
        event.stopPropagation()
```

```
      }
```

```
      form.classList.add('was-validated')
```

```
    }, false)
```

```
  })
```


}0

</script>

</body>

</html>

Screenshot:



The screenshot shows a web browser window with the title "Event Registration" and the URL "127.0.0.1:5500/register.html". The page features a form titled "EVENT REGISTRATION FORM" with a black header. The form is set against a background with a blue-to-purple gradient. The form fields include:

- Name:** Two input fields for "First Name" and "Last Name".
- Company:** A single input field for "Company Name".
- Email:** A single input field containing "example@email.com".
- Phone:** Two input fields for a country code "+91" and a "Phone Number".
- Select Event:** A dropdown menu with "Choose Event" and a downward arrow.
- Existing Customer?:** Two radio buttons labeled "Yes" and "No".

A red "REGISTER" button is located at the bottom of the form.