SIMATS ENGINEERING

SIMATS Online Programming Lab

C PROGRAMMING

VUYYURU AASRITHA
192422051C

QUESTIONS 1 / 1 completed

Odd or Even

ODD OR EVEN

C Program to Check Whether a Given Number is Even or Odd.

Even Number:
A number is said to be an even number if it is completely divisible by 2.
In other words, if a number is divided by 2 and leaves a remainder of 0, then it is said to be an even number.
Example: 36, 24

Odd Number:
A number is said to be an odd number if it is not completely divisible by 2.
In other words, if a number is divided by 2 and the remainder is 1, it is said to be an odd number.
Example: 21, 15

Problem Description
Write a C Program to check whether a given number is even or odd.

Testcases:
5
6

PROGRAM EDITOR

C

Run Save

```c
#include <stdio.h>
int main ()
{
  int a,i=2,even,odd;
  printf("Enter a number: \n");
  scanf("%d",&a);
  if(a%i==0)
  {
    printf("It is an Even number");
  }
  else
  {
    printf("It is an Odd number");
  }
  return 0;
}
```

OUTPUT

```
Compilation Error:
C:\Windows\TEMP\sandbox_192422051C_6ae97eccb84e79.30960414
\main.c: In function 'main':
C:\Windows\TEMP\sandbox_192422051C_6ae97eccb84e79.30960414
\main.c:6:13: error: invalid operands to binary & (have
'char *' and 'int')
    6 |   scanf("%d"&a);
      |          ~~~~^
      |          |
      |          char *
```

INPUT

6

© 2026 **SIMATS Online Lab**. All rights reserved.