

# **SREE NARAYANA GURUKULAM COLLEGE OF ENGINEERING**

**KADAYIRUPPU, KOLENCHERY 682 311**

**(Affiliated to APJ Abdul Kalam Technological University)**

**ACADEMIC YEAR 2021-22**



## **20 MCA 132-PROGRAMMING LAB LABORATORY RECORD**

*Submitted by*

**ATHIRA M**

**REG NO: SNG21MCA-2010**

*in partial fulfilment for the award of degree in*

***MASTER OF COMPUTER APPLICATION***

# SREE NARAYANA GURUKULAM COLLEGE OF ENGINEERING

KADAYIRUPPU, KOLENCHERY 682 311

(Affiliated to APJ Abdul Kalam Technological University)



## 20 MCA 132-PROGRAMMING LAB LABORATORY RECORD

*Certified that this is a Bonafide record of practical work done by **ATHIRA M** to the APJ Abdul Kalam Technological University in partial fulfilment of the requirement for the award of the degree in the Master of Computer Applications of Sree Narayana Gurukulam College of Engineering done during the Academic year 2021-22*

Kadayiruppu

Course instructor

Date: .....

Head of the Department

**Prof. Dr. SANDHYA R**

Submitted for University Practical Examination

**Reg No: SNG21MCA-2010**

**On.....**

EXTERNAL EXAMINER

INTERNAL EXAMINER

SL No:	Date	Name of the program	Page No	Remark
		Col		
1	24/11/21	Familiarizing Text Editor ,IDE,Code,Analysis Tools etc	6	
2	24/11/21	Leap Year	7	
3	24/11/21	List Comprehensions	8	
4	24/11/21	Occurrences of each word	10	
5	24/11/21	Prompt the use for a list integers	11	
6	24/11/21	Store a list of first names	12	
7	24/11/21	Checking list are of same length ,sums, to same value occur in both	13	
8	24/11/21	Get a string from an input string and replacing a characters	14	
9	24/11/21	Create a string from given string where first and last characters exchanged	15	
10	24/11/21	Accept the radius from user and find area of circle	16	

11	29/11/21	Find biggest of 3 numbers entered	17	
12	29/11/21	Accept a file name from user and print extension of that	18	
13	29/11/21	Create a list of colors, Display first and last colors	19	
14	29/11/21	Accept an integer n and compute $n+nn+nnn$	20	
15	29/11/21	Print out all colours from color-list1 not contained in color-list2	21	
16	29/11/21	Create a single string separated with space from two strings by swapping the character at position 1	22	
17	29/11/21	Sort dictionary in ascending and descending order	23	
18	29/11/21	Merge two dictionaries	24	
19	29/11/21	Find gcd of 2 numbers	25	
20	29/11/21	From a list of integers , create a list removing even numbers	26	
		C02		
1	01/12/21	Program to find the factorial of a number	27	
2	01/12/21	Generate Fibonacci series of N terms	28	
3	01/12/21	Find the sum of all items in a list	29	
4	01/12/21	Generate a list of all four digit numbers in a given range with all their digits even and the number is a perfect square	30	
5	01/12/21	Display the given pyramid with step number accepted from user	31	
6	01/12/21	Count the number of characters [character frequency]in a string	32	
7	08/12/21	Add 'ing' at the end of given string .If it already ends with 'ing',then add 'ly'	33	
8	08/12/21	Accept a list of words and return length of longest word	34	
9	08/12/21	Construct pattern using nested loop	35	

10	08/12/21	Generate all factors of a number .def print -factors (x):	36	
11	08/12/21	Write lambda functions to find area of square , rectangle and triangle	37	

	Co3			
1	15/12/21	Work with built -in packages	38	
2	15/12/21	Creation of packages	44	
	C04			
1	09/01/22	Compare two rectangle objects by their area	46	
2	09/01/22	Create a Bank account with members account number, name, type of account and balance	47	
3	09/01/22	Overload '<' operator to compare the area if 2 rectangles	49	
4	09/01/22	Overload '+' operator o find sum of 2 time	51	
5	09/01/22	Use base class constructor invocation and method overriding	52	
	Co5			
1	30/01/22	Write a python program to read a file line by line and store it into a list	54	
2	30/01/22	Python program to copy odd lines of one file to other	55	
3	30/01/22	Write a python program to read each row from a given csv file and print a list of strings	56	
4	30/01/22	Write a python program to read specific columns of a given csv file	57	
5	30/01/22	Write a python program to write a python dictionary to csv file	58	

## **I.COURSE OUTCOME 1 (CO1)**

**PROGRAM NO :1**

**DATE :24/01/21**

**AIM: : Familiarizing Text Editor , IDE ,Code Analysis Tools etc //Use any IDE**

### **Pycharm**

- specialized project views allowing quick switching between files.
- facilitates web development along with Django flask and web 2py.

### **Eric**

- build-in support for Django.
- code fielding.
- Format syntax highlighting,

### **Thonny**

- separate windows are provided to execute function calls.
- statement stepping without break points.

**PROGRAM NO :2**


**DATE :24/01/2021**

**AIM : Display future leap year from current year to a find year entered by user.**

**Program:**

```
c=int(input("enter current year"))
f=int(input("enter final year"))
if(c<f):
    print("leap year:",end=" ")
for i in range(c,f):
    if(i%4==0 and i%100!=0):
        print(i,end=" ")
```

**output:**



The screenshot shows a Windows command prompt window titled "Shell x". Inside, the Python 3.7.9 (bundled) interpreter is running. The user has entered the directory path 'C:\Users\ADMIN\Documents\python\c01' and executed the script '1.py'. The program prompts for the current year (2000) and the final year (2020), then displays the leap years between them: 2004, 2008, 2012, and 2016. The prompt '>>>' is followed by a vertical bar, indicating the program has finished execution.

```
Shell x
Python 3.7.9 (bundled)
>>> %cd 'C:\Users\ADMIN\Documents\python\c01'
>>> %Run 1.py

enter current year2000
enter final year2020
leap year: 2004 2008 2012 2016
>>> |
```

**PROGRAM NO:3**

**DATE :24/01/2021**

**AIM : List Comprehension**

**a) Generate positive list of numbers from a given list of integers**

**Program:**

```
list=[1,3,-4,-8,9]
```

```
p=[n for n in list if n>=0]
```

```
print(p)
```

**output:**

```
>>> %Run 2.py
[1, 3, 9]
>>>
```

**b) Square of N number**

**Program:**

```
n=int(input("enter a limit"))
```

```
s=[i**2 for i in range(1,n)]
```

```
print("square is:",s,end=" ")
```

**output:**

```
enter a limit5
square is: [1, 4, 9, 16]
>>>
```



**c)Form a list of vowels selected from a given word**

**Program:**

```
n=str(input("enter a string"))
for i in n:
    if i in "aeiouAEIOU":
        print(i)
```

**output:**

```
/// %Run 2c.py
enter a stringaysha
a
a
>>> |
```


**d)List ordinal value of each element of a word (Hint: use ord() to get ordinal values)**

**Program:**

```
n=str(input("enter a str"))
for i in n:
    print(ord(i),end=" ")
```

**output:**

```
Python 3.7.9 (bundled)
>>> %Run 2d.py
enter a str:athira
97 116 104 105 114 97
>>> |
```



**PROGRAM NO :4**

**DATE :24/01/2021**

**Aim: Count the occurrences of each word in a line of text.**

**Program:**

```
str1 = input("Enter a string : ")
wordlist = str1.split()
count= []
for w in wordlist: count.append(wordlist.count(w))
print("count of the occurrence:" + str(list(zip(wordlist, count))))
```

**output:**

```
Python 3.7.9 (bundled)
```

```
>>> %Run 4.py
```

```
Enter a string : my name is athira
```

```
count of the occurrence:[('my', 1), ('name', 1), ('is', 1), ('athira', 1)]
```

**PROGRAM NO :5**

**DATE :24/01/2021**

**Aim: Prompt the user for a list of integers. For all values greater than 100, store 'over' instead**

**Program:**

```
n=[]
s=int(input("enter a limit"))
print("enter values")
for i in range(0,s):
    n.append(int(input()))
print(" values after\n")
for i in range(0,len(n)):
    if n[i]>=100:
        print("over")
    else:
        print(n[i])
```

**output:**

```
enter a limit3
enter values
23
45
109
 values after

23
45
over
```

**PROGRAM NO:6**

**DATE :24/01/2021**

**Aim: Store a list of first names. Count the occurrences of 'a' within the list**

**Program:**

```
list=['athira','frd','abc','a','a']  
l1=list.count("a")  
print("occurence",l1)
```

**output:**

```
occurence 2  
>>>
```

**PROGRAM NO:7**

**DATE :24/01/2021**

**Aim: Enter 2 lists of integers. Check (a) Whether list are of same length (b) whether list sums to same value (c) whether any value occur in both**

**Program:**

```
lst=[1,3,5,7,9,11,4]
lst1=[5,13,5,7,0,6,1]
s=int(0)
c=int(0)
if(len(lst)==len(lst1)):
    print("Lists are of same length")
else:
    print("Lists have different length")
for i in range(0,len(lst) and len(lst1)):
    s=s+lst[i]
    c=c+lst1[i]
if(s==c):
    print("equal sum")
else:
    print("not same sum")
print("Elements that matched are:")
l=[]
for i in range(0,len(lst)):
    for j in range(0,len(lst1)):
        if lst[i]==lst1[j]:
            l.append(lst[i] and lst1[j])
        else:
            continue
print(l)
```

**output:**

```
>>> %Run 7.py
Lists are of same length
not same sum
Elements that matched are:
[1, 5, 5, 7]
>>>
```

**PROGRAM NO:8**

**DATE :24/01/2021**

**Aim:** a string from an input string where all occurrences of first character replaced with '\$', except first character. [eg: onion -> oni\$n]

**Program:**

```
str="athira"  
char=str[0]  
str=str.replace(char,'$')  
str=char + str[1:]  
print(str)
```

**output:**

```
Python 3.7.9 (bundled)  
>>> %Run 8.py  
athir$  
>>>
```

**PROGRAM NO:9**


**DATE :24/01/2021**

**Aim: Create a string from given string where first and last characters exchanged. [eg: python -> nythop]**

**Program:**

```
str=input("enter a string")
str1=str[-1:]+str[1:-1]+str[:1]
print("string is",str1)
```

**output:**



```
>>> %Run 9.py
enter a stringpython
string is nythop
>>>
```

**PROGRAM NO:10**

**DATE :24/01/2021**

**Aim: Accept the radius from user and find area of circle.**

**Program:**

```
pi=3.14
r=int(input("enter radius"))
a=pi*r*r
print("area",a)
```

**output:**

```
/// main 10.py
enter radius 2
area 12.56
>>> |
```



**PROGRAM NO:11****DATE :29/01/2021****Aim: Find biggest of 3 numbers entered****Program:**

```
a=int(input("enter a number"))
b=int(input("enter a number"))
c=int(input("enter a number"))
if(a>b and a>c):
    print("a is the largest:",a)
elif(b>c):
    print("b is the largest:",b)
else:
    print("c is the largest:",c)
```

**output:**

```
>>> %Run 11.py
enter a number5
enter a number6
enter a number4
b is the largest: 6
```

**PROGRAM NO:12**

**DATE :29/01/2021**

**Aim: Accept a file name from user and print extension of that**

**Program:**

```
x,y=(input("enter a file:").split('.'))  
print("file extension:",y)
```

**output:**

```
enter a file:py.java  
file extension: java  
... |
```

**PROGRAM NO:13**

**DATE :29/01/2021**

**Aim: Create a list of colors from comma-separated color names entered by user.Display first and last colors**

**Program:**

```
a=[]
for i in range(3):
    b=input("enter the color:")
    a.append(b)
print(a)
print(a[0])
print(a[2])
```

**output:**

```
>>> %run 13.py
enter the color:white
enter the color:blue
enter the color:yellow
['white', 'blue', 'yellow']
white
yellow
>>> |
```

**PROGRAM NO:14**

**DATE :29/01/2021**

**Aim: Accept an integer n and compute  $n+nn+nnn$**

**Program:**

```
n=input("enter number")
x=int(n+n+n)
y=int(n+n)
z=int(n)
print(x+y+z)
```

**ouput:**

```
>>> %Run 14.py
enter number5
615
|
```

**PROGRAM NO:15**

**DATE :29/01/2021**

**Aim: Print out all colors from color-list1 not contained in color-list2.**

**Program:**

```
list1=set(['red','white','blue'])  
list2=set(['green','black','red'])  
print(list1.difference(list2))
```

**output:**

```
>>> %Run 15.py  
{'blue', 'white'}  
>>>
```

**PROGRAM NO:16**

**DATE :29/01/2021**

**Aim: Create a single string separated with space from two strings by swapping the character at position 1.**

**Program:**

```
a="thir"  
b="damu"  
p1=a[0]  
p2=b[0]  
c=b[0]+a[1:]+ " " + a[-4]+b[1:]  
print(c)
```

**output:**

```
>>> %Run 16.py  
    dhir tamu  
>>>
```

## PROGRAM NO:17

**DATE** :29/01/2021

**Aim** : Sort dictionary in ascending and descending order

**Program:**

```
import operator
d = {1: 2, 3: 4, 4: 3, 2: 1, 0: 0}
print('Original dictionary : ',d)
sorted_d = sorted(d.items(), key=operator.itemgetter(1))
print('Dictionary in ascending order by value ',sorted_d)
sorted_d = dict( sorted(d.items(), key=operator.itemgetter(1),reverse=True))
print('Dictionary in descending order by value : ',sorted_d)
```

**output:**

```
>>> from __future__ import print_function
>>>
Original dictionary :  {1: 2, 3: 4, 4: 3, 2: 1, 0: 0}
Dictionary in ascending order by value  [(0, 0), (2, 1), (1, 4)]
Dictionary in descending order by value :  {3: 4, 4: 3, 1: 2, 2: 1, 0: 0}
>>>
```

## PROGRAM NO:18

**DATE** :29/01/2021

**Aim** : Merge two dictionaries

**Program:**

```
a={'name':'athira','age':21}
b={'palce':'koolivayal',"mob":345324647}
print("1 dictionary:",a)
print("2 dictionary:",b)
c=a.copy()
c.update(b)
print("merged",c)
```

**output:**

Python 3.7.9 (bundled)

>>> %Run 18.py

```
1 dictionary: {'name': 'athira', 'age': 21}
2 dictionary: {'palce': 'koolivayal', 'mob': 345324647}
merged {'name': 'athira', 'age': 21, 'palce': 'koolivayal',
': 345324647}
```

>>>



**PROGRAM NO:19**


**DATE** :29/01/2021

**Aim: Find gcd of 2 numbers.**

**Program:**

```
a=int(input("enter a number"))
b=int(input("enter a number"))
i=1
while(i<=a and i<=b):
    if(a%i==0 and b%i==0):
        gcd=i
    i=i+1
print("gcd",gcd)
```

**output:**



```
>>> %Run 17.py
enter a number5
enter a number4
gcd 1
>>>
```

**PROGRAM NO:20**

**DATE :29/01/2021**

**Aim: From a list of integers, create a list removing even numbers.**

**Program:**

```
n=[2,3,6,7,9,4,8]
n=[x for x in n if x%2!=0]
print("nos after removing:",n)
```

**output:**

```
>>> %Run 20.py
nos after removing [3, 7, 9]
>>>
```

## **II.COURSE OUTCOME 2(CO2 )**

**PROGRAM NO:1**

**DATE :01/012/2021**

**Aim: Program to find the factorial of a number**

**Program:**

```
n=int(input("enter a number"))
```

```
f=1
```

```
for i in range(1,n+1):
```

```
    f=f*i
```

```
print("factorial",f)
```

**output:**

```
>>> %Run 1.py
enter a number5
factorial 120
```

## PROGRAM NO:2

DATE :01/12/2021

**Aim: Program to find the Fibonacci of a number**

**Program:**

```
n=int(input("enter a limit"))
```

```
a=0
```

```
b=1
```

```
c=0
```

```
i=0
```

```
print("fibonacci series")
```

```
while(i<=n):
```

```
    print(c,end=" ")
```

```
    i=i+1
```

```
    a=b
```

```
    b=c
```

```
    c=a+b
```

**output:**

```
>>> %Run 2.py
enter a limit5
fibonacci series
0 1 1 2 3 5
>>> |
```

**PROGRAM NO:3**

**DATE :01/12/2021**

**Aim: Find the sum of all items in a list**


**Program:**

```
l1=[2,4,5,6,2]
```

```
a=sum(l1)
```

```
print(a)
```

**output:**



```
>>> %Run 3.py
19
>>>
```

**PROGRAM NO:4**

**DATE :01/12/2021**

**Aim: Generate a list of four digit numbers in a given range with all their digits even and the number is a perfect square.**

**Program:**

```
from math
import sqrt
as s for i in
range(1000,
10000):
if s(i)==int(s(i)) and i%2==0: print(i,end=" ")
```

**output:**

```
>>> %Run 4.py
```

```
1024 1156 1296 1444 1600 1764 1936 2116 2304 2500 2704 2916 313
44 4096 4356 4624 4900 5184 5476 5776 6084 6400 6724 7056 7396
8836 9216 9604
```

```
>>>
```

**PROGRAM NO:5**

**DATE :01/12/2021**

**Aim: Display the given pyramid with step number accepted from user. Eg:  
N=4 1 2 4 3 6 9 4 8 12 16**

**Program:**

```
n=int(input("enter a number"))  
for i in range(1,n+1):  
    for j in range(1,i+1):  
        print(i*j,end= " ")  
    print()
```

**output:**

```
>>> %Run 5.py  
enter a number7  
1  
2 4  
3 6 9  
4 8 12 16  
5 10 15 20 25  
6 12 18 24 30 36  
7 14 21 28 35 42 49
```

## PROGRAM NO:6

DATE :01/12/2021

**Aim: Count the number of characters (character frequency) in a string**

**Program:**

```
test_str=str(input("Enter the string : "))

freq = {}

for i in test_str:

    if i in freq:

        freq[i] += 1

    else:

        freq[i] = 1

print ("Count of all characters : "+ str(freq))
```

**output**

```
>>> %Run 6.py
Enter the string : hi my name
Count of all characters : {'h': 1, 'i': 1, ' ': 2, 'm': 2, 'y': 1, 'e': 1}
>>>
```



## PROGRAM NO:7

DATE :08/12/2021

**Aim:**Add 'ing' at the end of a given string. If it already ends with 'ing', then add 'ly'

### Program:

```
str=input("input string:")  
  
print("Entered string:",str)  
  
if(str.endswith("ing")):  
    str=str+'ly'  
  
else:  
    str=str+'ing'  
  
print("format string:",str)
```

### output:

```
>>> %Run 7.py  
input string:play  
Entered string: play  
format string: playing  
  
>>>
```

## PROGRAM NO:8

DATE :08/12/2021

**Aim: Accept a list of words and return length of longest word**

**Program:**

```
a=[]  
n= int(input("Enter the number of elements in list:"))  
for x in range(0,n):  
    element=input("Enter element "+ str(x+1))  
    a.append(element)  
max1=len(a[0])  
temp=a[0]  
for i in a:  
    if(len(i)>max1):  
        max1=len(i)  
        temp=i  
print("Longest Word:",temp,sep=",")  
print("Length of longest word :",max1)
```

**output:**

```
>>> %Run 8.py  
Enter the number of elements in list:3  
Enter element 113  
Enter element 2526  
Enter element 31  
Longest Word: ,526  
Length of longest word : 3
```

## PROGRAM NO:9

DATE :08/12/2021

**Aim: Construct following pattern using nested loop** \* \* \* \* \*  
\* \* \* \* \*

### Program:

```
n= int(input("Enter the limit:"))  
for i in range(n):  
    for j in range(i):  
        print ('* ', end="")  
    print("")  
for i in range(n,0,-1):  
    for j in range(i): print('* ', end="")  
    print("")
```

### output:

```
python 3.7.3 (tags/Python-3.7.3-rc1),  
>>> %Run 9.py  
Enter the limit:5  
  
*  
* *  
* * *  
* * * *  
* * * * *  
* * * *  
* * *  
* *  
*  
|
```

**PROGRAM NO:10**

**DATE :08/12/2021**

**Aim: Generate all factors of a number.**

**Program:**

```
def factors(x):  
    for i in range(1,x+1):  
        if(x%i==0):  
            print(i)  
n=int(input("enter a elements"))  
factors(n)
```

**output:**

```
>>> %Run 10.py  
enter a elements4  
1  
2  
4  
>>> |
```

**PROGRAM NO:11**

**DATE :08/12/2021**

**Aim: Write lambda functions to find area of square, rectangle and triangle**

**Program:**

```
import math  
arsq=lambda a:a*a  
arrec=lambda l,b:l*b  
artr=lambda l,b:1/2*l*b  
print("area=",arsq(4))  
print("area=",arrec(4,2))  
print("area=",artr(2,4))
```

**output:**

```
>>> %Run 11.py  
area= 16  
area= 8  
area= 4.0  
>>>
```

### **III.COURSE OUTCOME 3(C03)**

**PROGRAM NO:1**

**DATE :15/12/2021**

**Aim: Work with built-in packages**

**Program:**

#### **A) Date and time**

Importdatetime

```
t=datetime.time(12,54,20,11)
print(t)
print("hour",t.hour)
print("minute",t.minute)
print("seond",t.second)
print("microsecond",t.microsecond)
print()
d=datetime.date.today()
print(d)

print("year",d.year)
print("month",d.month)
print("day",d.day)
print()
d1=datetime.date.today()
print(d1)
td=datetime.timedelta(days=3)
print(td)
d2=d1+td
print(d2)
print()
dt=datetime.datetime.combine(d,t)
print(dt)
```

**output:**

```
>>> %Run date.py
12:54:20.000011
hour 12
minute 54
second 20
microsecond 11

2022-01-31
year 2022
month 1
day 31

2022-01-31
3 days, 0:00:00
2022-02-03

2022-01-31 12:54:20.000011

>>>
```

### **B) Calender**

```
import calendar
mm=int(input("enter month:"))
yy=int(input("enter year:"))
print(calendar.month(yy,mm))
print(calendar.calendar(2021))
```

### **output:**

enter month:6  
enter year:2022

June 2022

Mo	Tu	We	Th	Fr	Sa	Su
		1	2	3	4	5
6	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28	29	30			

2021

January

Mo	Tu	We	Th	Fr	Sa	Su
				1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	31

February

Mo	Tu	We	Th	Fr	Sa	Su
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28

Ma

Mo	Tu	We
1	2	3
8	9	10
15	16	17
22	23	24
29	30	31

April

Mo	Tu	We	Th	Fr	Sa	Su
			1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30		

May

Mo	Tu	We	Th	Fr	Sa	Su
					1	2
3	4	5	6	7	8	9
10	11	12	13	14	15	16
17	18	19	20	21	22	23
24	25	26	27	28	29	30
31						

Mo	Tu	We
	1	2
7	8	9
14	15	16
21	22	23
28	29	30

July

Mo	Tu	We	Th	Fr	Sa	Su
			1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30	31	

August

Mo	Tu	We	Th	Fr	Sa	Su
						1
2	3	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	29
30	31					

Sept

Mo	Tu	We
		1
6	7	8
13	14	15
20	21	22
27	28	29

October

November

Dec



### **c) Math**

```
import math
print(math.pi)
import math as m
print(m.pi)
from math import pi,sqrt
print(math.pi,math.sqrt(4))
from math import pi,sqrt
print(pi,sqrt(4))
print(math.cos(90))
print(math.sin(45))
print(math.tan(30))
```

### **output:**

```
>>> %Run ms.py
3.141592653589793
3.141592653589793
3.141592653589793 2.0
3.141592653589793 2.0
-0.4480736161291701
0.8509035245341184
-6.405331196646276
```

```
>>>
```

### **D)Random**

```
import random
l1 = [1, 2, 3, 4, 5, 6]
print(random.choice(l1))
random.seed(4)
print(random.random())
print(random.random())
r1=random.randint(1,2)
print(r1)
```

### **Output**

```
>>> %Run rand.py
5
0.23604808973743452
0.1031660342307158
2
>>>
```

## E) Statistic

```
import
statistics

l1=[4,7,8,2,3,4,5,7,8,9,0,7,1]
a=statistics.mean(l1)
print(a)
b=statistics.median(l1)
print(b)
c=statistics.mode(l1)
print(c)
d=statistics.stdev(l1)
print(d)
e=statistics.variance(l1)
print(e)
```

### Output:

```
>>> %Run stat.py
5
5
7
2.9154759474226504
8.5
>>>
```

## F) Time

```
import
time

print("current time in sec",time.time())
print("current time ",time.ctime())
print("current          time          sfter          30
sec",time.ctime(time.time()+30))
t=time.localtime()
print(" time ",t)
print("current year",t.tm_year)
print("current month",t.tm_mon)
print("current day",t.tm_mday)
print("current hour",t.tm_hour)
print("current week",t.tm_wday)
print("day of year",t.tm_yday)
```

### Output

```
>>> %Run time.py
```

```
current time in sec 1643569089.242293
```

```
current time Mon Jan 31 00:28:09 2022
```

```
current time after 30 sec Mon Jan 31 00:28:39 2022
```

```
time time.struct_time(tm_year=2022, tm_mon=1, tm_mday=31, tm_hour=0, tm_min=28, tm_sec=9, tm_wday=0, tm_yday=31, tm_isdst=0)
```

```
current year 2022
```

```
current month 1
```

```
current day 31
```

```
current hour 0
```

```
current week 0
```

```
day of year 31
```

```
>>>
```

**PROGRAM NO:2**

**DATE :15/12/2021**

**Aim: Create a package graphics with modules rectangle, circle and sub-package 3D-graphics with modules cuboid and sphere. Include methods to find area and perimeter of respective figures in each module. Write programs that finds area and perimeter of figures by different importing statements. (Include selective import of modules and import \* statements)**

**Program:**

### **Graphicuse.py**

#### **Package: graphics**

```
from graphics import rectangle  
from graphics import circle  
l=int(input("enter length"))  
b=int(input("enter breadth"))  
rectangle.perimeter(l,b)  
rectangle.area(l,b)  
print()  
r=int(input("enter radius"))  
circle.perimeter(r)  
circle.area(r)
```

#### **Circle.py**

```
def  
perimeter(r):  
    return(2*3.14*r)  
def area(r):  
    return(2*3.14*r*r)
```

#### **Rectangle.py**

```
def  
perimeter(l,b):  
    return(l+b)*2  
def area(l,b):  
    return(l*b)
```

```
enter length10
enter breadth20
Perimeter of Rectangle:  60
Area of Rectangle:  200

enter radius5
Perimeter of Circle:  31.400000000000002
Area of Circle:  78.5
> |
```

## IV.COURSE OUTCOME(Co4)

**PROGRAM NO:1**

**DATE :09/01/2022**

**Aim: create a rectangle class with attributes length and breadth and methods to find area and perimeter .compare 2 rectangle objects by their area.**

**Program:**

```
class rectangle:
    def __init__(self,length,breadth):
        self.length=length
        self.breadth=breadth
    def area(self):
        a=self.length*self.breadth
        print("area=",a)
        return(a)
    def perimeter(self):
        p=2*(self.length+self.breadth)
        print("perimeter=",p)
        return(p)
p1=rectangle(4,2)
b=p1.area()
p1.perimeter()

p2=rectangle(5,2)
c=p2.area()
p2.perimeter()

if(b>c):
    print(b,"is greater")
else:
    print(c,"is greater")
```

**output:**

```
>>> %Run co4_1.py
area= 8
perimeter= 12
area= 10
perimeter= 14
10 is greater
>>>
```

## PROGRAM NO:2

DATE :09/01/2022

**Aim: create a bank account with members account numbers, name, type of account ad balance. Write constructor and methods to deposit at the bank and withdraw an amount from the bank.**

**Program:**

```
class bank:
    bal=0
    def __init__(self,accno,name,ac_type,bal):
        self.accno=accno
        self.name=name
        self.ac_type=ac_type
        self.bal=bal

    def display(self):
        print("\nAccount Info:")
        print("Account Number:",self.accno)
        print("Account Name:",self.name)
        print("Account Type:",self.ac_type)
        print("Account Balance:",self.bal)

    def deposit(self):
        dep=int(input("Enter the amount to deposit:"))
        self.bal=self.bal+dep

    def withdraw(self):
        w=int(input("Enter the amount to withdraw:"))
        if w > self.bal:
            print("Insufficient Balance")
        else:
            self.bal=self.bal-w
            print("RS-",w,"Withdrawn successfully")

acc_no=int(input("Enter the Account Number:"))
acc_name=input("Enter the name:")
acc_type=input("Enter the account type-(savings/current):")
balance=int(input("Enter the initial balance:"))
b1=bank(acc_no,acc_name,acc_type,balance)

while(1):
    print("\n1.Account Info\n2.Deposit\n3.Withdraw\n4.Exit")
    opt=int(input("Select your option:"))
    if opt == 1:
        b1.display()
    elif opt == 2:
        b1.deposit()
    elif opt == 3:
        b1.withdraw()
```

```
elif opt == 4:  
    print("Exited")  
    break  
else:  
    print("Invalid Option")
```

**output:**

```
Enter the Account Number:57998090  
Enter the name:athira  
Enter the account type-(savings/current):savings  
Enter the initial balance:100000
```

```
1.Account Info  
2.Deposit  
3.Withdraw  
4.Exit  
Select your option:1
```

```
Account Info:  
Account Number: 57998090  
Account Name: athira  
Account Type: savings  
Account Balance: 100000
```

```
1.Account Info  
2.Deposit  
3.Withdraw  
4.Exit  
Select your option:2  
Enter the amount to deposit:200
```

```
1.Account Info  
2.Deposit  
3.Withdraw  
4.Exit  
Select your option:3  
Enter the amount to withdraw:50000  
RS- 50000 Withdrawn successfully
```

```
1.Account Info  
2.Deposit  
3.Withdraw
```



### PROGRAM NO:3

DATE :09/01/2022

**Aim:** create a class rectangle with private attributes length and width.  
**Overload'<' operator to compare the area of 2 rectangles.**

#### Program:

```
class rectangle:

    def __init__(self,l,b):
        self.__length=l
        self.__breadth=b

    def area(self):
        self.area=self.__length*self.__breadth
        print("Area=",self.area)

    def __lt__(self,second):
        if self.area < second.area:
            return True
        else:
            return False

print("first Rectangle:")
len1=int(input("Enter the length:"))
bread1=int(input("Enter the breadth:"))
obj1=rectangle(len1,bread1)
obj1.area()

print("\nSecond Rectangle:")
len2=int(input("Enter the length:"))
bread2=int(input("Enter the breadth:"))
obj2=rectangle(len2,bread2)
obj2.area()

if obj1 < obj2 :
    print("\nArea of second rectangle is larger:")
else:
    print("\nArea of first rectangle is larger:")
```

#### output:

Python 3.7.9 (bundled)

```
>>> %Run co4_3.py
```

```
first Rectangle:  
Enter the length:3  
Enter the breadth:5  
Area= 15
```

```
Second Rectangle:  
Enter the length:2  
Enter the breadth:3  
Area= 6
```

```
Area of first rectangle is larger:
```

```
>>> |
```

#### PROGRAM NO:4

DATE :09/01/2022

**Aim: Create a class Time with private attributes hour, minute and second. Overload '+' operator to find sum of 2 time.**

**Program:**

```
class time:
    def __init__(self,hour,minute,second):
        self.__hour=hour
        self.__minute=minute
        self.__second=second

    def __add__(self,second):
        print("\nHour:",self.__hour + second.__hour)
        print("Minutes:",self.__minute + second.__minute)
        print("Seconds:",self.__second + second.__second)

hour1=int(input("Enter the hour:"))
minute1=int(input("Enter the minutes:"))
sec1=int(input("Enter the second:"))

obj1=time(hour1,minute1,sec1)

hour2=int(input("\nEnter the hour:"))
minute2=int(input("Enter the minutes:"))
sec2=int(input("Enter the second:"))

obj2=time(hour2,minute2,sec2)

obj1 + obj2
```

**output:**

```
Enter the hour:4
Enter the minutes:56
Enter the second:23

Enter the hour:9
Enter the minutes:43
Enter the second:12

Hour: 13
Minutes: 99
Seconds: 35

>>>
```

## PROGRAM NO:5

DATE :09/01/2022

**Aim: Create a class Publisher (name). Derive class Book from Publisher with attributes title and author. Derive class Python from Book with attributes price and no\_of\_pages. Write a program that displays information about a Python book. Use base class constructor invocation and method overriding.**

**Program:**

```
class publisher:
    def __init__(self,title,author):
        self.title=title
        self.author=author
    def display(self):
        print("Title:",self.title)
        print("Author:",self.author)
class book(publisher):
    def __init__(self,price,no_of_page):
        self.price=price
        self.no_of_page=no_of_page
    def display(self):
        print("Price:",self.price)
        print("No. of Pages:",self.no_of_page)
class python(book):
    def __init__(self,title,author,price,no_of_page):
        publisher.__init__(self,title,author)
        book.__init__(self,price,no_of_page)
    def display(self):
        print("Title:",self.title)
        print("Author:",self.author)
        print("Price:",self.price)
        print("No. of Pages:",self.no_of_page)
p=python("Python Programming","J K ROWLING",4000,500)
p.display()
```

**output:**

```
>>> %Run co4_5.py
Title: Python Programming
Author: J K ROWLING
Price: 4000
No. of Pages: 500
>>>
```



## **V. COURSE OUTCOME 5(CO5)**

**PROGRAM NO:1**

**DATE :30/01/2022**

**Aim: write a program to read a file line by line and store it into a list.**

**Program:**

```
f1=open("file.txt","r")
print(f1.readline())
print(f1.readline())
print(f1.readline())
f1.seek(0,0)
print(f1.readlines())
print()
```

**file.txt**

```
hi!
My name is c,
iam currently
```

**output:**

```
hi!

My name is c,

iam currently
['hi! \n', 'My name is c,\n', 'iam currently']
```

## PROGRAM NO:2

DATE :30/01/2022

**Aim: Python program to copy odd lines of one file to other.**

**Program:**

```
fn = open('fil1.txt', 'r')
fn1 = open('fil2.txt', 'w')
cont = fn.readlines()
type(cont)
for i in range(0, len(cont)):
    if(i%2!=0):
        fn1.write(cont[i])
    else:
        pass
fn1.close()
fn1 = open('fil2.txt', 'r')
fn=open('fil1.txt','r')
cont1 = fn1.read()
print(cont1)
fn.close()
fn1.close()
```

### fil1.txt

this is 1  
this is 2  
this is 3  
this is 4  
this is 5

**output:**

```
>>> %Run co5_2.py
```

```
this is 2
this is 4
```

**PROGRAM NO:3****DATE :30/01/2022**

**Aim: Write a Python program to read each row from a given csv file and print a list of strings..**

**Program:**

```
import csv
filename = "username.csv"
rows = []
cf=open(filename, 'r')
csvreader = csv.reader(cf)
for r in csvreader:
    rows.append(r)
print(rows)
cf.close()
```

**username. cvs**

```
Username; Identifier;Firstname;Lastname
booker12;9012;Rachel;Booker
grey07;2070;Laura;Grey
johnson81;4081;Craig;Johnson
jenkins46;9346;Mary;Jenkins
smith79;5079;Jamie;Smith
```

**output:**

```
===== RESTART: C:/Users/ADMIN/Documents/python/co5/co5_3.py =
[['Username; Identifier;Firstname;Lastname'], ['booker12;9012;Rachel;
5079;Jamie;Smith']]
|
```



#### PROGRAM NO:4

DATE :30/01/2022

**Aim: Write a Python program to read specific columns of a given CSV file and print the content of the columns.**

#### Program:

```
import csv
filename = "emp.txt"
fields = []
rows = []
cf=open(filename, 'r')
csvreader = csv.DictReader(cf)
for r in csvreader:
    print(dict(r))
name,department,birthday month
John Smith,Accounting,November
Erica Meyers,IT,March
```

#### output:

```
===== RESTART: C:/Users/ADMIN/Documents/python/co5/co5_4.py =
{'name': 'John Smith', 'department': 'Accounting', 'birthday month':
{'name': 'Erica Meyers', 'department': 'IT', 'birthday month': 'March
```

## PROGRAM NO:5

DATE :30/01/2022

**Aim:Write a Python program to write a Python dictionary to a csv file. After writing the CSV file read the CSV file and display the content.**

### Program:

```
import csv

field_names = ['No', 'Company', 'Car Model']

cars = [
    {'No': 1, 'Company': 'Ferrari', 'Car Model': '488 GTB'},
    {'No': 2, 'Company': 'Porsche', 'Car Model': '918 Spyder'},
    {'No': 3, 'Company': 'Bugatti', 'Car Model': 'La Voiture Noire'},
    {'No': 4, 'Company': 'Rolls Royce', 'Car Model': 'Phantom'},
    {'No': 5, 'Company': 'BMW', 'Car Model': 'BMW X7'},
]

with open('Names1.csv', 'w') as csvfile:
    writer = csv.DictWriter(csvfile, fieldnames = field_names)
    writer.writeheader()
    writer.writerows(cars)

#print(".....")
filename = "names1.csv"

cf=open(filename, 'r')
rows=[]
csvreader = csv.reader(cf)
for r in csvreader:
    rows.append(r)
for r in rows[:3]:
    print(*r)
```

### names1.cvs

No	Company	Car Model
1	Ferrari	488 GTB
2	Porsche	918 Spyder
3	Bugatti	La Voiture Noire
4	Rolls Royce	Phantom

5 BMW BMW X7

**output:**

```
>>> %Run nammes1.py  
No Company Car Model  
  
1 Ferrari 488 GTB
```