

AUG 2 1995

Bill WHITE Co.

BIG MO PARKING CO.

414 EAST 4TH - TULSA, OKLAHOMA 74120 - (918) 582-2434
MAILING ADDRESS: P. O. BOX 1189, TULSA, OKLAHOMA 74101



August 15, 1995

Bill White Co. FAX #582-1239

Mr. Ron Morris
Tobacco Institute
1875 I Street N.W., Suite 800
Washington, D.C. 20006

RECEIVED

AUG 30 1995

ACCOUNTING

INVOICE: "Southern Legislative Conference"

DATE: Monday, August 14, 1995

ACTIVITY: 7:30PM - 10:30PM = 3 Hrs.
Pick up group at Adam's Mark Hotel and take to Doubletree Hotel--
Warren Place for Dinner - return group to Adam's Mark after dinner.

BILLING: 3 Hrs. @ \$35.00/Hr. = \$105.00
Sales Tax (7½%) = \$7.88
Total = \$112.88

TOTAL INVOICE = \$112.88

NET: 10 DAYS

APPROVED FOR PAYMENT.

BY Ron Morris

DATE 8/31/95

C/C 1470

ACCT. 3901

PROJ. _____



SHUTTLE VANS FOR CHARTER

Managing 12 Acres of Family Owned Downtown Tulsa Real Estate

**CONFIDENTIAL:
TOBACCO LITIGATION**

TICK 0000334

TRANSLATION OF EDITORIAL IN ALGEMEEN DAGBLAD 1ST SEPTEMBER 1983SMOKERS ON THE ADVANCEFoundation Smoking and Health:

"Great evil-doer is the 'healthy' cigarette."

The Hague -

During this year the number of smokers has increased by 3% in comparison to last year. The increase is the greatest amongst men between 35 and 49 years old (from 44% to 50%). Amongst women an increase of 3% can be recorded in the large group of women between 20 and 50 years old.

INVESTIGATION

The above is apparent from a NIPO-investigation which is made annually for the Foundation Smoking and Health. The foundation is of the opinion that the new, so-called "healthy" cigarette BARCLAY is the great evil-doer. People think that now their health is no longer in danger but an investigation in the U.S.A. has proved that smokers, who slightly compress the Barclay filter between their lips, will inhale six times more nicotine and tar than as stated on the package.

PERSONS REGRETTING (UNHAPPY) CHOICE (RESTARTERS)

Amongst the new smokers are many so-called persons regretting (unhappy) choice; those people who stopped last year (8%) and have now started again. Up till now only 4% have stopped in 1983.

With a new anti-smoking campaign, aimed at the risk groups of pregnant women and asthmatics the foundation will try to stop the alarming development in the field of smoking. Many pregnant women do not know that when smoking, the foetus incurs risks. The childrens' specialist Professor G.A. de Jonge said yesterday in The Hague that many G.P.'s fail with regard to the enlightenment in this field. With them and with green cross and other societies, gynaecologists, maternity centres, obstetric surgeons, lung specialists, allergy specialists and sick-funds in 9.000 cities warning posters will be placed.

* More accurately translated as "Association of Public Health and Smoking"

517002695

GRANT EXPENDITURES (in thousands of \$)

	'83 <u>APRIL</u>	'83 <u>OCTOBER</u>	'83 <u>TOTAL</u>	'84 <u>PROJECTIONS</u>
CANCER	1,158	1,236	2,394	1,605
CARDIOVASCULAR	482	808	1,290	478
PULMONARY	972	538	1,510	1,331
PHARMACOLOGY	366	439	805	548
IMMUNOLOGY	395	297	692	444
EPIDEMIOLOGY	97	98	195	121
MISCELLANEOUS	<u>418</u>	<u>396</u>	<u>814</u>	<u>389</u>
TOTAL	3,888	3,812	7,700	4,916 (a)
UNASSIGNED BALANCE				<u>3,584</u> (b)
TENTATIVE BUDGET				8,500

(a) Current grants for which there is an implied commitment in 1984.

(b) Assuming a \$8,500,000 budget in 1984 this figure would be used for (1) grants for which there is no implied commitment but which may merit continuation, and (2) for new projects that are considered worthy by the Scientific Advisory Board.

517002760

NEW PRODUCT SPENDING FORECAST SUMMARY
(\$MM)

	<u>1984</u>	<u>1985</u>	<u>1986</u>	<u>1987</u>	<u>1988</u>
<u>New Product A</u> (4th Qtr., 1984, Launch)					
Advertising Media (1)	31.9	54.9	60.6	64.3	68.2
Sales Promotion (1)	17.4	28.6	22.5	23.9	25.6
M&P (1) (2)	3.4	4.5	3.5	3.6	3.6
Sample Program	0.4	---	---	---	---
Total Advertising/Promo	53.1	88.0	86.6	91.8	97.4
<u>New Product B</u> (1st Qtr., 1986, Launch)					
Advertising Media (1)	---	---	81.1	92.4	97.9
Sales Promotion (1)	---	---	49.3	36.0	38.4
M&P (1) (3)	---	---	4.7	3.6	3.6
Sample Program	---	0.6	---	---	---
Total Advertising/Promo	---	0.6	135.1	132.0	139.9
<u>Total</u>					
Advertising Media (1)	31.9	54.9	141.7	156.7	166.1
Sales Promotion (1)	17.4	28.6	71.8	59.9	64.0
M&P (1)	3.4	4.5	8.2	7.2	7.2
Sample Promotion	0.4	0.6	---	---	---
Total Advertising/Promo	53.1	88.6	221.7	223.8	237.3

- (1) Assumes 60/40 A/P split in Year 1; 70/30 thereafter.
 (2) Assumes Product A absorbs 1/4 of contract package display costs in 1984, 1/3 in 1985, 1/4 in 1986-88.
 (3) Assumes Product B absorbs 1/3 of contract package display cost in 1986, 1/4 in 1987-88.

514100974

NES/tat
10/18/83

Cigarette makers have 500 mystery additives

(Continued)

"Coulman is rat poison," said Guidotti, professor of occupational medicine, who reviewed the list for the Herald. "Coulman is the name of a class of compounds that includes warfarin."

"I looked at that and scratched my head and said: 'What the heck would they be using that for?'"

According to Fries & Bro., a U.S.-based additive supplier, coumarin is an aromatic that imparts the aroma of "new-mown hay" and preserves the flavor and aroma of other additives.

Guidotti, a lung specialist, says he suspects croton oil is used by tobacco companies to improve the cigarette's burning characteristics.

"That one really stumped me," said Guidotti, of Edmonton. "We use croton oil in lab experiments when we want to enhance the yield of cancer in lab animals. It is a powerful promoter of carcinogenicity in other chemicals."

Guidotti said tobacco's most carcinogenic compound is benzo(a)pyrene, which comes from the tobacco itself. The use of croton

oil in cigarettes would boost benzopyrene's cancer-causing potential, he said.

Canada's cigarette-industry pharmacopoeia also lists coumarin-containing glycerol esters, which tobacco companies have claimed in recent years they no longer use.

These long, green leaves, harvested in the rattlesnake-infested backwoods of southern Georgia, are ground into a fine powder and used in cigarette flavors. Decades ago, they were chopped into tobacco to lower the cost.

Guidotti said other poisonous aromatics include eugenol, which can cause destruction of the lung tissue, eugenol, which contains a mild carcinogen, and eucalyptus oil, a bronchial irritant.

Also, he said, the list contains several aspirin-related compounds which, though harmless in humans, have an unknown effect when "you spray them deep into the lungs."

The tobacco industry uses additives to preserve tobacco's moisture, improve its burning characteristics and turn a so-so smoke into a connoisseur's delight.

That fruity, grape-like odor,

for instance, is achieved not through the use of some exotic species of tobacco but instead through the use of methyl anthranilate.

And that woody, balsam note comes from cinnamyl acetate. And on and on and on.

"All Canadian manufacturers of cigarettes employ some addi-

tives in the manufacture of their products," the four manufacturers said in a statement.

Explains Fries & Bro.: "Efficient cigarette filtration means loss of flavor."

But non-industry scientists, such as Ted Guidotti, fear some of the additives might be just as dangerous as the toxic tar they

were intended to replace. "Some of these things have the ability to impact the cleansing mechanism of the lungs," Guidotti said.

Earlier this year, the four Canadian companies agreed to a compromise with Health and Welfare in which they would compile a list of all additives

available to them.

It was agreed the list would not say who uses what or reveal which additives are most commonly used. Instead, it would list all additives used in the past, available for use today or likely to be used in the future. The Canadian list adds 127 items, using the same format.

Herald waged battle for release of list

By Bob Bragg
(Herald staff writer)

The release of a list of tobacco additives was the result of a two-year battle by the Herald under the federal Access to Information Act.

Herald reporter Sam Prych, in July 1983, launched a complaint under the act, asking the federal Health Department's health protection branch for a copy of the list of additives used in cigarettes by the Canadian tobacco industry.

The request was rejected under the section of the access law covering the confidentiality of third-party information.

The tobacco companies had balked at revealing the ingredients, arguing they had given the trade secrets to the government in trust and disclosure would have been a betrayal.

But the Herald lodged a complaint with

information commissioner Roger Haines' office in August 1983, arguing "the public interest overrides the tobacco companies' privacy in this case."

It also argued the manufacturers had told the public they used few additives and that they therefore were "less than candid."

Haines' office then undertook to balance the interests of the tobacco manufacturers with the public's right to know.

It was finally agreed a list would be provided, but it would not say which company used what additive or which additives are most commonly used. Instead, the list would contain all additives used in the past, available for use today or likely to be used in the future.

The list was compiled by four major tobacco manufacturers — Benson and Hedges (Canada Inc.), Imperial Tobacco Ltd., RJR-Macdonald Inc. and Rasmussen of T&M Ltd. — which claim to produce more than 99 per cent of all cigarettes in Canada.

A fifth Canadian tobacco manufacturer, Baulton du Canada Limited, did not respond to requests for submissions to the information office, but because the company accounted for less than one per cent of the Canadian cigarette market, it was thought that the agreement with the other manufacturers should not be lost because of lack of input from Baulton.

Last February, Haines formally asked federal Health Minister Jake Epp to release that list.

But after she saw it, she complained to the minister, saying it was broader than necessary to protect "confidential business information" and perhaps too broad to be useful.

The scope of the list, she complained, "renders the list all but useless to anyone seeking to get even some reasonable idea of what is present in the typical Canadian cigarette."

The Herald received the list last week.

516 008 887

516 008 887A

516008887

BROWN & WILLIAMSON TOBACCO CORP.

VISIT TO GEORGIA AND FLORIDA IN JUNE 1964
TO OBSERVE FIELD RESEARCH IN FLUE-CURED TOBACCO

Report No. 64-16

RESEARCH & DEVELOPMENT DEPARTMENT

Louisville, Kentucky

650103575

THIS CONFIDENTIAL REPORT IS THE PROPERTY OF BROWN & WILLIAMSON TOBACCO CORP.
AND MUST NOT BE COPIED OR SHOWN TO UNAUTHORIZED PERSONS.

SAMPLE SPECIFICATIONS

SR# 595

Page 1

Project: <u>230</u>	Date: Requested <u>1/28/72</u>	Manufactured _____
Cigarette Code	<u>230106</u>	<u>230107</u> <u>230108</u>
Blend (1)	<u>VICEROY 84</u>	<u>VICEROY 84</u> <u>VICEROY 84</u>
Flue-Cured	<u>"</u>	<u>"</u> <u>"</u>
Burley	<u>"</u>	<u>"</u> <u>"</u>
Maryland	<u>--</u>	<u>--</u> <u>--</u>
Turkish Added	<u>VICEROY 84</u>	<u>VICEROY 84</u> <u>VICEROY 84</u>
XXXX Added PJS	<u>"</u>	<u>"</u> <u>"</u>
Stems Added	<u>"</u>	<u>"</u> <u>"</u>
Casing		
Burley	<u>VICEROY 84</u>	<u>VICEROY 84</u> <u>VICEROY 84</u>
Flue-Cured	<u>"</u>	<u>"</u> <u>"</u>
Top Dressing	<u>VICEROY 84</u>	<u>VICEROY 84</u> <u>VICEROY 84</u>
Flavor	<u>VICEROY 84</u>	<u>VICEROY 84</u> <u>VICEROY 84</u>
Filter Rod		
Material	<u>3.3-44</u>	<u>3.3-44</u> <u>3.3-44</u>
Length (mm)	<u>126</u>	<u>126</u> <u>126</u>
Circumference (mm)	<u>24.7</u>	<u>24.7</u> <u>24.7</u>
Pressure Drop (")	<u>14.4</u>	<u>14.4</u> <u>14.4</u>
Additive	<u>6/5 Pz</u>	<u>6/5 Pz</u> <u>6/5 Pz</u>
Cigarette		
Length (mm)	<u>84</u>	<u>84</u> <u>84</u>
Circumference (mm)	<u>25.0</u>	<u>25.0</u> <u>25.0</u>
Weight (mg)	<u>*</u>	<u>*</u> <u>*</u>
Tipping Material	<u>Cork</u>	<u>Cork</u> <u>Cork</u>
Tipping Length (mm)	<u>25</u>	<u>25</u> <u>25</u>
Filter Length (mm)	<u>21</u>	<u>21</u> <u>21</u>
Tobacco Section		
Length (mm)	<u>63</u>	<u>63</u> <u>63</u>
Tobacco Weight (mg)	<u>812</u>	<u>786</u> <u>837</u>
Density (mg/cc)	<u>259</u>	<u>231</u> <u>267</u>
Paper	<u>E-556</u>	<u>E-556</u> <u>E-556</u>
Packaging		
Label Type	<u>Sample</u>	<u>Sample</u> <u>Sample</u>
Label Length	<u>84</u>	<u>84</u> <u>84</u>
Closure	<u>Gold</u>	<u>Gold</u> <u>Gold</u>
Cellophane	<u>Regular</u>	<u>Regular</u> <u>Regular</u>
Tear Tape	<u>Gold</u>	<u>Gold</u> <u>Gold</u>
Carton Type	<u>Sample</u>	<u>Sample</u> <u>Sample</u>
Quantity Requested	<u>30</u>	<u>30</u> <u>30</u>
Special Instructions	<u>*Will be given before manufacture</u>	
	<u>(1)30 cpi - nonsteamed</u>	

Requested by: R. A. BrownCharge: H. O. Manufacturing

650201048

1 zero4

fu Estele

original

degenzi

650206466

April 12, 1968

Dr. B. Y. M. Liu
Dept. of Mechanical Engineering
University of Minnesota
Minneapolis, Minnesota 55455

Dear Dr. Liu:

This is to confirm my arrangements to visit you on
Wednesday April 17. I shall be staying at the Holiday
Inn on St. Anthony on the night of April 16 and returning
to Louisville on the afternoon of the 17th.

Yours sincerely,

M. L. Reynolds

MLR/mjs/322

Key Word Index

Particle size, University of Minnesota

650206681

MR 2226

1. SPECIFICATIONS/PILOT PLANT WORK REQUIRED

Date Rec'd 1/26/80

Approved by T.F. Riehl

Mr. B. A. Randy
Mr. P. C. Willis
Mr. M. T. Worfel
Mr. P. E. Atkins
Ms. C. S. Livesay
Mr. T. F. Riehl

Requesting Dept. Proj. No. 22-292

Pilot Plant Proj. No. 2229200 Date Rec'd 1/27/80

Requested by Mr. R. R. Johnson

Designed by

Subject/Purpose To make ground filter cigarettes delivering 1 mg tar

Current Brand (Specify)	292029	292030	X	Topping/Filter	
Cigarette Code	292029	292030		Supplier - Color	E C/W 1 Gold Line
Analysis Code	292029	292030		Length (mm)	32
Washed Analysis Code				Part. Type/Dist. H.E. (mm)	MF/13 3 Line
End Pack Code	0	0		Permeability (Coresta)	2900
Tobacco Code	292029	292030		Perm.-Act. (Coresta)	2867
Ship No.				Basis Wt. (gms/m ²)	
Ship No.				Robbin No.	0827-003 0827-003
Blend (Factory Spec)	XCF-271A	XCF-271A		Filter Length (mm)	35
Casing	Sub 40% ET-1	Sub 40% ET-1		Pressure Drop (in)	2.2
Barley (Radial Spec)	XCF-223	XCF-224		E.S.E. (Est.)	
Flint-cured	XCF-224			Gloss Pattern	Special 100%
Top Dressing				Ship Area (12x20, 12x16)	SPECIAL 50%
Flavor	NONE			E Ventilation (Est.)	
Operation No. (Circ. 100)	292029	292030		Mask. Width (mm/Color)	
Date Cased	1-9-80	1-9-80		Cigarette	
Tracer (Specify)	21/Ag			Length (mm)	84
Methol Ret. (2)				Circumference (mm)	24.8
Molature (3)	13.5			Maker No./Speed (rpm)	45-1750 45-1750
Filter Rod				Typhoe Section	
Material	43 X 37,000			Length (mm)	59
Length (mm)	100			Tobacco Wt. (mg)	528 448
Circumference (mm)	24.7/24.85 Ground			Density (mg/cc)	183 155
Pressure Drop (in)	2.8			Est. T.S. Tar (mg/cig)	
Additive (2 - Type)	9.5 T/P			Cigarette Paper	
Flap Wrap	S-222			Supplier - Grade	E-45E-753
Flap Wrap Perm. (Coresta)	0			Permeability (Coresta)	125 40
Anchor Line	ESTROBOND-C			Perm.-Act. (Coresta)	
Tray No.	V-3544	3347		Robbin No.	0-1320 428
Tray No.		326B		Perm. Additive (2 - Type)	1.0 200 Citric
Maker No./Speed (rpm)				Non-Tobacco Wt.	
Adhesive				Arg. Rod Weight (mg)	172 172
Packaging				Seam & Paper Wt. (mg)	38 38
Label Type	MR	MR		Tipping Weight (mm)	44 44
Clutch	MR	MR		Wt./48 Cigs. (mm)	1.32/48 1.19/48
Overwrap	MR	MR			
Tray Type	MR	MR			
Carton Type	MR	MR			
Quantity Requested					
Stockroom					
Tech. Dept. (Riehl)	30 Cts	30 Cts			
Marketing Research					
Other Dept. ()					
Special Instructions	* Also make 292031 with XCF-271A (20% Rf/48) 211mg/tar and 609 mg tobacco 1.44/48				
Included Remarks	R.R.J. needs to be present when the cigarettes are made. TFB				

650521525

Date Rec'd 1/16/80

Approved by T. F. Riehl

Requesting Dept. Proj. No. 22-292

Requested by R. R. Johnson

Subject/Purpose To make grooved filter cigarettes delivering 1 mg tar

Pilot Plant Proj. No.

Date Mfg 1/1

Designed by

Mr. B. A. Bendy
Mr. P. C. Willis
Mr. N. T. Worful
Mr. P. L. Atkins
Ms. C. S. Livesay
Mr. T. F. Riehl

Current Brand (Specify)

Cigarette Code

Analysis Code

Masked Analysis Code

End Pack Code

Tobacco Code

Skip No.

Skip No.

Blend (Factory Use) ☒

Casing

Burley (Redried Use) ☒

Flue-cured

Top Dressing

Flavor

Operation No. ☒ (HID-242)

Date Cased

Tracer (Specify)

Menthol Ret. (%)

Moisture (%)

Filter Rod

Material

Length (mm)

Circumference (mm)

Pressure Drop (in)

Additive (% - Type)

Plug Wrap

Plug Wrap Perm. (Coresta)

Anchor Line

Tray No.

Tray No.

Maker No./Speed (rpm)

Adhesive

Packaging

Label Type

Closure

Overwrap

Tear Tape

Carton Type

Quantity Requested

Stockroom

Tech. Dept. (Product) 30 Ctn's

Marketing Research

Other Dept. ()

Special Instructions

Included Levels

Tipping/Filter

Supplier - Color

Length (mm)

Perf. Type/Dist. M.E. (mm)

Permeability (Coresta)

Perm.-Act. (Coresta)

Basis Wt. (gms/m²)

Bobbin No.

Filter Length (mm)

Pressure Drop (in)

Z N.R.E. (Est.)

Glue Pattern

Skip Area (12x20, 12x16)

Ventilation (Est.)

Mask Width (mm)/Color

Cigarette

Length (mm)

Circumference (mm)

Maker No./Speed (rpm)

Tobacco Section

Length (mm)

Tobacco Wt. (mg)

Density (mg/cc)

Est. T.S. Tar (mg/cig)

Cigarette Paper

Supplier - Grade

Permeability (Coresta)

Perm.-Act. (Coresta)

Bobbin No.

Eura Additive (% - Type)

Non-Tobacco Wts.

Avg. Rod Weight (mg)

Seam & Paper Wt. (mg)

Tipping Weight (mg)

Wt./48 Cigts. (oz)

E C/W 1 Gold Line

32

MP/13 3 Line

2900

25

2.2

SPECIAL SKIP

84

24.8

59

528 448

183 155

6-616E-753

25 40

1.0 20 Citrate

* Also make 292031 with XLF-271A (20% Rffed),
211 mg/tar and 609 mg tobacco.

R.R.J. needs to be present when the
cigarettes are made. 650521629

OVER ☐

Quarterly Report
July, Aug, Sep. 1973

PCS-B167-73

BROWN & WILLIAMSON TOBACCO CORPORATION
RESEARCH & DEVELOPMENT DEPARTMENT

QUARTERLY REPORT
JULY, AUGUST, SEPTEMBER, 1973

650366789

RESTRICTED

TRIP REPORT

MARCH 31, 1980

VISIT TO GR&DC, MARCH 17-20, 1980/#244

This note summarizes product development/research discussions with the GR&DC staff and a presentation of outside psychological research being done for GR&DC. A separate note covers the informal meeting on carbon monoxide retention vs. retention of other smoke components.

Product Development

Current emphasis is on commercialization of past findings. Discussions were held on the following product development projects:

1. The NEE filter now appears more practical. They can now make their own filter rods using plug wrap supplied by Schweitzer (95% cellulose acetate, 9500 Coresta); the first rods with this plug wrap were successfully spin molded during my visit. All smoking results to date are on Filtrona's NWA rods made with an inefficient tow item (ca. 8 dpf).

All six filters from a six-on rod now show about the same programming performance. Puff-by-puff smokings show too much programming with minimum deliveries in the center puffs. A 30 mg tar tobacco section is filter ventilated (ca. 30% before smoking) and gives about 5 mg tar. It is apparent that both the filtration and the ventilation are programmed.

This is one development that GR&DC would like to make a joint exercise with an operating company. They thought that this had been set up with Canada.
2. High FD/Low Efficiency Filters are a specific request from Germany. A short-term possibility is a reversed NEE filter which shows no programming. A longer-term possibility is open cell foamed filters made from polystyrene or some other plastic. GR&DC is no longer working with Monsanto on foamed filters, but will probably try and get back into this area. One past foamed polystyrene filter showed only about 2% efficiency at normal filter pressure drop. Laser perforation of the filter on the maker should make filter ventilation practical. (We would also be interested in such filters for both grooved and conventional applications.)
3. The Nitric Oxide Filter is ~~under active development~~ despite two major problems. The active agent, nitrosobenzene, is not commercially available and is difficult to make. Also, it has not been approved by the Additives Guidance Panel. Since the filter would be used mainly on ventilated cigarettes, I suggested Sextone's pocket filter for cost reductions.
4. The Polypropylene Filter is now commercial in Brazil.
5. A cigarette with reduced particle growth is wanted within two years. GR&DC's previous water capsule filter may have already accomplished this objective. If ventilated, considerable particle growth would occur before particle size "sorting" towards the mouth end of the filter.
6. Structured Cigarettes are of either the CODEVAC or the annular type. Hook and Baker will be looking at these, Hook with regard to future commercialization potential.

Larry
What did we
find & C-NO?
I don't recall
that it did much.
Elmer

508001382

aglossostomia (ah'glos-o-sto-me-ah) [c neg. + Gr. *glossa* tongue + *stoma* mouth + -ia]. A developmental anomaly characterized by absence of the tongue and mouth opening.

aglucone (ah-gloo'kon). Aglycone.

aglutition (ag-loo-tish'un). Inability to swallow.

aglycemia (ah'gli-se-me-ah) [c neg. + Gr. *glykys* sweet + *haima* blood + -ia]. Absence of sugar from the blood.

aglycone (ah-gli'kon) [c neg. + Gr. *glykys* sweet + *on* being]. The noncarbohydrate group of a glycoside molecule; called also *genin*.

aglycosuric (ah-gli'ko-su'rik). Free from glycosuria.

agmatology (ag'mah-to'l'o-je) [Gr. *agmos* fracture + *-logy*]. The sum of what is known regarding fractures.

agmen (ag'men), pl. *agmina* [L. "a group"]. An aggregation. *a. peyeria* num, Peyr's patches.

agmina (ag'mi-nah) [L.]. Plural of *agmen*.

agminated (ag'min-ah-ed) [L. *agmen* a group]. Clustered.

agnail (ag'nail). Hangnail.

agnate (ag'nait). In Scotch law, the nearest relative on the father's side of one adjudged insane, and appointed guardian of the same.

agnathia (ag-na'the-ah) [c neg. + Gr. *gnathos* jaw + -ia]. A developmental anomaly characterized by total or virtual absence of the lower jaw.

agnathus (ag-na'thus). A fetus exhibiting agnathia.

agnea (ag-ne'ah). A condition in which objects are not recognized.

Agnew's splint (ag'nūz) [David Hayes Agnew, Philadelphia surgeon, 1818-1892]. See under *splint*.

AgNO₃. Silver nitrate.

agnogenic (ag'no-je-nik) [Gr. *agnos* unknown, obscure + *genesis* origin]. Of unknown origin or etiology.

agnosia (ag-no'se-ah) [c neg. + Gr. *gnosis* perception]. Loss of the power to recognize the import of sensory stimuli. The varieties correspond with the several senses and are distinguished as auditory, visual, olfactory, gustatory, and tactile. *body-image a.*, *autotopagnosia*. *Ideational a.*, loss of the special associations which make up the idea of an object from its component ideas.

agnoesterol (ag-noe'ter-ol'). An unsaturated sterol, C₂₇H₄₆O, present in wool fat.

agnus castus (ag'nus kas'tus) [L. "chaste lamb"]. The chaste-tree, *Vitex agnus-castus*; said to be anaphrodisiac.

Ag₂O. Silver oxide.

-agogue [Gr. *aggos* leading, inducing]. Word termination meaning an agent which leads or induces.

agomphiasis (ag'om-fi'ah-sis) [c neg. + Gr. *gomphios* molar + -ia]. Looseness of the teeth; also, absence of the teeth.

agomphious (ah-gom'fo-us). Without teeth.

agonad (ah-gon'ad) [c neg. + *gonad*]. An individual without gonads.

agonadal (ah-gon'ah-dal). Having no sex glands; due to absence of sex glands.

agonal (ag'o-nal). 1. Pertaining to the death agony; occurring at the moment of or just before death. 2. Pertaining to terminal infection.

agonidin (ag'o-ni'ah-din). A glycoside from *Pimenta racemosa*.

agonist (ag'o-nist). A prime mover; a muscle opposed in action by another muscle, called the antagonist.

agony (ag'o-ne) [Gr. *agonia*]. 1. Severe pain or extreme suffering. 2. The death struggle.

agoraphobia (ag'o-rah-fo-be-ah) [Gr. *agora* marketplace + *phobos*]. A feeling of fear at the thought of being alone in a large open space (Westphal, 1871).

Agostini's reaction, test (ag-o-se-te'niz). See under *test*.

agouti (ah-goo'te). A rodent of the genus *Dasyprocta*, about the size of a rabbit, found in tropical America.

Ag₃PO₄. Silver orthophosphate.

-agra (ag'rah) [Gr. *agros* a catching, seizure]. Word termination meaning a seizure of acute pain.

agraffe (ah-graf') [Fr.]. A clamplike instrument for keeping together the edges of a wound.

agrammatica (ag'rah-mat'e-kah). Agrammatism.

agrammatism (ah-gram'ah-tizm') [Gr. *agrammatos* unlettered]. Absence of the ability to speak grammatically because of brain injury or disease.

agrammatologia (ah-gram'ah-to-lo-je-ah). Agrammatism.

agranulemia (ah-gran'u-le-me-ah). Agranulocytosis.

agranulocyte (ah-gran'u-lo-si'te'). A nongranular leukocyte.

agranulocytopenia (ah-gran'u-lo-si'to-pe-ne-ah). Agranulocytosis.

agranulocytosis (ah-gran'u-lo-si'to-sis). An acute disease characterized by marked leukopenia and neutropenia and with ulcerative lesions of the throat and other mucous membranes, of the gastrointestinal tract and of the skin. It frequently follows the use of aminopyrine, the sulfonamides, or other drugs. Called also *agranulocytic angina*, *essential granulopenia*, *sepsis agranulocytica*, *malignant leukopenia*, *malignant neutropenia*, *granulopenia*, *granulophthisis*, *mucositis necroticans agranulocytica*, *Schultz's angina*, *infectious feline a.*, *panleukopenia*.

agranuloplastic (ah-gran'u-lo-plas'tik) [c neg. + *granule* + Gr. *plastin* to form]. Forming nongranular cells only; not forming granular cells.

agranulosis (ah-gran'u-lo-sis). Agranulocytosis.

agraphia (ah-graf'e-ah) [c neg. + Gr. *graphein* to write + -ia]. Inability to express thoughts in writing, due to a central lesion. *absolute a.*, loss of the power to form even single letters. *acoustic a.*, loss of the power of writing from dictation. *a. amnemontica*, agraphia in which letters and words can be written, but not so arranged as to express any idea. *a. atactica*, absolute agraphia. *cerebral a.*, mental *a.* *jargon a.*, agraphia in which the patient can write, but forms only senseless combinations of letters. *literal a.*, inability to write letters of the alphabet. *mental a.*, agraphia due to inability to put thought into phrases. *motor a.*, inability to write because of lack of motor coordination. *musical a.*, loss of the power to write musical symbols. *optic a.*, inability to copy written or printed words, but with ability to write from dictation. *verbal a.*, ability to write single letters, with loss of ability to combine them into words.

agraphic (ah-graf'ik). Pertaining to, affected with, or of the nature of, agraphia.

agremia (ah-gre-me-ah) [Gr. *agros* seizure + *haima* blood + -ia]. That condition of the blood which characterizes gout.

agria (ag're-ah) [L.; Gr. *agrios* wild]. An obstinate pustular eruption.


agriothymia (ag're-o-thim'e-ah) [Gr. *agrios* wild + *thymos* spirit + -ia]. Insane ferocity.

agrius (ag're-us) [L. "wild"]. Very severe; said of skin eruptions.

Agrobacterium (ag'ro-bak'te-ro-um) [Gr. *agros* field + *bacterium*]. A genus of microorganisms of the family Rhizobiaceae, order Eubacteriales, made up of small, short, flagellated rods, found in soil or in the roots or stems of plants. Seven species have been named; the type species is *A. tumefaciens*.

agromania (ag'ro-ma-ne-ah) [Gr. *agros* field + *manis* madness]. Insane passion for solitude or for wandering in the fields.

The Mark of Quality in Tobacco Products



BROWN & WILLIAMSON TOBACCO CORPORATION
19199 1600 West Hill Street • Louisville, Kentucky 40201

TO
LITTON PIONETICS, INC.
5516 NICHOLSON LANE
KENSINGTON NC 28795

SHIP TO
BROWN & WILLIAMSON TOBACCO CORP
DOCK #7
1600 WEST HILL STREET
LOUISVILLE, KY 40210

PURCHASE ORDER

PAGE 1

No. 47775

NO PURCHASE ORDER APPEAR ON ALL PURCHASE ORDERS
(SHOWN IN THIS ORDER IS NOT NECESSARY)

DATE	QUANTITY	ORDER	DESCRIPTION	UNIT PRICE	QUANTITY	DATE	DATE
15/29/78	NC1	20-11-2+	FCB, S.F. SPT, PDC, E INV.			28835	
121	2	CA APES FLATE TEST.		700.00	EA	06/25/78	78554

AN ASTERISK INDICATES LAST PAGE

PLEASE OBSERVE THE FOLLOWING:

- Invoices are to be mailed in triplicate to Brown & Williamson Tobacco Corp., Voucher Audit Department, 1600 W. Hill Street, Louisville, Kentucky 40201 on day shipment is made.
- A fourth copy of the invoice, the bill of lading, and an insured shipping list shall be retained on the site of shipment to B & W's factory branch manager at point of delivery.
- All invoices must show the purchase order number and item number(s), and must show the gross and net weights of the goods shipped.
- An itemized delivery ticket must accompany each shipment.
- All documents accompanying the goods must show B & W's purchase order number or delivery may be refused.
- If partial shipments are made, all shipments that do not complete the order must be marked "Partial". Invoices and delivery papers for the last shipment must be marked "Final".

PURCHASE ORDER INSTRUCTIONS, TERMS AND CONDITIONS--

- BY MAKING SHIPMENTS OF THE GOODS DESCRIBED HEREIN OR BY COMMENCING PERFORMANCE OF THE SERVICES DESCRIBED HEREIN, SELLER ACCEPTS AND AGREES TO ALL THE TERMS AND CONDITIONS SET FORTH HEREIN AND, EFFECTIVE AS OF THE DATE OF THIS ORDER, THESE TERMS AND CONDITIONS TOGETHER WITH THIS PURCHASE ORDER AND ANY STANDARDS AND SPECIFICATIONS SET FORTH HEREIN OR ATTACHED HERETO SHALL CONSTITUTE A VALID AND BINDING PURCHASE CONTRACT.

- THIS CONTRACT INCLUDES AND IS SUBJECT TO THE ADDITIONAL INSTRUCTIONS, TERMS AND CONDITIONS ON THE REVERSE SIDE HEREIN, AND THE SELLER'S ACCEPTANCE OF THIS ORDER IS EXPRESSLY CONDITIONED UPON ITS ASSENT TO ALL THE TERMS AND CONDITIONS HEREIN.

BUYER: *W. L. Tucker*
B. L. TUCKER

ADDRESS ALL CORRESPONDENCE TO THE
BUYER AT THE ADDRESS APPEARING IN
THE HEADING OF THIS ORDER.

511000263

PRS Eye Movement
Tracking

660104374

PERCEPTION
RESEARCH
SERVICES, INC.
660 SYLVAN AVENUE
ENGLEWOOD CLIFFS
NEW JERSEY 07632
MULTIDIMENSIONAL
COMMUNICATIONS
RESEARCH



FOR POSITION ONLY

MADE IN HONG KONG BY W. T. S. & CO. LTD.

CONVENTION & WELSH CHICAGO
 "Savona Sunfish"
 Greyhound Bus Terminal Bldg.
 1000 E. WASHINGTON ST. CHICAGO, ILL.
 44" x 60" = 2,640 sq. inches (nr)
 16.30 sq. ft.
 Warning: Exhibit A
 T & R: 10 pt. (actual size)

SCALE 1" = 6"

670117732

Kings, 8 mg. "tar", 0.7 mg. nicotine av. per cigarette, FTC Report Dec. '81.

Why Viceroy? Because I'd never
smoke a boring cigarette.



Warning: The Surgeon General Has Determined
That Cigarette Smoking Is Dangerous to Your Health.

Viceroy Where excitement is now a taste.

680124259

NOTICE

This material may be
protected by copyright
law (Title 17 U.S. Code).

AFCR PULMONARY

451A

NITROBLUE TETRAZOLIUM TEST RESULTS IN THE DIAGNOSIS OF PLEURAL EFFUSIONS. R.W. Light and E.B. George, Department of Medicine, Louisiana State University, Shreveport, Louisiana.

The nitroblue tetrazolium (NBT) test was initially proposed as a test with which to identify bacterial infections. Although the NBT test on serum was subsequently found to be of little value because it was positive in many other conditions, the NBT test on synovial fluid is useful in identifying pyogenic arthritis. The purpose of this project was to evaluate the diagnostic utility of the NBT test on pleural fluid. Pleural fluids from 62 patients, including 5 with congestive heart failure (CHF), 27 with malignancy (CA), 9 with tuberculosis (TB), 14 with pneumonia (Pne), and 3 with collagen vascular disease (CVD), were studied. The NBT score for each cell was semiquantitated on a scale of 0-3, the more positive, the higher the score. Cells in the pleural fluid were divided into 3 categories: polymorphonuclear leukocytes (PMN), including eosinophils and basophils, small lymphocytes, and mononuclear cells other than small lymphocytes. When possible, 100 cells in each category were counted. The total NBT score for a cell category was the sum of the individual scores for each of the cells. The means and standard deviations for the pleural fluid NBT scores were as follows:

CELL TYPE	Pne	TB	CA	CVD	CHF
PMN	140 ± 73	198 ± 52	172 ± 107	293 ± 2	103 ± 16
Other MONO	120 ± 73	186 ± 84	182 ± 87	297 ± 2	198 ± 25
Small lymph	45 ± 81	73 ± 91	59 ± 83	292 ± 4	6.8 ± 3.8

We conclude that the diagnostic utility of the NBT test on pleural fluids is limited. Many conditions other than infection are associated with high pleural fluid NBT scores. A very high score for all 3 cell categories is suggestive of collagen vascular disease.

THE DIAGNOSIS OF PULMONARY ALVEOLAR PROTEINOSIS WITHOUT LUNG BIOPSY. R.J. Martin, R.M. Rogers, J.J. Coalson, and D.C. Levin, Dept. of Medicine and Dept. of Pathology, Univ. of Oklahoma Health Sciences Center and VA Hospital, Oklahoma City, Okla.

The clinical and radiographic findings in pulmonary alveolar proteinosis (PAP) are unidiagnostic and in the past the diagnosis has been established only by lung biopsy. The importance of establishing this diagnosis is that patients with PAP have a different prognosis and require different therapy than patients with other chronic diffuse lung diseases (CILD). We have previously reported that a sputum fraction (QS/QT) greater than 141 and an elevated serum LDH suggested the diagnosis of PAP (13 patients) as compared to other forms of CILD (35 patients). Both the QS/QT and LDH were significantly elevated in the PAP group as compared to the CILD group ($p < .001$). The purpose of this study was to determine if the diagnosis of PAP could be strengthened by combining these common laboratory studies with histologic findings from limited segmental lavage via the fiberoptic bronchoscope. In 8 PAP patients, the hematoxylin and eosin (H&E) sections showed: 1) relative absence of alveolar macrophages; 2) macrophages present had cytoplasmic eosinophilic particles; and 3) large proteinaceous aggregates interspersed with many small granules. None of these findings were seen in the control group. Periodic Acid Schiff (PAS) staining was not useful in differentiating the two groups as mucinous material from normal stained positive. Our data suggest that the diagnosis of PAP can be made if the QS/QT is greater than 141, the LDH is elevated and the specific H&E stained histologic findings are present in cell blocks from segmental lavage.

THE ACUTE EFFECTS OF TOBACCO SMOKE AND SYNTHETIC SMOKING MATERIALS ON PULMONARY ANTI-BACTERIAL DEFENSES. V. Mubajic, G. Huber, G. Sorenberger, J. Shear, N. Hinds, and M. First, Dept. of Med., Harvard Med. School and Dept. of Environ. Health Sci., MSH, Boston, Massachusetts.

Epidemiologic association of tobacco cigarette consumption with cardiopulmonary disease has stimulated the development of low tar, nicotine-free synthetic smoking substitutes. Two synthetic smoking products, Cytrol and NMI, have recently been introduced as blends in the European cigarette trade. Because scant biologic evidence exists on the "safety" of these products, we evaluated their effects on intrapulmonary and in vitro alveolar macrophage antibacterial ability relative to the effects of natural tobacco. Dosemetry subsequent to acute inhaled smoke exposure by male rats was monitored using smoke tracers, correlation with bacterial inactivation, and extrapolated to human smoking levels. Following an intrapulmonary challenge of *S. aureus* rats were exposed to smoke from each unfiltered cigarette at six one-hour intervals, while rats in control groups of untreated animals were incubated with *S. aureus* in golden amounts of cigarette smoke of each type. Inhalation of tobacco smoke significantly impaired intrapulmonary antibacterial activity (87% bacterial inactivation relative to control) with exposure to Cytrol comparable to tobacco (86% inactivation) and NMI showing improvement but still significant impairment (91% inactivation). Cultured macrophages exhibited a dose-dependent depression in bactericidal ability comparable for all three products. Lack of correlation between depressed bactericidal function and inhaled smoke particulate deposition in all products suggested a gas phase cytotoxic. Potential increased human consumption of low tar smoking materials requires further evaluation of the chronic effects of correspondingly increased gas phase exposure and its potential modification for human smokers.

IMMUNOFLOUORESCENT LOCALIZATION OF PURIFIED SURFACE ACTIVE MATERIAL IN RAT LUNG AND ISOLATED TYPE II CELLS. Robert Mason, Sarah Jones, Bradley Benson, Elias Jikab, Mary Williams, and John Clements, Cardiovascular Research Institute, University of California, San Francisco.

The lipids of surface active material (SAM) are thought to be stored in the lamellar bodies of alveolar type II cells, but the cellular and subcellular localization of the proteins present in purified surface active material is much less certain. We extended the work of Klass (Am. Rev. Resp. Dis. 107:782, 1973) and localized SAM proteins (antigenic in whole lung and in isolated type II cells and macrophages by immunofluorescence). Rat SAM was purified by isopycnic centrifugation (Am. J. Physiol. 223:707, 1972) and was used to immunize rabbits. The antiserum was adsorbed with rat serum and was purified by an immunoadsorbent column prepared with rat SAM. The indirect double antibody technique was used for antigen localization. Rabbit IgG was used as a control. In cryostat sections of whole lung, immunofluorescence was seen in the alveolar lumen, in cuboidal cells on the alveolar wall (type II cells), and in free cells in the alveolar lumen (alveolar macrophages). There was some fluorescence along small airways, but this fluorescence appeared to be on top of cells rather than within them. Isolated type II cells (Am. Rev. Resp. Dis. 115:1015, 1977) had diffuse cytoplasmic fluorescence. A few macrophages isolated by saline lavage showed intense fluorescence but most of them showed little.

The data are consistent with the hypothesis that the protein and the lipids of SAM are synthesized by type II cells and that part of the secreted material is ingested by macrophages. More precise cellular and subcellular localization will require pure antigens (individual proteins) and improved resolution (electron microscopic immunocytochemistry).

RESPIRATORY FUNCTION IN COPD PATIENTS DURING DIFFERENT STAGES OF SLEEP. R.J. Martin, W.C. Orr, G.D. Patterson, B.E. Pennock, and R.M. Forcett, The Dept. of Medicine and Dept. of Psychiatry, Univ. of Oklahoma Health Sciences Center, and VA Hospital, OKLA. City, Oklahoma.

The purpose of this study was to relate sleep patterns to arterial saturations (sat), arterial blood gases (ABG), apnea and arrhythmias in patients with COPD. Five patients with COPD (FEV₁ range 75-2.12, x=1.45) were studied at night. Continuous recordings were made of eye movements, gingivocutaneous activity, ECG (V-5), electroencephalogram, expired CO₂, thoracic movement and sat (ear oximeter). A radial artery catheter was inserted for hourly ABG. Mean values for sleep stages and related sat (Table) reveal an extended sleep onset latency (time from start to initial sleep) with markedly decreased sleep efficiency (sleep minutes/total study time). Of particular note are the high percentage of wakefulness which is secondary to multiple spontaneous arousals and the markedly reduced REM stage. The mean PaO₂ from awake to sleep (40-45 mmHg) shows the same degree of hypoventilation as in normals. Recorded apneas were comparable to normals. Arrhythmias recorded were atrial and ventricular premature beats, however, there was not a predilection to any sleep stage or sat.

SLEEP STAGE	W	1	2	3	4	REM
COPD	47	35	38	22	32	4
Normal	20	90	4	8	56	2
Mean SAT	-	90	87	86	88	-


*Age corrected. SOL = sleep onset latency in minutes. SE = sleep efficiency, W = wake, 1-4 = stages, REM = rapid eye movement.

ACUTE AND CHRONIC ULTRASTRUCTURAL (US) PULMONARY CHANGES PRODUCED BY THE ADULT RESPIRATORY DISTRESS SYNDROME (ARDS). M.A. Matthay, J.S. Overland, P.C. Murray, B.C. McNay, (Info. by J.F. Murray), Dept. of Medicine and Pathology, University of California, San Francisco, Ca.

In order to define the US sequence of lung injury and repair associated with ARDS we performed transmission electron microscopy studies on lungs of 5 patients dying at various times following the onset of ARDS. One patient dying without lung disease was included as a control. All patients required assisted ventilation. Multiple, percutaneous lung injections of 1% glutaraldehyde in Sorrento's buffer were made immediately after death according to Weibel's technique. Specimens were retrieved at autopsy within 5 hours. Etiology of the ARDS included shock and aspiration in 2, pneumonia in 1, and pneumonia in 2. The two patients who died within 48 hours had interstitial and alveolar edema with hemorrhage, proliferating type II pneumocytes (PII), hyaline membranes, denuded epithelial surfaces, and endothelial swelling. The lungs of the patient dying after 2 weeks of ARDS showed US changes similar to the two patients dying in the acute phase as well as viral inclusion bodies. Specimens obtained from 2 patients who died at 6 and 15 weeks after onset of ARDS showed restoration of alveolar epithelium with P1 and PII, endothelial cell regeneration, interstitial fibroblasts (IF) with increased collagen (IF), and general thickening of the alveolar-capillary membrane. Proliferations of PII in the earliest phase of lung repair and occurs immediately after lung injury. Late healing is characterized by re-epithelialization of the alveolar surface, interstitial accumulation of IF and CO, endothelial cell regeneration, and clearing of alveolar debris. Overall, the nature of the US changes correlated best with the duration of the patient's survival after ARDS rather than a specific etiology.

CLIN RES 26(3) 1978

680149820



Introducing CHOICE. Flavor-aging gives you full taste satisfaction in this low 'tar' cigarette.

CHOICE is the new low 'tar' cigarette that offers full, satisfying taste because the tobacco is aged two full years.

As aging improves the taste of bourbon or wine, aging improves the flavor of the tobaccos in CHOICE. This Flavor-aging process allows the

tobacco to smoke rich and smooth, not dry and stale. Full-bodied tobaccos aged to perfection deliver superior taste.

Get CHOICE, and get more taste satisfaction with only 9 mg. 'tar'.

CHOICE. Taste the difference Flavor-aging makes.

660046156

M&G International Inc.

KETCHUM MACLEOD & GROVE PUBLIC REL.
4 GATEWAY CENTER
PITTSBURGH, PA. 15222

19406

BROWN & WILLIAMSON TOBACCO CORP.
P. O. BOX 35050
1600 WEST HILL STREET
LOUISVILLE, KY 40232

MAIL REMITTANCE TO
K M & G INTERNATIONAL INC.
4 GATEWAY CENTER
PITTSBURGH, PA. 15222
ATTN: TREASURY DEPARTMENT
CUNS NO. 00-791-5937

CLIENT: BROWN & WILLIAMSON TOBACCO CORP. JOB NO: 000870487 DATE: 07/24/81 DUE DATE: 08/03/81

DESCRIPTION	DATE	AMOUNT	NONCOMMISSIONABLE	COMMISSIONABLE	TOTAL
RALEIGH TRUCKS					
P. R. SERVICES	06-81	2,997.50			2,997.50
VACCARO, ANTHONY	052781	230.00			230.00
TRAVEL/MISC EXP	060481	24.64			24.64
TRAVEL/MISC EXP	061281	32.00			32.00
TRAVEL/MISC EXP	062381	27.66			27.66
TRAVEL/MISC EXP	062381	12.51			12.51
COPIES & DUPLICATION	05-81	267.70			267.70
TOTALS		3,592.01			3,592.01
AGENCY COM					.00
JOB TOTALS		3,592.01			3,592.01

ORIGINAL

APPROVED

[Signature]

Aug

Raleigh
MW'S
8/1/81

2105

4-1-45-8715

PLEASE ATTACH ONE COPY OF THIS INVOICE OR INVOICE WORKSHEET AND SIGN WITH YOUR REMITTANCE

PRODUCTION INVOICE-ORIGINAL

660053387

W.

Fact is the first cigarette with
Purite granules.

the *selective* filtering agent.

Selective.

That means it reduces things
that taste bad in smoke.

Without removing the things
that taste good.

So, for the first time, you get a
taste you can like in a low "tar"
cigarette.

And that's a Fact.

Available in regular and menthol.

Regular, 13 mg. "tar," 1.0 mg. nicotine, menthol,
12 mg. "tar," 0.9 mg. nicotine, av. per cigarette, by FTC method.

**Warning: The Surgeon General Has Determined
That Cigarette Smoking Is Dangerous to Your Health.**

660068224

78-278

M
 101 LORVILLE
 ROAD
 LOUISVILLE
 KENTUCKY
 40299
 PHONE 502-
 267 6096
 W. B. IR. INC.

Brown & Williamson Tobacco Corp.
 1600 West Hill Street
 Louisville, Kentucky
 Attn: Charley Smoot

INVOICE DATE
 December 13, 1978
 ORDER NO.
 3370
 Net 10

Page 1 of 2

QUANTITY	DESCRIPTION	PRICE	AMOUNT
	Form Page Spread		
	Kool Zero	850.00	850.00
	Kool Plus Two	450.00	450.00
	Kool Super Lights Zero	450.00	450.00
	Kool Super Lights Plus Two	450.00	450.00
	Arctic Lights Zero	450.00	450.00
	Arctic Lights Plus Two	450.00	450.00
	Spectrum Zero	850.00	850.00
	Spectrum Plus One	450.00	450.00
	Spectrum Plus Two	850.00	850.00
Single	Page with Back-up		
	Kool Zero	250.00	250.00
	Kool Super Lights Zero	250.00	250.00
	Arctic Lights Zero	250.00	250.00
PLEASE PAY FROM THIS INVOICE. NO STATEMENT WILL BE SENT.			

*and to
 acct
 12/28*

538009590

M

9701
TAYLORSVILLE
ROAD
LOUISVILLE
KENTUCKY
40299
PHONE 502
267 6096

MEDIK 4 INC

RECEIVED

AUG 29 1978

M-R D

Brown & Williamson Tobacco Corp.
1600 West Hill Street
Louisville, Kentucky
Attn: Sue Finley

DAS

INVOICE DATE

August 28, 1978

OUR ORDER NO.

YOUR ORDER NO.

TERMS

Net 10

ORIGINAL FORWARDED TO ALICE FOUST, GENERAL ACCOUNTING,
9/5/78 sw

QUANTITY	DESCRIPTION	PRICE	AMOUNT
1000	Each, 3 Test Ads B&W Extra (bleed) Special urgent run Clamp E-M-78-2 Gold String/Now E-M-78-3 Gold Watch E-M-78-4		
01C 8/29/78 www	Back-up Charges		\$114.00
	Miscellaneous 575-10-7597 #7827 Aug 78	OK Zoh 8/31/78	
PLEASE PAY FROM THIS INVOICE. NO STATEMENT WILL BE SENT.			

670245503

3f

ASI MARKET RESEARCH, INC.

NEW YORK • CHICAGO • LOS ANGELES
FRANKFURT • HONG KONG • TOKYO

02000

11572

7655 SUNSET BOULEVARD, LOS ANGELES, CA 90048
(213) 876-6500

CHARGE TO:

Brown & Williamson Tobacco Co.
1600 W. Hill St.
Louisville, Kentucky 40201

Attn: R. D. Lewis

REC'D

JUN 19 1978

M.R.D.

INVOICE NO. 25768

DATE: 6-16-78

TERMS: NET 10 days

(ORIGINAL FORWARDED TO ALICE FOUST,
GENERAL ACCOUNTING, 7/5/78) s.w.

ASI PRINT TEST - RALEIGH LIGHTS

"Arm Wrestler"

"Telephone Book"

Established - Advertising
595-10-3193

#78-84

June '78

B & W Project # 78-84

Pl-7249

L.A., Phil., Pitt., Miami, N.O., Omaha

P0529T

6320.00

6320.00

TOTAL

\$12640.00

AS 103 (Rev.)

ADDRESS ALL CORRESPONDENCE TO LOS ANGELES, CALIFORNIA

670251454

Corrected

Please Return Duplicate With Your
Remittance To:

MARKET FACTS, Inc.

P.O. Box 92557
Chicago, Illinois 60675

M. MARKET FACTS, Inc. *11844*

100 South Wacker Drive
Chicago, Illinois 60606
(312) 641-5200

CONSUMER MAIL PANELS
FIELD SURVEYS
INDUSTRIAL MARKETING
MARKETEST

Brown & Williamson Tobacco Corp.
1600 West Hill Street
Louisville, Kentucky 40201

File

Date: 12/23/77

Client No: 77-184

MFI No.: J399

Authorization K. Kelly

*Forwarded to Alice Faust
(Gen. Asst.) 1-3-78 SW*

Head-On Filter Test

\$34,440.00

*OK
RPH
1/3/78*

*Prof. Gen. & Service
Product Improvement*

*DEC 29 1977
MRD*

595-10-2171

77-184

Nov, 1977

670255842

620099509

R1 Special 2/9

	H ₂ O	NIC
70 MA 30-2N1	2.93 ✓	1.08 ✓
70 MA 30-2N2	* 5.10 ✓	1.15 ✓
70 ME 30-2N1	1.88 ✓	1.10 ✓
70 ME 30-2N2	1.60 ✓	1.09 ✓
70 CA 30-2N1	0.13 ✓	0.32 ✓
70 CA 30-2N2	0.29 ✓	0.34 ✓

* HIGHER THAN HIGHEST H₂O STANDARD

620099509

R1 Special 2/9

	H ₂ O	NIC
70 MA 30-2N1	2.93 ✓	1.08 ✓
70 MA 30-2N2	* 5.10 ✓	1.15 ✓
70 ME 30-2N1	1.88 ✓	1.10 ✓
70 ME 30-2N2	1.60 ✓	1.09 ✓
70 CA 30-2N1	0.13 ✓	0.32 ✓
70 CA 30-2N2	0.29 ✓	0.34 ✓

* HIGHER THAN HIGHEST H₂O STANDARD

MATERIAL TEST REQUEST

REQUEST (SECTION A) This Section Completed By Originator

DEPARTMENT	DATE
Purchasing	1/17/72
VENDOR CODE OR OTHER REFERENCE	PROCUREMENT PROJECT NUMBER
Witco Chemical Co.	178

☐ SUBSTITUTE
☐ IMPROVE
☐ ADDITIONAL
☒ SPEC. CHANGE
☐ OTHER (EXPLAIN)

3. P. 16. OF MATERIAL AND PROPOSED APPLICATION

phone conversation of this morning with Mr. Bob Smith,
arranged with Witco to send another 3,000 pounds of Activated
with the following mesh sizes:

+80 mesh	0.5 - 3.0%
----------	------------

80 - 270 mesh 94 - 96%

270 mesh and up 5% max.

...tells us that the subject material represents as far as they can
get in production in reducing "finos."

11. You please arrange for your own production runs and the smoke level tests. Please see our memos dated December 2 and 28, 1971.

cc : M. O. N. Coty

PRELIMINARY APPROVALS TO TEST	DATE	RESEARCH AND DEVELOPMENT	DATE
	DATE	OTHER	DATE
TESTING TO BE DONE BY		QUANTITY REQUIRED	

RESULTS (SECTION B) This Section Completed By Tester

MATERIAL APPROVED COMMENTS:		☐ NOT APPROVED (EXPLAIN WHY)	
1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100.		DATE MANUFACTURE DATE OTHER DATE REC'D IN PROCUREMENT DATE	

HANDLE CAREFULLY. COMPLETE YOUR PORTION LEGIBLY. THIS CARD WILL BE INCLUDED IN PROCUREMENT PER-
FORMANCE FILE. WHERE REQUIRED, MAKE XEROX FOR LOCAL FILES.

7

Attention DR. HUGHES, MESSRS. ALAR, SANDEFUR, Department CORPORATE AFFAIRS
BLOTT, BUTLER, MIDDLETON, CHRISTENSEN, PEPPLES, SACHS, FREEDMAN
Copies T. HUMBER, M. BATEMAN Subject L&M Lawsuit

P R E S S Q U E R Y

Publication ADWEEK - Midwest
Reporter/Editor Fran Brock (312) 467-6500
Received by Mark Ahearn Time 1:45 P.M. Date 7/9/84
Deadline for response Already handled

Describe the storyline, list the questions and proposed answers, and summarize handling, including clearances.

Ms. Brock requested information regarding L&M lawsuit. I provided the approved prepared response.

Reporter then requested clarification of 'generic cigarette' vs. 'private label cigarette' and asked to be notified when further announcements regarding generics were made.

J. M. A. *JMA*

RECEIVED
JUL 10 1984
JOHN ALAR

516007780



THE
AMERICAN
TOBACCO
COMPANY

1616 STAMFORD FORUM
P.O. BOX 10390
STAMFORD, CONNECTICUT 06904-2390

AT 89-M-1 (1-89)

ADVERTISING AND SELLING AUTHORIZATION

NOT MAKE ANY COMMITMENT OR AUTHORIZE ANY EXPENDITURE OF ANY KIND FOR ACCOUNT OF THIS COMPANY UNTIL EXECUTIVE APPROVAL HAS BEEN OBTAINED HEREON
(BE GUIDED BY PPM 60.020 IN COMPLETING THIS FORM.)

ORIGINATOR SALES JOB NO. _____ DATE 01/31/92
BRAND MEDIUM DESCRIPTION
NOT APPLICABLE SALES SUPPORT SYSTEMS

10308538001 PERIOD - FROM 01/92 THRU 12/92
REMARKS

To cover the cost of upgrading and enhancing management capability of TAPP
Field rollout of key chain Profile and computerized space allocation.

TOTAL \$ 223,000.00

APPROVALS	ACCOUNTING DISTRIBUTION
Agency _____	JAN \$ 18,000:
Forecasting <u>9/28 2/2/92</u>	FEB \$ 19,000.
Marketing _____	MAR \$ 18,000.
Sales <u>2/10/92</u>	APR \$ 19,000.
V.P. - Marketing _____	MAY \$ 18,000.
- Sales _____	JUN \$ 19,000.
President _____	JUL \$ 19,000.
Chairman/CEO _____	AUG \$ 19,000.
	SEP \$ 19,000.
	OCT \$ 18,000.
	NOV \$ 19,000.
	DEC \$ 18,000.

150

CS

old

634300013

Account Code 10- 308

Budget Code S19

Auth. No. S079 Yr. 92

JUN 1 RECD

26 MAY 1970

R. J. REYNOLDS TOBACCO CO
WINSTON-SALEM, N.C. 27102

Gentlemen:

As an Historian, I AM INTERESTED IN ALL THE CURRENT EVENTS, BUT ESPECIALLY IN THE VARIOUS LAWS AND PROTESTS IN REFERENCE TO CIVIL RIGHTS AND SO-CALLED CONSTITUTIONALISM. ON ONE HAND, LAW STRONGLY OPPOSES DISCRIMINATION; ON THE OTHER, IT DISCRIMINATES AGAINST THE TOBACCO PEOPLE.

IF YOU ARE REQUIRED TO PUBLISH A WARNING AGAINST YOUR OWN PRODUCT

("MAY BE HAZARDOUS..."), WHY IS THIS ALSO NOT APPLIED TO OTHER ITEMS OF MERCHANDISE (AUTOS, BOATS, GUNS, PLANES, FURS ETC)? MANY DO CAUSE DEATH.

FURTHER, WHY DISCRIMINATE AGAINST YOUR INVESTMENTS, JOBS, SECURITY?

HISTORY DISCLOSES AN INTERESTING FACT ABOUT TOBACCO IN RELATION TO AMERICA.

THE EARLY COLONISTS WERE SPONSORED AS AN INVESTMENT, BUT COULD NOT FIND

BASIC PROPS UNTIL JOHN ROLFE WAS SUCCESSFUL. THE SPONSORS WERE READY

TO GIVE UP AND EVACUATE IF ROLFE HAD

50033 0507

August 4, 1976

To Whom it may concern:

AUG. 6 RECD

Having read the
wording on a Pack of Vantage
Menthol Cigarettes, it says,

TAR 11 mg. Nicotine 0.7 mg. ^{Sept '75}

Enclosed clipping is from
the Springfield (Mass.) Daily.

You will note, "NICOTINE 0.8 mg."
these ads also appeared in
July. ^{Apr. '76}

What am I Smoking... 0.7 or 0.8 mg.

Yours Truly,

John A. Piccoli, Jr.
450 Island Pond Rd.
Springfield, Mass.

50033 1214

01118

chesterfield NF

11 Camel (R)

fall well NF

1. Lack

possible switchers

1 Kool (F)

Winston KS

1 B₂H₆ ment. 1

111 Camel (R)

11 Pall Mall NF

1, Raleigh F

1 Fall mall F

11 No Usual Brand

1 / Salem

$$1F + 4NF$$

7 F
5 NF
2 NAB

83,000 drops = 1 "B" promotion
50 cents / drop

$$\begin{array}{r} 138 \\ \hline 150 \\ 225 \\ 300 \\ \hline 675 \end{array}$$

$$\begin{array}{r} 77777 \\ 206 \overline{) 155555} \\ \underline{1333} \\ 222 \\ \underline{206} \\ 165 \\ \underline{133} \\ 320 \\ \underline{266} \\ 540 \\ \underline{532} \\ 80 \\ \underline{77} \\ 30 \\ \underline{26} \\ 40 \\ \underline{37} \\ 30 \\ \underline{26} \\ 40 \\ \underline{37} \\ 30 \\ \underline{26} \\ 40 \end{array}$$
[illegible]

Doral II Action Standards

Initially proposed/approved

Revised Proposal

Non-mentioned/

- Minimum

1. Priority vs True 85 among ^{female} 35+ UHT2. Priority vs True 85 among 35+ UHT
3. Priority vs True 85 among 35+ UHT
4. Priority vs True 85 among 35+ UHT

- Desired

1. Superiority vs True 85 among 35+ UHT
2. Priority vs True 85 among 35+ UHT
3. Superiority vs True 85 among 35+ UHT
4. Priority vs True 85 among 35+ UHT

Mentioned/

- Minimum

1. Superiority vs True 85 among 35+ UHT
2. Priority vs True 85 among 35+ UHT
3. Priority vs True 85 among 35+ UHT

- Desired

1. Superiority vs True 85 among 35+ UHT
2. Priority vs True 85 among 35+ UHT
3. Priority vs True 85 among 35+ UHT

Changes

DMP

Check female male Dora/

Franchise

Non-mentioned/

Same except:

1. Add "female" to target group definition if feasible based on smoker availability

2. Add to both minimum+desired:

"Superiority vs True 85 among current former parent Doral smokers" if feasible.

Same except:

1. Add "female" to target group definition if feasible

2. Add to both minimum+desired:

"Superiority vs True 85 among current former parent Doral smokers"

3. In Minimum Action Standard #1, change "Superiority" to "Priority"

5-1-78

Long Christian - Real Personality Promotion
(New Products / marketing and clearing)

Disc

Washington

Chicago is locked up

is being pursued

will have others consulted by May 15

Chicago - pay structure in individual discs as long

as cars, boats, etc.

disc

GTB: Not sure about disc three concept - low key approach

will discuss at another meeting - want to wait til

disc research is complete (3 weeks) to determine

character of program

disc

is disc a national phenomenon?

MBR: Yes - each have own unique character

disc

disc

disc

disc

disc

disc

disc

disc

disc

disc

disc

disc

disc

disc

disc

disc

disc

disc

disc

disc

disc

disc

When to announce sales price - ASAP

GTB: can't go field before June 1

need a brochure re presentation

50037 6629

Anti-smoking, zealots say we need more laws telling people where they may and may not smoke. They ~~are~~ claim cigarette smoke is a ~~health~~ hazard to ^{the} ~~the~~ health of both smokers and non-smokers. ~~It is a simple~~ ~~no~~ many scientific tests have been run to try to measure the effect of cigarette smoke on non-smokers. ~~No evidence exists that supports the notion that cigarette smoke can harm.~~ No test has shown that ~~normal healthy people's health is affected~~ the health of non-smokers in normal good health is affected by cigarette smoke. Every year more cigarettes are smoked in this country, and yet the life expectancy of both smokers, and non smokers continues to rise. We do not need more laws restricting where cigarettes may be smoked.

50049 1801

SALAM F
WANTS & PERCE

WANTS

WANT	SEQUENT		SALEM Smoker	
	KING	100	KING	100
Length	378	437		
Satisfaction	400	389		
More	400	389		
As Much	310	300		
Somewhat Less	150	140		
Much Less	0	0		
TASTE	371	326		
Excellent	371	326		
Good	290	250		
Fair	155	135		
Poor	0	0		
T&N	221	394		
Very Lowest	0	394		
Much Lower	120	340		
Somewhat Lower	220	280		
As Much	221	140		
More	40	0		
Draw	191	196		
Easier	191	196		
As Easy	155	150		
Harder	0	0		
Strength	213	130		
Stronger	150	0		
As Much	213	125		
Somewhat Less	150	130		
Much Less	0	110		
Menthol Strength	308	312		
Strong	300	280		
Light	308	312	280	
Non Menthol	0	0	0	
Smooth	152	160		
Smooth	152	160		
Not Smooth	0	0		

LAW OFFICES
JACOB & MEDINGER
1270 AVENUE OF THE AMERICAS
ROCKEFELLER CENTER
NEW YORK, N.Y. 10020

EDWIN J. JACOB
FRANK H. MEDINGER
TIMOTHY M. FINNEGAN

Received
MAR 22 1979
Dr. I. W. Hughes

(212) 765-4100
CABLE ADDRESS: KONJAY
TELEX NO. 428799

March 19, 1979

Dr. I. W. Hughes
Research Director
Brown & Williamson Tobacco Corp.
1600 West Hill Street
Louisville, Kentucky 40201

Dear Wally:

For your information, I am enclosing herewith
a recent paper by Lehrer, et al. entitled Immunogenic
Properties of Tobacco Smoke [The Journal of Allergy and
Clinical Immunology 62(6): 368-370; December, 1978].

Sincerely,

Tim

Timothy M. Finnegan

(1) Dr. Sanford } any comments?
(2) Dr. Estelle }
(3) 1.031

504002943

January 31, 1974

Dr. F. Seehofer
British-American Tobacco Co. (GmbH) G.m.b.H.
Bahrenfelder Chaussee 139
Hamburg-Bahrenfeld, Germany

Dear Friedlieb,

Per our discussion, we are sending to you by airmail 250 cigarettes with Duolite GPA-327 filters along with 250 controls for determination of NBT (1. NBT.OABV).

The control cigarettes (RALEIGH Extra Milds) are unmarked. The test cigarettes, which contain 100 mg Duolite GPA-327 in a triple filter, have a green mark on the tipping paper. Analytical details are attached.

We appreciate your help and look forward to your early report of results.

Best regards,

R. A. Sanford

RAS/jc

BCC: Dr. I. W. Hughes
Dr. E. F. Litsinger
Dr. J. E. Kennedy

500006859

Received

APR 9 1984

Dr. I. W. Hughes

... and ...
...
...
...
... BATUS STRATEGIC PLAN ...

April 3, 1984

517002617