

Quality Assurance Test Plan for Sauce Demo Website

Prepared by: Aavash Joshi

Date: 23rd September 2026

Table of Contents

1. Introduction.....	3
1.1 Purpose.....	3
1.2 Scope	3
a. In Scope.....	3
b. Out of Scope	3
1.3 Objectives	4
1.4 Overview	4
1.5 Reference.....	4
2. Scope of Testing	5
3. Product Overview	6
3.1 Product Risks	6
4. Test Strategy	6
4.1 Test Scenarios and Test Cases	6
4.2 Test Design Techniques	8
4.3 Test Environment	9
4.4 Types of Testing.....	9
4.5 Test Data	10
4.6 Bug Reporting	10
5. Roles and Responsibilities	11
6. Test Schedule.....	11
7. Test Deliverables and Outcomes.....	12
8. Entry and Exit Criteria for the Software Testing Life Cycle (STLC).....	12
8.1 Requirement Analysis	12
8.2 Test Planning	13
8.3 Test Case Design	13
8.4 Test Environment Setup	14
8.5 Test Execution.....	14
8.6 Defect Tracking	14
8.7 Test Closure	15
8.8 Suspension and Resumption Criteria	15
8.9 Summary of Entry and Exit Criteria	16
9. Severity and Priority Levels.....	16
9.1 Severity Levels	17
9.2 Priority Levels	17
10. Assumptions	17
11. Dependencies.....	17

1. Introduction

1.1 Purpose

The purpose of this Test Plan is to define the strategy, scope, approach, resources and schedule for testing the Sauce Demo web application. Sauce Demo (Swag Labs) is a demo e-commerce website on which a user can log in, browse products, add products to a cart and complete a checkout.

This document explains what will be tested and what will not be tested, which types of testing will be carried out, which browsers and devices will be used, how defects will be reported, and when each activity will take place. It is prepared so that the testing work is planned, repeatable and easy to review, and so that any team member can understand the testing approach without further explanation.

1.2 Scope

a. In Scope

The following modules and features of the Sauce Demo website will be tested:

Module	Features to be tested
Login	Login with valid credentials; login with an invalid username or password , login with blank fields , login with the locked-out user , display and closing of error messages , behaviour of all six demo users.
Products	Display of all six products with name, image, description and price; sorting by Name (A to Z), Name (Z to A), Price (low to high) and Price (high to low).
Product Details	Opening a product from the list, correctness of the details shown, Add to cart and Remove buttons, Back to products link.
Cart	Adding and removing products, cart badge count, contents of the cart page, Continue Shopping and Checkout buttons.
Checkout	Validation of First Name, Last Name and Postal Code, order overview, item total, tax and total amount, Cancel and Finish buttons, order confirmation message.
Menu	All Items, About, Logout and Reset App State, opening and closing of the side menu.
Footer	Twitter, Facebook and LinkedIn links and the copyright text.
User Interface	Page layout, alignment, images, and button text, spelling and error messages on all pages.

b. Out of Scope

The QA team is not responsible for the following items in this phase of testing:

- Real payment processing, since the website does not process real payments.
- Backend, API and database testing.
- Performance, load and stress testing.
- Detailed security testing such as penetration testing. Only basic checks, for example password masking and direct URL access, are included.
- Automation testing using tools such as Selenium or Cypress. This may be taken up in a later phase.
- Content of external websites that open from the About page and the social media links.

1.3 Objectives

- To verify that all the main features of the website work according to the expected behaviour.
- To verify that the application shows correct and clear error messages when invalid or incomplete data is entered.
- To verify that the item total, tax and total amount are calculated correctly on the checkout page.
- To verify that the website looks and works correctly on the selected browsers and devices.
- To verify the behaviour of each of the six demo users provided by the application.
- To find defects, report them with clear steps, and retest them after they are fixed.

1.4 Overview

This test plan covers the manual testing of the functionality and user experience of the Sauce Demo website. The testing will follow the phases of the Software Testing Life Cycle (STLC), from requirement analysis to test closure.

Test Coverage

The complete shopping flow will be validated:

Login → Products → Cart → Checkout → Order Complete → Logout.

Each module in this flow will be tested separately and then as part of the end-to-end flow.

Key Focus Areas

- Login behaviour for all six demo users, including the locked-out user.
- Validation of the checkout form and the accuracy of the price, tax and total calculations.
- Behaviour of the cart and the cart badge when products are added and removed.
- Appearance and behaviour of the pages on different browsers and screen sizes.

Testing Method

Manual testing only. Test cases will be written in Microsoft Excel and executed on the live demo website.

Reporting

Test results and defects will be recorded in Excel, with screenshots attached, and shared with the QA Lead for review.

1.5 Reference

A Software Requirements Specification (SRS) document is not available for this website. Therefore, the following will be used as the reference for expected behaviour:

- The Sauce Demo website itself: <https://www.saucedemo.com>
- The list of usernames and the password given on the login page.
- Common standards followed by e-commerce websites and the tester's own understanding of the application.

2. Scope of Testing

The Sauce Demo website provides the basic functions of an online shopping site. The main areas that need to be tested are described below.

- **Login:** The user enters a username and password to enter the website. The application provides six users, and each user behaves differently, which helps the tester find functional, performance and visual defects.
- **Products:** The user can view all six products with their image, name, description and price, and can sort them by name or by price in ascending or descending order.
- **Cart:** The user can add products to the cart and remove them. The cart badge shows the number of products, and the cart page lists the selected products.
- **Checkout:** The user enters personal information, reviews the order summary with the price and tax, and completes the order. The application should not allow the user to continue when a required field is blank.

- **Menu:** The user can navigate to all items, open the About page, reset the application state, or log out of the application.
- **User Interface:** All pages should have a clean and consistent layout, correct images and readable text, and should work well on both desktop and mobile screens.

3. Product Overview

Sauce Demo, also called Swag Labs, is a demo shopping website created by Sauce Labs for practising software testing. It contains six products, such as a backpack, a bike light and t-shirts, and provides six user accounts that share the same password.

Each user account is designed to behave differently. For example, one user works normally, one user is locked out, one user sees wrong images, one user experiences slow loading and one user sees layout problems. Because of this, the website is useful for practising functional, UI and exploratory testing.

3.1 Product Risks

The following problems may occur in the website and will be given attention during testing:

- A product may not be added to the cart, or the wrong product may be added.
- The cart badge may show an incorrect number of products.
- The checkout may continue even when the required fields are blank.
- The item total, tax or total amount may be calculated incorrectly.
- Product images may be wrong or missing.
- Sorting by name or price may not work correctly.
- The website may look or behave differently on different browsers, or the layout may break on mobile screens.
- Inner pages may open without login, or may still be accessible using the browser Back button after logout.

4. Test Strategy

Manual testing will be carried out for all the modules listed in the scope. The tester will first explore the website, then prepare test scenarios and test cases, get them reviewed, execute them on the selected browsers, and report the defects found. Fixed defects will be retested and related test cases will be re-executed as regression testing.

4.1 Test Scenarios and Test Cases

A test scenario is a high-level statement of what will be tested. For example:

- Verify the login functionality.
- Verify the Add to cart functionality.
- Verify the checkout process.

A test case describes, step by step, how a scenario will be tested. Each test case will contain the following fields: Test Case ID, Module, Description, Precondition, Test Steps, Test Data, Expected Result, Actual Result, Status and Priority. Both positive test cases (with valid data) and negative test cases (with invalid or blank data) will be written for every form.

Example of a positive test case:

Field	Details
Test Case ID	TC_LOGIN_001
Module	Login
Description	Verify login with a valid username and password
Precondition	The login page is open
Test Steps	1. Enter the username. 2. Enter the password. 3. Click the Login button.
Test Data	Username: standard_user Password: secret_sauce
Expected Result	The user is logged in and the Products page is displayed
Actual Result	The user is logged in and the Products page is displayed
Status	Pass
Priority	High

Example of a negative test case:

Field	Details
Test Case ID	TC_CHECKOUT_003
Module	Checkout

Field	Details
Description	Verify the error message when the First Name field is blank
Precondition	The user is logged in and has at least one product in the cart
Test Steps	1. Open the cart. 2. Click Checkout. 3. Leave First Name blank. 4. Enter Last Name and Postal Code. 5. Click Continue.
Test Data	First Name: blank Last Name: Joshi Postal Code: 44600
Expected Result	The message "Error: First Name is required" is displayed and the user stays on the same page
Actual Result	To be filled during execution
Status	Not Executed
Priority	High

4.2 Test Design Techniques

The following techniques will be used while designing the test cases:

- **Equivalence Partitioning:** Dividing the input data into valid and invalid groups, for example valid usernames and invalid usernames, so that one value from each group is tested.
- **Boundary Value Analysis:** Testing at the limits of the input, for example an empty cart, one product in the cart and all six products in the cart.
- **Decision Table Testing:** Testing combinations of conditions, for example the different combinations of filled and blank fields on the checkout form.
- **State Transition Testing:** Testing the change of states, for example the Add to cart button changing to Remove, and the user moving from logged in to logged out.
- **Error Guessing:** Testing the areas where defects are likely, based on the tester's experience, such as special characters in the name fields.

- **Exploratory Testing:** Using the website freely without fixed test cases in order to find defects that the written test cases may not cover.

4.3 Test Environment

Item	Details
Application	Sauce Demo (Swag Labs) demo web application
Website URL	https://www.saucedemo.com
Operating System	Windows 11
Browsers	Google Chrome, Microsoft Edge and Brave (latest versions)
Devices	Laptop, mobile phone and the device mode of the browser developer tools
Test Case Management	Microsoft Excel
Defect Tracking	Microsoft Excel
Other Tools	Snipping Tool for screenshots and browser developer tools for checking responsiveness

4.4 Types of Testing.

- **Smoke Testing:** A quick check that the website opens, the login works and the main pages are displayed, before detailed testing begins.
- **Functional Testing:** Checking each feature of every module against the expected behaviour, using both valid and invalid data.
- **UI and Usability Testing:** Checking the layout, alignment, images, button labels, spelling and error messages, and confirming that navigation is simple and consistent.
- **Browser Compatibility Testing:** Executing the main test cases on Chrome, Edge and Brave to confirm that the website behaves and looks the same on each browser.
- **Mobile Responsiveness Testing:** Checking the website on a mobile screen to confirm that the layout adjusts correctly and that all features remain usable.
- **Regression Testing:** Re-executing the important test cases after a defect is fixed, to confirm that the fix has not affected the existing features.

- **Basic Security Checks:** Verifying that the password is masked, that inner pages cannot be opened without logging in, and that the user cannot return to inner pages using the Back button after logout.

4.5 Test Data

The website provides the following user accounts on its login page. The password for all users is secret_sauce.

Username	Expected behaviour
standard_user	All features work normally. This user is treated as the correct behaviour of the application.
locked_out_user	Login fails and a message is displayed stating that the user has been locked out.
problem_user	Wrong product images are displayed and some buttons and form fields do not work correctly.
performance_glitch_user	Login and page loading take a long time.
error_user	Errors occur during some actions, such as adding a product to the cart or completing the checkout.
visual_user	The design and layout are displayed incorrectly, for example wrong positions, images or prices.

In addition, the following data will be used on the checkout form: valid names and postal codes, blank fields, numbers and special characters in the name fields, and very long text.

4.6 Bug Reporting

All defects will be recorded in an Excel sheet. Each defect will contain the following fields: Bug ID, Module, Title, Description, Steps to Reproduce, Test Data, Expected Result, Actual Result, Severity, Priority, Browser and Device, Screenshot, Reported By, Reported Date and Status.

Before a defect is reported, the tester will reproduce it at least twice to confirm that it is a genuine defect and not a one-time issue. After the defect is fixed, the tester will retest it and, if the fix is correct, close it.

Bug Life Cycle

New → Open → Assigned → Fixed → Retest → Closed.

If the defect still occurs after retesting, it is reopened and sent back to the developer.

5. Roles and Responsibilities

The following table shows the key roles and their responsibilities within the QA team, so that the testing work is carried out and reviewed in an organised way:

Role	Responsibilities
QA Manager	Develops the overall QA strategy, allocates resources and gives the final approval
QA Lead	Reviews and approves the test plan and test cases, monitors the progress of testing and evaluates the test results
Senior QA Engineer	Verifies the test plan and the test execution report, and supports the QA Engineer during testing
QA Engineer	Prepares the test plan, test scenarios and test cases, executes the test cases, reports and retests defects, and prepares the test reports

6. Test Schedule

The following schedule is planned for this project. The dates may change according to the availability of the website and the review time of the QA Lead.

Task	Time Duration	Responsible
Exploring the application	22nd September 2026	QA Engineer
Creating the test plan	23rd and 24th September 2026	QA Engineer
Test scenario and test case creation	25th and 26th September 2026	QA Engineer
Test case review	27th September 2026	QA Lead
Test case execution	27th and 28th September 2026	QA Engineer
Defect reporting and retesting	28th and 29th September 2026	QA Engineer
Summary report submission	29th September 2026	QA Engineer

7. Test Deliverables and Outcomes

The following documents will be prepared and shared during the different stages of testing:

Before Testing

- **Test Plan Document:** Describes the scope, objectives, approach, environment and schedule of testing.
- **Test Scenarios and Test Cases:** Contain the test steps, input data, expected results and priority for each feature.
- **Test Data:** The user accounts and form data that will be used during execution.

During Testing

- **Test Execution Log:** Records the actual result and the status (Pass, Fail, Blocked or Not Executed) of each test case.
- **Defect Report:** Lists all the defects found, with severity, priority, steps to reproduce and screenshots.

After Testing

- **Test Summary Report:** Summarises the total number of test cases, how many passed, failed or were blocked, and the number of open defects.
- **Test Closure Report:** Reviews the testing scope, the quality of the product and the lessons learned for future projects.

8. Entry and Exit Criteria for the Software Testing Life Cycle (STLC)

This section describes each phase of the Software Testing Life Cycle for the Sauce Demo website, along with its entry criteria, exit criteria and main deliverable. A phase will begin only when its entry criteria are met, and it will be treated as complete only when its exit criteria are met. This helps to avoid starting a phase with incomplete information and to confirm that nothing important is left before moving to the next phase.

8.1 Requirement Analysis

In this phase the tester studies the Sauce Demo website and identifies what has to be tested. Since no SRS document is available, the expected behaviour is understood by exploring the application and by comparing it with the common behaviour of e-commerce websites. Any doubt found during this phase is discussed with the QA Lead before test planning begins.

Entry Criteria

- The Sauce Demo website is accessible and its demo user accounts are working.
- The tester has been given access to the required browsers and devices.
- The modules that fall under this project have been informed by the QA Lead.

Exit Criteria

- All the testable modules and features have been identified and listed.

- The features that are out of scope have been identified.
- All doubts about the expected behaviour have been clarified with the QA Lead.

Deliverable: A list of modules and features to be tested.

8.2 Test Planning

In this phase the scope, objectives, approach, environment, schedule and roles are decided and written in the test plan. The effort and the time required for each activity are estimated, and the risks of the project are identified along with the steps to reduce them.

Entry Criteria

- Requirement analysis is complete and the list of features to be tested is ready.
- The QA Lead is available to discuss the scope, schedule and resources.

Exit Criteria

- The test plan is prepared and approved by the QA Lead.
- The scope, testing types, environment, schedule and roles are clearly defined in the document.
- The risks and assumptions of the project are documented.

Deliverable: The approved test plan document.

8.3 Test Case Design

In this phase the test scenarios and the detailed test cases are written for every module in the scope. Positive and negative test cases are prepared for each form, the test data is decided, and every test case is given a priority so that the most important features can be tested first. The test cases are then reviewed by the QA Lead and updated if any comment is received.

Entry Criteria

- The test plan is approved.
- The features to be tested and their expected behaviour are clear.

Exit Criteria

- Test scenarios and test cases are written for all the modules in the scope.
- The test cases are reviewed, the review comments are fixed, and the test cases are approved.
- The test data required for execution is prepared and documented.

Deliverable: The reviewed test case document and the test data.

8.4 Test Environment Setup

In this phase the browsers, devices and tools needed for testing are prepared and checked. Since Sauce Demo is a public demo website, no installation or deployment is needed, but the tester confirms that the

website opens correctly on every browser and device that will be used, and that the tools for screenshots and reporting are ready.

Entry Criteria

- The test cases are ready for execution.
- The browsers, devices and tools to be used have been identified in the test plan.

Exit Criteria

- The website opens and works on all the selected browsers and devices.
- The demo user accounts are working with the given password.
- Excel sheets for the test cases and the bug report, and the screenshot tool, are ready.

Deliverable: A working test environment and the test case and bug report sheets.

8.5 Test Execution

In this phase the test cases are executed one by one on the live website. The tester records the actual result and marks the status of each test case as Pass, Fail, Blocked or Not Executed. When a test case fails, the tester reproduces the issue, takes a screenshot and logs a defect. The smoke test is executed first, and detailed testing starts only if the smoke test passes.

Entry Criteria

- The test environment is ready and the website is accessible.
- The test cases and test data are approved.
- The smoke test has passed.

Exit Criteria

- All the planned test cases have been executed.
- The actual result and status of every test case have been recorded.
- All the failed test cases have been logged as defects with screenshots.

Deliverable: The test execution log with the status of each test case.

8.6 Defect Tracking

In this phase the defects found during execution are reported, followed up and verified. Each defect is given a severity and a priority, and its status is updated as it moves through the bug life cycle. After a defect is fixed, the tester retests it and also re-executes the related test cases as regression testing, so that the fix has not affected other features.

Entry Criteria

- Defects have been found during test execution.
- The bug report sheet or tracking tool is available.

Exit Criteria

- All the defects are logged with steps to reproduce, severity, priority and screenshots.
- The fixed defects are retested and their status is updated to Closed or Reopened.
- No Critical or High severity defect remains open, or the remaining ones are accepted and documented by the QA Lead.

Deliverable: The defect report with the status of every defect.

8.7 Test Closure

In this phase the testing work is summarised and closed. The tester prepares the test summary report, which shows the total number of test cases, how many passed, failed or were blocked, and the number of open defects. The test closure report also records what went well, what problems were faced and what can be improved in the next round of testing. All the documents are then saved for future reference.

Entry Criteria

- Test execution is complete and the status of all defects is updated.
- The exit criteria of the defect tracking phase have been met.

Exit Criteria

- The test summary report is prepared and shared with the QA Lead.
- The test closure report, with the lessons learned, is completed.
- All the test documents are updated and saved, and sign-off is obtained from the QA Lead.

Deliverable: The test summary report and the test closure report.

8.8 Suspension and Resumption Criteria

Testing will be stopped temporarily if the conditions given below occur, and it will start again only after the problem is solved. Whenever testing is suspended, the reason, the date and the time will be recorded in the test log and informed to the QA Lead.

Suspension Criteria

- The website is down or is not accessible.
- A blocker defect, for example standard_user being unable to log in, stops further testing.
- More than one main module (for example the cart and the checkout) cannot be tested because of defects.
- Major changes are made to the application during the testing period.

Resumption Criteria

- The website is accessible and stable again.
- The blocker defect has been fixed and verified by the tester.
- A smoke test is executed after the issue is fixed, and it passes.

8.9 Summary of Entry and Exit Criteria

STLC Phase	Entry Criteria	Exit Criteria
Requirement Analysis	Website is accessible	Features to be tested are identified
Test Planning	Requirement analysis is complete	Test plan is approved
Test Case Design	Test plan is approved	Test cases are reviewed and approved
Test Environment Setup	Test cases are ready	Website works on all browsers and devices
Test Execution	Environment is ready and smoke test passed	All test cases are executed and results recorded
Defect Tracking	Defects are found	Defects are logged, retested and closed
Test Closure	Execution is complete	Summary report is shared and sign-off is obtained

9. Severity and Priority Levels

Severity refers to the impact of a defect on the functionality of the system, while priority indicates how urgently the defect should be fixed. A defect can have high severity and low priority, or low severity and high priority, so both are recorded separately.

9.1 Severity Levels

Severity	Description	Example
Critical	The defect stops the main flow and no further user operation is possible.	standard_user cannot log in to the application.
Major	An important feature does not work, but the rest of the system continues to work.	The Finish button does not complete the order.
Minor	A non-critical feature has a problem, or a workaround is available.	Sorting by Price (high to low) shows the wrong order.
Cosmetic	Only the appearance is affected and there is no impact on functionality.	A button is misaligned or a word is misspelled.

9.2 Priority Levels

Priority	Description	Example
High	The defect must be fixed immediately because it affects the main flow or is highly visible to users.	The checkout continues even when the information fields are blank.
Medium	The defect should be fixed in the next release, but it does not block the current testing.	A wrong image is displayed for a product.
Low	The defect can be fixed later, as it has a very small impact on the user.	A small alignment issue in the footer.

10. Assumptions

- The Sauce Demo website will be available and stable during the testing period.
- The demo usernames and the common password will remain unchanged.
- The behaviour of standard_user is treated as the expected behaviour of the application.
- The test cases will cover all the important features listed in the scope.
- The QA Lead will review the test plan, test cases and defect reports on time.
- The tester will have a stable internet connection and access to the required browsers and devices.

11. Dependencies

- Availability of the Sauce Demo website and a stable internet connection.

- Timely review and approval of the test plan and the test cases by the QA Lead.
- Availability of the required browsers and devices for compatibility testing.