

MyFirstRmarkdown

ME

02/07/2020

R Markdown

This is an R Markdown document. Markdown is a simple formatting syntax for authoring HTML, PDF, and MS Word documents. For more details on using R Markdown see <http://rmarkdown.rstudio.com>.

When you click the **Knit** button a document will be generated that includes both content as well as the output of any embedded R code chunks within the document. You can embed an R code chunk like this:


```
summary(cars)
```

```
##      speed      dist
##  Min.   : 4.0    Min.   :  2.00
##  1st Qu.:12.0    1st Qu.: 26.00
##  Median :15.0    Median : 36.00
##  Mean   :15.4    Mean   : 42.98
##  3rd Qu.:19.0    3rd Qu.: 56.00
##  Max.   :25.0    Max.   :120.00
```

```
## [1] "Hello world BY Aayush"
```

Including Plots

You can also embed plots, for example:



Note that the `echo = FALSE` parameter was added to the code chunk to prevent printing of the R code that generated the plot.

#Cheatsheet

1. Plain text can be typed directly with `#header` being the highest level header in SIZE. Now Ending a line with 2 space takes us to **New paragraph.**
2. To bold a word use `**` or `__` like **bold**, same as **bold**.
3. To italicize a word use `*` or `_` like *italics* same as *italics*.
4. Superscripting can be done by using ⁶⁴
5. To **Strikethrough** use `~` , for example ~~veg~~.
6. Hperlink i.e. to add a link use `[link]` for instance to addd a link to my LinkedIn
- 7.

**Header 1 ## Header 2 ### Header 3 #### Header 4
Header 5 ##### Header 6**

8. endash: –

9. emdash: —

10. ellipsis: ...

11. inline equation: $A = \pi * r^2$