
Experiment No. 8

Installation and Basic Operations of Docker on Windows

NAME : Aayush Patil PRN : 2324000488

SUB : DevOps lab ROLL NO : 31 Batch: A-1

Managing a Content Management System (CMS) with Docker



```
Administrator: Command Prompt
Status: Downloaded newer image for mysql:8.4
docker.io/library/mysql:8.4

C:\Windows\System32>docker images
                                                                                  i Info →  U  In Use
IMAGE               ID             DISK USAGE   CONTENT SIZE   EXTRA
mysql:8.4           76f0358884cb       1.12GB           254MB
wordpress:latest    d42f63cb89ad       1.12GB           284MB

C:\Windows\System32>mkdir cms-docker

C:\Windows\System32>cd cms-docker

C:\Windows\System32\cms-docker>cd /d %USERPROFILE%\Downloads

C:\Users\Admin\Downloads>mkdir cms-docker

C:\Users\Admin\Downloads>cd cms-docker

C:\Users\Admin\Downloads\cms-docker>docker compose config
go-yaml load error in scanner (while scanning a quoted scalar) at L13.C72-C75: found unknown escape character

What's next:
    Debug this Compose error with Gordon → docker ai "help me fix this compose error"

C:\Users\Admin\Downloads\cms-docker>docker compose up -d
go-yaml load error in scanner (while scanning a quoted scalar) at L13.C72-C75: found unknown escape character

What's next:
    Debug this Compose error with Gordon → docker ai "help me fix this compose error"


C:\Users\Admin\Downloads\cms-docker>docker compose config
WARN[0000] The "MYSQL_ROOT_PASSWORD" variable is not set. Defaulting to a blank string.
name: cms-docker
services:
  db:
    environment:
      MYSQL_DATABASE: wordpress
      MYSQL_PASSWORD: lab_password_change_me
      MYSQL_ROOT_PASSWORD: root_password_change_me
      MYSQL_USER: wpuser
    healthcheck:
      test:
        - CMD
        - mysqladmin
        - ping
        - -h
        - localhost
        - -uroot
        - -p
      timeout: 5s
      interval: 10s
      retries: 10
      start_period: 30s
    image: mysql:8.4
```


```
Administrator: Command Prompt
  wp_data:
    name: cms-docker_wp_data


C:\Users\Admin\Downloads\cms-docker>docker compose up -d
WARN[0000] The "MYSQL_ROOT_PASSWORD" variable is not set. Defaulting to a blank string.
[+] up 5/5
 ✔Network cms-docker_default       Created                                          0.1s
 ✔Volume cms-docker_wp_data        Created                                          0.0s
 ✔Volume cms-docker_db_data        Created                                          0.0s
 ✔Container cms-docker-db-1        Healthy                                          6.0s
 ✔Container cms-docker-wordpress-1 Started                                          6.3s

C:\Users\Admin\Downloads\cms-docker>docker compose ps
WARN[0000] The "MYSQL_ROOT_PASSWORD" variable is not set. Defaulting to a blank string.
NAME                 IMAGE             COMMAND                  SERVICE     CREATED         STATUS                   PORTS
cms-docker-db-1      mysql:8.4         "docker-entrypoint.s…"   db          32 seconds ago  Up 31 seconds (healthy)  3306/tcp, 33060/tcp
cms-docker-wordpress-1   wordpress:latest  "docker-entrypoint.s…"   wordpress   32 seconds ago  Up 26 seconds            0.0.0.0:8080->80/tcp, [::]:8080->80/tcp

C:\Users\Admin\Downloads\cms-docker>docker compose logs
WARN[0000] The "MYSQL_ROOT_PASSWORD" variable is not set. Defaulting to a blank string.
wordpress-1  | WordPress not found in /var/www/html - copying now...
wordpress-1  | Complete! WordPress has been successfully copied to /var/www/html
db-1         | 2026-10-23 03:33:57+00:00 [Note] [Entrypoint]: Entrypoint script for MySQL Server 8.4.13-1.el9 started.
wordpress-1  | No 'wp-config.php' found in /var/www/html, but 'WORDPRESS_...' variables supplied; copying 'wp-config-docker.php' (WORDPRESS_DB_HOST WORDPRESS_DB_NAME WORDPRESS_DB_PASSWORD WORDPRESS_DB_USER)
wordpress-1  | AH00558: apache2: Could not reliably determine the server's fully qualified domain name, using 172.18.0.3. Set the 'ServerName' directive globally to suppress this message
wordpress-1  | AH00558: apache2: Could not reliably determine the server's fully qualified domain name, using 172.18.0.3. Set the 'ServerName' directive globally to suppress this message
wordpress-1  | [Fri Oct 23 03:34:05.285021 2026] [mpm_prefork:notice] [pid 1:tid 1] AH00163: Apache/2.4.69 (Debian) PHP/8.3.36 configured -- resuming normal operations
wordpress-1  | [Fri Oct 23 03:34:05.285088 2026] [core:notice] [pid 1:tid 1] AH00094: Command line: 'apache2 -D FOREGROUND'
db-1         | 2026-10-23 03:33:58+00:00 [Note] [Entrypoint]: Switching to dedicated user 'mysql'
db-1         | 2026-10-23 03:33:58+00:00 [Note] [Entrypoint]: Entrypoint script for MySQL Server 8.4.13-1.el9 started.
db-1         | 2026-10-23 03:33:58+00:00 [Note] [Entrypoint]: Initializing database files
db-1         | 2026-10-23T03:33:58.400237Z 0 [System] [MY-015017] [Server] MySQL Server Initialization - start.
db-1         | 2026-10-23T03:33:58.401565Z 0 [System] [MY-013169] [Server] /usr/sbin/mysqld (mysqld 8.4.13) initializing of server in progress as process 80
db-1         | 2026-10-23T03:33:58.401567Z 0 [System] [MY-015150] [Server] Server version with update: '8.4.13.0'
db-1         | 2026-10-23T03:33:58.411039Z 1 [System] [MY-013576] [InnoDB] InnoDB initialization has started.
db-1         | 2026-10-23T03:33:58.697476Z 1 [System] [MY-013577] [InnoDB] InnoDB initialization has ended.
db-1         | 2026-10-23T03:33:59.763169Z 6 [Warning] [MY-010453] [Server] root@localhost is created with an empty password ! Please consider switching off the --initialize-insecure option.
db-1         | 2026-10-23T03:34:01.542170Z 0 [System] [MY-015018] [Server] MySQL Server Initialization - end.
db-1         | 2026-10-23 03:34:01+00:00 [Note] [Entrypoint]: Database files initialized
db-1         | 2026-10-23 03:34:01+00:00 [Note] [Entrypoint]: Starting temporary server
db-1         | 2026-10-23T03:34:01.600861Z 0 [System] [MY-015015] [Server] MySQL Server - start.
db-1         | 2026-10-23T03:34:01.915394Z 0 [System] [MY-010116] [Server] /usr/sbin/mysqld (mysqld 8.4.13) starting as process 125
db-1         | 2026-10-23T03:34:01.915398Z 0 [System] [MY-015150] [Server] Server version with update: '8.4.13.0'
db-1         | 2026-10-23T03:34:01.934905Z 1 [System] [MY-013576] [InnoDB] InnoDB initialization has started.
db-1         | 2026-10-23T03:34:02.255709Z 1 [System] [MY-013577] [InnoDB] InnoDB initialization has ended.
db-1         | 2026-10-23T03:34:02.544432Z 0 [Warning] [MY-010068] [Server] CA certificate ca.pem is self signed.
db-1         | 2026-10-23T03:34:02.544494Z 0 [System] [MY-013602] [Server] Channel mysql_main configured to support TLS. Encrypted connections are now supported for this channel.
db-1         | 2026-10-23T03:34:02.547285Z 0 [Warning] [MY-011810] [Server] Insecure configuration for --pid-file: Location '/var/run/mysqld' in the path is accessible to all OS users. Consider choosing a differ
ent directory.
db-1         | 2026-10-23T03:34:02.571229Z 0 [System] [MY-011323] [Server] X Plugin ready for connections. Socket: /var/run/mysqld/mysqlx.sock
db-1         | 2026-10-23T03:34:02.571302Z 0 [System] [MY-010931] [Server] /usr/sbin/mysqld: ready for connections. Version: '8.4.13'  socket: '/var/run/mysqld/mysqld.sock'  port: 0  MySQL Community Server - GPL
.
db-1         | 2026-10-23 03:34:02+00:00 [Note] [Entrypoint]: Temporary server started.
db-1         | '/var/lib/mysql/mysql.sock' -> '/var/run/mysqld/mysqld.sock'
db-1         | 2026-10-23 03:34:04+00:00 [Note] [Entrypoint]: Creating database wordpress
```


Administrator: Command Prompt
C:\Users\Admin\Downloads\cms-docker>docker compose down -v
WARN[0000] The "MYSQL_ROOT_PASSWORD" variable is not set. Defaulting to a blank string.
[+] down 5/5
✔Container cms-docker-wordpress-1 Removed 1.4s
✔Container cms-docker-db-1 Removed 0.9s
✔Volume cms-docker_wp_data Removed 0.2s
✔Network cms-docker_default Removed 0.3s
✔Volume cms-docker_db_data Removed 0.2s
C:\Users\Admin\Downloads\cms-docker>docker compose up -d
WARN[0000] The "MYSQL_ROOT_PASSWORD" variable is not set. Defaulting to a blank string.
[+] up 5/5
✔Network cms-docker_default Created 0.0s
✔Volume cms-docker_db_data Created 0.0s
✔Volume cms-docker_wp_data Created 0.0s
✔Container cms-docker-db-1 Healthy 6.0s
✔Container cms-docker-wordpress-1 Started 6.1s
C:\Users\Admin\Downloads\cms-docker>


WordPress › Installation
Ask Gemini
localhost:8080/wp-admin/install.php
Select a default language
Español de Costa Rica
Español de Perú
Español de Venezuela
Español de Ecuador
Español de República Dominicana
Español de Uruguay
Español de Puerto Rico
Español de Guatemala
Español de Chile
Eesti
Euskara
فارسی
فارسی (افغانستان)
Suomi
Føroyskt
Français du Canada
Français
Français de Belgique
Friulian
Frysk
Gàidhlig
Galego
Continue




```
Administrator: Command Prompt
[+] up 5/5
 ✔Network cms-docker_default       Created                                          0.0s
 ✔Volume cms-docker_db_data        Created                                          0.0s
 ✔Volume cms-docker_wp_data        Created                                          0.0s
 ✔Container cms-docker-db-1        Healthy                                          6.0s
 ✔Container cms-docker-wordpress-1 Started                                          6.1s

C:\Users\Admin\Downloads\cms-docker>docker ps
CONTAINER ID   IMAGE              COMMAND                  CREATED         STATUS                   PORTS                                      NAMES
6cbed4138788   wordpress:latest   "docker-entrypoint.s…"   5 minutes ago   Up 5 minutes             0.0.0.0:8080->80/tcp, [::]:8080->80/tcp    cms-docker-wordpress-1
c260f80dca48   mysql:8.4          "docker-entrypoint.s…"   5 minutes ago   Up 5 minutes (healthy)   3306/tcp, 33060/tcp                        cms-docker-db-1

C:\Users\Admin\Downloads\cms-docker>docker ps -a
CONTAINER ID   IMAGE              COMMAND                  CREATED         STATUS                   PORTS                                      NAMES
6cbed4138788   wordpress:latest   "docker-entrypoint.s…"   5 minutes ago   Up 5 minutes             0.0.0.0:8080->80/tcp, [::]:8080->80/tcp    cms-docker-wordpress-1
c260f80dca48   mysql:8.4          "docker-entrypoint.s…"   5 minutes ago   Up 5 minutes (healthy)   3306/tcp, 33060/tcp                        cms-docker-db-1

C:\Users\Admin\Downloads\cms-docker>docker compose stop
WARN[0000] The "MYSQL_ROOT_PASSWORD" variable is not set. Defaulting to a blank string.
[+] stop 2/2
 ✔Container cms-docker-wordpress-1 Stopped                                          1.3s
 ✔Container cms-docker-db-1        Stopped                                          1.1s

C:\Users\Admin\Downloads\cms-docker>docker compose start
WARN[0000] The "MYSQL_ROOT_PASSWORD" variable is not set. Defaulting to a blank string.
[+] start 2/2
 ✔Container cms-docker-db-1        Healthy                                          5.7s
 ✔Container cms-docker-wordpress-1 Started                                          0.2s

C:\Users\Admin\Downloads\cms-docker>docker compose restart
WARN[0000] The "MYSQL_ROOT_PASSWORD" variable is not set. Defaulting to a blank string.
[+] restart 0/2
 - Container cms-docker-db-1        Restarting                                      2.0s
 - Container cms-docker-wordpress-1 Restarting                                      2.0s

C:\Users\Admin\Downloads\cms-docker>docker compose down
WARN[0000] The "MYSQL_ROOT_PASSWORD" variable is not set. Defaulting to a blank string.
[+] down 3/3
 ✔Container cms-docker-wordpress-1 Removed                                          3.4s
 ✔Container cms-docker-db-1        Removed                                          1.8s
 ✔Network cms-docker_default       Removed                                          0.3s

C:\Users\Admin\Downloads\cms-docker>docker network ls
NETWORK ID     NAME      DRIVER    SCOPE
17dd0b77ba13   bridge    bridge    local
2b9f71ac6d9c   host      host      local
6787dd3ee389   none      null      local

C:\Users\Admin\Downloads\cms-docker>docker network inspect cms-docker_default
[]
Error response from daemon: network cms-docker_default not found

C:\Users\Admin\Downloads\cms-docker>docker compose up -d
WARN[0000] The "MYSQL_ROOT_PASSWORD" variable is not set. Defaulting to a blank string.
[+] up 3/3
```

```
Administrator: Command Prompt
 ✔Volume cms-docker_db_data       Created                                          0.0s
 ✔Container cms-docker-db-1       Healthy                                          6.0s
 ✔Container cms-docker-wordpress-1 Started                                         6.3s

C:\Users\Admin\Downloads\cms-docker>docker compose ps
WARN[0000] The "MYSQL_ROOT_PASSWORD" variable is not set. Defaulting to a blank string.
NAME                   IMAGE              COMMAND                  SERVICE     CREATED         STATUS                   PORTS
cms-docker-db-1        mysql:8.4          "docker-entrypoint.s…"   db          32 seconds ago  Up 31 seconds (healthy)  3306/tcp, 33060/tcp
cms-docker-wordpress-1 wordpress:latest   "docker-entrypoint.s…"   wordpress   32 seconds ago  Up 26 seconds            0.0.0.0:8080->80/tcp, [::]:8080->80/tcp

C:\Users\Admin\Downloads\cms-docker>docker compose logs
WARN[0000] The "MYSQL_ROOT_PASSWORD" variable is not set. Defaulting to a blank string.
wordpress-1  | WordPress not found in /var/www/html - copying now...
wordpress-1  | Complete! WordPress has been successfully copied to /var/www/html
db-1         | 2026-10-23 03:33:57+00:00 [Note] [Entrypoint]: Entrypoint script for MySQL Server 8.4.13-1.el9 started.
wordpress-1  | No 'wp-config.php' found in /var/www/html, but 'WORDPRESS_...' variables supplied; copying 'wp-config-docker.php' (WORDPRESS_DB_HOST WORDPRESS_DB_NAME WORDPRESS_DB_PASSWORD WORDPRESS_DB_USER)
wordpress-1  | AH00558: apache2: Could not reliably determine the server's fully qualified domain name, using 172.18.0.3. Set the 'ServerName' directive globally to suppress this message
wordpress-1  | AH00558: apache2: Could not reliably determine the server's fully qualified domain name, using 172.18.0.3. Set the 'ServerName' directive globally to suppress this message
wordpress-1  | [Fri Oct 23 03:34:05.285021 2026] [mpm_prefork:notice] [pid 1:tid 1] AH00163: Apache/2.4.69 (Debian) PHP/8.3.36 configured -- resuming normal operations
wordpress-1  | [Fri Oct 23 03:34:05.285088 2026] [core:notice] [pid 1:tid 1] AH00094: Command line: 'apache2 -D FOREGROUND'
db-1         | 2026-10-23 03:33:58+00:00 [Note] [Entrypoint]: Switching to dedicated user 'mysql'
db-1         | 2026-10-23 03:33:58+00:00 [Note] [Entrypoint]: Entrypoint script for MySQL Server 8.4.13-1.el9 started.
db-1         | 2026-10-23 03:33:58+00:00 [Note] [Entrypoint]: Initializing database files
db-1         | 2026-10-23T03:33:58.400237Z 0 [System] [MY-015017] [Server] MySQL Server Initialization - start.
db-1         | 2026-10-23T03:33:58.401565Z 0 [System] [MY-013169] [Server] /usr/sbin/mysqld (mysqld 8.4.13) initializing of server in progress as process 80
db-1         | 2026-10-23T03:33:58.401567Z 0 [System] [MY-015150] [Server] Server version with update: '8.4.13.0'
db-1         | 2026-10-23T03:33:58.411039Z 1 [System] [MY-013576] [InnoDB] InnoDB initialization has started.
db-1         | 2026-10-23T03:33:58.607476Z 1 [System] [MY-013577] [InnoDB] InnoDB initialization has ended.
db-1         | 2026-10-23T03:33:59.763169Z 6 [Warning] [MY-010453] [Server] root@localhost is created with an empty password ! Please consider switching off the --initialize-insecure option.
db-1         | 2026-10-23T03:34:01.542170Z 0 [System] [MY-015018] [Server] MySQL Server Initialization - end.
db-1         | 2026-10-23 03:34:01+00:00 [Note] [Entrypoint]: Database files initialized
db-1         | 2026-10-23 03:34:01+00:00 [Note] [Entrypoint]: Starting temporary server
db-1         | 2026-10-23T03:34:01.600861Z 0 [System] [MY-015015] [Server] MySQL Server - start.
db-1         | 2026-10-23T03:34:01.915394Z 0 [System] [MY-010116] [Server] /usr/sbin/mysqld (mysqld 8.4.13) starting as process 125
db-1         | 2026-10-23T03:34:01.915398Z 0 [System] [MY-015150] [Server] Server version with update: '8.4.13.0'
db-1         | 2026-10-23T03:34:01.934905Z 1 [System] [MY-013576] [InnoDB] InnoDB initialization has started.
db-1         | 2026-10-23T03:34:02.255709Z 1 [System] [MY-013577] [InnoDB] InnoDB initialization has ended.
db-1         | 2026-10-23T03:34:02.544432Z 0 [Warning] [MY-010068] [Server] CA certificate ca.pem is self signed.
db-1         | 2026-10-23T03:34:02.544494Z 0 [System] [MY-013602] [Server] Channel mysql_main configured to support TLS. Encrypted connections are now supported for this channel.
db-1         | 2026-10-23T03:34:02.547285Z 0 [Warning] [MY-011810] [Server] Insecure configuration for --pid-file: Location '/var/run/mysqld' in the path is accessible to all OS users. Consider choosing a differ
ent directory.
db-1         | 2026-10-23T03:34:02.571229Z 0 [System] [MY-011323] [Server] X Plugin ready for connections. Socket: /var/run/mysqld/mysqlx.sock
db-1         | 2026-10-23T03:34:02.571302Z 0 [System] [MY-010931] [Server] /usr/sbin/mysqld: ready for connections. Version: '8.4.13'  socket: '/var/run/mysqld/mysqld.sock'  port: 0  MySQL Community Server - GPL
.
db-1         | 2026-10-23 03:34:02+00:00 [Note] [Entrypoint]: Temporary server started.
db-1         | '/var/lib/mysql/mysql.sock' -> '/var/run/mysqld/mysqld.sock'
db-1         | 2026-10-23 03:34:04+00:00 [Note] [Entrypoint]: Creating database wordpress
db-1         | 2026-10-23 03:34:04+00:00 [Note] [Entrypoint]: Creating user wpuser
db-1         | 2026-10-23 03:34:04+00:00 [Note] [Entrypoint]: Giving user wpuser access to schema wordpress
db-1         |
db-1         | 2026-10-23 03:34:04+00:00 [Note] [Entrypoint]: Stopping temporary server
db-1         | 2026-10-23T03:34:04.366407Z 14 [System] [MY-013172] [Server] Received SHUTDOWN from user root. Shutting down mysqld (Version: 8.4.13).
db-1         | 2026-10-23T03:34:05.921742Z 0 [System] [MY-010910] [Server] /usr/sbin/mysqld: Shutdown complete (mysqld 8.4.13)  MySQL Community Server - GPL.
db-1         | 2026-10-23T03:34:05.921776Z 0 [System] [MY-015016] [Server] MySQL Server - end.
db-1         | 2026-10-23 03:34:06+00:00 [Note] [Entrypoint]: Temporary server stopped
```

```
Administrator: Command Prompt
 ✔Container cms-docker-wordpress-1 Started                                         6.1s

C:\Users\Admin\Downloads\cms-docker>docker ps
CONTAINER ID   IMAGE              COMMAND                  CREATED         STATUS                   PORTS                                      NAMES
6cbed4138788   wordpress:latest   "docker-entrypoint.s…"   5 minutes ago   Up 5 minutes             0.0.0.0:8080->80/tcp, [::]:8080->80/tcp   cms-docker-wordpress-1
c260f80dca48   mysql:8.4          "docker-entrypoint.s…"   5 minutes ago   Up 5 minutes (healthy)   3306/tcp, 33060/tcp                        cms-docker-db-1

C:\Users\Admin\Downloads\cms-docker>docker ps -a
CONTAINER ID   IMAGE              COMMAND                  CREATED         STATUS                   PORTS                                      NAMES
6cbed4138788   wordpress:latest   "docker-entrypoint.s…"   5 minutes ago   Up 5 minutes             0.0.0.0:8080->80/tcp, [::]:8080->80/tcp   cms-docker-wordpress-1
c260f80dca48   mysql:8.4          "docker-entrypoint.s…"   5 minutes ago   Up 5 minutes (healthy)   3306/tcp, 33060/tcp                        cms-docker-db-1

C:\Users\Admin\Downloads\cms-docker>docker compose stop
WARN[0000] The "MYSQL_ROOT_PASSWORD" variable is not set. Defaulting to a blank string.
[+] stop 2/2
 ✔Container cms-docker-wordpress-1 Stopped                                         1.3s
 ✔Container cms-docker-db-1        Stopped                                         1.1s

C:\Users\Admin\Downloads\cms-docker>docker compose start
WARN[0000] The "MYSQL_ROOT_PASSWORD" variable is not set. Defaulting to a blank string.
[+] start 2/2
 ✔Container cms-docker-db-1        Healthy                                         5.7s
 ✔Container cms-docker-wordpress-1 Started                                         0.2s

C:\Users\Admin\Downloads\cms-docker>docker compose restart
WARN[0000] The "MYSQL_ROOT_PASSWORD" variable is not set. Defaulting to a blank string.
[+] restart 0/2
 - Container cms-docker-db-1        Restarting                                     2.0s
 - Container cms-docker-wordpress-1 Restarting                                     2.0s


C:\Users\Admin\Downloads\cms-docker>docker compose down
WARN[0000] The "MYSQL_ROOT_PASSWORD" variable is not set. Defaulting to a blank string.
[+] down 3/3
 ✔Container cms-docker-wordpress-1 Removed                                         3.4s
 ✔Container cms-docker-db-1        Removed                                         1.8s
 ✔Network cms-docker_default       Removed                                         0.3s

C:\Users\Admin\Downloads\cms-docker>docker network ls
NETWORK ID     NAME      DRIVER    SCOPE
17dd0b77ba13   bridge    bridge    local
2b9f71ac6d9c   host      host      local
6787dd3ee389   none      null      local

C:\Users\Admin\Downloads\cms-docker>docker network inspect cms-docker_default
[]
Error response from daemon: network cms-docker_default not found

C:\Users\Admin\Downloads\cms-docker>docker compose up -d
WARN[0000] The "MYSQL_ROOT_PASSWORD" variable is not set. Defaulting to a blank string.
[+] up 3/3
 ✔Network cms-docker_default       Created                                         0.0s
 ✔Container cms-docker-db-1        Healthy                                         5.9s
 ✔Container cms-docker-wordpress-1 Started                                         6.1s

C:\Users\Admin\Downloads\cms-docker>docker network ls
```


Administrator: Command Prompt
Error response from daemon: network cms-docker_default not found
C:\Users\Admin\Downloads\cms-docker>docker compose up -d
WARN[0000] The "MYSQL_ROOT_PASSWORD" variable is not set. Defaulting to a blank string.
[+] up 3/3
✔Network cms-docker_default Created 0.0s
✔Container cms-docker-db-1 Healthy 5.9s
✔Container cms-docker-wordpress-1 Started 6.1s
C:\Users\Admin\Downloads\cms-docker>docker network ls
NETWORK ID NAME DRIVER SCOPE
17dd0b77ba13 bridge bridge local
9403c474c379 cms-docker_default bridge local
2b9f71ac6d9c host host local
6787dd3ee389 none null local
C:\Users\Admin\Downloads\cms-docker>docker network inspect cms-docker_default
[
{
"Name": "cms-docker_default",
"Id": "9403c474c3794c913a624274a54c45e72a1c21e0bfce2b0da8d66a61a20d061c",
"Created": "2026-10-23T03:55:05.810105465Z",
"Scope": "local",
"Driver": "bridge",
"EnableIPv4": true,
"EnableIPv6": false,
"IPAM": {
"Driver": "default",
"Options": null,
"Config": [
{
"Subnet": "172.18.0.0/16",
"Gateway": "172.18.0.1"
}
]
},
"Internal": false,
"Attachable": false,
"Ingress": false,
"ConfigFrom": {
"Network": ""
},
CONTAINER ID NAME CPU % MEM USAGE / LIMIT MEM % NET I/O BLOCK I/O PIDS
98b744acc1e7 cms-docker-wordpress-1 0.00% 54.46MiB / 7.459GiB 0.71% 240kB / 16.2kB 0B / 4.1kB 7
dc5e0ecbaefe cms-docker-db-1 0.77% 434.9MiB / 7.459GiB 5.69% 15kB / 234kB 33.4MB / 17.2MB 39
C:\Users\Admin\Downloads\cms-docker>docker compose down
WARN[0000] The "MYSQL_ROOT_PASSWORD" variable is not set. Defaulting to a blank string.
[+] down 3/3
✔Container cms-docker-wordpress-1 Removed 1.4s
✔Container cms-docker-db-1 Removed 1.2s
✔Network cms-docker_default Removed 0.3s
C:\Users\Admin\Downloads\cms-docker>