PW SKILLS

Heaps

Lecture 2

Today's checklist

1. Heaps Visualisation (MaxHeap and MinHeap)
2. Implementation of MinHeap by Array
3. Heapify Algorithm
4. Heap Sort
5. Questions on heaps

Heaps Visualisation (Binary tree)

PW SKILLS

For Ex: Lets do minheap

push(10)
push(20)
push(11)
push(30)
push(40)
push(12)
push(4)
push(7)

pop()
pop()



minheap



minheap

Heaps Visualisation

Maxheap



H.W. Visualise & draw maxheap via a CBT.

Heaps Visualisation

What is a complete Binary Tree ?

CBT ✓



levels = 2



levels = 3

✗



✗



✓

Ques:

PW SKILLS

Q1 : Implement a MinHeap by Array (Visualise it with a CBT)

push(10) ✓
push(20) ✓
push(11) ✓
push(30) ✓
push(40) ✓
push(12) ✓
push(4) ✓
push(7) ✓
push(2) ✓

0	1	2	3	4	5	6	7	8	9	10	11	12	...
⊠	2	4	10	7	40	12	11	30	20				
	i/2	i											



for a node at i,
then,
left child = 2*i
right child = 2*i + 1
parent = i/2

Ques:

Q1 : Implement a MinHeap by Array

push(10)
push(2)
push(14)
push(11)
push(1)
push(4)
pop()
pop()





minHeap

Homework :

Implement a MaxHeap using Array

Heapify Algorithm

PW SKILLS

↳ Convert given array to Heap

	1	2	3	4	5	6
arr =	1	2	4	11	10	14

Convert it into minheap



$\left[\frac{n}{2}, \frac{n}{2}+1\right]$ leaf nodes

even odd

Heapify Algorithm

PW SKILLS

```
for (int i = n/2 ; i>=1 ; i--){
    heapify (i, arr, n);
}
```

3

↓

pop()'s rearrangement

Heapify Algorithm

```
void heapify(int i, int arr[], int n){
    while (true){
        int left = 2 * i, right = 2 * i + 1;
        if (left >= n) break;
        if (right >= n){
            if (arr[i] > arr[left]){
                swap(arr[i], arr[left]);
                i = left;
            }
            break;
        }
        if (arr[left] < arr[right]){
            if (arr[i] > arr[left]){
                swap(arr[i], arr[left]);
                i = left;
            }
            else break;
        } else{
            if (arr[i] > arr[right]){
                swap(arr[i], arr[right]);
                i = right;
            }
            else break;
        }
    }
}
```

Heap Sort (A joke) (use pq STL)

For Ex: an array is given, sort it using heap.

arr = { 10, 1, 2, 20, 5, 8 }

8 10 20



Can be done by minheap & maxheap

T.C. = $O(n * \log n)$

↓

Merge & Quick Sort

S.C. = $O(n)$

Ques:

inorder

Q2 : Convert BST to MaxHeap

sorted array





1 5 8 10 12 16 20

Ques:

ek LST > RST → M-2

Q2 : Convert BST to MaxHeap

20 16 12 10 8 5 1



1) level wise → ek array ke elements (1 sorted)

20 16 12 10 8 5 1



2) Pre Order wise ✓

Ques:

PW SKILLS

Q3 : Check if given Binary Tree is a MaxHeap or not

Condition-1 : all decendants of any node should be smaller

⇒ root->left->val < root->val > root->right->val



✓



✗

Ques:

PW SKILLS

Q3 : Check if given Binary Tree is a MaxHeap or not

Condition-2 : It should be a CBT.



✓



✗

Ques:

Q3 : Check if given Binary Tree is a MaxHeap or not



Size = 6

G N N N N

Q

Count = 0 1 2 3 4 5 6

20 15 10 8 N 11

Ques:

PW SKILLS

Q3 : Check if given Binary Tree is a MaxHeap or not

```
bool isCBT(Node* root){
|
}
```

```
bool isMax(Node* root){
|
}
```

```
if( isCBT(root) && isMax(root)) → Yes
else → No
```

Ques:

```cpp
bool isCBT(Node* root){
    int size = sizeOfTree(root);
    int count = 0;
    queue<Node*> q;
    q.push(root);
    while(count<size){
        Node* temp = q.front();
        q.pop();
        count++;
        if(temp!=NULL){
            q.push(temp->left);
            q.push(temp->right);
        }
    }
    if(q.size()>0){
        Node* temp = q.front();
        if(temp!=NULL) return false;
        q.pop();
    }
    return true;
}
```

```cpp
bool isMax(Node* root){
    if(root==NULL) return true;
    if(root->left!=NULL && root->val<root->left->val) return false;
    if(root->right!=NULL && root->val<root->right->val) return false;
    return isMax(root->left) && isMax(root->right);
}
```

THANK YOU