2023 ANNUAL SUBMITTAL

WASTE DISCHARGE REQUIREMENTS GENERAL ORDER FOR EXISTING MILK COW DAIRIES

TOLLCREST DAIRY
YUBA COUNTY, CALIFORNIA

Prepared for:

Tollcrest Dairy

Prepared by:

VESTRA Resources Inc.
5300 Aviation Drive
Redding, California 96002

JULY 2024

5300 Aviation Drive | Redding, CA 96002
Phone 530.223.2585 | Fax 530.223.1145
info@vestra.com | www.vestra.com

GIS, Environmental, & Engineering Services

June 28, 2024

70918

Mr. Daniel Gamon
California Regional Water Quality Control Board
Confined Animal Regulatory Unit, Central Valley Region
11020 Sun Center Drive, Suite 200
Rancho Cordova, CA 95670-6114

Via GeoTracker

RE: 2023 Annual Report Submittal
Tollcrest Dairy
Yuba County, California

Dear Mr. Gamon:

Attached is the 2023 Annual Report submittal for the Tollcrest Dairy in Yuba County, California. The Annual Report fulfills the monitoring and reporting obligations per the Monitoring and Reporting Program (MRP) included in *Reissued Waste Discharge Requirements General Order No. R5-2013-0122 for Existing Milk Cow Dairies* (General Order). This submittal package includes the following:

- Updated Annual Dairy Facility Assessment Report (Exhibit 1)
- Annual Dairy Report (Exhibit 2)
- Laboratory analytical reports (Exhibit 3)
- Manure manifests (Exhibit 4)
- Irrigation records (Exhibit 5)
- 2023 Groundwater Monitoring Report (Exhibit 6)
- Monthly Herd Mortality (Exhibit 7)

PRIORITY REPORTING OF SIGNIFICANT EVENTS

The General Order requires a Discharger to report any non-compliance that endangers human health or the environment, or any non-compliance with Prohibitions A.1 through A.13 contained in the General Order, within 24 hours of becoming aware of its occurrence. ***Prohibition A.12 prohibits discharge of stormwater to surface water from a land application areas where manure or process wastewater has been applied unless the land application area has been managed consistent with a certified Nutrient Management Plan. Stormwater discharge from the land application area occurred on January 5, 2023. A sample of stormwater leaving the property was collected and analyzed by Dellavalle Laboratory. The laboratory analytical data is included in Exhibit 3. The most recent land application of process wastewater to the land application areas prior to the stormwater discharge occurred on October 22, 2022. The operator does not apply manure to the land application areas. The land application area had been managed in a manner consistent with a certified Nutrient Management Plan.***