Annual Report - General Order No. R5-2007-0035
Reporting period 01/01/2023 to 12/31/2023.

DAIRY FACILITY INFORMATION

A. NAME OF DAIRY OR BUSINESS OPERATING THE DAIRY: DeMelo Dairy

Physical address of dairy:

Number and Street	City	County	Zip Code
10145 PRINGLE AVE	GALT	Sacramento	95632

Street and nearest cross street (if no address):

Date facility was originally placed in operation: 01/01/1940

Regional Water Quality Control Board Basin Plan designation: Sacramento River Basin

County Assessor Parcel Number(s) for dairy facility:

X148-X115-X042-XXXX

B. OPERATORS

DEMELO, EDDIE

Operator name: DEMELO, EDDIE

Telephone no.: (209) 745-9642 Landline, (209) 712-1842 Cellular

Mailing Address Number and Street	City	State	Zip Code
10145 PRINGLE AVE	GALT	CA	95632

C. OWNERS

DEMELO, MANUEL CABRAL

Legal owner name: DEMELO, MANUEL CABRAL

Telephone no.: (209) 745-2035 Landline, Cellular

Mailing Address Number and Street	City	State	Zip Code
10145 PRINGLE AVE	GALT	CA	95632

This owner is responsible for paying permit fees.

Annual Report - General Order No. R5-2007-0035
Reporting period 01/01/2023 to 12/31/2023.

AVAILABLE NUTRIENTS

A. HERD INFORMATION

	Milk Cows	Dry Cows	Bred Heifers (15-24 mo.)	Heifers (7-14 mo. to breeding)	Calves (4-6 mo.)	Calves (0-3 mo.)
Number open confinement	0	0	80	75	0	0
Number under roof	0	0	0	0	0	0
Maximum number	0	0	80	75	0	0
Average number	0	0	80	75	0	0
Avg live weight (lbs)	0	0	1,000	75		

Predominant milk cow breed: Holstein

Average milk production: 1 *pounds per cow per day*

B. MANURE GENERATED

Total manure excreted by the herd: 1,392.40 *tons per reporting period*

Total nitrogen from manure: 14,709.50 *lbs per reporting period*

After ammonia losses (30% loss applied): 10,296.65 *lbs per reporting period*

Total phosphorus from manure: 2,489.30 *lbs per reporting period*

Total potassium from manure: 1.00 *lbs per reporting period*

Total salt from manure: 0.00 *lbs per reporting period*

C. PROCESS WASTEWATER GENERATED

Process wastewater generated: 720,000 *gallons*

Total nitrogen generated: 538.35 *lbs*

Total phosphorus generated: 170.64 *lbs*

Total potassium generated: 3,731.22 *lbs*

Total salt generated: 16,823.52 *lbs*

	720,000	*gallons applied*
+	0	*gallons exported*
-	0	*gallons imported*
=	720,000	*gallons generated*

D. FRESH WATER SOURCES

Source Description	Type
Ag Well #2	Ground water
Ag Well #4	Ground water
Dairy/Domestic #1	Ground water
Dairy/Domestic #3	Ground water

E. SUBSURFACE (TILE) DRAINAGE SOURCES

No subsurface (tile) drainage sources entered.

F. NUTRIENT IMPORTS

No dry manure nutrient imports entered.

No process wastewater nutrient imports entered.

No commercial or other nutrient imports entered.

G. NUTRIENT EXPORTS

No solid nutrient exports entered.

No liquid nutrient exports entered.

APPLICATION AREA

A. LIST OF LAND APPLICATION AREAS

Field name	Controlled acres	Cropable acres	Total harvests	Type of waste applied	Parcel number
FIELD 123	37	37	1	both	X148-0115-X035-XXXX X148-0115-X042-XXXX
Totals for areas that were used for application	37	37	1		
Totals for areas that were not used for application					
Land application area totals	37	37	1		

B. CROPS AND HARVESTS

FIELD 123

Field name: FIELD 123

10/26/2022: Ryegrass, silage

Crop: Ryegrass, silage Acres planted: 37 Plant date: 10/26/2022

Harvest date	Yield	Reporting basis	Density (lbs/cu ft)	Moisture (%)	N (mg/kg)	P (mg/kg)	K (mg/kg)	Salt (mg/kg)	TFS (%)
04/23/2023	444.00 *ton*	Dry-weight		36.4	14,400.00	3,120.00	35,800.00		12.50

	Yield (tons/acre)	Total N (lbs/acre)	Total P (lbs/acre)	Total K (lbs/acre)	Salt (lbs/acre)
Anticipated harvest content	14.00	256.20	56.00	336.00	0.00
Total actual harvest content	12.00	219.80	47.62	546.45	1,908.00

NUTRIENT BUDGET

A. LAND APPLICATIONS

FIELD 123 - 10/26/2022: Ryegrass, silage

Field name: FIELD 123

Crop: Ryegrass, silage

Plant date: 10/26/2022

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
10/22/2022	Broadcast/incorporate	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Manure Application	Scraped material	167.18	68.69	587.79	0.00	225.00 *ton*
Application event totals		167.18	68.69	587.79	0.00	

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
02/13/2023	Pipeline	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Lagoon Application	Process wastewater	14.55	4.61	100.84	454.69	720,000.00 *gal*
Application event totals		14.55	4.61	100.84	454.69	

B. NUTRIENT BUDGET

FIELD 123 - 10/26/2022: Ryegrass, silage

Field name: FIELD 123 Crop: Ryegrass, silage Plant date: 10/26/2022



	Total N (lbs/acre)	Total P (lbs/acre)	Total K (lbs/acre)	Total salt (lbs/acre)
Existing soil nutrient content	0.00	0.00	0.00	0.00
Plowdown credit	0.00	0.00	0.00	0.00
Commercial fertilizer / Other	0.00	0.00	0.00	0.00
Dry manure	167.18	68.69	587.79	0.00
Process wastewater	14.55	4.61	100.84	454.69
Fresh water	0.00	0.00	0.00	0.00
Atmospheric deposition	14.00	0.00	0.00	0.00
Total nutrients applied	195.73	73.30	688.63	454.69
Anticipated crop nutrient removal	256.20	56.00	336.00	0.00
Actual crop nutrient removal	219.80	47.62	546.45	1,908.00
Nutrient balance	-24.07	25.68	142.18	-1,453.31
Applied to removed ratio	0.89	1.54	1.26	0.24

Fresh water applied	
0.00	*gallons*
0.00	*acre-inches*
0.00	*inches/acre*

Process wastewater applied	
720,000.00	*gallons*
26.52	*acre-inches*
0.72	*inches/acre*

Total harvests for the crop	
1	*harvests*

NUTRIENT ANALYSES

A. MANURE ANALYSES

T2313017B

Sample and source description: T2313017B

Sample date: 11/09/2022 Material type: Scraped material Source of analysis: Lab analysis Method of reporting: Dry-weight

Moisture: 37.8 %

	Total N (mg/kg)	Total P (mg/kg)	Total K (mg/kg)	Calcium (mg/kg)	Magnesium (mg/kg)	Sodium (mg/kg)	Sulfur (mg/kg)	Chloride (mg/kg)	Total salt (mg/kg)	TFS (%)
Value	22,100.00	9,080.00	77,700.00							0.00
DL	1.00	1.00	1.00							1.00

T3132028B

Sample and source description: T3132028B

Sample date: 05/12/2023 Material type: Corral solids Source of analysis: Lab analysis Method of reporting: Dry-weight

Moisture: 17.5 %

	Total N (mg/kg)	Total P (mg/kg)	Total K (mg/kg)	Calcium (mg/kg)	Magnesium (mg/kg)	Sodium (mg/kg)	Sulfur (mg/kg)	Chloride (mg/kg)	Total salt (mg/kg)	TFS (%)
Value	8,000.00	4,100.00	19,000.00							0.00
DL	1.00	1.00	1.00							1.00

T3265027B

Sample and source description: T3265027B

Sample date: 09/22/2023 Material type: Corral solids Source of analysis: Lab analysis Method of reporting: Dry-weight

Moisture: 15.1 %

	Total N (mg/kg)	Total P (mg/kg)	Total K (mg/kg)	Calcium (mg/kg)	Magnesium (mg/kg)	Sodium (mg/kg)	Sulfur (mg/kg)	Chloride (mg/kg)	Total salt (mg/kg)	TFS (%)
Value	14,600.00	7,090.00	48,400.00	12,200.00	8,090.00	8,690.00	7,200.00	1,190.00		58.60
DL	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		1.00

B. PROCESS WASTEWATER ANALYSES

T3059015A

Sample and source description: T3059015A

Sample date: 02/28/2023 Material type: Process wastewater Source of analysis: Lab analysis pH: 0.00

	Kjeldahl-N (mg/L)	NH4-N (mg/L)	NH3-N (mg/L)	Nitrate-N (mg/L)	Total P (mg/L)	Total K (mg/L)	Calcium (mg/L)	Magnes. (mg/L)	Sodium (mg/L)	Bicarb. (mg/L)	Carb. (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	EC (µmhos/cm)	TDS (mg/L)
Value	89.60	30.80	0.00	0.00	28.40	621.00								3,010.00	2,800
DL	1.00	1.00	1.00	1.00	1.00	1.00								100.00	1

T3132028A

Sample and source description: T3132028A

Sample date: 05/12/2023 Material type: Process wastewater Source of analysis: Lab analysis pH: 0.00

	Kjeldahl-N (mg/L)	NH4-N (mg/L)	NH3-N (mg/L)	Nitrate-N (mg/L)	Total P (mg/L)	Total K (mg/L)	Calcium (mg/L)	Magnes. (mg/L)	Sodium (mg/L)	Bicarb. (mg/L)	Carb. (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	EC (µmhos/cm)	TDS (mg/L)
Value	162.00	58.80	0.00	0.00	63.90	1,180.00								6,180.00	6,340
DL	1.00	1.00	1.00	1.00	1.00	1.00								100.00	1

T3265027A

Sample and source description: T3265027A

Sample date: 09/22/2023 Material type: Process wastewater Source of analysis: Lab analysis pH: 7.90

	Kjeldahl-N (mg/L)	NH4-N (mg/L)	NH3-N (mg/L)	Nitrate-N (mg/L)	Total P (mg/L)	Total K (mg/L)	Calcium (mg/L)	Magnes. (mg/L)	Sodium (mg/L)	Bicarb. (mg/L)	Carb. (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	EC (µmhos/cm)	TDS (mg/L)
Value	11.20	5.60	0.00	11.00	1.41	31.80	47.30	33.60	29.90	220.00	0.00	29.20	65.40	803.00	360
DL	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	2.00	1.00	1.00	100.00	1

C. FRESH WATER ANALYSES

Ag Well #2

Ag Well #2

T3272034A

Sample description: T3272034A

Sample date: 09/29/2023 Source of analysis: Lab analysis

	Total N (mg/L)	NH4-N (mg/L)	Nitrate-N (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	Bicarbonate (mg/L)	Carbonate (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	EC (µmhos/cm)	TDS (mg/L)
Value	8.48	0.00	8.48								627.00	0
DL	1.00	0.50	1.00								100.00	1

Ag Well #4

T3272034C

Sample description: T3272034C

Sample date: 09/29/2023 Source of analysis: Lab analysis

	Total N (mg/L)	NH4-N (mg/L)	Nitrate-N (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	Bicarbonate (mg/L)	Carbonate (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	EC (µmhos/cm)	TDS (mg/L)
Value	9.09	0.00	9.09								533.00	0
DL	1.00	0.50	1.00								100.00	1

Dairy/Domestic #1

T3272034B

Sample description: T3272034B

Sample date: 09/29/2023 Source of analysis: Lab analysis

	Total N (mg/L)	NH4-N (mg/L)	Nitrate-N (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	Bicarbonate (mg/L)	Carbonate (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	EC (µmhos/cm)	TDS (mg/L)
Value	22.20	0.00	22.20								900.00	0
DL	1.00	0.50	1.00								100.00	1

Dairy/Domestic #3

Dairy/Domestic #3

T3272034D

Sample description: T3272034D

Sample date: 09/29/2023 Source of analysis: Lab analysis

	Total N (mg/L)	NH4-N (mg/L)	Nitrate-N (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	Bicarbonate (mg/L)	Carbonate (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	EC (µmhos/cm)	TDS (mg/L)
Value	0.00	0.00	0.00								219.00	0
DL	0.14	0.50	0.14								100.00	1

D. SOIL ANALYSES

No soil analyses entered.

E. PLANT TISSUE ANALYSES

FIELD 123 - 10/26/2022: Ryegrass, silage

T3116050A

Sample and source description: T3116050A

Sample date: 04/26/2023 Source of analysis: Lab analysis Method of reporting: Dry-weight

Moisture: 36.4 %

	Total N (mg/kg)	Total P (mg/kg)	Total K (mg/kg)	Total salt (mg/kg)	TFS (%)
Value	14,400.00	3,120.00	35,800.00		12.50
DL	1.00	1.00	1.00		1.00

F. SUBSURFACE (TILE) DRAINAGE ANALYSES

No subsurface (tile) drainage analyses entered.

NUTRIENT APPLICATIONS, POTENTIAL REMOVAL, AND BALANCE

A. SUMMARY OF NUTRIENT APPLICATIONS, POTENTIAL REMOVAL, AND BALANCE

	Total N (lbs)	Total P (lbs)	Total K (lbs)	Total salt (lbs)
Existing soil nutrient content	0.00	0.00	0.00	0.00
Plowdown credit	0.00	0.00	0.00	0.00
Commercial fertilizer / Other	0.00	0.00	0.00	0.00
Dry manure	6,185.79	2,541.49	21,748.23	0.00
Process wastewater	538.35	170.64	3,731.22	16,823.52
Fresh water	0.00	0.00	0.00	0.00
Atmospheric deposition	518.00	0.00	0.00	0.00
Total nutrients applied	7,242.14	2,712.13	25,479.45	16,823.52
Anticipated crop nutrient removal	9,479.40	2,072.00	12,432.00	0.00
Actual crop nutrient removal	8,132.66	1,762.08	20,218.69	70,596.00
Nutrient balance	-890.52	950.05	5,260.75	-53,772.48
Applied to removed ratio	0.89	1.54	1.26	0.24

B. POUNDS OF NUTRIENT APPLIED VS. CROP REMOVAL



C. POUNDS OF NUTRIENT APPLIED BY MATERIAL TYPE









EXCEPTION REPORTING

A. MANURE, PROCESS WASTEWATER, AND OTHER DAIRY WASTE DISCHARGES

The following is a summary of all manure and process wastewater discharges from the production area to surface water or to land areas (land application areas or otherwise) when not in accordance with the facility's Nutrient Management Plan.

No manure or process wastewater discharges occurred during the reporting period.

B. STORM WATER DISCHARGES

The following is a summary of all storm water discharges from the production area to surface water during the reporting period when not in accordance with the facility 's Nutrient Management Plan.

No stormwater discharges occurred during the reporting period.

C. LAND APPLICATION AREA TO SURFACE WATER DISCHARGES

The following is a summary of all discharges from the land application area to surface water that have occurred during the reporting period when not in accordance with the facility's Nutrient Management Plan.

No land application area to surface water discharges occurred during the reporting period.

NUTRIENT MANAGEMENT PLAN AND EXPORT AGREEMENT STATEMENTS

A. NUTRIENT MANAGEMENT PLAN STATEMENTS

Was the facility's NMP updated in the reporting period?	No
Was the facility's NMP developed by a certified nutrient management planner (specialist) as specified in Attachment C of the General Order?	Yes
Was the facility's NMP approved by a certified nutrient management planner (specialist) as specified in Attachment C of the General Order?	Yes

B. EXPORT AGREEMENT STATEMENT

Are there any written agreements with third parties to receive manure or process wastewater that are new or were revised within the reporting period?	No

ADDITIONAL NOTES

A. NOTES

No notes entered for this annual report.

CERTIFICATION

A. OWNER AND/OR OPERATOR CERTIFICATION

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this document and all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Manuel C. deMelo
SIGNATURE OF OWNER OF FACILITY

MANUEL CABRAL DEMELO
PRINT OR TYPE NAME

6-20-24
DATE

Eddie DeMelo
SIGNATURE OF OPERATOR OF FACILITY

EDDIE DEMELO
PRINT OR TYPE NAME

6-20-24
DATE

Scanned with CamScanner

ATTACHMENTS

A. REQUIRED ATTACHMENTS

The following lists the required documents that should be attached to the Annual Report when submitted .

Annual Dairy Facility Assessment
Provide an Annual Dairy Facility Assessment (an update to the Preliminary Dairy Facility Assessment in Attachment A) for each reporting period. On the PDFA Final page, click on the ADFA Report button to generate an ADFA report after updating information as needed .

Manure/Process Wastewater Tracking Manifests
Provide copies of all manure/process wastewater tracking manifests for the reporting period, signed by both the owner/operator and the hauler.

Corrective Actions Documents
Provide records documenting any corrective actions taken to correct deficiencies noted as a result of the inspections required in the Monitoring Requirements of the General Order. Deficiencies not corrected in 30 days must be accompanied by an explanation of the factors preventing immediate correction.

Groundwater Monitoring
Dischargers that monitor supply wells or subsurface (tile) drainage systems, or that have monitoring well systems must submit monitoring results as directed in the General Order, Groundwater Reporting Section starting on page MRP-13.

Storm Water Monitoring
Dischargers that are required to monitor storm water more frequently than required in the General Order must submit monitoring results as directed in the General Order, Storm Water Reporting Section on page MRP-14.

DENELE ANALYTICAL, INC.

865 S. KILROY
TURLOCK, CA 95380
PH# 209-634-9055 FAX# 209-634-9057

DAIRY COMPLIANCE

Client: DE MELO DAIRY
Mailing address: 10145 PRINGLE AVENUE
(not facility address) Galt, CA 95632
Phone#: (209)663-8846

Authorized Copy Released To:
JCRK, INC.
(209)327-0992
Sampled By: MARIA DE MELO
Project ID:

ANALYSIS TO BE COMPLETED:

IRRIGATION/GROUND WATER
H1 EC*, NO3-N, NH4-N*
H6 EC, TN, TDS
H7 Combination of H1 & H6
H14 EC, NO3-N, NH4-N, Ca, Mg, Na, Bicarb Carb, SO4, Cl, TDS

PROCESS WASTE WATER
H3 EC*, NH4-N, TKN, TP, K, TDS
H4 EC*, NO3-N, NH4-N, TKN, TP, K, TDS
H5 Ca, Mg, Na, Bicarb, Carb, SO4, Cl
H8 Combination of H3 &H5
H9 Combination of H4 &H5

TILE DRAIN
H2 EC*, NO3-N, TP, NH4-N*, TDS

** Required Field Measurement*
___ (Check here if performed)

DISCHARGE WATER
E1 EC*, Temp*, pH*, NO3-N, NH4-N, TKN, TP, K, TDS, Dissolved Oxygen*, BOD 5, TSS, Total & Fecal Coliforms
E2 EC,* Temp*, pH*, NO3-N, NH4-N*, Turbidity, TP, Dissolved Oxygen*, Total & Fecal Coliforms
E3 EC*, Temp*, pH*, NO3-N, NH4-N*, TP, Total & Fecal Coliforms
E4 EC*, Temp*, pH*, NO3-N, NH4-N*, Turbidity, TP, Total & Fecal Coliform

MANURE
M1 % Moisture
M3 TN TP, K, % Moisture
M4 Ca, Mg, Na, Bicarb, Carb, SO4, Cl, Ash
M7 Combination of M3 & M4

PLANT TISSUE
F18 % Moisture, Ash, TN, P, K, DM and as received
F18+ % Moisture, Ash, TN, P, K, DM and as received (Package also includes NIR DCAD)
F19+ % Moisture, TN (Package includes complete plant tissue analysis)

SOIL
K3 Soluble Phosphorus
K4 1ft NO3, Organic Matter
K5 Pre-Plant (2ft NO3), Fall (1-2ft NO3), Fall (2-3ft NO3)
K6 0-1ft EC, NO3, Soluble P, K, Organic Matter
K7 Combination of K3 & K4
K8 Combination of K3 & K5

	Date Collected	Time Collected	Sample ID	Description	Temp	Well Purge	H1	H3	M3	F18	OTHER
							Analysis				
1	9/27/23	8:35 p.	Ag Well #2	Ag Well	18.0°	20 min	X				
2	9/27/23	9:15a	Dairy / Domestic #1	Dom. Well	17.6°	✓	X				
3	✓	8:30a	Ag Well #4	Ag Well	18.2°	✓	X				
4	✓	9:35a	Dairy / Domestic #3	Dom. Well	18.2°	✓	X				
5											
6											
7											
8											
9											
10											

CHAIN OF CUSTODY RECORDING

	Signature	Company	Received Date & Time	Relinquished Date & Time	(LABORATORY USE ONLY) Logged In By:	LABORATORY NUMBER
1st	Jacquie Capteiro	JCRK		9/29/23 8:00a		T3272034
2nd		DENELE ANALYTICAL, INC.	9-29-23 1:00			

Required to be submitted to any agency? (YES / NO)

Denele Analytical, Inc.

865 South Kilroy Avenue Turlock, CA 95380
Phone (209) 634-9055 - Fax (209) 634-9057

www.denelelabs.com

40 N. East Street, Woodland, CA 95776
Phone (530) 666-9056 - Fax (530) 666-9058

Compliance Analysis Report

Customer
DeMelo Dairy-Galt
10080 Pringle Avenue
Galt, CA 95362

Grower

Consultant:
Jacquie Captein
P.O. Box 386
Herald, CA 95638

PURCHASE ORDER:
RECEIVED DATE: 9/29/23 1:00 PM
SUBMITTED BY: Jacquie
ANALYZED DATE: 10/4/23

Irrigation/ Ground Water (H1)
SOURCE: Irrigation Water

NOTES: Temperature was above qualifying at 18.0c

Sample ID	Lab ID	Analyte	Method Ref	Result	Units
Ag Well #2	T3272034A	Electrical Conductivity (EC)	EPA 120.1 and	0.627	mmhos/cm
		Nitrate Nitrogen (NO3-N)	EPA 353.2	8.48	mg/L
		Ammonia Nitrogen (NH3-N)	SM 4500-NH3 D,C	< 0.500	mg/L
		Soluble Salts (SALT-SOL)	Calculation	401	mg/L

Laboratory Quality Control	LCS %	MS %	MSD %	RPD %
Ammonia Nitrogen (NH3-N)	99.2	97.6 (T3272024A)	98.8 (T3272024A)	1.22
Electrical Conductivity (EC)	94.5			0.879
Nitrate Nitrogen (NO3-N)	98.3	85.6 (T3255004A)	88.2 (T3255004A)	2.92

The warranty of Denele Analytical is limited to the accuracy of the analyses of the samples as received. Denele Analytical assumes no responsibility for which the customer uses our test results, nor liability for any other warranties, express or implied. These terms and conditions shall supercede any conflicting terms and conditions submitted on customer purchase orders or other forms submitted for work.

ELAP Certificate No.: 2714

Denele Analytical, Inc.

865 South Kilroy Avenue Turlock, CA 95380
Phone (209) 634-9055 - Fax (209) 634-9057

www.denelelabs.com

40 N. East Street, Woodland, CA 95776
Phone (530) 666-9056 - Fax (530) 666-9058

Compliance Analysis Report

Customer
DeMelo Dairy-Galt
10080 Pringle Avenue
Galt, CA 95362

Grower

Consultant:
Jacquie Captein
P.O. Box 386
Herald, CA 95638

PURCHASE ORDER:
RECEIVED DATE: 9/29/23 1:00 PM
SUBMITTED BY: Jacquie
ANALYZED DATE: 10/4/23

Irrigation/ Ground Water (H1)
SOURCE: Well Water

NOTES: Temperature was above qualifying at 17.6c

Sample ID	Lab ID	Analyte	Method Ref	Result	Units
Dairy/Domestic #1	T3272034B	Electrical Conductivity (EC)	EPA 120.1 and	0.900	mmhos/cm
		Nitrate Nitrogen (NO3-N)	EPA 353.2	22.2	mg/L
		Ammonia Nitrogen (NH3-N)	SM 4500-NH3 D,C	< 0.500	mg/L
		Soluble Salts (SALT-SOL)	Calculation	576	mg/L

Laboratory Quality Control	LCS %	MS %	MSD %	RPD %
Ammonia Nitrogen (NH3-N)	99.2	97.6 (T3272024A)	98.8 (T3272024A)	1.22
Electrical Conductivity (EC)	94.5			0.879
Nitrate Nitrogen (NO3-N)	98.3	85.6 (T3255004A)	88.2 (T3255004A)	2.92

The warranty of Denele Analytical is limited to the accuracy of the analyses of the samples as received. Denele Analytical assumes no responsibility for which the customer uses our test results, nor liability for any other warranties, express or implied. These terms and conditions shall supercede any conflicting terms and conditions submitted on customer purchase orders or other forms submitted for work.

ELAP Certificate No.: 2714

Denele Analytical, Inc.

865 South Kilroy Avenue Turlock, CA 95380
Phone (209) 634-9055 - Fax (209) 634-9057

www.denelelabs.com

40 N. East Street, Woodland, CA 95776
Phone (530) 666-9056 - Fax (530) 666-9058

Compliance Analysis Report

Customer
DeMelo Dairy-Galt
10080 Pringle Avenue
Galt, CA 95362

Grower

Consultant:
Jacquie Captein
P.O. Box 386
Herald, CA 95638

PURCHASE ORDER:
RECEIVED DATE: 9/29/23 1:00 PM
SUBMITTED BY: Jacquie
ANALYZED DATE: 10/4/23

Irrigation/ Ground Water (H1)
SOURCE: Irrigation Water

NOTES: Temperature was above qualifying at 18.2c

Sample ID	Lab ID	Analyte	Method Ref	Result	Units
Ag Well #4	T3272034C	Electrical Conductivity (EC)	EPA 120.1 and	0.533	mmhos/cm
		Nitrate Nitrogen (NO3-N)	EPA 353.2	9.09	mg/L
		Ammonia Nitrogen (NH3-N)	SM 4500-NH3 D,C	< 0.500	mg/L
		Soluble Salts (SALT-SOL)	Calculation	341	mg/L

Laboratory Quality Control	LCS %	MS %	MSD %	RPD %
Ammonia Nitrogen (NH3-N)	99.2	97.6 (T3272024A)	98.8 (T3272024A)	1.22
Electrical Conductivity (EC)	94.5			0.879
Nitrate Nitrogen (NO3-N)	98.3	85.6 (T3255004A)	88.2 (T3255004A)	2.92

The warranty of Denele Analytical is limited to the accuracy of the analyses of the samples as received. Denele Analytical assumes no responsibility for which the customer uses our test results, nor liability for any other warranties, express or implied. These terms and conditions shall supercede any conflicting terms and conditions submitted on customer purchase orders or other forms submitted for work.

Denele Analytical, Inc.

865 South Kilroy Avenue Turlock, CA 95380
Phone (209) 634-9055 - Fax (209) 634-9057

www.denelelabs.com

40 N. East Street, Woodland, CA 95776
Phone (530) 666-9056 - Fax (530) 666-9058

Compliance Analysis Report

Customer
DeMelo Dairy-Galt
10080 Pringle Avenue
Galt, CA 95362

Grower

Consultant:
Jacquie Captein
P.O. Box 386
Herald, CA 95638

PURCHASE ORDER:
RECEIVED DATE: 9/29/23 1:00 PM
SUBMITTED BY: Jacquie
ANALYZED DATE: 10/4/23

Irrigation/ Ground Water (H1)
SOURCE: Well Water

NOTES: Temperature was above qualifying at 18.2c

Sample ID	Lab ID	Analyte	Method Ref	Result	Units
Dairy/Domestic #3	T3272034D	Electrical Conductivity (EC)	EPA 120.1 and	0.219	mmhos/cm
		Nitrate Nitrogen (NO3-N)	EPA 353.2	< 0.140	mg/L
		Ammonia Nitrogen (NH3-N)	SM 4500-NH3 D,C	< 0.500	mg/L
		Soluble Salts (SALT-SOL)	Calculation	140	mg/L

Laboratory Quality Control	LCS %	MS %	MSD %	RPD %
Ammonia Nitrogen (NH3-N)	99.2	97.6 (T3272024A)	98.8 (T3272024A)	1.22
Electrical Conductivity (EC)	94.5			0.879
Nitrate Nitrogen (NO3-N)	98.3	85.6 (T3255004A)	88.2 (T3255004A)	2.92

The warranty of Denele Analytical is limited to the accuracy of the analyses of the samples as received. Denele Analytical assumes no responsibility for which the customer uses our test results, nor liability for any other warranties, express or implied. These terms and conditions shall supercede any conflicting terms and conditions submitted on customer purchase orders or other forms submitted for work.