Annual Report - General Order No. R5-2007-0035
Reporting period 01/01/2023 to 12/31/2023.

DAIRY FACILITY INFORMATION

A. NAME OF DAIRY OR BUSINESS OPERATING THE DAIRY: Cressey River LLC

Physical address of dairy:

Number and Street	City	County	Zip Code
10986 Livingston Cressey WAY	Livingston	Merced	95334

Street and nearest cross street (if no address):

Date facility was originally placed in operation: 01/01/1972

Regional Water Quality Control Board Basin Plan designation: San Joaquin River Basin

County Assessor Parcel Number(s) for dairy facility:

X140-X060-X040-XXXX X140-X060-X048-XXXX X140-X060-X049-XXXX

B. OPERATORS

C/O Ralph, Lloyd, &/or Fred Fagundes, Cressey River, LLC

Operator name: C/O Ralph, Lloyd, &/or Fred Fagundes, Cressey River, LLC

Telephone no.: (209) 383-6046 (Landline) (Cellular)

Mailing Address Number and Street	City	State	Zip Code
P.O. Box 2717	Merced	CA	95344

This operator is responsible for paying permit fees.

C. OWNERS

C/O Ralph, Lloyd, &/or Fred Fagundes, Cressey River, LLC

Legal owner name: C/O Ralph, Lloyd, &/or Fred Fagundes, Cressey River, LLC

Telephone no.: (209) 383-6046 (Landline) (Cellular)

Mailing Address Number and Street	City	State	Zip Code
P.O. Box 2717	Merced	CA	95344

This owner is responsible for paying permit fees.

Annual Report - General Order No. R5-2007-0035
Reporting period 01/01/2023 to 12/31/2023.

AVAILABLE NUTRIENTS

A. HERD INFORMATION

	Milk Cows	Dry Cows	Bred Heifers (15-24 mo.)	Heifers (7-14 mo. to breeding)	Calves (4-6 mo.)	Calves (0-3 mo.)
Number open confinement	0	0	0	0	0	0
Number under roof	0	0	0	0	0	0
Maximum number	0	0	0	0	0	0
Average number	0	0	0	0	0	0
Avg live weight (lbs)	0	0	0	0		

Predominant milk cow breed: Holstein

Average milk production: 1 *pounds per cow per day*

B. MANURE GENERATED

Total manure excreted by the herd: 1.00 *tons per reporting period*

Total nitrogen from manure: 1.00 *lbs per reporting period*

After ammonia losses (30% loss applied): 0.70 *lbs per reporting period*

Total phosphorus from manure: 1.00 *lbs per reporting period*

Total potassium from manure: 1.00 *lbs per reporting period*

Total salt from manure: 0.00 *lbs per reporting period*

C. PROCESS WASTEWATER GENERATED

Process wastewater generated: _____ *gallons*

Total nitrogen generated: _____ *lbs*

Total phosphorus generated: _____ *lbs*

Total potassium generated: _____ *lbs*

Total salt generated: _____ *lbs*

	0	*gallons applied*
+	0	*gallons exported*
-	0	*gallons imported*
=	0	*gallons generated*

D. FRESH WATER SOURCES

Source Description	Type
Domestic Well - Domestic Well #1	Ground water
Domestic Well - Domestic Well #2	Ground water

E. SUBSURFACE (TILE) DRAINAGE SOURCES

No subsurface (tile) drainage sources entered.

F. NUTRIENT IMPORTS

No dry manure nutrient imports entered.

No process wastewater nutrient imports entered.

No commercial or other nutrient imports entered.

G. NUTRIENT EXPORTS

No solid nutrient exports entered.

No liquid nutrient exports entered.

APPLICATION AREA

A. LIST OF LAND APPLICATION AREAS

Field name	Controlled acres	Cropable acres	Total harvests	Type of waste applied	Parcel number
Field 1	17	17	0	none	X140-X060-X048-XXXX
Field 10	14	14	0	none	X140-X060-X040-XXXX
Field 11	16	16	0	none	X140-X060-X040-XXXX
Field 12	14	14	0	none	X140-X060-X049-XXXX
Field 13	38	38	0	none	X140-X060-X049-XXXX
Field 14	26	26	0	none	X140-X060-X040-XXXX
Field 15	6	6	0	none	X140-X060-X040-XXXX
Field 2	16	16	0	none	X140-X060-X048-XXXX
Field 3	17	17	0	none	X140-X060-X040-XXXX
Field 4	13	13	0	none	X140-X060-X040-XXXX
Field 5	13	13	0	none	X140-X060-X040-XXXX
Field 6	11	11	0	none	X140-X060-X040-XXXX
Field 7	15	15	0	none	X140-X060-X040-XXXX
Field 8	9	9	0	none	X140-X060-X040-XXXX
Field 9	21	21	0	none	X140-X060-X049-XXXX
Totals for areas that were used for application					
Totals for areas that were not used for application	246	246	0		
Land application area totals	246	246	0		

B. CROPS AND HARVESTS

No application area fields entered.

NUTRIENT BUDGET

A. LAND APPLICATIONS

No application area crops entered.

B. NUTRIENT BUDGET

No application area crops entered.

NUTRIENT ANALYSES

A. MANURE ANALYSES

No manure analyses entered.

B. PROCESS WASTEWATER ANALYSES

No process wastewater analyses entered.

C. FRESH WATER ANALYSES

Domestic Well - Domestic Well #1

Domestic Well #1

Sample description: Domestic Well #1

Sample date: 08/14/2023 Source of analysis: Lab analysis

	Total N (mg/L)	NH4-N (mg/L)	Nitrate-N (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	Bicarbonate (mg/L)	Carbonate (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	EC (µmhos/cm)	TDS (mg/L)
Value			0.00								107.00	
DL			0.10								10.00	

Domestic Well - Domestic Well #2

Domestic Well #2

Sample description: Domestic Well #2

Sample date: 08/14/2023 Source of analysis: Lab analysis

	Total N (mg/L)	NH4-N (mg/L)	Nitrate-N (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	Bicarbonate (mg/L)	Carbonate (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	EC (µmhos/cm)	TDS (mg/L)
Value			0.00								105.00	
DL			0.10								10.00	

D. SOIL ANALYSES

No soil analyses entered.

E. PLANT TISSUE ANALYSES

No plant tissue analyses entered.

F. SUBSURFACE (TILE) DRAINAGE ANALYSES

No subsurface (tile) drainage analyses entered.

NUTRIENT APPLICATIONS, POTENTIAL REMOVAL, AND BALANCE

A. SUMMARY OF NUTRIENT APPLICATIONS, POTENTIAL REMOVAL, AND BALANCE

	Total N (lbs)	Total P (lbs)	Total K (lbs)	Total salt (lbs)
Existing soil nutrient content	0.00	0.00	0.00	0.00
Plowdown credit	0.00	0.00	0.00	0.00
Commercial fertilizer / Other	0.00	0.00	0.00	0.00
Dry manure	0.00	0.00	0.00	0.00
Process wastewater	0.00	0.00	0.00	0.00
Fresh water	0.00	0.00	0.00	0.00
Atmospheric deposition	0.00	0.00	0.00	0.00
Total nutrients applied	0.00	0.00	0.00	0.00
Anticipated crop nutrient removal	0.00	0.00	0.00	0.00
Actual crop nutrient removal	0.00	0.00	0.00	0.00
Nutrient balance	0.00	0.00	0.00	0.00
Applied to removed ratio	0.00	0.00	0.00	0.00

B. POUNDS OF NUTRIENT APPLIED VS. CROP REMOVAL



C. POUNDS OF NUTRIENT APPLIED BY MATERIAL TYPE

Pounds of nitrogen applied

Existing soil nutrient content	0
Plowdown credit	0
Commercial fertilizer / Other	0
Dry manure	0
Process wastewater	0
Fresh water	0
Atmospheric deposition	0

lbs

Pounds of phosphorus applied

Existing soil nutrient content	0
Plowdown credit	0
Commercial fertilizer / Other	0
Dry manure	0
Process wastewater	0
Fresh water	0
Atmospheric deposition	0

lbs

Pounds of potassium applied

Existing soil nutrient content	0
Plowdown credit	0
Commercial fertilizer / Other	0
Dry manure	0
Process wastewater	0
Fresh water	0
Atmospheric deposition	0

lbs

Pounds of salt applied

Existing soil nutrient content	0
Plowdown credit	0
Commercial fertilizer / Other	0
Dry manure	0
Process wastewater	0
Fresh water	0
Atmospheric deposition	0

lbs

EXCEPTION REPORTING

A. MANURE, PROCESS WASTEWATER, AND OTHER DAIRY WASTE DISCHARGES

The following is a summary of all manure and process wastewater discharges from the production area to surface water or to land areas (land application areas or otherwise) when not in accordance with the facility's Nutrient Management Plan.

No manure or process wastewater discharges occurred during the reporting period.

B. STORM WATER DISCHARGES

The following is a summary of all storm water discharges from the production area to surface water during the reporting period when not in accordance with the facility 's Nutrient Management Plan.

No stormwater discharges occurred during the reporting period.

C. LAND APPLICATION AREA TO SURFACE WATER DISCHARGES

The following is a summary of all discharges from the land application area to surface water that have occurred during the reporting period when not in accordance with the facility's Nutrient Management Plan.

No land application area to surface water discharges occurred during the reporting period.

NUTRIENT MANAGEMENT PLAN AND EXPORT AGREEMENT STATEMENTS

A. NUTRIENT MANAGEMENT PLAN STATEMENTS

Was the facility's NMP updated in the reporting period?	No
Was the facility's NMP developed by a certified nutrient management planner (specialist) as specified in Attachment C of the General Order?	Yes
Was the facility's NMP approved by a certified nutrient management planner (specialist) as specified in Attachment C of the General Order?	Yes

B. EXPORT AGREEMENT STATEMENT

Are there any written agreements with third parties to receive manure or process wastewater that are new or were revised within the reporting period?	No

ADDITIONAL NOTES

A. NOTES

*The Facility was EMPTY the entire Calendar Year of 2023.

*NO Lagoon water samples were taken in 2023 as No waste water was applied to any surrounding land nor was any lagoon water exported.

*Cressey River, LLC did not have any crops planted in 2023.

*There is NO Irrigation Water Sample as there were no crops to irrigate in 2023.

*No Soil Samples were taken in 2023.

*NO Manure samples were taken in 2023 as No Manure was applied to any surrounding land nor was any manure exported.

CERTIFICATION

A. OWNER AND/OR OPERATOR CERTIFICATION

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this document and all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Lloyd Fagundes
Lloyd Fagundes (Jun 25, 2024 17:02 PDT)

SIGNATURE OF OWNER OF FACILITY	SIGNATURE OF OPERATOR OF FACILITY
Cressey River, LLC C/O Ralph, Lloyd, &/or Fred Fagundes	SAME AS OWNER
PRINT OR TYPE NAME	PRINT OR TYPE NAME
6/25/2024	
DATE	DATE

DELLAVALLE™
LABORATORY INC

R & J Avila Inc
8119 Ellington Ave
Hilmar, CA 95324

Account# 00-0019840
Account Manager: Ben Nydam
Submitted By: Rui & John Avila
Ranch: Cressey River, LLC

Received: 08/15/2023 14:18
Reported: 08/17/2023 10:14

Samples in this Report

Lab ID	Sample	Matrix	Sampled By	Crop	Date Sampled
23H1360-01	Domestic Well #1	Ag Water	T. Madruga		08/14/2023 15:00
23H1360-02	Domestic Well #2	Ag Water	T. Madruga		08/14/2023 16:00

Default Cooler Temperature on Receipt °C: 1.9
Containers Intact
COC/Labels Agree
Received On Ice

Notes and Definitions

Item	Definition
H	Hold Time Exceeded
MCL	Drinking Water Maximum Contaminant Level
ND	Analyte NOT DETECTED at or above the reporting limit.
NES	Not Enough Sample
*	Not Taken
RPD	Relative Percent Difference
%REC	Percent Recovery
Source	Sample that was matrix spiked or duplicated.

Scott McFriedland

Laboratory Director/Technical Manager

ELAP Certification #1595
A2LA Certification #6440.02

The results in this report apply to the samples as received and were analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Dellavalle Laboratory, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

DELLAVALLE™
LABORATORY INC

R & J Avila Inc
8119 Ellington Ave
Hilmar, CA 95324

Account# 00-0019840
Account Manager: Ben Nydam
Submitted By: Rui & John Avila
Ranch: Cressey River, LLC

Received: 08/15/2023 14:18
Reported: 08/17/2023 10:14

Sample Results

Sample: Domestic Well #1
23H1360-01 (Water)

Sampled: 8/14/2023 15:00
Sampled By: T. Madruga

Analyte	Result	Units	Reporting Limit	DIL	DW MCL	Date/Time Analyzed	Method	Notes	Batch
Electrical Conductivity	**0.11**	mmhos/cm	0.01	1		08/15/23 17:17	SM 2510 B		BEH0723
Electrical Conductivity umhos	**107**	umhos/cm	10.0	1		08/15/23 17:17	SM 2510 B		BEH0723
Ammonia (as N)	ND	mg/L	0.00	1		08/14/23 15:00	Field		BEH0752
Nitrate Nitrogen as NO3N	ND	mg/L	0.1	1	10	08/16/23 01:03	EPA 300.0		BEH0724
pH	**7.5**	units	1.0	1		08/15/23 17:17	SM 4500-H+	H	BEH0723
Temperature	**25.0**	°C	0.0	1		08/15/23 17:17	SM 2510 B		BEH0723

The results in this report apply to the samples as received and were analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Dellavalle Laboratory, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

DELLAVALLE™
LABORATORY INC

R & J Avila Inc
8119 Ellington Ave
Hilmar, CA 95324

Account# 00-0019840
Account Manager: Ben Nydam
Submitted By: Rui & John Avila
Ranch: Cressey River, LLC

Received: 08/15/2023 14:18
Reported: 08/17/2023 10:14

Sample Results
(Continued)

Sample: Domestic Well #2
23H1360-02 (Water)

Sampled: 8/14/2023 16:00
Sampled By: T. Madruga

Analyte	Result	Units	Reporting Limit	DIL	DW MCL	Date/Time Analyzed	Method	Notes	Batch
Electrical Conductivity	**0.11**	mmhos/cm	0.01	1		08/15/23 17:19	SM 2510 B		BEH0723
Electrical Conductivity umhos	**105**	umhos/cm	10.0	1		08/15/23 17:19	SM 2510 B		BEH0723
Ammonia (as N)	ND	mg/L	0.00	1		08/14/23 16:00	Field		BEH0752
Nitrate Nitrogen as NO3N	ND	mg/L	0.1	1	10	08/16/23 01:23	EPA 300.0		BEH0724
pH	**7.6**	units	1.0	1		08/15/23 17:19	SM 4500-H+	H	BEH0723
Temperature	**25.0**	°C	0.0	1		08/15/23 17:19	SM 2510 B		BEH0723

The results in this report apply to the samples as received and were analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Dellavalle Laboratory, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

DELLAVALLE™
LABORATORY INC

R & J Avila Inc
8119 Ellington Ave
Hilmar, CA 95324

Account# 00-0019840
Account Manager: Ben Nydam
Submitted By: Rui & John Avila
Ranch: Cressey River, LLC

Received: 08/15/2023 14:18
Reported: 08/17/2023 10:14

Quality Control

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BEH0723										
Blank (BEH0723-BLK1)					Prepared & Analyzed: 8/15/2023					
Electrical Conductivity	ND		0.01	mmhos/cm						
pH	5.4		1.0	units						
Electrical Conductivity umhos	ND		10.0	umhos/cm						
Temperature	25.0		0.0	°C						
Blank (BEH0723-BLK2)					Prepared & Analyzed: 8/15/2023					
pH	7.3		1.0	units						
Electrical Conductivity	ND		0.01	mmhos/cm						
Electrical Conductivity umhos	ND		10.0	umhos/cm						
Temperature	25.0		0.0	°C						
Blank (BEH0723-BLK3)					Prepared & Analyzed: 8/15/2023					
Electrical Conductivity	ND		0.01	mmhos/cm						
pH	6.7		1.0	units						
Electrical Conductivity umhos	ND		10.0	umhos/cm						
Temperature	25.0		0.0	°C						
Duplicate (BEH0723-DUP1)		**Source: 23H0088-01**			Prepared & Analyzed: 8/15/2023					
Electrical Conductivity	1.25		0.01	mmhos/cm		1.26			0.748	10
pH	8.4		1.0	units		8.4			0.237	10
Electrical Conductivity umhos	1250		10.0	umhos/cm		1260			0.748	10
Duplicate (BEH0723-DUP2)		**Source: 23H1361-04**			Prepared & Analyzed: 8/15/2023					
Electrical Conductivity	0.43		0.01	mmhos/cm		0.43			1.12	10
pH	7.5		1.0	units		7.5			0.266	10
Electrical Conductivity umhos	426		10.0	umhos/cm		431			1.12	10
Reference (BEH0723-SRM1)					Prepared & Analyzed: 8/15/2023					
Electrical Conductivity	523			umhos/cm	538.0		97.1	90-110		
Reference (BEH0723-SRM2)					Prepared & Analyzed: 8/15/2023					
pH	5.8			units	5.820		99.8	28178-101.71		
Reference (BEH0723-SRM3)					Prepared & Analyzed: 8/15/2023					
Electrical Conductivity	939			umhos/cm	1000		93.9	90-110		
Electrical Conductivity umhos	939			umhos/cm	1000		93.9	90-110		
Reference (BEH0723-SRM4)					Prepared & Analyzed: 8/15/2023					
Electrical Conductivity	941			umhos/cm	1000		94.1	90-110		
Electrical Conductivity umhos	941			umhos/cm	1000		94.1	90-110		
Reference (BEH0723-SRM5)					Prepared & Analyzed: 8/15/2023					
Electrical Conductivity	950			umhos/cm	1000		95.0	90-110		

The results in this report apply to the samples as received and were analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Dellavalle Laboratory, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

DELLAVALLE™
LABORATORY INC

R & J Avila Inc
8119 Ellington Ave
Hilmar, CA 95324

Account# 00-0019840
Account Manager: Ben Nydam
Submitted By: Rui & John Avila
Ranch: Cressey River, LLC

Received: 08/15/2023 14:18
Reported: 08/17/2023 10:14

Quality Control
(Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BEH0723 (Continued)										
Reference (BEH0723-SRM5)					Prepared & Analyzed: 8/15/2023					
Electrical Conductivity umhos	950			umhos/cm	1000		95.0	90-110		
Reference (BEH0723-SRM6)					Prepared & Analyzed: 8/15/2023					
pH	4.0			units	4.000		100	97.5-102.5		
Reference (BEH0723-SRM7)					Prepared & Analyzed: 8/15/2023					
pH	4.0			units	4.000		100	97.5-102.5		
Reference (BEH0723-SRM8)					Prepared & Analyzed: 8/15/2023					
pH	4.0			units	4.000		100	97.5-102.5		

The results in this report apply to the samples as received and were analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Dellavalle Laboratory, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

DELLAVALLE™
LABORATORY INC

R & J Avila Inc
8119 Ellington Ave
Hilmar, CA 95324

Account# 00-0019840
Account Manager: Ben Nydam
Submitted By: Rui & John Avila
Ranch: Cressey River, LLC

Received: 08/15/2023 14:18
Reported: 08/17/2023 10:14

Quality Control
(Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BEH0724										
Blank (BEH0724-BLK1)					Prepared & Analyzed: 8/15/2023					
Nitrate Nitrogen as NO3N	ND		0.1	mg/L						
Blank (BEH0724-BLK2)					Prepared & Analyzed: 8/15/2023					
Nitrate Nitrogen as NO3N	ND		0.1	mg/L						
Blank (BEH0724-BLK3)					Prepared: 8/15/2023 Analyzed: 8/16/2023					
Nitrate Nitrogen as NO3N	ND		0.1	mg/L						
LCS (BEH0724-BS1)					Prepared & Analyzed: 8/15/2023					
Nitrate Nitrogen as NO3N	5.5		0.1	mg/L	5.000		110	90-110		
LCS (BEH0724-BS2)					Prepared: 8/15/2023 Analyzed: 8/16/2023					
Nitrate Nitrogen as NO3N	5.2		0.1	mg/L	5.000		103	90-110		
Duplicate (BEH0724-DUP1)		**Source: 23H1360-01**			Prepared & Analyzed: 8/15/2023					
Nitrate Nitrogen as NO3N	0.1		0.1	mg/L		0.08			26.2	10
Duplicate (BEH0724-DUP2)		**Source: 23H1386-04**			Prepared: 8/15/2023 Analyzed: 8/16/2023					
Nitrate Nitrogen as NO3N	0.7		0.1	mg/L		0.7			0.542	10
Matrix Spike (BEH0724-MS1)		**Source: 23H1360-01**			Prepared & Analyzed: 8/15/2023					
Nitrate Nitrogen as NO3N	5.0		0.1	mg/L	5.000	0.08	97.4	90-110		
Matrix Spike (BEH0724-MS2)		**Source: 23H1386-04**			Prepared: 8/15/2023 Analyzed: 8/16/2023					
Nitrate Nitrogen as NO3N	5.7		0.1	mg/L	5.000	0.7	99.3	90-110		
Reference (BEH0724-SRM1)					Prepared & Analyzed: 8/15/2023					
Nitrate Nitrogen as NO3N	9.8			mg/L	10.00		98.0	90-110		
Reference (BEH0724-SRM2)					Prepared: 8/15/2023 Analyzed: 8/16/2023					
Nitrate Nitrogen as NO3N	9.9			mg/L	10.00		98.6	90-110		
Reference (BEH0724-SRM3)					Prepared: 8/15/2023 Analyzed: 8/16/2023					
Nitrate Nitrogen as NO3N	9.9			mg/L	10.00		99.2	90-110		

The results in this report apply to the samples as received and were analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Dellavalle Laboratory, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

08/15/23 14:18 23H1360

JG

DELLAVALLE LABORATORY, INC.

1910 W. McKinley Avenue, Suite 110 • Fresno, CA 93728
www.dellavallelab.com 559 233-6129 · 800 228-9896 · Fax 559 268-8174

No. Samples: 2 No. of Bottles: 2

Purchase Order No | Bill To: Acct # 19840 | Cons # 08

Water Type: [ ] Drinking Water [ ] Wastewater
[X] Ag Water [ ] Groundwater [ ] Monitoring Well

Results Need By

Name: R & J Avila Inc
Address: 8119 Ellington Avenue
City: Hilmar **State: CA** **Zip:** 95324
Telephone: (209) 669-7919 **Fax:** (209) 634-4604
Cell/Email: 209 678-3086 Rui / 209 678-1723 John frontdesk.randjavila@gmail.com
COPY TO:

REQUESTED BY: Rui & John Avila
PROJECT Cressey River, LLC
ID CROP: N/A

[X] Copy of Chain [X] QA/QC Documents
Sampled By: T. Madruga

Other:

Analysis and Bottles Required: (Please indicate Analysis)

(X) DWW1: EC, pH, NO_3-N (NH4-N Field Test)
(1-1 Liter Plastic, Unpreserved) White Per Sample
( ) DWW2: DWW1 Plus SO_4, CO_3, HCO_3, Cl, Ca, Mg, Na, TDS
(1-1 Liter Plastic, Unpreserved) White Per Sample
( ) DCW1: EC, NO_3-N, TDS + TKN & TN
(1-1 Liter Plastic, Unpreserved) White Per Sample
( ) DPW1: EC, pH, NO_3-N, NH_4-N, TKN, TDS, TP, TK
(1-1 Liter Plastic, Unpreserved) White Per Sample
( ) DPW2: DPW1 Plus SO_4, CO_3, HCO_3, Cl, Ca, Mg, Na
(1-1 Liter Plastic, Unpreserved) White Per Sample
( ) Other

		Description of Samples	Date Sampled	Time Sampled	Rec'd Temp °C	Field NH_4-N
1		Domestic Well #1	8/14/2023	1500	1.9	ND
2		Domestic Well #2	8/14/2023	1600	1.9	ND
3						
4						
5						
6						
7						
8						
9						
10						

IR Thermometer SN: 192603727
Correction Factor: 0°C
Calibration Due: 9/26/2023
Location: Laboratory

CHAIN OF CUSTODY

Carrier	Signature	Company	Received (Date/Time)	Relinquished (Date/Time)
First	John Avila	R & J Avila, Inc.	8/14/2023 @ 1600	8/15/2023 @ 900
Second	JLF	Dellavalle Laboratory, Inc.	8/15/2023 @ 900	8-15-23 1:55
Third				
Fourth		DLL	8/15/23 14:18	

I guarantee that as the client, or on behalf of client named, I have the authority to contract the above requested services. Should it be found that I do not have such authority, I agree to be personally liable for all costs and, if there should be action against me for this breach, reasonable attorneys' fees. It is understood that payment is expected to be cash with samples unless terms have been previously arranged. Terms are net 30 days; overdue accounts will be charged a liquidated damage fee of 2% per month (annually 24%) or $5.00 per month whichever is greater.
If payment is not made when due and a legitimate dispute exists concerning the product or services of Dellavalle Laboratory, Inc., it will be submitted to mediation under the Rules and Procedures of Creative Alternative to Litigation, Inc. (*cal*). If the dispute is not resolved in mediation, then the dispute will be submitted to binding arbitration through ***cal*** under its Rules and Procedures. The parties will equally bear the costs of mediation/arbitration. If, however, the mediator declares that no legitimate dispute exists, then debtor will pay all mediation and arbitration costs, and in the event of arbitration,reasonable attorneys' fees of Dellavalle Laboratory.

Invoicing Information:
Sampling hrs
Miles
Consulting

Shipping
$ In
$ Out

Amt Paid	Rec By	Check #	Date

Signature

Samples recieved in cooler with ice (coolant)
[ ] Yes [ ] No

08/15/23 14:18 23H1360

Shipping Information: Fed Ex ☐ UPS ☐ GSO ☐ Picked-Up ☒ Walk In ☐ DLI Sampler ☐
Ontrac ☐ PMS ☐ USPS ☐ Other ☐ _____

Shipping Container: Ice Chest ☒ None ☐ Box ☐

Refrigerant: Wet Ice: ☒ Blue Ice: ☐ None: ☐

Container(s) Received	1	2	3	4	5	6	7	8	9	10
Plastics:										
100 mL sterile plastic $Na_2S_2O_3$ (Green)										
250 mL unpreserved (White)										
250 mL HNO_3 (Red)										
250 mL H_2SO_4 (Yellow)										
500 mL unpreserved (White)										
500 mL HNO_3 (Red)										
500 mL H_2SO_4 (Yellow)										
1 L unpreserved (White)	1	1								
1 L unpreserved (BOD) (Purple)										
1 L HNO_3 (Red)										
1 L H_2SO_4 (Yellow)										
VOA Vials in sets of 3:										
40 mL VOA, HCl (Blue)										
40 mL VOA, $Na_2S_2O_3$ (Green)										
40 mL VOA, unpreserved (White)										
Glass:										
250 mL AG unpreserved (White)										
250 mL AG H_2SO_4 (Yellow)										
250 mL AG $Na_2S_2O_3$ (Green)										
250 mL AG $Na_2S_2O_3$ + MCAA										
500 mL glass unpreserved (White)										
500 mL AG HCl (Blue)										
1 L AG unpreserved (White)										
1 L AG H_2SO_4 (Yellow)										
1 L AG $Na_2S_2O_3$ (Green)										
1 L AG HCl (Blue)										
Special:										
Cr^{6+} w/Borate/HCO3/CO3										
Cyanide - 500 mL NaOH										
Asbestos - 2 - 1L P wrapped in foil										
500 mL or 1 L **AP** $Na_2S_2O_3$ (Green)										
1 L **AG** or **P** NaOH + ZnAc (Sulfide)										
Chlorite/Bromate 250 mL AG with EDA										
TTHM										
HAA5										
40 mL VOA, $Na_2S_2O_3$ + MCAA										

pH Strips
Lot 10BDH4501
Exp. Jan. 2025