Annual Report - General Order No. R5-2007-0035
Reporting period 01/01/2023 to 12/31/2023.

DAIRY FACILITY INFORMATION

A. NAME OF DAIRY OR BUSINESS OPERATING THE DAIRY: Martin Family Dairy

Physical address of dairy:

Number and Street	City	County	Zip Code
11401 N DAVIS RD	LODI	San Joaquin	95242

Street and nearest cross street (if no address):

Date facility was originally placed in operation: 12/01/2007

Regional Water Quality Control Board Basin Plan designation: San Joaquin River Basin

County Assessor Parcel Number(s) for dairy facility:

X055-X210-X030-XXXX X055-X210-X080-XXXX

B. OPERATORS

Martin, Ben

Operator name: Martin, Ben

Telephone no.: Landline: ; Cellular: (209) 329-1786

Mailing Address Number and Street	City	State	Zip Code
11351 N Davis RD	Lodi	CA	95242

C. OWNERS

Martin, Mary

Legal owner name: Martin, Mary

Telephone no.: Landline: (209) 951-9354; Cellular:

Mailing Address Number and Street	City	State	Zip Code
P.O. Box 7976	Stockton	CA	95267

This owner is responsible for paying permit fees.

Annual Report - General Order No. R5-2007-0035
Reporting period 01/01/2023 to 12/31/2023.

AVAILABLE NUTRIENTS

A. HERD INFORMATION

	Milk Cows	Dry Cows	Bred Heifers (15-24 mo.)	Heifers (7-14 mo. to breeding)	Calves (4-6 mo.)	Calves (0-3 mo.)
Number open confinement	0	0	0	0	0	0
Number under roof	0	0	0	0	0	0
Maximum number	0	0	0	0	0	0
Average number	0	0	0	0	0	0
Avg live weight (lbs)	0	0	0	0		

Predominant milk cow breed: Holstein

Average milk production: 1 *pounds per cow per day*

B. MANURE GENERATED

Total manure excreted by the herd: 1.00 *tons per reporting period*

Total nitrogen from manure: 1.00 *lbs per reporting period*

After ammonia losses (30% loss applied): 0.70 *lbs per reporting period*

Total phosphorus from manure: 1.00 *lbs per reporting period*

Total potassium from manure: 1.00 *lbs per reporting period*

Total salt from manure: 0.00 *lbs per reporting period*

C. PROCESS WASTEWATER GENERATED

Process wastewater generated: _____ *gallons*

Total nitrogen generated: _____ *lbs*

Total phosphorus generated: _____ *lbs*

Total potassium generated: _____ *lbs*

Total salt generated: _____ *lbs*

	0	*gallons applied*
+	0	*gallons exported*
-	0	*gallons imported*
=	0	*gallons generated*

D. FRESH WATER SOURCES

Source Description	Type
DAVIS ROAD	Ground water
FIG AG WELL	Ground water
GRAPE AG WELL	Ground water
NORTH AG WELL	Ground water
SOUTH AG WELL	Ground water

Source Description	Type
YELLOW HOUSE DOM. WELL	Ground water

E. SUBSURFACE (TILE) DRAINAGE SOURCES

No subsurface (tile) drainage sources entered.

F. NUTRIENT IMPORTS

No dry manure nutrient imports entered.

No process wastewater nutrient imports entered.

No commercial or other nutrient imports entered.

G. NUTRIENT EXPORTS

No solid nutrient exports entered.

No liquid nutrient exports entered.

APPLICATION AREA

A. LIST OF LAND APPLICATION AREAS

No land application areas entered.

Totals for areas that were used for application					
Totals for areas that were not used for application					
Land application area totals					

B. CROPS AND HARVESTS

No application area fields entered.

NUTRIENT BUDGET

A. LAND APPLICATIONS

No application area crops entered.

B. NUTRIENT BUDGET

No application area crops entered.

NUTRIENT ANALYSES

A. MANURE ANALYSES

No manure analyses entered.

B. PROCESS WASTEWATER ANALYSES

No process wastewater analyses entered.

C. FRESH WATER ANALYSES

DAVIS ROAD

STK2357321-001

Sample description: STK2357321-001

Sample date: 12/19/2023 Source of analysis: Lab analysis

	Total N (mg/L)	NH4-N (mg/L)	Nitrate-N (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	Bicarbonate (mg/L)	Carbonate (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	EC (µmhos/cm)	TDS (mg/L)
Value	1.00	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	270.00	0
DL	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1

FIG AG WELL

STK2357321-003

Sample description: STK2357321-003

Sample date: 12/19/2023 Source of analysis: Lab analysis

	Total N (mg/L)	NH4-N (mg/L)	Nitrate-N (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	Bicarbonate (mg/L)	Carbonate (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	EC (µmhos/cm)	TDS (mg/L)
Value	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	266.00	0
DL	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1

GRAPE AG WELL

GRAPE AG WELL

STK2357321-004

Sample description: STK2357321-004

Sample date: 12/19/2023 Source of analysis: Lab analysis

	Total N (mg/L)	NH4-N (mg/L)	Nitrate-N (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	Bicarbonate (mg/L)	Carbonate (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	EC (µmhos/cm)	TDS (mg/L)
Value	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	265.00	0
DL	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1

NORTH AG WELL

STK2357321-006

Sample description: STK2357321-006

Sample date: 12/19/2023 Source of analysis: Lab analysis

	Total N (mg/L)	NH4-N (mg/L)	Nitrate-N (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	Bicarbonate (mg/L)	Carbonate (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	EC (µmhos/cm)	TDS (mg/L)
Value	1.00	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	262.00	0
DL	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1

SOUTH AG WELL

STK2357321-005

Sample description: STK2357321-005

Sample date: 12/19/2023 Source of analysis: Lab analysis

	Total N (mg/L)	NH4-N (mg/L)	Nitrate-N (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	Bicarbonate (mg/L)	Carbonate (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	EC (µmhos/cm)	TDS (mg/L)
Value	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	264.00	0
DL	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1

YELLOW HOUSE DOM. WELL

YELLOW HOUSE DOM. WELL

STK2357321-002

Sample description: STK2357321-002

Sample date: 12/19/2023 Source of analysis: Lab analysis

	Total N (mg/L)	NH4-N (mg/L)	Nitrate-N (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	Bicarbonate (mg/L)	Carbonate (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	EC (µmhos/cm)	TDS (mg/L)
Value	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	264.00	0
DL	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1

D. SOIL ANALYSES

No soil analyses entered.

E. PLANT TISSUE ANALYSES

No plant tissue analyses entered.

F. SUBSURFACE (TILE) DRAINAGE ANALYSES

No subsurface (tile) drainage analyses entered.

NUTRIENT APPLICATIONS, POTENTIAL REMOVAL, AND BALANCE

A. SUMMARY OF NUTRIENT APPLICATIONS, POTENTIAL REMOVAL, AND BALANCE

	Total N (lbs)	Total P (lbs)	Total K (lbs)	Total salt (lbs)
Existing soil nutrient content	0.00	0.00	0.00	0.00
Plowdown credit	0.00	0.00	0.00	0.00
Commercial fertilizer / Other	0.00	0.00	0.00	0.00
Dry manure	0.00	0.00	0.00	0.00
Process wastewater	0.00	0.00	0.00	0.00
Fresh water	0.00	0.00	0.00	0.00
Atmospheric deposition	0.00	0.00	0.00	0.00
Total nutrients applied	0.00	0.00	0.00	0.00
Anticipated crop nutrient removal	0.00	0.00	0.00	0.00
Actual crop nutrient removal	0.00	0.00	0.00	0.00
Nutrient balance	0.00	0.00	0.00	0.00
Applied to removed ratio	0.00	0.00	0.00	0.00

B. POUNDS OF NUTRIENT APPLIED VS. CROP REMOVAL



C. POUNDS OF NUTRIENT APPLIED BY MATERIAL TYPE

Pounds of nitrogen applied

Existing soil nutrient content	0
Plowdown credit	0
Commercial fertilizer / Other	0
Dry manure	0
Process wastewater	0
Fresh water	0
Atmospheric deposition	0

lbs

Pounds of phosphorus applied

Existing soil nutrient content	0
Plowdown credit	0
Commercial fertilizer / Other	0
Dry manure	0
Process wastewater	0
Fresh water	0
Atmospheric deposition	0

lbs

Pounds of potassium applied

Existing soil nutrient content	0
Plowdown credit	0
Commercial fertilizer / Other	0
Dry manure	0
Process wastewater	0
Fresh water	0
Atmospheric deposition	0

lbs

Pounds of salt applied

Existing soil nutrient content	0
Plowdown credit	0
Commercial fertilizer / Other	0
Dry manure	0
Process wastewater	0
Fresh water	0
Atmospheric deposition	0

lbs

EXCEPTION REPORTING

A. MANURE, PROCESS WASTEWATER, AND OTHER DAIRY WASTE DISCHARGES

The following is a summary of all manure and process wastewater discharges from the production area to surface water or to land areas (land application areas or otherwise) when not in accordance with the facility's Nutrient Management Plan.

No manure or process wastewater discharges occurred during the reporting period.

B. STORM WATER DISCHARGES

The following is a summary of all storm water discharges from the production area to surface water during the reporting period when not in accordance with the facility 's Nutrient Management Plan.

No stormwater discharges occurred during the reporting period.

C. LAND APPLICATION AREA TO SURFACE WATER DISCHARGES

The following is a summary of all discharges from the land application area to surface water that have occurred during the reporting period when not in accordance with the facility's Nutrient Management Plan.

No land application area to surface water discharges occurred during the reporting period.

NUTRIENT MANAGEMENT PLAN AND EXPORT AGREEMENT STATEMENTS

A. NUTRIENT MANAGEMENT PLAN STATEMENTS

Was the facility's NMP updated in the reporting period?	No
Was the facility's NMP developed by a certified nutrient management planner (specialist) as specified in Attachment C of the General Order?	Yes
Was the facility's NMP approved by a certified nutrient management planner (specialist) as specified in Attachment C of the General Order?	Yes

B. EXPORT AGREEMENT STATEMENT

Are there any written agreements with third parties to receive manure or process wastewater that are new or were revised within the reporting period?	No

ADDITIONAL NOTES

A. NOTES

No cows are housed at this facility. All manure and wastewater have been applied or exported prior to 2023.

Annual Report - General Order No. R5-2007-0035
Reporting period 01/01/2023 to 12/31/2023.

CERTIFICATION

A. OWNER AND/OR OPERATOR CERTIFICATION

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this document and all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Mary Martin
SIGNATURE OF OWNER OF FACILITY

Mary Martin
PRINT OR TYPE NAME

June 26, 2024
DATE

Ben D Martin
SIGNATURE OF OPERATOR OF FACILITY

Ben Martin
PRINT OR TYPE NAME

June 26, 2024
DATE

ATTACHMENTS

A. REQUIRED ATTACHMENTS

The following lists the required documents that should be attached to the Annual Report when submitted .

Annual Dairy Facility Assessment
Provide an Annual Dairy Facility Assessment (an update to the Preliminary Dairy Facility Assessment in Attachment A) for each reporting period. On the PDFA Final page, click on the ADFA Report button to generate an ADFA report after updating information as needed .

Manure/Process Wastewater Tracking Manifests
Provide copies of all manure/process wastewater tracking manifests for the reporting period, signed by both the owner/operator and the hauler.

Corrective Actions Documents
Provide records documenting any corrective actions taken to correct deficiencies noted as a result of the inspections required in the Monitoring Requirements of the General Order. Deficiencies not corrected in 30 days must be accompanied by an explanation of the factors preventing immediate correction.

Groundwater Monitoring
Dischargers that monitor supply wells or subsurface (tile) drainage systems, or that have monitoring well systems must submit monitoring results as directed in the General Order, Groundwater Reporting Section starting on page MRP-13.

Storm Water Monitoring
Dischargers that are required to monitor storm water more frequently than required in the General Order must submit monitoring results as directed in the General Order, Storm Water Reporting Section on page MRP-14.

ENVIRONMENTAL & AGRONOMIC

Dairy Operations
www.fglinc.com

CHAIN OF CUSTODY AND ANALYSES REQUEST FORM

CLIENT DETAILS — SECTION I

Client: Martin Dairy

☐ New Customer Customer Number: 3016248

Address: P.O. Box 7976
Stockton, Ca. 95267

Phone: (209)601-0141 FAX: (209)951-9354

Email: jcherumhm@comcast.net

Project Name: Domestic & Ag Supply Wells

Contact person: Judy Herum

Billing Information (if different from above)

Name:

Address:

Phone: FAX:

Contact Person:

Purchase order/contract/FGL quote number:

SAMPLING — SECTION II

Lab Number: 2357321

Time:

Shipping Charge:

Sampler(s): Ben Martin

Mileage:

Pickup Charge:

SAMPLE INFORMATION — SECTION III

ANALYSES REQUESTED

Samp Num	Location/Description	Date Sampled	Time Sampled	Number of Containers	Type of Container:(G)Glass, (P) Plastic, (Z) Ziplock, (PB) Paper Bag	(PW) Process Water, (M)Manure,(S) Soil, (T) Crop Tissue, (IW)Irrigation Water, (SW) Storm Water	(1) H2S04, (2) HNO3, (3) Na2S203, (4) Other	DOMESTIC & AG SUPPLY WELLS	DAW1: NO3-N + EC-Electrical conductivity	DAW1 (if detected in field): NH3-N	DAW2: Alk. (CaCO3),Cl,TDS,SO4,Ca,Na,Mg	DAW Field-Field E.C.	DAW Field-Field NH3-N						
1	Davis Rd - Domestic	12/19/2023	0830						X										
2	Yellow Hse - Domestic		0840						X										
3	Fig - AG		0850						X										
4	Grape AG		0905						X										
5	South-AG		0915						X										
6	North-AG		0930						X										

REMARKS — SECTION IV

CUSTODY — SECTION V

Reliquished By: Ben Martin	Print Name: Ben Martin	Date: 12/19/23	Time: 11:30
Received By: BM	Print Name: D Hagen	Date: 12/19/2023	Time: 1130
Reliquished By: DH	Print Name:	Date:	Time:
Received By: DHS	Print Name:	Date:	Time:

Corporate Office and Laboratory
853 Corporation Street
Santa Paula, CA 93060
Tel: (805) 392-2000
FAX: (805) 525-4172

Office & Laboratory
2500 Stagecoach Road
Stockton, CA 95215
Tel: (209) 942-0182
FAX: (209) 942-0423

Office & Laboratory
563 E.Lindo Avenue
Chico, CA 95926
Tel: (530) 343-5818
FAX: (530) 343-3807

Office & Laboratory
3442 Empresa Drive, Suite D
San Luis Obispo, CA 93401
Tel: (805) 783-2940
FAX: (805) 392-2063

Field Office
Visalia, California
Cell: (559) 737-2399
Tel: (559) 734-9473
FAX: (559) 734-8435

15.4

GLS
CDA
12/20/23

Inter-Laboratory Condition Upon Receipt (Attach to COC) 2357321

Sample Receipt at: CC CH STK VI

1. Number of ice chests/packages received: ____ Shipping tracking #(s): ____
2. Temp IR Gun ID #: w/ front
3. Were samples received on ice? Yes No Temps: 15.6 / ____ / ____ / ____ / ____
   Surface water SWTR bact samples: A sample that has a temperature upon receipt of >10° C, whether iced or not, should be flagged unless the time since sample collection has been less than two hours.
4. Do the number of bottles received agree with the COC? Yes No N/A
5. Were samples received intact? (i.e. no broken bottles, leaks etc.) Yes No
6. VOAs checked for Headspace? Yes No N/A
7. Were all analyses within holding times at time of receipt? Yes No
8. Verify sample date, time and sampler name Yes No

Sign and date the COC, place in a ziplock and put in the same ice chest as the samples.
Sample Receipt Review completed by (initials): BH

Sample Receipt at SP:

1. Number of ice chests/packages received: 5 Shipping tracking #(s): 5661626894 / 6241 / 942 / 7391 / 7615
2. Temp IR Gun ID #: 269
3. Were samples received on ice? Yes No Temps: 2 / ____ / ____ / ____ / ____
   Acceptable is above freezing to 6°C. If many packages are received at one time check for tests/H.T.'s/rushes/
4. Do the number of bottles received agree with the COC? Yes No N/A
5. Were samples received intact? (i.e. no broken bottles, leaks etc.) Yes No

Sign and date the COC, obtain LIMS sample numbers, select methods/tests and print labels.

Sample Verification, Labeling and Distribution:

1. Were all requested analyses understood and acceptable? Yes No
2. Did bottle labels correspond with the client's ID's? Yes No
3. Were all bottles requiring sample preservation properly preserved? Yes No N/A FGL
   [Exception: Oil & Grease, VOA and CrVI verified in lab]
4. VOAs checked for Headspace? Yes No N/A
5. Have rush or project due dates been checked and accepted? Yes No N/A
6. Were all analyses within holding times at time of receipt? Yes No

Attach labels to the containers and include a copy of the COC for lab delivery.
Sample Receipt, Login and Verification completed by (initials): CDA

Discrepancy Documentation:

Any items above which are "No" or do not meet specifications (i.e. temps) must be resolved.

1. Person Contacted: ____ Phone Number: ____
   Initiated By: ____ Date: ____
   Problem:
   Resolution:
2. Person Contacted: ____ Phone Number: ____
   Initiated By: ____
   Problem:
   Resolution:

(Please use the back of this sheet for additional comments or contact

(3016248)
Martin Dairy
STK2357321
iv 12/19/2023 16:33:33
STK2357321

January 2, 2024

Lab No. : STK2357321
Customer No. : 3016248

Martin Dairy
P.O. Box 7976
Stockton, Ca. 95267

Laboratory Report

Introduction: This report package contains a total of 8 pages divided into 3 sections:

Case Narrative	(1 page)	: An overview of the work performed at FGL.
Sample Results	(6 pages)	: Results for each sample submitted.
Quality Control	(1 page)	: Supporting Quality Control (QC) results.

Case Narrative

This Case Narrative pertains to the following samples:

Sample Description	Date Sampled	Date Received	FGL Lab No.	Matrix
Davis Rd-Domestic	12/19/2023	12/19/2023	STK2357321-001	DW
Yellow Hse-Domestic	12/19/2023	12/19/2023	STK2357321-002	DW
Fig-Ag	12/19/2023	12/19/2023	STK2357321-003	AGW
Grape-Ag	12/19/2023	12/19/2023	STK2357321-004	AGW
South-Ag	12/19/2023	12/19/2023	STK2357321-005	AGW
North-Ag	12/19/2023	12/19/2023	STK2357321-006	AGW

Sampling and Receipt Information:

All samples were received in acceptable condition and within temperature requirements, unless noted on the Condition Upon Receipt (CUR) form. All samples were received, prepared and analyzed within the method specified holding times. All samples arrived at 15. ° C. All samples were checked for pH if acid or base preservation is required (except for VOAs). For details of sample receipt information, please see the associated Chain of Custody and Condition Upon Receipt Form.

Quality Control: All samples were prepared and analyzed according to established quality control criteria. Any exceptions are noted in the Quality Control Section of this report.

Test Summary

SM 4500-H+B	Preparation and analysis performed by FGL-Santa Paula (FGL-SP ELAP# 1573)
SM 4500-NO3 F	Preparation and analysis performed by FGL-Santa Paula (FGL-SP ELAP# 1573)

Certification: I certify that this data package is in compliance with ELAP standards, both technically and for completeness, except for any conditions listed above and in the QC Section. Release of the data contained in this data package is authorized by the Laboratory Director or his designee, as verified by the following electronic signature. This report shall not be reproduced except in full, without the written approval of the laboratory.

KD: JJL

Approved By **Kelly A. Dunnahoo, B.S.** Digitally signed by Kelly A. Dunnahoo, B.S. Title: Laboratory Director Date: 2024-01-02

Page 1 of 8

Corporate Offices & Laboratory
853 Corporation Street
Santa Paula, CA 93060
TEL: (805)392-2000
Env FAX: (805)525-4172 / Ag FAX: (805)392-2063
CA ELAP Certification No. 1573

Office & Laboratory
2500 Stagecoach Road
Stockton, CA 95215
TEL: (209)942-0182
FAX: (209)942-0423
CA ELAP Certification No. 1563

Office & Laboratory
563 E. Lindo Avenue
Chico, CA 95926
TEL: (530)343-5818
FAX: (530)343-3807
CA ELAP Certification No. 2670

Office & Laboratory
3442 Empresa Drive, Suite D
San Luis Obispo, CA 93401
TEL: (805)783-2940
FAX: (805)783-2912
CA ELAP Certification No. 2775

Office & Laboratory
9415 W. Goshen Avenue
Visalia, CA 93291
TEL: (559)734-9473
FAX: (559)734-8435
CA ELAP Certification No. 2810

January 2, 2024

Martin Dairy
P.O. Box 7976
Stockton, Ca. 95267

Lab No. : STK2357321-001
Customer No. : 3016248

Sampled On : December 19, 2023 at 08:30
Sampled By : Ben Martin
Received On : December 19, 2023 at 11:30
Matrix : Drinking Water

Description : Davis Rd-Domestic
Project : Domestic & Ag Supply Wells

Sample Results - Inorganic

Constituent	Result	RL	Units	MCL/AL	Dil.	DQF	Sample Preparation			Sample Analysis			
							Date	Time	Who	Method	Date	Time	Who
Wet Chemistry													
Specific Conductance	270	1	umhos/cm	1600[2]	1		12/21/2023	09:19	krh	SM 4500-H+B	12/21/2023	10:26	krh
Nitrate Nitrogen	0.8	0.4	mg/L	10	1		12/20/2023	13:50	lfs	SM 4500-NO3 F	12/20/2023	16:06	lfs

DQF Flags Definition:

ND=Non-Detected, RL=Reporting Level , Dil.=Dilution
MCL = Maximum Contamination Level. 2 - Secondary Standard. 3 - CDPH Notification Level. AL = Regulatory Action Level.

Page 2 of 8

Corporate Offices & Laboratory
853 Corporation Street
Santa Paula, CA 93060
TEL: (805)392-2000
Env FAX: (805)525-4172 / Ag FAX: (805)392-2063
CA ELAP Certification No. 1573

Office & Laboratory
2500 Stagecoach Road
Stockton, CA 95215
TEL: (209)942-0182
FAX: (209)942-0423
CA ELAP Certification No. 1563

Office & Laboratory
563 E. Lindo Avenue
Chico, CA 95926
TEL: (530)343-5818
FAX: (530)343-3807
CA ELAP Certification No. 2670

Office & Laboratory
3442 Empresa Drive, Suite D
San Luis Obispo, CA 93401
TEL: (805)783-2940
FAX: (805)783-2912
CA ELAP Certification No. 2775

Office & Laboratory
9415 W. Goshen Avenue
Visalia, CA 93291
TEL: (559)734-9473
FAX: (559)734-8435
CA ELAP Certification No. 2810

January 2, 2024

Martin Dairy
P.O. Box 7976
Stockton, Ca. 95267

Lab No. : STK2357321-002
Customer No. : 3016248

Sampled On : December 19, 2023 at 08:40
Sampled By : Ben Martin
Received On : December 19, 2023 at 11:30
Matrix : Drinking Water

Description : Yellow Hse-Domestic
Project : Domestic & Ag Supply Wells

Sample Results - Inorganic

Constituent	Result	RL	Units	MCL/AL	Dil.	DQF	Sample Preparation			Sample Analysis			
							Date	Time	Who	Method	Date	Time	Who
Wet Chemistry													
Specific Conductance	264	1	umhos/cm	1600[2]	1		12/21/2023	09:19	krh	SM 4500-H+B	12/21/2023	10:29	krh
Nitrate Nitrogen	ND	0.4	mg/L	10	1	U	12/20/2023	13:50	lfs	SM 4500-NO3 F	12/20/2023	16:07	lfs

DQF Flags Definition:
U Constituent results were non-detect.

ND=Non-Detected, RL=Reporting Level , Dil.=Dilution
MCL = Maximum Contamination Level. 2 - Secondary Standard. 3 - CDPH Notification Level. AL = Regulatory Action Level.

Page 3 of 8

Corporate Offices & Laboratory
853 Corporation Street
Santa Paula, CA 93060
TEL: (805)392-2000
Env FAX: (805)525-4172 / Ag FAX: (805)392-2063
CA ELAP Certification No. 1573

Office & Laboratory
2500 Stagecoach Road
Stockton, CA 95215
TEL: (209)942-0182
FAX: (209)942-0423
CA ELAP Certification No. 1563

Office & Laboratory
563 E. Lindo Avenue
Chico, CA 95926
TEL: (530)343-5818
FAX: (530)343-3807
CA ELAP Certification No. 2670

Office & Laboratory
3442 Empresa Drive, Suite D
San Luis Obispo, CA 93401
TEL: (805)783-2940
FAX: (805)783-2912
CA ELAP Certification No. 2775

Office & Laboratory
9415 W. Goshen Avenue
Visalia, CA 93291
TEL: (559)734-9473
FAX: (559)734-8435
CA ELAP Certification No. 2810

January 2, 2024

Martin Dairy
P.O. Box 7976
Stockton, Ca. 95267

Lab No. : STK2357321-003
Customer No. : 3016248

Sampled On : December 19, 2023 at 08:50
Sampled By : Ben Martin
Received On : December 19, 2023 at 11:30
Matrix : Ag Water

Description : Fig-Ag
Project : Domestic & Ag Supply Wells

Sample Results - Inorganic

Constituent	Result	RL	Units	Note	Dil.	DQF	Sample Preparation			Sample Analysis			
							Date	Time	Who	Method	Date	Time	Who
Wet Chemistry													
Specific Conductance	266	1	umhos/cm		1		12/21/2023	09:19	krh	SM 4500-H+B	12/21/2023	10:32	krh
Nitrate Nitrogen	ND	0.4	mg/L		1	U	12/20/2023	13:50	lfs	SM 4500-NO3 F	12/20/2023	16:10	lfs

DQF Flags Definition:
U Constituent results were non-detect.

ND=Non-Detected, RL=Reporting Level , Dil.=Dilution

Page 4 of 8

Corporate Offices & Laboratory
853 Corporation Street
Santa Paula, CA 93060
TEL: (805)392-2000
Env FAX: (805)525-4172 / Ag FAX: (805)392-2063
CA ELAP Certification No. 1573

Office & Laboratory
2500 Stagecoach Road
Stockton, CA 95215
TEL: (209)942-0182
FAX: (209)942-0423
CA ELAP Certification No. 1563

Office & Laboratory
563 E. Lindo Avenue
Chico, CA 95926
TEL: (530)343-5818
FAX: (530)343-3807
CA ELAP Certification No. 2670

Office & Laboratory
3442 Empresa Drive, Suite D
San Luis Obispo, CA 93401
TEL: (805)783-2940
FAX: (805)783-2912
CA ELAP Certification No. 2775

Office & Laboratory
9415 W. Goshen Avenue
Visalia, CA 93291
TEL: (559)734-9473
FAX: (559)734-8435
CA ELAP Certification No. 2910

January 2, 2024

Martin Dairy
P.O. Box 7976
Stockton, Ca. 95267

Lab No. : STK2357321-004
Customer No. : 3016248

Sampled On : December 19, 2023 at 09:05
Sampled By : Ben Martin
Received On : December 19, 2023 at 11:30
Matrix : Ag Water

Description : Grape-Ag
Project : Domestic & Ag Supply Wells

Sample Results - Inorganic

Constituent	Result	RL	Units	Note	Dil.	DQF	Sample Preparation			Sample Analysis			
							Date	Time	Who	Method	Date	Time	Who
Wet Chemistry													
Specific Conductance	265	1	umhos/cm		1		12/21/2023	09:19	krh	SM 4500-H+B	12/21/2023	10:35	krh
Nitrate Nitrogen	ND	0.4	mg/L		1	U	12/20/2023	13:50	lfs	SM 4500-NO3 F	12/20/2023	16:12	lfs

DQF Flags Definition:
U Constituent results were non-detect.

ND=Non-Detected, RL=Reporting Level , Dil.=Dilution

Page 5 of 8

Corporate Offices & Laboratory
853 Corporation Street
Santa Paula, CA 93060
TEL: (805)392-2000
Env FAX: (805)525-4172 / Ag FAX: (805)392-2063
CA ELAP Certification No. 1573

Office & Laboratory
2500 Stagecoach Road
Stockton, CA 95215
TEL: (209)942-0182
FAX: (209)942-0423
CA ELAP Certification No. 1563

Office & Laboratory
563 E. Lindo Avenue
Chico, CA 95926
TEL: (530)343-5818
FAX: (530)343-3807
CA ELAP Certification No. 2670

Office & Laboratory
3442 Empresa Drive, Suite D
San Luis Obispo, CA 93401
TEL: (805)783-2940
FAX: (805)783-2912
CA ELAP Certification No. 2775

Office & Laboratory
9415 W. Goshen Avenue
Visalia, CA 93291
TEL: (559)734-9473
FAX: (559)734-8435
CA ELAP Certification No. 2910

January 2, 2024

Martin Dairy
P.O. Box 7976
Stockton, Ca. 95267

Lab No. : STK2357321-005
Customer No. : 3016248

Sampled On : December 19, 2023 at 09:15
Sampled By : Ben Martin
Received On : December 19, 2023 at 11:30
Matrix : Ag Water

Description : South-Ag
Project : Domestic & Ag Supply Wells

Sample Results - Inorganic

Constituent	Result	RL	Units	Note	Dil.	DQF	Sample Preparation			Sample Analysis			
							Date	Time	Who	Method	Date	Time	Who
Wet Chemistry													
Specific Conductance	264	1	umhos/cm		1		12/21/2023	09:19	krh	SM 4500-H+B	12/21/2023	10:38	krh
Nitrate Nitrogen	ND	0.4	mg/L		1	U	12/20/2023	13:50	lfs	SM 4500-NO3 F	12/20/2023	16:15	lfs

DQF Flags Definition:
U Constituent results were non-detect.

ND=Non-Detected, RL=Reporting Level , Dil.=Dilution

Page 6 of 8

Corporate Offices & Laboratory
853 Corporation Street
Santa Paula, CA 93060
TEL: (805)392-2000
Env FAX: (805)525-4172 / Ag FAX: (805)392-2063
CA ELAP Certification No. 1573

Office & Laboratory
2500 Stagecoach Road
Stockton, CA 95215
TEL: (209)942-0182
FAX: (209)942-0423
CA ELAP Certification No. 1563

Office & Laboratory
563 E. Lindo Avenue
Chico, CA 95926
TEL: (530)343-5818
FAX: (530)343-3807
CA ELAP Certification No. 2670

Office & Laboratory
3442 Empresa Drive, Suite D
San Luis Obispo, CA 93401
TEL: (805)783-2940
FAX: (805)783-2912
CA ELAP Certification No. 2775

Office & Laboratory
9415 W. Goshen Avenue
Visalia, CA 93291
TEL: (559)734-9473
FAX: (559)734-8435

January 2, 2024

Martin Dairy
P.O. Box 7976
Stockton, Ca. 95267

Lab No. : STK2357321-006
Customer No. : 3016248

Sampled On : December 19, 2023 at 09:30
Sampled By : Ben Martin
Received On : December 19, 2023 at 11:30
Matrix : Ag Water

Description : North-Ag
Project : Domestic & Ag Supply Wells

Sample Results - Inorganic

Constituent	Result	RL	Units	Note	Dil.	DQF	Sample Preparation			Sample Analysis			
							Date	Time	Who	Method	Date	Time	Who
Wet Chemistry													
Specific Conductance	262	1	umhos/cm		1		12/21/2023	09:19	krh	SM 4500-H+B	12/21/2023	10:43	krh
Nitrate Nitrogen	0.8	0.4	mg/L		1		12/20/2023	13:50	lfs	SM 4500-NO3 F	12/20/2023	16:17	lfs

DQF Flags Definition:

ND=Non-Detected, RL=Reporting Level , Dil.=Dilution

Page 7 of 8

Corporate Offices & Laboratory
853 Corporation Street
Santa Paula, CA 93060
TEL: (805)392-2000
Env FAX: (805)525-4172 / Ag FAX: (805)392-2063
CA ELAP Certification No. 1573

Office & Laboratory
2500 Stagecoach Road
Stockton, CA 95215
TEL: (209)942-0182
FAX: (209)942-0423
CA ELAP Certification No. 1563

Office & Laboratory
563 E. Lindo Avenue
Chico, CA 95926
TEL: (530)343-5818
FAX: (530)343-3807
CA ELAP Certification No. 2670

Office & Laboratory
3442 Empresa Drive, Suite D
San Luis Obispo, CA 93401
TEL: (805)783-2940
FAX: (805)783-2912
CA ELAP Certification No. 2775

Office & Laboratory
9415 W. Goshen Avenue
Visalia, CA 93291
TEL: (559)734-9473
FAX: (559)734-8435
CA ELAP Certification No. [illegible]

January 2, 2024

Martin Dairy

Lab No. : STK2357321
Customer No. : 3016248

Quality Control - Wet Chem

Constituent	Method	Date/ID	Type	Units	Conc.	QC Data	DQO	Note
Wet Chem								
E. C.	2320B	(SP 2320616-001)	Dup	umhos/cm		0.1%	5	
Nitrate Nitrogen	4500NO3F	12/20/2023:214376LFS	Blank	mg/L		ND	<0.4	
			LCS	mg/L	11.22	90.1%	80-120	
			MS	mg/L	5.609	88.8%	66-125	
		(CH 2390618-001)	MSD	mg/L	5.609	93.0%	66-125	
			MSRPD	mg/L		3.6%	≤30.4	

Definition

Blank : Method Blank - Prepared to verify that the preparation process is not contributing contamination to the samples.

DQO : Data Quality Objective - This is the criteria against which the quality control data is compared.

Dup : Duplicate Sample - A random sample with each batch is prepared and analyzed in duplicate. The relative percent difference is an indication of precision for the preparation and analysis.

LCS : Laboratory Control Standard/Sample - Prepared to verify that the preparation process is not affecting analyte recovery.

MS : Matrix Spikes - A random sample is spiked with a known amount of analyte. The recoveries are an indication of how that sample matrix affects analyte recovery.

MSD : Matrix Spike Duplicate of MS/MSD pair - A random sample duplicate is spiked with a known amount of analyted. The recoveries are an indication of how that sample matrix affects analyte recovery.

MSRPD : MS/MSD Relative Percent Difference (RPD) - The MS relative percent difference is an indication of precision for the preparation and analysis.

ND : Non-detect - Result was below the DQO listed for the analyte.

Page 8 of 8

Corporate Offices & Laboratory
853 Corporation Street
Santa Paula, CA 93060
TEL: (805)392-2000
Env FAX: (805)525-4172 / Ag FAX: (805)392-2063
CA ELAP Certification No. 1573

Office & Laboratory
2500 Stagecoach Road
Stockton, CA 95215
TEL: (209)942-0182
FAX: (209)942-0423
CA ELAP Certification No. 1563

Office & Laboratory
563 E. Lindo Avenue
Chico, CA 95926
TEL: (530)343-5818
FAX: (530)343-3807
CA ELAP Certification No. 2670

Office & Laboratory
3442 Empresa Drive, Suite D
San Luis Obispo, CA 93401
TEL: (805)783-2940
FAX: (805)783-2912
CA ELAP Certification No. 2775

Office & Laboratory
9415 W. Goshen Avenue
Visalia, CA 93291
TEL: (559)734-9473
FAX: (559)734-8435