Annual Report - General Order No. R5-2007-0035
Reporting period 01/01/2023 to 12/31/2023.

DAIRY FACILITY INFORMATION

A. NAME OF DAIRY OR BUSINESS OPERATING THE DAIRY: Nunes Dairy

Physical address of dairy:

1730 S Healy RD	Merced	Merced	95340
Number and Street	City	County	Zip Code

Street and nearest cross street (if no address):

Date facility was originally placed in operation: 01/01/1955

Regional Water Quality Control Board Basin Plan designation: San Joaquin River Basin

County Assessor Parcel Number(s) for dairy facility:

X066-X270-X003-XXXX

B. OPERATORS

Nunes, Antonio

Operator name: Nunes, Antonio

Telephone no.: (209) 384-0948 Landline, (209) 658-6061 Cellular

1730 S Healy RD	Merced	CA	95340
Mailing Address Number and Street	City	State	Zip Code

Nunes, Filomena

Operator name: Nunes, Filomena

Telephone no.: (209) 384-0948 Landline, (209) 658-6061 Cellular

1730 S Healy RD	Merced	CA	95340
Mailing Address Number and Street	City	State	Zip Code

Nunes Dairy, LP

Operator name: Nunes Dairy, LP

Telephone no.: Landline, (209) 678-0568 Cellular

1730 S Healy RD	Merced	CA	95340
Mailing Address Number and Street	City	State	Zip Code

This operator is responsible for paying permit fees.

C. OWNERS

Nunes, Antonio

Legal owner name:	Nunes, Antonio	Telephone no.:	(209) 384-0948	(209) 658-6061
			Landline	Cellular
1730 S Healy RD	Merced		CA	95340
Mailing Address Number and Street	City		State	Zip Code

Nunes, Filomena

Legal owner name:	Nunes, Filomena	Telephone no.:	(209) 384-0948	(209) 658-6061
			Landline	Cellular
1730 S Healy RD	Merced		CA	95340
Mailing Address Number and Street	City		State	Zip Code

Nunes Dairy, LLC

Legal owner name:	Nunes Dairy, LLC	Telephone no.:		(209) 678-0568
			Landline	Cellular
1730 S Healy RD	Merced		CA	95340
Mailing Address Number and Street	City		State	Zip Code

Annual Report - General Order No. R5-2007-0035
Reporting period 01/01/2023 to 12/31/2023.

AVAILABLE NUTRIENTS

A. HERD INFORMATION

	Milk Cows	Dry Cows	Bred Heifers (15-24 mo.)	Heifers (7-14 mo. to breeding)	Calves (4-6 mo.)	Calves (0-3 mo.)
Number open confinement	0	148	278	233	163	0
Number under roof	899	0	0	0	0	0
Maximum number	900	150	280	235	165	0
Average number	899	150	280	235	165	0
Avg live weight (lbs)	1,400	1,500	1,100	750		

Predominant milk cow breed: Holstein

Average milk production: 77 *pounds per cow per day*

B. MANURE GENERATED

Total manure excreted by the herd: 31,880.16 *tons per reporting period*

Total nitrogen from manure: 395,843.07 *lbs per reporting period*

After ammonia losses (30% loss applied): 277,090.15 *lbs per reporting period*

Total phosphorus from manure: 65,299.44 *lbs per reporting period*

Total potassium from manure: 176,301.30 *lbs per reporting period*

Total salt from manure: 457,786.65 *lbs per reporting period*

C. PROCESS WASTEWATER GENERATED

Process wastewater generated: 14,484,000 *gallons*

Total nitrogen generated: 78,133.21 *lbs*

Total phosphorus generated: 9,943.70 *lbs*

Total potassium generated: 139,061.81 *lbs*

Total salt generated: 840,775.44 *lbs*

	14,484,000	*gallons applied*
+	0	*gallons exported*
-	0	*gallons imported*
=	14,484,000	*gallons generated*

D. FRESH WATER SOURCES

Source Description	Type
Domestic Well - Pump #1	Ground water
Irrigation Water - Big Irrigation Well	Ground water
Irrigation Water - Irrigation Pump	Ground water
Irrigation Water - MID Canal	Surface water

E. SUBSURFACE (TILE) DRAINAGE SOURCES

No subsurface (tile) drainage sources entered.

F. NUTRIENT IMPORTS

No dry manure nutrient imports entered.

No process wastewater nutrient imports entered.

No commercial or other nutrient imports entered.

G. NUTRIENT EXPORTS

Date	Material type	Quantity	Reporting basis	Moisture (%)	Density (lbs/cu ft)	N (mg/kg)	P (mg/kg)	K (mg/kg)	Salt (mg/kg)	TFS (%)
05/11/2023	Corral solids	1,100.00 *ton*	Dry-weight	14.9		35,300.00	9,800.00	23,400.00		0.00
10/13/2023	Corral solids	1,300.00 *ton*	Dry-weight	5.4		21,000.00	5,400.00	17,800.00		0.00

No liquid nutrient exports entered.

Material type	Total N (lbs)	Total P (lbs)	Total K (lbs)	Total salt (lbs)
Dry manure	117,740.26	31,629.40	87,590.36	0.00
Process wastewater	0.00	0.00	0.00	0.00
Total exports for all materials	117,740.26	31,629.40	87,590.36	0.00

APPLICATION AREA

A. LIST OF LAND APPLICATION AREAS

Field name	Controlled acres	Cropable acres	Total harvests	Type of waste applied	Parcel number
1	77	77	2	process wastewater	X066-X033-X004-XXXX
2	63	63	2	process wastewater	X066-X110-X030-XXXX
3	17	17	0	none	X066-X271-X002-XXXX
4	28	28	2	manure	X066-X271-X003-XXXX
Vasser 29	29	29	0	none	X066-X250-X001-XXXX
Totals for areas that were used for application	168	168	6		
Totals for areas that were not used for application	46	46	0		
Land application area totals	214	214	6		

B. CROPS AND HARVESTS

1

Field name: 1

11/29/2022: Oats, silage-soft dough

Crop: Oats, silage-soft dough Acres planted: 77 Plant date: 11/29/2022

Harvest date	Yield	Reporting basis	Density (lbs/cu ft)	Moisture (%)	N (mg/kg)	P (mg/kg)	K (mg/kg)	Salt (mg/kg)	TFS (%)
05/04/2023	998.90 *ton*	Dry-weight		64.2	17,700.00	4,100.00	26,900.00		11.50

	Yield (tons/acre)	Total N (lbs/acre)	Total P (lbs/acre)	Total K (lbs/acre)	Salt (lbs/acre)
Anticipated harvest content	16.00	160.00	25.60	132.80	0.00
Total actual harvest content	12.97	164.41	38.08	249.86	1,068.17

1

06/15/2023: Corn, silage

Crop: Corn, silage Acres planted: 77 Plant date: 06/15/2023

Harvest date	Yield	Reporting basis	Density (lbs/cu ft)	Moisture (%)	N (mg/kg)	P (mg/kg)	K (mg/kg)	Salt (mg/kg)	TFS (%)
10/25/2023	2,008.90 *ton*	Dry-weight		64.1	13,300.00	1,800.00	16,400.00		5.00

	Yield (tons/acre)	Total N (lbs/acre)	Total P (lbs/acre)	Total K (lbs/acre)	Salt (lbs/acre)
Anticipated harvest content	30.00	240.00	45.00	198.00	0.00
Total actual harvest content	26.09	249.14	33.72	307.21	936.62

2

Field name: 2

11/29/2022: Oats, silage-soft dough

Crop: Oats, silage-soft dough Acres planted: 63 Plant date: 11/29/2022

Harvest date	Yield	Reporting basis	Density (lbs/cu ft)	Moisture (%)	N (mg/kg)	P (mg/kg)	K (mg/kg)	Salt (mg/kg)	TFS (%)
05/04/2023	832.60 *ton*	Dry-weight		64.6	18,900.00	4,000.00	26,300.00		11.00

	Yield (tons/acre)	Total N (lbs/acre)	Total P (lbs/acre)	Total K (lbs/acre)	Salt (lbs/acre)
Anticipated harvest content	16.00	160.00	25.60	132.80	0.00
Total actual harvest content	13.22	176.84	37.43	246.08	1,029.25

06/15/2023: Corn, silage

Crop: Corn, silage Acres planted: 63 Plant date: 06/15/2023

Harvest date	Yield	Reporting basis	Density (lbs/cu ft)	Moisture (%)	N (mg/kg)	P (mg/kg)	K (mg/kg)	Salt (mg/kg)	TFS (%)
10/25/2023	1,707.30 *ton*	Dry-weight		64.7	13,300.00	2,800.00	14,800.00		6.00

	Yield (tons/acre)	Total N (lbs/acre)	Total P (lbs/acre)	Total K (lbs/acre)	Salt (lbs/acre)
Anticipated harvest content	30.00	240.00	45.00	198.00	0.00
Total actual harvest content	27.10	254.46	53.57	283.16	1,147.96

4

Field name: 4

11/29/2022: Oats, silage-soft dough

Crop: Oats, silage-soft dough Acres planted: 28 Plant date: 11/29/2022

Harvest date	Yield	Reporting basis	Density (lbs/cu ft)	Moisture (%)	N (mg/kg)	P (mg/kg)	K (mg/kg)	Salt (mg/kg)	TFS (%)
05/04/2023	359.80 *ton*	Dry-weight		54.6	13,300.00	2,900.00	21,500.00		10.70

	Yield (tons/acre)	Total N (lbs/acre)	Total P (lbs/acre)	Total K (lbs/acre)	Salt (lbs/acre)
Anticipated harvest content	16.00	160.00	25.60	132.80	0.00
Total actual harvest content	12.85	155.18	33.84	250.86	1,248.45

06/15/2023: Corn, silage

Crop: Corn, silage Acres planted: 28 Plant date: 06/15/2023

Harvest date	Yield	Reporting basis	Density (lbs/cu ft)	Moisture (%)	N (mg/kg)	P (mg/kg)	K (mg/kg)	Salt (mg/kg)	TFS (%)
10/25/2023	765.30 *ton*	Dry-weight		65.4	12,900.00	2,800.00	15,800.00		5.30

	Yield (tons/acre)	Total N (lbs/acre)	Total P (lbs/acre)	Total K (lbs/acre)	Salt (lbs/acre)
Anticipated harvest content	30.00	240.00	45.00	198.00	0.00
Total actual harvest content	27.33	243.99	52.96	298.84	1,002.43

NUTRIENT BUDGET

A. LAND APPLICATIONS

1 - 11/29/2022: Oats, silage-soft dough

Field name: 1

Crop: Oats, silage-soft dough Plant date: 11/29/2022

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
03/09/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Irrigation Water - MID Canal	Surface water	0.00	0.00	0.00	29.33	9,664,725.00 *gal*
Application event totals		0.00	0.00	0.00	29.33	

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
04/04/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Lagoon Water	Process wastewater	212.81	27.69	422.50	2,556.30	3,276,000.00 *gal*
Irrigation Water - MID Canal	Surface water	0.00	0.00	0.00	29.27	9,644,520.00 *gal*
Application event totals		212.81	27.69	422.50	2,585.57	

1 - 06/15/2023: Corn, silage

Field name: 1

Crop: Corn, silage Plant date: 06/15/2023

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
06/05/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Irrigation Water - MID Canal	Surface water	0.00	0.00	0.00	29.10	9,590,640.00 *gal*
Application event totals		0.00	0.00	0.00	29.10	

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
07/07/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Irrigation Water - MID Canal	Surface water	0.00	0.00	0.00	28.94	9,536,760.00 *gal*
Application event totals		0.00	0.00	0.00	28.94	

1 - 06/15/2023: Corn, silage

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
07/19/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Irrigation Water - MID Canal	Surface water	0.00	0.00	0.00	28.86	9,509,820.00 *gal*
Application event totals		0.00	0.00	0.00	28.86	

08/03/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Lagoon Water	Process wastewater	125.50	16.33	249.17	1,507.56	1,932,000.00 *gal*
Irrigation Water - MID Canal	Surface water	0.00	0.00	0.00	28.98	9,550,230.00 *gal*
Application event totals		125.50	16.33	249.17	1,536.54	

08/16/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Lagoon Water	Process wastewater	109.22	12.75	112.00	673.67	1,110,000.00 *gal*
Irrigation Water - MID Canal	Surface water	0.00	0.00	0.00	28.92	9,530,025.00 *gal*
Application event totals		109.22	12.75	112.00	702.59	

08/29/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Lagoon Water	Process wastewater	108.04	12.61	110.79	666.39	1,098,000.00 *gal*
Irrigation Water - MID Canal	Surface water	0.00	0.00	0.00	28.92	9,530,025.00 *gal*
Application event totals		108.04	12.61	110.79	695.31	

09/12/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Irrigation Water - MID Canal	Surface water	0.00	0.00	0.00	28.98	9,550,230.00 *gal*
Application event totals		0.00	0.00	0.00	28.98	

1 - 06/15/2023: Corn, silage

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
10/01/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Irrigation Water - MID Canal	Surface water	0.00	0.00	0.00	28.88	9,516,555.00 *gal*
Application event totals		0.00	0.00	0.00	28.88	

2 - 11/29/2022: Oats, silage-soft dough

Field name: 2

Crop: Oats, silage-soft dough

Plant date: 11/29/2022

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
03/09/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Irrigation Water - MID Canal	Surface water	0.00	0.00	0.00	30.20	8,142,615.00 *gal*
Application event totals		0.00	0.00	0.00	30.20	

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
04/04/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Lagoon Water	Process wastewater	217.23	28.27	431.27	2,609.36	2,736,000.00 *gal*
Irrigation Water - MID Canal	Surface water	0.00	0.00	0.00	30.40	8,196,495.00 *gal*
Application event totals		217.23	28.27	431.27	2,639.76	

2 - 06/15/2023: Corn, silage

Field name: 2

Crop: Corn, silage

Plant date: 06/15/2023

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following

2 - 06/15/2023: Corn, silage

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
06/05/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Irrigation Water - MID Canal	Surface water	0.00	0.00	0.00	31.57	8,513,040.00 *gal*
Application event totals		0.00	0.00	0.00	31.57	

07/07/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Irrigation Water - MID Canal	Surface water	0.00	0.00	0.00	31.32	8,445,690.00 *gal*
Application event totals		0.00	0.00	0.00	31.32	

07/19/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Irrigation Water - MID Canal	Surface water	0.00	0.00	0.00	31.52	8,499,570.00 *gal*
Application event totals		0.00	0.00	0.00	31.52	

08/03/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Lagoon Water	Process wastewater	117.67	15.31	233.60	1,413.40	1,482,000.00 *gal*
Irrigation Water - MID Canal	Surface water	0.00	0.00	0.00	31.10	8,385,075.00 *gal*
Application event totals		117.67	15.31	233.60	1,444.50	

08/16/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Lagoon Water	Process wastewater	116.24	15.13	230.77	1,396.24	1,464,000.00 *gal*
Irrigation Water - MID Canal	Surface water	0.00	0.00	0.00	31.22	8,418,750.00 *gal*
Application event totals		116.24	15.13	230.77	1,427.46	

2 - 06/15/2023: Corn, silage

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
08/29/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Lagoon Water	Process wastewater	110.04	14.32	218.47	1,321.85	1,386,000.00 *gal*
Irrigation Water - MID Canal	Surface water	0.00	0.00	0.00	31.02	8,364,870.00 *gal*
Application event totals		110.04	14.32	218.47	1,352.87	

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
09/12/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Irrigation Water - MID Canal	Surface water	0.00	0.00	0.00	31.27	8,432,220.00 *gal*
Application event totals		0.00	0.00	0.00	31.27	

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
10/01/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Irrigation Water - MID Canal	Surface water	0.00	0.00	0.00	31.07	8,378,340.00 *gal*
Application event totals		0.00	0.00	0.00	31.07	

4 - 11/29/2022: Oats, silage-soft dough

Field name: 4

Crop: Oats, silage-soft dough

Plant date: 11/29/2022

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
10/21/2022	Broadcast/incorporate	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Solid Manure	Corral solids	198.66	51.08	168.39	0.00	140.00 *ton*
Application event totals		198.66	51.08	168.39	0.00	

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
03/09/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Irrigation Water - MID Canal	Surface water	0.00	0.00	0.00	32.94	3,946,710.00 *gal*
Application event totals		0.00	0.00	0.00	32.94	

4 - 11/29/2022: Oats, silage-soft dough

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
04/04/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Irrigation Water - MID Canal	Surface water	0.00	0.00	0.00	32.60	3,906,300.00 *gal*
Application event totals		0.00	0.00	0.00	32.60	

4 - 06/15/2023: Corn, silage

Field name: 4

Crop: Corn, silage

Plant date: 06/15/2023

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
06/01/2023	Broadcast/incorporate	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Solid Manure	Corral solids	326.37	83.92	276.64	0.00	230.00 *ton*
Application event totals		326.37	83.92	276.64	0.00	

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
06/05/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Irrigation Water - MID Canal	Surface water	0.00	0.00	0.00	31.36	3,758,130.00 *gal*
Application event totals		0.00	0.00	0.00	31.36	

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
07/07/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Irrigation Water - MID Canal	Surface water	0.00	0.00	0.00	31.25	3,744,660.00 *gal*
Application event totals		0.00	0.00	0.00	31.25	

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
07/19/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Irrigation Water - MID Canal	Surface water	0.00	0.00	0.00	31.14	3,731,190.00 *gal*
Application event totals		0.00	0.00	0.00	31.14	

4 - 06/15/2023: Corn, silage

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
08/03/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Irrigation Water - MID Canal	Surface water	0.00	0.00	0.00	31.42	3,764,865.00 *gal*
Application event totals		0.00	0.00	0.00	31.42	

08/16/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Irrigation Water - MID Canal	Surface water	0.00	0.00	0.00	31.47	3,771,600.00 *gal*
Application event totals		0.00	0.00	0.00	31.47	

08/29/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Irrigation Water - MID Canal	Surface water	0.00	0.00	0.00	31.59	3,785,070.00 *gal*
Application event totals		0.00	0.00	0.00	31.59	

09/12/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Irrigation Water - MID Canal	Surface water	0.00	0.00	0.00	31.36	3,758,130.00 *gal*
Application event totals		0.00	0.00	0.00	31.36	

10/01/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Irrigation Water - MID Canal	Surface water	0.00	0.00	0.00	31.47	3,771,600.00 *gal*
Application event totals		0.00	0.00	0.00	31.47	

B. NUTRIENT BUDGET

1 - 11/29/2022: Oats, silage-soft dough

Field name: 1 Crop: Oats, silage-soft dough Plant date: 11/29/2022



	Total N (lbs/acre)	Total P (lbs/acre)	Total K (lbs/acre)	Total salt (lbs/acre)
Existing soil nutrient content	0.00	0.00	0.00	0.00
Plowdown credit	0.00	0.00	0.00	0.00
Commercial fertilizer / Other	0.00	0.00	0.00	0.00
Dry manure	0.00	0.00	0.00	0.00
Process wastewater	212.81	27.69	422.50	2,556.30
Fresh water	0.00	0.00	0.00	58.59
Atmospheric deposition	7.00	0.00	0.00	0.00
Total nutrients applied	219.81	27.69	422.50	2,614.90
Anticipated crop nutrient removal	160.00	25.60	132.80	0.00
Actual crop nutrient removal	164.41	38.08	249.86	1,068.17
Nutrient balance	55.41	-10.39	172.64	1,546.72
Applied to removed ratio	1.34	0.73	1.69	2.45

Fresh water applied	
19,309,245.00	*gallons*
711.09	*acre-inches*
9.23	*inches/acre*

Process wastewater applied	
3,276,000.00	*gallons*
120.64	*acre-inches*
1.57	*inches/acre*

Total harvests for the crop	
1	*harvests*

1 - 06/15/2023: Corn, silage

Field name: 1 Crop: Corn, silage Plant date: 06/15/2023



	Total N (lbs/acre)	Total P (lbs/acre)	Total K (lbs/acre)	Total salt (lbs/acre)
Existing soil nutrient content	0.00	0.00	0.00	0.00
Plowdown credit	0.00	0.00	0.00	0.00
Commercial fertilizer / Other	0.00	0.00	0.00	0.00
Dry manure	0.00	0.00	0.00	0.00
Process wastewater	342.76	41.70	471.95	2,847.62
Fresh water	0.00	0.00	0.00	231.58
Atmospheric deposition	7.00	0.00	0.00	0.00
Total nutrients applied	349.76	41.70	471.95	3,079.20
Anticipated crop nutrient removal	240.00	45.00	198.00	0.00
Actual crop nutrient removal	249.14	33.72	307.21	936.62
Nutrient balance	100.62	7.98	164.74	2,142.58
Applied to removed ratio	1.40	1.24	1.54	3.29

Fresh water applied	
76,314,285.00	*gallons*
2,810.40	*acre-inches*
36.50	*inches/acre*

Process wastewater applied	
4,140,000.00	*gallons*
152.46	*acre-inches*
1.98	*inches/acre*

Total harvests for the crop	
1	*harvests*

2 - 11/29/2022: Oats, silage-soft dough

Field name: 2 Crop: Oats, silage-soft dough Plant date: 11/29/2022



	Total N (lbs/acre)	Total P (lbs/acre)	Total K (lbs/acre)	Total salt (lbs/acre)
Existing soil nutrient content	0.00	0.00	0.00	0.00
Plowdown credit	0.00	0.00	0.00	0.00
Commercial fertilizer / Other	0.00	0.00	0.00	0.00
Dry manure	0.00	0.00	0.00	0.00
Process wastewater	217.23	28.27	431.27	2,609.36
Fresh water	0.00	0.00	0.00	60.60
Atmospheric deposition	7.00	0.00	0.00	0.00
Total nutrients applied	224.23	28.27	431.27	2,669.96
Anticipated crop nutrient removal	160.00	25.60	132.80	0.00
Actual crop nutrient removal	176.84	37.43	246.08	1,029.25
Nutrient balance	47.39	-9.16	185.18	1,640.71
Applied to removed ratio	1.27	0.76	1.75	2.59

Fresh water applied	
16,339,110.00	*gallons*
601.71	*acre-inches*
9.55	*inches/acre*

Process wastewater applied	
2,736,000.00	*gallons*
100.76	*acre-inches*
1.60	*inches/acre*

Total harvests for the crop	
1	*harvests*

2 - 06/15/2023: Corn, silage

Field name: 2 Crop: Corn, silage Plant date: 06/15/2023



	Total N (lbs/acre)	Total P (lbs/acre)	Total K (lbs/acre)	Total salt (lbs/acre)
Existing soil nutrient content	0.00	0.00	0.00	0.00
Plowdown credit	0.00	0.00	0.00	0.00
Commercial fertilizer / Other	0.00	0.00	0.00	0.00
Dry manure	0.00	0.00	0.00	0.00
Process wastewater	343.95	44.76	682.84	4,131.49
Fresh water	0.00	0.00	0.00	250.12
Atmospheric deposition	7.00	0.00	0.00	0.00
Total nutrients applied	350.95	44.76	682.84	4,381.61
Anticipated crop nutrient removal	240.00	45.00	198.00	0.00
Actual crop nutrient removal	254.46	53.57	283.16	1,147.96
Nutrient balance	96.48	-8.81	399.68	3,233.65
Applied to removed ratio	1.38	0.84	2.41	3.82

Fresh water applied	
67,437,555.00	*gallons*
2,483.50	*acre-inches*
39.42	*inches/acre*

Process wastewater applied	
4,332,000.00	*gallons*
159.53	*acre-inches*
2.53	*inches/acre*

Total harvests for the crop	
1	*harvests*

4 - 11/29/2022: Oats, silage-soft dough

Field name: 4 Crop: Oats, silage-soft dough Plant date: 11/29/2022



	Total N (lbs/acre)	Total P (lbs/acre)	Total K (lbs/acre)	Total salt (lbs/acre)
Existing soil nutrient content	0.00	0.00	0.00	0.00
Plowdown credit	0.00	0.00	0.00	0.00
Commercial fertilizer / Other	0.00	0.00	0.00	0.00
Dry manure	198.66	51.08	168.39	0.00
Process wastewater	0.00	0.00	0.00	0.00
Fresh water	0.00	0.00	0.00	65.53
Atmospheric deposition	7.00	0.00	0.00	0.00
Total nutrients applied	205.66	51.08	168.39	65.53
Anticipated crop nutrient removal	160.00	25.60	132.80	0.00
Actual crop nutrient removal	155.18	33.84	250.86	1,248.45
Nutrient balance	50.48	17.25	-82.47	-1,182.92
Applied to removed ratio	1.33	1.51	0.67	0.05

Fresh water applied	
7,853,010.00	*gallons*
289.20	*acre-inches*
10.33	*inches/acre*

Process wastewater applied	
0.00	*gallons*
0.00	*acre-inches*
0.00	*inches/acre*

Total harvests for the crop	
1	*harvests*

4 - 06/15/2023: Corn, silage

Field name: 4 Crop: Corn, silage Plant date: 06/15/2023



	Total N (lbs/acre)	Total P (lbs/acre)	Total K (lbs/acre)	Total salt (lbs/acre)
Existing soil nutrient content	0.00	0.00	0.00	0.00
Plowdown credit	0.00	0.00	0.00	0.00
Commercial fertilizer / Other	0.00	0.00	0.00	0.00
Dry manure	326.37	83.92	276.64	0.00
Process wastewater	0.00	0.00	0.00	0.00
Fresh water	0.00	0.00	0.00	251.06
Atmospheric deposition	7.00	0.00	0.00	0.00
Total nutrients applied	333.37	83.92	276.64	251.06
Anticipated crop nutrient removal	240.00	45.00	198.00	0.00
Actual crop nutrient removal	243.99	52.96	298.84	1,002.43
Nutrient balance	89.38	30.96	-22.20	-751.37
Applied to removed ratio	1.37	1.58	0.93	0.25

Fresh water applied	
30,085,245.00	*gallons*
1,107.94	*acre-inches*
39.57	*inches/acre*

Process wastewater applied	
0.00	*gallons*
0.00	*acre-inches*
0.00	*inches/acre*

Total harvests for the crop	
1	*harvests*

NUTRIENT ANALYSES

A. MANURE ANALYSES

Solid Manure

Sample and source description: Solid Manure

Sample date: 06/07/2023 Material type: Corral solids Source of analysis: Lab analysis Method of reporting: Dry-weight

Moisture: 14.9 %

	Total N (mg/kg)	Total P (mg/kg)	Total K (mg/kg)	Calcium (mg/kg)	Magnesium (mg/kg)	Sodium (mg/kg)	Sulfur (mg/kg)	Chloride (mg/kg)	Total salt (mg/kg)	TFS (%)
Value	35,300.00	9,800.00	23,400.00							
DL	100.00	100.00	100.00							

Solid Manure

Sample and source description: Solid Manure

Sample date: 10/09/2023 Material type: Corral solids Source of analysis: Lab analysis Method of reporting: Dry-weight

Moisture: 5.4 %

	Total N (mg/kg)	Total P (mg/kg)	Total K (mg/kg)	Calcium (mg/kg)	Magnesium (mg/kg)	Sodium (mg/kg)	Sulfur (mg/kg)	Chloride (mg/kg)	Total salt (mg/kg)	TFS (%)
Value	21,000.00	5,400.00	17,800.00							
DL	100.00	100.00	100.00							

B. PROCESS WASTEWATER ANALYSES

Lagoon Water

Sample and source description: Lagoon Water

Sample date: 02/15/2023 Material type: Process wastewater Source of analysis: Lab analysis pH: 7.40

	Kjeldahl-N (mg/L)	NH4-N (mg/L)	NH3-N (mg/L)	Nitrate-N (mg/L)	Total P (mg/L)	Total K (mg/L)	Calcium (mg/L)	Magnes. (mg/L)	Sodium (mg/L)	Bicarb. (mg/L)	Carb. (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	EC (µmhos/cm)	TDS (mg/L)
Value	906.00	204.00	0.00	1.90	106.00	931.00								10,000.00	5,600
DL	1.00	0.50	0.50	0.10	0.10	0.50								10.00	10

Lagoon Water

Sample and source description: Lagoon Water

Sample date: 06/28/2023 Material type: Process wastewater Source of analysis: Lab analysis pH: 7.80

	Kjeldahl-N (mg/L)	NH4-N (mg/L)	NH3-N (mg/L)	Nitrate-N (mg/L)	Total P (mg/L)	Total K (mg/L)	Calcium (mg/L)	Magnes. (mg/L)	Sodium (mg/L)	Bicarb. (mg/L)	Carb. (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	EC (µmhos/cm)	TDS (mg/L)
Value	1,180.00	600.00	0.00	0.90	115.00	1,340.00								13,600.00	7,320
DL	1.00	0.50	0.50	0.10	0.10	0.50								10.00	10

Lagoon Water

Sample and source description: Lagoon Water

Sample date: 09/18/2023 Material type: Process wastewater Source of analysis: Lab analysis pH: 8.00

	Kjeldahl-N (mg/L)	NH4-N (mg/L)	NH3-N (mg/L)	Nitrate-N (mg/L)	Total P (mg/L)	Total K (mg/L)	Calcium (mg/L)	Magnes. (mg/L)	Sodium (mg/L)	Bicarb. (mg/L)	Carb. (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	EC (µmhos/cm)	TDS (mg/L)
Value	598.00	429.00	0.00	1.40	78.00	1,190.00								10,400.00	7,200
DL	1.00	0.50	1.00	0.10	0.10	0.50								10.00	10

Lagoon Water

Sample and source description: Lagoon Water

Sample date: 12/11/2023 Material type: Process wastewater Source of analysis: Lab analysis pH: 7.70

	Kjeldahl-N (mg/L)	NH4-N (mg/L)	NH3-N (mg/L)	Nitrate-N (mg/L)	Total P (mg/L)	Total K (mg/L)	Calcium (mg/L)	Magnes. (mg/L)	Sodium (mg/L)	Bicarb. (mg/L)	Carb. (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	EC (µmhos/cm)	TDS (mg/L)
Value	1,050.00	574.00	0.00	1.50	63.80	485.00								13,700.00	7,200
DL	1.00	0.50	1.00	0.10	0.10	0.50								10.00	10

C. FRESH WATER ANALYSES

Domestic Well - Pump #1

Domestic Well - Pump #1

Pump #1

Sample description: Pump #1

Sample date: 11/01/2023 Source of analysis: Lab analysis

	Total N (mg/L)	NH4-N (mg/L)	Nitrate-N (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	Bicarbonate (mg/L)	Carbonate (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	EC (µmhos/cm)	TDS (mg/L)
Value	0.60	0.00	0.60								303.00	0
DL	0.10	1.00	0.10								10.00	1

Irrigation Water - Big Irrigation Well

Big Irrigation Well

Sample description: Big Irrigation Well

Sample date: 11/01/2023 Source of analysis: Lab analysis

	Total N (mg/L)	NH4-N (mg/L)	Nitrate-N (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	Bicarbonate (mg/L)	Carbonate (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	EC (µmhos/cm)	TDS (mg/L)
Value	6.86		6.40								599.00	380
DL	1.00		0.10								10.00	10

Irrigation Water - Irrigation Pump

Irrigation Pump

Sample description: Irrigation Pump

Sample date: 11/01/2023 Source of analysis: Lab analysis

	Total N (mg/L)	NH4-N (mg/L)	Nitrate-N (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	Bicarbonate (mg/L)	Carbonate (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	EC (µmhos/cm)	TDS (mg/L)
Value	9.84		9.80								770.00	480
DL	1.00		0.10								10.00	10

Irrigation Water - MID Canal

Irrigation Water - MID Canal

MID Canal

Sample description: MID Canal

Sample date: 11/01/2023 Source of analysis: Lab analysis

	Total N (mg/L)	NH4-N (mg/L)	Nitrate-N (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	Bicarbonate (mg/L)	Carbonate (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	EC (µmhos/cm)	TDS (mg/L)
Value	0.00	0.00	0.00								24.30	28
DL	1.00	1.00	1.00								10.00	10

D. SOIL ANALYSES

1

Field #1

Sample and source description: Field #1

Sample date: 05/05/2023 Source of analysis: Lab analysis

	Nitrate-N (mg/kg)	Total P (mg/kg)	Soluble P (mg/kg)	K (mg/kg)	EC (µmhos/cm)	Organic matter (%)	Total salt (mg/kg)
Value	36.90		165.80	1,332.00			
DL	1.00		1.00	1.00			

2

Field #2

Sample and source description: Field #2

Sample date: 05/05/2023 Source of analysis: Lab analysis

	Nitrate-N (mg/kg)	Total P (mg/kg)	Soluble P (mg/kg)	K (mg/kg)	EC (µmhos/cm)	Organic matter (%)	Total salt (mg/kg)
Value	6.40		147.70	1,337.00			
DL	1.00		1.00	1.00			

3

3

Field #3

Sample and source description: Field #3

Sample date: 05/05/2023 Source of analysis: Lab analysis

	Nitrate-N (mg/kg)	Total P (mg/kg)	Soluble P (mg/kg)	K (mg/kg)	EC (µmhos/cm)	Organic matter (%)	Total salt (mg/kg)
Value	3.50		86.50	565.00			
DL	1.00		1.00	1.00			

4

Field #4 - 28 Acres

Sample and source description: Field #4 - 28 Acres

Sample date: 05/05/2023 Source of analysis: Lab analysis

	Nitrate-N (mg/kg)	Total P (mg/kg)	Soluble P (mg/kg)	K (mg/kg)	EC (µmhos/cm)	Organic matter (%)	Total salt (mg/kg)
Value	12.90		156.70	963.00			
DL	1.00		1.00	1.00			

Vasser 29

Vasser

Sample and source description: Vasser

Sample date: 05/05/2023 Source of analysis: Lab analysis

	Nitrate-N (mg/kg)	Total P (mg/kg)	Soluble P (mg/kg)	K (mg/kg)	EC (µmhos/cm)	Organic matter (%)	Total salt (mg/kg)
Value	11.00		100.00	268.00			
DL	1.00		1.00	1.00			

E. PLANT TISSUE ANALYSES

1 - 11/29/2022: Oats, silage-soft dough

1 - 11/29/2022: Oats, silage-soft dough

1A

Sample and source description: 1A

Sample date: 05/04/2023 Source of analysis: Lab analysis Method of reporting: Dry-weight

Moisture: 64.2 %

	Total N (mg/kg)	Total P (mg/kg)	Total K (mg/kg)	Total salt (mg/kg)	TFS (%)
Value	17,700.00	4,100.00	26,900.00		11.50
DL	100.00	100.00	100.00		0.01

1B

Sample and source description: 1B

Sample date: 05/04/2023 Source of analysis: Lab analysis Method of reporting: Dry-weight

Moisture: 62.1 %

	Total N (mg/kg)	Total P (mg/kg)	Total K (mg/kg)	Total salt (mg/kg)	TFS (%)
Value	17,300.00	3,900.00	22,000.00		6.60
DL	100.00	100.00	100.00		0.01

1 - 06/15/2023: Corn, silage

1A

Sample and source description: 1A

Sample date: 10/25/2023 Source of analysis: Lab analysis Method of reporting: Dry-weight

Moisture: 61.9 %

	Total N (mg/kg)	Total P (mg/kg)	Total K (mg/kg)	Total salt (mg/kg)	TFS (%)
Value	13,300.00	2,000.00	15,900.00		5.40
DL	100.00	100.00	100.00		0.01

1 - 06/15/2023: Corn, silage

1B

Sample and source description: 1B

Sample date: 10/25/2023 Source of analysis: Lab analysis Method of reporting: Dry-weight

Moisture: 64.1 %

	Total N (mg/kg)	Total P (mg/kg)	Total K (mg/kg)	Total salt (mg/kg)	TFS (%)
Value	13,300.00	1,800.00	16,400.00		5.00
DL	100.00	100.00	100.00		0.01

2 - 11/29/2022: Oats, silage-soft dough

2A

Sample and source description: 2A

Sample date: 05/04/2023 Source of analysis: Lab analysis Method of reporting: Dry-weight

Moisture: 64.6 %

	Total N (mg/kg)	Total P (mg/kg)	Total K (mg/kg)	Total salt (mg/kg)	TFS (%)
Value	18,900.00	4,000.00	26,300.00		11.00
DL	100.00	100.00	100.00		0.01

2B

Sample and source description: 2B

Sample date: 05/04/2023 Source of analysis: Lab analysis Method of reporting: Dry-weight

Moisture: 63.4 %

	Total N (mg/kg)	Total P (mg/kg)	Total K (mg/kg)	Total salt (mg/kg)	TFS (%)
Value	17,200.00	4,000.00	22,000.00		9.20
DL	100.00	100.00	100.00		0.01

2 - 06/15/2023: Corn, silage

2 - 06/15/2023: Corn, silage

2A

Sample and source description: 2A

Sample date: 10/25/2023 Source of analysis: Lab analysis Method of reporting: Dry-weight

Moisture: 63.1 %

	Total N (mg/kg)	Total P (mg/kg)	Total K (mg/kg)	Total salt (mg/kg)	TFS (%)
Value	11,100.00	2,500.00	15,900.00		5.60
DL	100.00	100.00	100.00		0.01

2B

Sample and source description: 2B

Sample date: 10/25/2023 Source of analysis: Lab analysis Method of reporting: Dry-weight

Moisture: 64.7 %

	Total N (mg/kg)	Total P (mg/kg)	Total K (mg/kg)	Total salt (mg/kg)	TFS (%)
Value	13,300.00	2,800.00	14,800.00		6.00
DL	100.00	100.00	100.00		0.01

4 - 11/29/2022: Oats, silage-soft dough

4

Sample and source description: 4

Sample date: 05/04/2023 Source of analysis: Lab analysis Method of reporting: Dry-weight

Moisture: 54.6 %

	Total N (mg/kg)	Total P (mg/kg)	Total K (mg/kg)	Total salt (mg/kg)	TFS (%)
Value	13,300.00	2,900.00	21,500.00		10.70
DL	100.00	100.00	100.00		0.01

4 - 06/15/2023: Corn, silage

4 - 06/15/2023: Corn, silage

4

Sample and source description: 4

Sample date: 10/25/2023 Source of analysis: Lab analysis Method of reporting: Dry-weight

Moisture: 65.4 %

	Total N (mg/kg)	Total P (mg/kg)	Total K (mg/kg)	Total salt (mg/kg)	TFS (%)
Value	12,900.00	2,800.00	15,800.00		5.30
DL	100.00	100.00	100.00		0.01

F. SUBSURFACE (TILE) DRAINAGE ANALYSES

No subsurface (tile) drainage analyses entered.

NUTRIENT APPLICATIONS, POTENTIAL REMOVAL, AND BALANCE

A. SUMMARY OF NUTRIENT APPLICATIONS, POTENTIAL REMOVAL, AND BALANCE

	Total N (lbs)	Total P (lbs)	Total K (lbs)	Total salt (lbs)
Existing soil nutrient content	0.00	0.00	0.00	0.00
Plowdown credit	0.00	0.00	0.00	0.00
Commercial fertilizer / Other	0.00	0.00	0.00	0.00
Dry manure	14,700.84	3,780.22	12,460.71	0.00
Process wastewater	78,133.21	9,943.70	139,061.81	840,775.44
Fresh water	0.00	0.00	0.00	50,783.30
Atmospheric deposition	2,352.00	0.00	0.00	0.00
Total nutrients applied	95,186.05	13,723.92	151,522.53	891,558.74
Anticipated crop nutrient removal	67,200.00	11,860.80	55,574.40	0.00
Actual crop nutrient removal	70,192.21	13,691.86	91,628.49	354,557.92
Nutrient balance	24,993.84	32.06	59,894.03	537,000.82
Applied to removed ratio	1.36	1.00	1.65	2.51

B. POUNDS OF NUTRIENT APPLIED VS. CROP REMOVAL



C. POUNDS OF NUTRIENT APPLIED BY MATERIAL TYPE









EXCEPTION REPORTING

A. MANURE, PROCESS WASTEWATER, AND OTHER DAIRY WASTE DISCHARGES

The following is a summary of all manure and process wastewater discharges from the production area to surface water or to land areas (land application areas or otherwise) when not in accordance with the facility's Nutrient Management Plan.

No manure or process wastewater discharges occurred during the reporting period.

B. STORM WATER DISCHARGES

The following is a summary of all storm water discharges from the production area to surface water during the reporting period when not in accordance with the facility 's Nutrient Management Plan.

No stormwater discharges occurred during the reporting period.

C. LAND APPLICATION AREA TO SURFACE WATER DISCHARGES

The following is a summary of all discharges from the land application area to surface water that have occurred during the reporting period when not in accordance with the facility's Nutrient Management Plan.

No land application area to surface water discharges occurred during the reporting period.

NUTRIENT MANAGEMENT PLAN AND EXPORT AGREEMENT STATEMENTS

A. NUTRIENT MANAGEMENT PLAN STATEMENTS

Was the facility's NMP updated in the reporting period?	Yes
Was the facility's NMP developed by a certified nutrient management planner (specialist) as specified in Attachment C of the General Order?	Yes
Was the facility's NMP approved by a certified nutrient management planner (specialist) as specified in Attachment C of the General Order?	Yes

B. EXPORT AGREEMENT STATEMENT

Are there any written agreements with third parties to receive manure or process wastewater that are new or were revised within the reporting period?	No

ADDITIONAL NOTES

A. NOTES

***Soluble phosphorus reported as Olsen

CERTIFICATION

A. OWNER AND/OR OPERATOR CERTIFICATION

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this document and all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Antonio Nunes	Antonio Nunes
SIGNATURE OF OWNER OF FACILITY	SIGNATURE OF OPERATOR OF FACILITY
Nunes Dairy, LLC	Nunes Dairy, LP
PRINT OR TYPE NAME	PRINT OR TYPE NAME
06/21/2024	06/21/2024
DATE	DATE

ATTACHMENT D

Manure Tracking Manifest
For
Existing Milk Cow Dairies

Instructions:

1) Complete one manifest for each hauling event, for each destination. A hauling event may last for several days, as long as the manure is being hauled to the same destination.
2) If there are multiple destinations, **complete a separate form for each destination**.
3) The operator must obtain the signature of the hauler upon completion of each manure-hauling event.
4) The operator shall submit copies of manure/process wastewater tracking manifest(s) with the Annual Monitoring Report for Existing Milk Cow Dairies.

Operator Information:

Name of Operator: **Antonio Nunes**

Name of Dairy Facility: **Nunes Dairy**

Facility Address: **1730 S. Healy Rd, Merced, CA 95340**

Contact Person Name and Phone Number: **Antonio Nunes** **(209) 658-6061**

Manure Hauler Information:

Name of Hauling Company/Person: **ALP Custom Spreading Inc.**

Address of Hauling Company /Person: **PO Box 218 Newman, CA 95341**

Contact Person and Phone Number: **Jeff Lima** **(209) 862-3393**

,CADestination Information:

Composting Facility / Broker / Farmer / Other (identify) **Farmer** (please circle one)

Contact information of Composting Facility, Broker, Farmer, or Other (as identified above):

Name	Number and Street	City	Zip Code	Phone Number
Rossow Farms	**7745 E. Sandy Mush**	**Merced**	**95340**	**(209) 862-3393**

Manure/Process Wastewater Destination Address or Assessor's Parcel Number:

Number and Street	City	Zip Code	Assessor's Parcel Number
Mariposa Road	**Merced**	**95340**	

Dates Hauled: **5/11/2023**

Amount Hauled:

Enter the amount of manure hauled in tons or cubic yards (indicate the units used), the manure solids content (if amount reported in tons) or manure density (if amount reported in cubic yards), and the method used to calculate the amount:

Manure: **1,100** Tons

Manure Solids Content (if amount reported in tons): **85.1%**

Method used to determine amount of manure: _____

Number of Truckloads x Average Truck Weight

Enter the amount of process wastewater hauled in gallons and the method used to determine the amount.

Process Wastewater: **N/A** Gallons

Method used to determine volume of process wastewater: **N/A**

Written Agreement:

****NOT NECESSARY FOR SOLID MANURE MANIFEST****

Certification:
I declare under the penalty of law that I personally examined and am familiar with the information submitted in this document, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of a fine and imprisonment for knowing violations.

Operator's Signature: Antonio Nunes Date: 5/11/2023

Hauler's Signature: Jeff Zim Date: 5/11/2023

ATTACHMENT D

Manure Tracking Manifest
For
Existing Milk Cow Dairies

Instructions:

1) Complete one manifest for each hauling event, for each destination. A hauling event may last for several days, as long as the manure is being hauled to the same destination.
2) If there are multiple destinations, **complete a separate form for each destination**.
3) The operator must obtain the signature of the hauler upon completion of each manure-hauling event.
4) The operator shall submit copies of manure/process wastewater tracking manifest(s) with the Annual Monitoring Report for Existing Milk Cow Dairies.

Operator Information:

Name of Operator: **Antonio Nunes**

Name of Dairy Facility: **Nunes Dairy**

Facility Address: **1730 S. Healy Rd, Merced, CA 95340**

Contact Person Name and Phone Number: **Antonio Nunes** **(209) 658-6061**

Manure Hauler Information:

Name of Hauling Company/Person: **ALP Custom Spreading Inc.**

Address of Hauling Company /Person: **PO Box 218 Newman, CA 95341**

Contact Person and Phone Number: **Jeff Lima** **(209) 862-3393**

,CADestination Information:

Composting Facility / Broker / Farmer / Other (identify) **Farmer** (please circle one)

Contact information of Composting Facility, Broker, Farmer, or Other (as identified above):

Name	Number and Street	City	Zip Code	Phone Number
Rossow Farms	**7745 E. Sandy Mush**	**Merced**	**95340**	**(209) 862-3393**

Manure/Process Wastewater Destination Address or Assessor's Parcel Number:

Number and Street	City	Zip Code	Assessor's Parcel Number
Mariposa Road	**Merced**	**95340**	

Dates Hauled: **10/13/2023**

Amount Hauled:

Enter the amount of manure hauled in tons or cubic yards (indicate the units used), the manure solids content (if amount reported in tons) or manure density (if amount reported in cubic yards), and the method used to calculate the amount:

Manure: **1,300** Tons

Manure Solids Content (if amount reported in tons): **94.6%**

Method used to determine amount of manure: _____
Number of Truckloads x Average Truck Weight

Enter the amount of process wastewater hauled in gallons and the method used to determine the amount.

Process Wastewater: **N/A** Gallons

Method used to determine volume of process wastewater: **N/A**

Written Agreement:

****NOT NECESSARY FOR SOLID MANURE MANIFEST****

Certification:
I declare under the penalty of law that I personally examined and am familiar with the information submitted in this document, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of a fine and imprisonment for knowing violations.

Operator's Signature: Antonio Nunes Date: 10/13/2023

Hauler's Signature: Jeff Zim Date: 10/13/2023

DELLAVALLE™
LABORATORY INC

R & J Avila Inc
8119 Ellington Ave
Hilmar, CA 95324

Account# 00-0019840
Account Manager: Ben Nydam
Submitted By: Rui & John Avila
Ranch: Antonio Nunes

Received: 11/02/2023 16:00
Reported: 11/16/2023 09:40

Samples in this Report

Lab ID	Sample	Matrix	Sampled By	Crop	Date Sampled
23K0097-01	Big Irrigation Well	Canal Water	T. Madruga		11/01/2023 13:00
23K0097-02	Irrigation Pump	Canal Water	T. Madruga		11/01/2023 14:00
23K0097-03	MID Canal	Canal Water	T. Madruga		11/01/2023 15:00

Default Cooler Temperature on Receipt °C: 0.0
Containers Intact
COC/Labels Agree
Received On Ice

Notes and Definitions

Item	Definition
H	Hold Time Exceeded
MCL	Drinking Water Maximum Contaminant Level
ND	Analyte NOT DETECTED at or above the reporting limit.
NES	Not Enough Sample
*	Not Taken
RPD	Relative Percent Difference
%REC	Percent Recovery
Source	Sample that was matrix spiked or duplicated.

Scott McFriedland

Laboratory Director/Technical Manager

ELAP Certification #1595
A2LA Certification #6440.02

The results in this report apply to the samples as received and were analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Dellavalle Laboratory, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

DELLAVALLE™
LABORATORY INC

R & J Avila Inc
8119 Ellington Ave
Hilmar, CA 95324

Account# 00-0019840
Account Manager: Ben Nydam
Submitted By: Rui & John Avila
Ranch: Antonio Nunes

Received: 11/02/2023 16:00
Reported: 11/16/2023 09:40

Sample Results

Sample: Big Irrigation Well
23K0097-01 (Water)

Sampled: 11/1/2023 13:00
Sampled By: T. Madruga

Analyte	Result	Units	Reporting Limit	DIL	DW MCL	Date/Time Analyzed	Method	Notes	Batch
Electrical Conductivity	**0.60**	mmhos/cm	0.01	1		11/14/23 14:22	SM 2510 B		BEK0443
Electrical Conductivity umhos	**599**	umhos/cm	10.0	1		11/14/23 14:22	SM 2510 B		BEK0443
Nitrate Nitrogen as NO3N	**6.4**	mg/L	0.1	1	10	11/02/23 22:21	EPA 300.0		BEK0069
Temperature	**25.0**	units	0.0	1		11/14/23 11:54	SM 4500-H+	H	BEK0123
pH	**8.2**	units	1.0	1		11/14/23 11:54	SM 4500-H+	H	BEK0123
Total Filterable Solids (TDS)	**380**	mg/L	10.0	1		11/06/23 14:33	SM 2540 C		BEK0103
Kjeldahl Nitrogen (TKN), Total	ND	mg/L	1.00	1		11/07/23 08:43	SM 4500-NH3 C		BEK0101
Total Nitrogen	**6.86**	mg/L	1.00	1		11/07/23 08:43	SM 4500-NH3 C		BEK0101

The results in this report apply to the samples as received and were analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Dellavalle Laboratory, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

DELLAVALLE™
LABORATORY INC

R & J Avila Inc
8119 Ellington Ave
Hilmar, CA 95324

Account# 00-0019840
Account Manager: Ben Nydam
Submitted By: Rui & John Avila
Ranch: Antonio Nunes

Received: 11/02/2023 16:00
Reported: 11/16/2023 09:40

Sample Results
(Continued)

Sample: Irrigation Pump
23K0097-02 (Water)

Sampled: 11/1/2023 14:00
Sampled By: T. Madruga

Analyte	Result	Units	Reporting Limit	DIL	DW MCL	Date/Time Analyzed	Method	Notes	Batch
Electrical Conductivity	**0.77**	mmhos/cm	0.01	1		11/14/23 14:22	SM 2510 B		BEK0443
Electrical Conductivity umhos	**770**	umhos/cm	10.0	1		11/14/23 14:22	SM 2510 B		BEK0443
Nitrate Nitrogen as NO3N	**9.8**	mg/L	0.1	1	10	11/02/23 22:42	EPA 300.0		BEK0069
Temperature	**25.0**	units	0.0	1		11/14/23 11:56	SM 4500-H+	H	BEK0123
pH	**8.0**	units	1.0	1		11/14/23 11:56	SM 4500-H+	H	BEK0123
Total Filterable Solids (TDS)	**480**	mg/L	10.0	1		11/06/23 14:33	SM 2540 C		BEK0103
Kjeldahl Nitrogen (TKN), Total	ND	mg/L	1.00	1		11/07/23 08:45	SM 4500-NH3 C		BEK0101
Total Nitrogen	**9.84**	mg/L	1.00	1		11/07/23 08:45	SM 4500-NH3 C		BEK0101

The results in this report apply to the samples as received and were analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Dellavalle Laboratory, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

DELLAVALLE™
LABORATORY INC

R & J Avila Inc
8119 Ellington Ave
Hilmar, CA 95324

Account# 00-0019840
Account Manager: Ben Nydam
Submitted By: Rui & John Avila
Ranch: Antonio Nunes

Received: 11/02/2023 16:00
Reported: 11/16/2023 09:40

Sample Results
(Continued)

Sample: MID Canal
23K0097-03 (Water)

Sampled: 11/1/2023 15:00
Sampled By: T. Madruga

Analyte	Result	Units	Reporting Limit	DIL	DW MCL	Date/Time Analyzed	Method	Notes	Batch
Electrical Conductivity	**0.02**	mmhos/cm	0.01	1		11/14/23 14:22	SM 2510 B		BEK0443
Electrical Conductivity umhos	**24.3**	umhos/cm	10.0	1		11/14/23 14:22	SM 2510 B		BEK0443
Nitrate Nitrogen as NO3N	ND	mg/L	0.1	1	10	11/03/23 01:29	EPA 300.0		BEK0069
Temperature	**25.0**	units	0.0	1		11/14/23 11:57	SM 4500-H+	H	BEK0123
pH	**7.8**	units	1.0	1		11/14/23 11:57	SM 4500-H+	H	BEK0123
Total Filterable Solids (TDS)	**28.0**	mg/L	10.0	1		11/06/23 14:33	SM 2540 C		BEK0103
Kjeldahl Nitrogen (TKN), Total	ND	mg/L	1.00	1		11/07/23 08:46	SM 4500-NH3 C		BEK0101
Total Nitrogen	ND	mg/L	1.00	1		11/07/23 08:46	SM 4500-NH3 C		BEK0101

The results in this report apply to the samples as received and were analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Dellavalle Laboratory, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

DELLAVALLE™
LABORATORY INC

R & J Avila Inc
8119 Ellington Ave
Hilmar, CA 95324

Account# 00-0019840
Account Manager: Ben Nydam
Submitted By: Rui & John Avila
Ranch: Antonio Nunes

Received: 11/02/2023 16:00
Reported: 11/16/2023 09:40

Quality Control

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BEK0069										
Blank (BEK0069-BLK1)					Prepared & Analyzed: 11/2/2023					
Nitrate Nitrogen as NO3N	ND		0.1	mg/L						
Blank (BEK0069-BLK2)					Prepared & Analyzed: 11/2/2023					
Nitrate Nitrogen as NO3N	ND		0.1	mg/L						
Blank (BEK0069-BLK3)					Prepared: 11/2/2023 Analyzed: 11/3/2023					
Nitrate Nitrogen as NO3N	ND		0.1	mg/L						
LCS (BEK0069-BS1)					Prepared: 11/2/2023 Analyzed: 11/3/2023					
Nitrate Nitrogen as NO3N	4.9		0.1	mg/L	5.000		97.9	90-110		
LCS (BEK0069-BS2)					Prepared: 11/2/2023 Analyzed: 11/3/2023					
Nitrate Nitrogen as NO3N	4.9		0.1	mg/L	5.000		98.0	90-110		
Duplicate (BEK0069-DUP1)		**Source: 23K0120-01**			Prepared: 11/2/2023 Analyzed: 11/3/2023					
Nitrate Nitrogen as NO3N	6.0		0.1	mg/L		6.0			0.134	10
Duplicate (BEK0069-DUP2)		**Source: 23K0162-01**			Prepared: 11/2/2023 Analyzed: 11/3/2023					
Nitrate Nitrogen as NO3N	1.9		0.1	mg/L		1.9			0.418	10
Matrix Spike (BEK0069-MS1)		**Source: 23K0120-01**			Prepared & Analyzed: 11/2/2023					
Nitrate Nitrogen as NO3N	11.1		0.1	mg/L	5.000	6.0	102	90-110		
Matrix Spike (BEK0069-MS2)		**Source: 23K0162-01**			Prepared: 11/2/2023 Analyzed: 11/3/2023					
Nitrate Nitrogen as NO3N	6.9		0.1	mg/L	5.000	1.9	98.9	90-110		
Reference (BEK0069-SRM1)					Prepared & Analyzed: 11/2/2023					
Nitrate Nitrogen as NO3N	9.8			mg/L	10.00		97.5	90-110		
Reference (BEK0069-SRM2)					Prepared: 11/2/2023 Analyzed: 11/3/2023					
Nitrate Nitrogen as NO3N	9.8			mg/L	10.00		97.9	90-110		
Reference (BEK0069-SRM3)					Prepared: 11/2/2023 Analyzed: 11/3/2023					
Nitrate Nitrogen as NO3N	9.8			mg/L	10.00		97.7	90-110		

The results in this report apply to the samples as received and were analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Dellavalle Laboratory, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

DELLAVALLE™
LABORATORY INC

R & J Avila Inc
8119 Ellington Ave
Hilmar, CA 95324

Account# 00-0019840
Account Manager: Ben Nydam
Submitted By: Rui & John Avila
Ranch: Antonio Nunes

Received: 11/02/2023 16:00
Reported: 11/16/2023 09:40

Quality Control
(Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BEK0101										
Blank (BEK0101-BLK1)					Prepared: 11/3/2023	Analyzed: 11/7/2023				
Kjeldahl Nitrogen (TKN), Total	ND		1.00	mg/L						
Total Nitrogen	ND		1.00	mg/L						
Blank (BEK0101-BLK2)					Prepared: 11/3/2023	Analyzed: 11/7/2023				
Kjeldahl Nitrogen (TKN), Total	ND		1.00	mg/L						
Total Nitrogen	ND		1.00	mg/L						
LCS (BEK0101-BS1)					Prepared: 11/3/2023	Analyzed: 11/7/2023				
Kjeldahl Nitrogen (TKN), Total	5.34		1.00	mg/L	5.709		93.5	90-110		
LCS (BEK0101-BS2)					Prepared: 11/3/2023	Analyzed: 11/8/2023				
Kjeldahl Nitrogen (TKN), Total	5.23		1.00	mg/L	5.709		91.6	90-110		
Duplicate (BEK0101-DUP1)		**Source: 23K0002-01**			Prepared: 11/3/2023	Analyzed: 11/7/2023				
Kjeldahl Nitrogen (TKN), Total	157		3.50	mg/L		153			2.81	10
Duplicate (BEK0101-DUP2)		**Source: 23K0161-02**			Prepared: 11/3/2023	Analyzed: 11/8/2023				
Kjeldahl Nitrogen (TKN), Total	198		3.50	mg/L		197			0.726	10
Matrix Spike (BEK0101-MS1)		**Source: 23K0002-01**			Prepared: 11/3/2023	Analyzed: 11/7/2023				
Kjeldahl Nitrogen (TKN), Total	213		3.50	mg/L	9.990	153	602	90-110		
Matrix Spike (BEK0101-MS2)		**Source: 23K0161-02**			Prepared: 11/3/2023	Analyzed: 11/8/2023				
Kjeldahl Nitrogen (TKN), Total	196		3.50	mg/L	9.990	197	NR	90-110		
Reference (BEK0101-SRM1)					Prepared: 11/3/2023	Analyzed: 11/8/2023				
Kjeldahl Nitrogen (TKN), Total	20.9			mg/L	23.80		87.6	90-110		

The results in this report apply to the samples as received and were analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Dellavalle Laboratory, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

DELLAVALLE™
LABORATORY INC

R & J Avila Inc
8119 Ellington Ave
Hilmar, CA 95324

Account# 00-0019840
Account Manager: Ben Nydam
Submitted By: Rui & John Avila
Ranch: Antonio Nunes

Received: 11/02/2023 16:00
Reported: 11/16/2023 09:40

Quality Control
(Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BEK0103										
Blank (BEK0103-BLK1)					Prepared: 11/3/2023	Analyzed: 11/6/2023				
Total Filterable Solids (TDS)	ND		10.0	mg/L						
LCS (BEK0103-BS1)					Prepared: 11/3/2023	Analyzed: 11/6/2023				
Total Filterable Solids (TDS)	53.8		10.0	mg/L	2000		2.69	0-200		
Duplicate (BEK0103-DUP1)			**Source: 23K0150-01**		Prepared: 11/3/2023	Analyzed: 11/6/2023				
Total Filterable Solids (TDS)	250		10.0	mg/L		250			0.00	10
Duplicate (BEK0103-DUP2)			**Source: 23K0153-02**		Prepared: 11/3/2023	Analyzed: 11/6/2023				
Total Filterable Solids (TDS)	315		10.0	mg/L		320			1.57	10
Reference (BEK0103-SRM1)					Prepared: 11/3/2023	Analyzed: 11/6/2023				
Total Filterable Solids (TDS)	330			mg/L	325.0		102	90-110		

The results in this report apply to the samples as received and were analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Dellavalle Laboratory, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

DELLAVALLE™
LABORATORY INC

R & J Avila Inc
8119 Ellington Ave
Hilmar, CA 95324

Account# 00-0019840
Account Manager: Ben Nydam
Submitted By: Rui & John Avila
Ranch: Antonio Nunes

Received: 11/02/2023 16:00
Reported: 11/16/2023 09:40

Quality Control
(Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BEK0123										
Blank (BEK0123-BLK1)					Prepared: 11/3/2023	Analyzed: 11/14/2023				
Temperature	25.0		0.0	units						
pH	5.8		1.0	units						
Blank (BEK0123-BLK2)					Prepared: 11/3/2023	Analyzed: 11/14/2023				
Temperature	25.0		0.0	units						
pH	7.4		1.0	units						
Blank (BEK0123-BLK3)					Prepared: 11/3/2023	Analyzed: 11/14/2023				
Temperature	25.0		0.0	units						
pH	7.7		1.0	units						
Duplicate (BEK0123-DUP1)		**Source: 23K0140-02**			Prepared: 11/3/2023	Analyzed: 11/14/2023				
pH	8.2		1.0	units		8.2			0.122	10
Duplicate (BEK0123-DUP2)		**Source: 23K0142-05**			Prepared: 11/3/2023	Analyzed: 11/14/2023				
pH	8.0		1.0	units		8.0			0.125	10
Reference (BEK0123-SRM2)					Prepared: 11/3/2023	Analyzed: 11/14/2023				
pH	7.5			units	7.520		100	67021-101.32		
Reference (BEK0123-SRM6)					Prepared: 11/3/2023	Analyzed: 11/14/2023				
pH	4.0			units	4.000		100	97.5-102.5		
Reference (BEK0123-SRM7)					Prepared: 11/3/2023	Analyzed: 11/14/2023				
pH	4.0			units	4.000		100	97.5-102.5		
Reference (BEK0123-SRM8)					Prepared: 11/3/2023	Analyzed: 11/14/2023				
pH	4.0			units	4.000		100	97.5-102.5		

The results in this report apply to the samples as received and were analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Dellavalle Laboratory, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

DELLAVALLE™
LABORATORY INC

R & J Avila Inc
8119 Ellington Ave
Hilmar, CA 95324

Account# 00-0019840
Account Manager: Ben Nydam
Submitted By: Rui & John Avila
Ranch: Antonio Nunes

Received: 11/02/2023 16:00
Reported: 11/16/2023 09:40

Quality Control
(Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BEK0443										
Blank (BEK0443-BLK1)					Prepared & Analyzed: 11/14/2023					
Electrical Conductivity	ND		0.01	mmhos/cm						
Electrical Conductivity umhos	ND		10.0	umhos/cm						
Blank (BEK0443-BLK2)					Prepared & Analyzed: 11/14/2023					
Electrical Conductivity	ND		0.01	mmhos/cm						
Electrical Conductivity umhos	ND		10.0	umhos/cm						
Blank (BEK0443-BLK3)					Prepared & Analyzed: 11/14/2023					
Electrical Conductivity	ND		0.01	mmhos/cm						
Electrical Conductivity umhos	ND		10.0	umhos/cm						
Duplicate (BEK0443-DUP1)		**Source: 23K0094-01**			Prepared & Analyzed: 11/14/2023					
Electrical Conductivity	0.30		0.01	mmhos/cm		0.30			0.828	10
Electrical Conductivity umhos	301		10.0	umhos/cm		303			0.828	10
Duplicate (BEK0443-DUP2)		**Source: 23K0142-01**			Prepared & Analyzed: 11/14/2023					
Electrical Conductivity	0.60		0.01	mmhos/cm		0.61			0.563	10
Electrical Conductivity umhos	602		10.0	umhos/cm		606			0.563	10
Reference (BEK0443-SRM1)					Prepared & Analyzed: 11/14/2023					
Electrical Conductivity	538			umhos/cm	538.0		100	90-110		
Reference (BEK0443-SRM2)					Prepared & Analyzed: 11/14/2023					
Electrical Conductivity	1000			umhos/cm	1000		100	90-110		
Electrical Conductivity umhos	1000			umhos/cm	1000		100	90-110		
Reference (BEK0443-SRM3)					Prepared & Analyzed: 11/14/2023					
Electrical Conductivity	993			umhos/cm	1000		99.3	90-110		
Electrical Conductivity umhos	993			umhos/cm	1000		99.3	90-110		
Reference (BEK0443-SRM4)					Prepared & Analyzed: 11/14/2023					
Electrical Conductivity	1000			umhos/cm	1000		100	90-110		
Electrical Conductivity umhos	1000			umhos/cm	1000		100	90-110		

The results in this report apply to the samples as received and were analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Dellavalle Laboratory, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

11/02/23 16:00 23K0097

JG

DELLAVALLE LABORATORY, INC.

1910 W. McKinley Avenue, Suite 110 • Fresno, CA 93728
www.dellavallelab.com 559 233-6129 · 800 228-9896 · Fax 559 268-8174

No. Samples: 3 No. of Bottles: 6

Purchase Order No | Bill To: Acct # 19840 | Cons # 08

Water Type: [ ] Drinking Water [ ] Wastewater
[X] Ag Water [ ] Groundwater [ ] Monitoring Well

Results Need By

Name: R & J Avila Inc
Address: 8119 Ellington Avenue
City: Hilmar **State: CA** **Zip:** 95324
Telephone: (209) 669-7919 **Fax:** (209) 634-4604
Cell/Email: 209 678-3086 Rui / 209 678-1723 John frontdesk.randjavila@gmail.com
COPY TO:
REQUESTED BY: Rui & John Avila
PROJECT Antonio Nunes
ID CROP: N/A

[X] Copy of Chain [X] QA/QC Documents
Sampled By: T. Madruga

Other:
Analysis and Bottles Required: (Please indicate Analysis)
( ) DWW1: EC, pH, NO_3-N (NH4-N Field Test)
(1-1 Liter Plastic, Unpreserved) White Per Sample
( ) DWW2: DWW1 Plus SO_4, CO_3, HCO_3, Cl, Ca, Mg, Na, TDS
(1-1 Liter Plastic, Unpreserved) White Per Sample
(X) DCW1: EC, NO_3-N, TDS + TKN & TN
(1-1 Liter Plastic, Unpreserved) White Per Sample
( ) DPW1: EC, pH, NO_3-N, NH_4-N, TKN, TDS, TP, TK
(1-1 Liter Plastic, Unpreserved) White Per Sample
( ) DPW2: DPW1 Plus SO_4, CO_3, HCO_3, Cl, Ca, Mg, Na
(1-1 Liter Plastic, Unpreserved) White Per Sample
( ) Other

	Description of Samples	Date Sampled	Time Sampled	Rec'd Temp °C	Field NH_4-N
1	Big Irrigation Well	11/1/2023	1300	0.0	
2	Irrigation Pump	11/1/2023	1400	1.4	
3	MID Canal	11/1/2023	1500	0.9	
4					
5					
6					
7					
8					
9					
10					

IR Thermometer SN: 200560723
Correction Factor: 0°C
Calibration Due: 12/22/2023
Location: Laboratory

CHAIN OF CUSTODY

Carrier	Signature	Company	Received (Date/Time)	Relinquished (Date/Time)
First	John Avila	R & J Avila, Inc.	11/1/2023 @ 1500	11/2/2023 @ 900
Second	JLF	Dellavalle Laboratory, Inc.	11/2/2023 @ 900	11-2-23 3:45
Third				
Fourth		DLF	11/2 16:00	

I guarantee that as the client, or on behalf of client named, I have the authority to contract the above requested services. Should it be found that I do not have such authority, I agree to be personally liable for all costs and, if there should be action against me for this breach, reasonable attorneys' fees. It is understood that payment is expected to be cash with samples unless terms have been previously arranged. Terms are net 30 days; overdue accounts will be charged a liquidated damage fee of 2% per month (annually 24%) or $5.00 per month whichever is greater.
If payment is not made when due and a legitimate dispute exists concerning the product or services of Dellavalle Laboratory, Inc., it will be submitted to mediation under the Rules and Procedures of Creative Alternative to Litigation, Inc. (*cal*). If the dispute is not resolved in mediation, then the dispute will be submitted to binding arbitration through ***cal*** under its Rules and Procedures. The parties will equally bear the costs of mediation/arbitration. If, however, the mediator declares that no legitimate dispute exists, then debtor will pay all mediation and arbitration costs, and in the event of arbitration,reasonable attorneys' fees of Dellavalle Laboratory.

Invoicing Information: ***Shipping***
Sampling hrs $ In
Miles $ Out
Consulting

Amt Paid	Rec By	Check #	Date

Signature

Samples recieved in cooler with ice (coolant)
[ ] Yes [ ] No

Pas

11/02/23 16:00 23K0097

Shipping Information: Shipped In ☐ Picked-Up ☒ Walk In ☐ DLI Sampler ☐ Other ☐ _____

☐ Samples refridgerated before pick up | ☐ Picked up samples placed in Ice chest

Container: Ice Chest ☒ Box ☐ None ☐ | **Refrigerant:** Wet Ice ☒ Blue Ice ☐ None ☐

Samples Preserved with HNO_3 or H_2SO_4 were: ☐ Received Preserved ☒ Preserved Upon Receipt at Laboratory

Type of Container(s) Received		Sample Number 1	2	3	4	5	6	7	8	9	10
Sample Containers for Internal (DLI) Use *(Containers that go into the Lab)*											
Plastics	100 mL sterile plastic $Na_2S_2O_3$ (Green)										
Plastics	250 mL unpreserved (White) Plastic										
Plastics	250 mL HNO_3 (Red) Plastic										
Plastics	* pH Value										
Plastics	250 mL H_2SO_4 (Yellow) Plastic	✓	✓	✓							
Plastics	* pH Value	<2	<2	<2							
Plastics	500 mL unpreserved (White) Plastic										
Plastics	1 L unpreserved (White) Plastic	✓	✓	✓							
Plastics	1 L unpreserved (BOD) (Purple) Plastic										
Special	500mL unpreserved (White) Glass										
Special	PO4-P Kit										
Special	**Other:**										
Sample Containers for Subcontracted ("Send Out") Analyses *(Containers that go in the Subcontract ("Send Out") Refrigerator)*											
Plastics	100 mL sterile plastic $Na_2S_2O_3$ (Green)										
Plastics	250 mL unpreserved (White) Plastic										
Plastics	250 mL HNO_3 (Red) Plastic										
Plastics	250 mL H_2SO_4 (Yellow) Plastic										
Plastics	500 mL HNO_3 (Red)										
Plastics	1 L unpreserved (White) Plastic										
Plastics	1 L unpreserved (BOD) (Purple) Plastic										
Plastics	1 L HNO_3 (Red)										
VOA Vials	40 mL VOA, $Na_2S_2O_3$ + MCAA (EPA531)										
VOA Vials	40 mL VOA, $Na_2S_2O_3$ (EPA547)										
VOA Vials	40mL AG VOA unpreserved (White) (Set of 3)										
VOA Vials	40 mL AG VOA, $Na_2S_2O_3$ (Green) (Set of 3)										
VOA Vials	40mL VOA, H_3PO_4 (Set of 3)										
VOA Vials	40 mL VOA, HCl (Blue) (Set of 3)										
VOA Vials	40 mL VOA, $Na_2S_2O_3$ (Green) (Set of 3)										
Glass	250 mL AG unpreserved (White)										
Glass	250 mL AG H_2SO_4 (Yellow)										
Glass	250 mL AG $Na_2S_2O_3$ (Green)										
Glass	250 mL AG $Na_2S_2O_3$ + MCAA										
Glass	500 mL glass unpreserved (White)										
Glass	500 mL AG HCl (Blue)										
Glass	1 L AG unpreserved (White)										
Glass	1 L AG H_2SO_4 (Yellow)										
Glass	1 L AG $Na_2S_2O_3$ (Green)										
Glass	1 L AG HCl (Blue)										
Special	Cr^{6+} - 50mL Plastic w/Borate/HCO_3/CO_3										
Special	Cyanide - 500 mL NaOH										
Special	Asbestos - 1L P wrapped in foil (Set of 2)										
Special	Sulfide - 1 L **AG** or **P** NaOH + ZnAc										
Special	Chlorite/Bromate - 250 mL AG with EDA										
Special	HAA5 - 250mL AG Ammonium Chlorite										
Special	DO KIT										
Special	**Other:**										
Special	**Other:**										

pH Strips
Lot: 10BDH4501 Exp: Jan 2025

DRAFT
SEND OUT

DELLAVALLE™
LABORATORY INC

R & J Avila Inc
8119 Ellington Ave
Hilmar, CA 95324

Account# 00-0019840
Account Manager: Ben Nydam
Submitted By: Rui & John Avila
Ranch: Antonio Nunes

Received: 11/02/2023 16:00
Reported: 11/16/2023 09:32

Samples in this Report

Lab ID	Sample	Matrix	Sampled By	Crop	Date Sampled
23K0094-01	Pump #1	Well Water	T. Madruga		11/01/2023 16:00

Default Cooler Temperature on Receipt °C: 1.4
Containers Intact
COC/Labels Agree
Received On Ice

Notes and Definitions

Item	Definition
H	Hold Time Exceeded
MCL	Drinking Water Maximum Contaminant Level
ND	Analyte NOT DETECTED at or above the reporting limit.
NES	Not Enough Sample
*	Not Taken
RPD	Relative Percent Difference
%REC	Percent Recovery
Source	Sample that was matrix spiked or duplicated.

Scott McFriedland

Laboratory Director/Technical Manager

ELAP Certification #1595
A2LA Certification #6440.02

The results in this report apply to the samples as received and were analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Dellavalle Laboratory, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

DELLAVALLE™
LABORATORY INC

R & J Avila Inc
8119 Ellington Ave
Hilmar, CA 95324

Account# 00-0019840
Account Manager: Ben Nydam
Submitted By: Rui & John Avila
Ranch: Antonio Nunes

Received: 11/02/2023 16:00
Reported: 11/16/2023 09:32

Sample Results

Sample: Pump #1
23K0094-01 (Water)

Sampled: 11/1/2023 16:00
Sampled By: T. Madruga

Analyte	Result	Units	Reporting Limit	DIL	DW MCL	Date/Time Analyzed	Method	Notes	Batch
Electrical Conductivity	**0.30**	mmhos/cm	0.01	1		11/14/23 14:22	SM 2510 B		BEK0443
Electrical Conductivity umhos	**303**	umhos/cm	10.0	1		11/14/23 14:22	SM 2510 B		BEK0443
Ammonia (as N)	ND	mg/L	0.00	1		11/01/23 16:00	Field		BEK0057
Nitrate Nitrogen as NO3N	**0.6**	mg/L	0.1	1	10	11/02/23 21:18	EPA 300.0		BEK0069
Temperature	**25.0**	units	0.0	1		11/14/23 11:50	SM 4500-H+	H	BEK0123
pH	**8.1**	units	1.0	1		11/14/23 11:50	SM 4500-H+	H	BEK0123

The results in this report apply to the samples as received and were analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Dellavalle Laboratory, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

DELLAVALLE™
LABORATORY INC

R & J Avila Inc
8119 Ellington Ave
Hilmar, CA 95324

Account# 00-0019840
Account Manager: Ben Nydam
Submitted By: Rui & John Avila
Ranch: Antonio Nunes

Received: 11/02/2023 16:00
Reported: 11/16/2023 09:32

Quality Control

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BEK0069										
Blank (BEK0069-BLK1)					Prepared & Analyzed: 11/2/2023					
Nitrate Nitrogen as NO3N	ND		0.1	mg/L						
Blank (BEK0069-BLK2)					Prepared & Analyzed: 11/2/2023					
Nitrate Nitrogen as NO3N	ND		0.1	mg/L						
Blank (BEK0069-BLK3)					Prepared: 11/2/2023 Analyzed: 11/3/2023					
Nitrate Nitrogen as NO3N	ND		0.1	mg/L						
LCS (BEK0069-BS1)					Prepared: 11/2/2023 Analyzed: 11/3/2023					
Nitrate Nitrogen as NO3N	4.9		0.1	mg/L	5.000		97.9	90-110		
LCS (BEK0069-BS2)					Prepared: 11/2/2023 Analyzed: 11/3/2023					
Nitrate Nitrogen as NO3N	4.9		0.1	mg/L	5.000		98.0	90-110		
Duplicate (BEK0069-DUP1)		**Source: 23K0120-01**			Prepared: 11/2/2023 Analyzed: 11/3/2023					
Nitrate Nitrogen as NO3N	6.0		0.1	mg/L		6.0			0.134	10
Duplicate (BEK0069-DUP2)		**Source: 23K0162-01**			Prepared: 11/2/2023 Analyzed: 11/3/2023					
Nitrate Nitrogen as NO3N	1.9		0.1	mg/L		1.9			0.418	10
Matrix Spike (BEK0069-MS1)		**Source: 23K0120-01**			Prepared & Analyzed: 11/2/2023					
Nitrate Nitrogen as NO3N	11.1		0.1	mg/L	5.000	6.0	102	90-110		
Matrix Spike (BEK0069-MS2)		**Source: 23K0162-01**			Prepared: 11/2/2023 Analyzed: 11/3/2023					
Nitrate Nitrogen as NO3N	6.9		0.1	mg/L	5.000	1.9	98.9	90-110		
Reference (BEK0069-SRM1)					Prepared & Analyzed: 11/2/2023					
Nitrate Nitrogen as NO3N	9.8			mg/L	10.00		97.5	90-110		
Reference (BEK0069-SRM2)					Prepared: 11/2/2023 Analyzed: 11/3/2023					
Nitrate Nitrogen as NO3N	9.8			mg/L	10.00		97.9	90-110		
Reference (BEK0069-SRM3)					Prepared: 11/2/2023 Analyzed: 11/3/2023					
Nitrate Nitrogen as NO3N	9.8			mg/L	10.00		97.7	90-110		

The results in this report apply to the samples as received and were analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Dellavalle Laboratory, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

DELLAVALLE™
LABORATORY INC

R & J Avila Inc
8119 Ellington Ave
Hilmar, CA 95324

Account# 00-0019840
Account Manager: Ben Nydam
Submitted By: Rui & John Avila
Ranch: Antonio Nunes

Received: 11/02/2023 16:00
Reported: 11/16/2023 09:32

Quality Control
(Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BEK0123										
Blank (BEK0123-BLK1)					Prepared: 11/3/2023	Analyzed: 11/14/2023				
Temperature	25.0		0.0	units						
pH	5.8		1.0	units						
Blank (BEK0123-BLK2)					Prepared: 11/3/2023	Analyzed: 11/14/2023				
Temperature	25.0		0.0	units						
pH	7.4		1.0	units						
Blank (BEK0123-BLK3)					Prepared: 11/3/2023	Analyzed: 11/14/2023				
Temperature	25.0		0.0	units						
pH	7.7		1.0	units						
Duplicate (BEK0123-DUP1)		**Source: 23K0140-02**			Prepared: 11/3/2023	Analyzed: 11/14/2023				
pH	8.2		1.0	units		8.2			0.122	10
Duplicate (BEK0123-DUP2)		**Source: 23K0142-05**			Prepared: 11/3/2023	Analyzed: 11/14/2023				
pH	8.0		1.0	units		8.0			0.125	10
Reference (BEK0123-SRM2)					Prepared: 11/3/2023	Analyzed: 11/14/2023				
pH	7.5			units	7.520		100	67021-101.32		
Reference (BEK0123-SRM6)					Prepared: 11/3/2023	Analyzed: 11/14/2023				
pH	4.0			units	4.000		100	97.5-102.5		
Reference (BEK0123-SRM7)					Prepared: 11/3/2023	Analyzed: 11/14/2023				
pH	4.0			units	4.000		100	97.5-102.5		
Reference (BEK0123-SRM8)					Prepared: 11/3/2023	Analyzed: 11/14/2023				
pH	4.0			units	4.000		100	97.5-102.5		

The results in this report apply to the samples as received and were analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Dellavalle Laboratory, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

DELLAVALLE™
LABORATORY INC

R & J Avila Inc
8119 Ellington Ave
Hilmar, CA 95324

Account# 00-0019840
Account Manager: Ben Nydam
Submitted By: Rui & John Avila
Ranch: Antonio Nunes

Received: 11/02/2023 16:00
Reported: 11/16/2023 09:32

Quality Control
(Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BEK0443										
Blank (BEK0443-BLK1)					Prepared & Analyzed: 11/14/2023					
Electrical Conductivity	ND		0.01	mmhos/cm						
Electrical Conductivity umhos	ND		10.0	umhos/cm						
Blank (BEK0443-BLK2)					Prepared & Analyzed: 11/14/2023					
Electrical Conductivity	ND		0.01	mmhos/cm						
Electrical Conductivity umhos	ND		10.0	umhos/cm						
Blank (BEK0443-BLK3)					Prepared & Analyzed: 11/14/2023					
Electrical Conductivity	ND		0.01	mmhos/cm						
Electrical Conductivity umhos	ND		10.0	umhos/cm						
Duplicate (BEK0443-DUP1)		**Source: 23K0094-01**			Prepared & Analyzed: 11/14/2023					
Electrical Conductivity	0.30		0.01	mmhos/cm		0.30			0.828	10
Electrical Conductivity umhos	301		10.0	umhos/cm		303			0.828	10
Duplicate (BEK0443-DUP2)		**Source: 23K0142-01**			Prepared & Analyzed: 11/14/2023					
Electrical Conductivity	0.60		0.01	mmhos/cm		0.61			0.563	10
Electrical Conductivity umhos	602		10.0	umhos/cm		606			0.563	10
Reference (BEK0443-SRM1)					Prepared & Analyzed: 11/14/2023					
Electrical Conductivity	538			umhos/cm	538.0		100	90-110		
Reference (BEK0443-SRM2)					Prepared & Analyzed: 11/14/2023					
Electrical Conductivity	1000			umhos/cm	1000		100	90-110		
Electrical Conductivity umhos	1000			umhos/cm	1000		100	90-110		
Reference (BEK0443-SRM3)					Prepared & Analyzed: 11/14/2023					
Electrical Conductivity	993			umhos/cm	1000		99.3	90-110		
Electrical Conductivity umhos	993			umhos/cm	1000		99.3	90-110		
Reference (BEK0443-SRM4)					Prepared & Analyzed: 11/14/2023					
Electrical Conductivity	1000			umhos/cm	1000		100	90-110		
Electrical Conductivity umhos	1000			umhos/cm	1000		100	90-110		

The results in this report apply to the samples as received and were analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Dellavalle Laboratory, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

11/02/23 16:00 23K0094

DELLAVALLE LABORATORY, INC.

1910 W. McKinley Avenue, Suite 110 • Fresno, CA 93728
www.dellavallelab.com 559 233-6129 · 800 228-9896 · Fax 559 268-8174

No. Samples 1 No. of Bottles: 1

Purchase Order No | Bill To: Acct # 19840 | Cons # 08

Results Need By

Water Type: [ ] Drinking Water [ ] Wastewater
[X] Ag Water [ ] Groundwater [ ] Monitoring Well

Name: R & J Avila Inc
Address: 8119 Ellington Avenue
City: Hilmar **State:** CA **Zip:** 95324
Telephone: (209) 669-7919 **Fax:** (209) 634-4604
Cell/Email: 209 678-3086 Rui / 209 678-1723 John frontdesk.randjavila@gmail.com
COPY TO:
REQUESTED BY: Rui & John Avila
PROJECT Antonio Nunes
ID CROP: N/A

[X] Copy of Chain [X] QA/QC Documents
Sampled By: T. Madruga

Other:
Analysis and Bottles Required: (Please indicate Analysis)
(X) DWW1: EC, pH, NO_3-N (NH4-N Field Test)
(1-1 Liter Plastic, Unpreserved) White Per Sample
( ) DWW2: DWW1 Plus SO_4, CO_3, HCO_3, Cl, Ca, Mg, Na, TDS
(1-1 Liter Plastic, Unpreserved) White Per Sample
( ) DCW1: EC, NO_3-N, TDS + TKN & TN
(1-1 Liter Plastic, Unpreserved) White Per Sample
( ) DPW1: EC, pH, NO_3-N, NH_4-N, TKN, TDS, TP, TK
(1-1 Liter Plastic, Unpreserved) White Per Sample
( ) DPW2: DPW1 Plus SO_4, CO_3, HCO_3, Cl, Ca, Mg, Na
(1-1 Liter Plastic, Unpreserved) White Per Sample
( ) Other

	Description of Samples	Date Sampled	Time Sampled	Rec'd Temp °C	Field NH_4-N
1	Pump #1	11/1/2023	1600	1.4	ND
2					
3					
4					
5					
6					
7					
8					
9					
10					

IR Thermometer SN: 200560723
Correction Factor: 0°C
Calibration Due: 12/22/2023
Location: Laboratory

CHAIN OF CUSTODY

Carrier	Signature	Company	Received (Date/Time)	Relinquished (Date/Time)
First	John Avila	R & J Avila, Inc.	11/1/2023 @ 1600	11/2/2023 @ 900
Second	JLF	Dellavalle Laboratory, Inc.	11/2/2023 @ 900	11-2-23 3:45
Third				
Fourth			11/2 16:00	

I guarantee that as the client, or on behalf of client named, I have the authority to contract the above requested services. Should it be found that I do not have such authority, I agree to be personally liable for all costs and, if there should be action against me for this breach, reasonable attorneys' fees. It is understood that payment is expected to be cash with samples unless terms have been previously arranged. Terms are net 30 days; overdue accounts will be charged a liquidated damage fee of 2% per month (annually 24%) or $5.00 per month whichever is greater.
If payment is not made when due and a legitimate dispute exists concerning the product or services of Dellavalle Laboratory, Inc., it will be submitted to mediation under the Rules and Procedures of Creative Alternative to Litigation, Inc. (*cal*). If the dispute is not resolved in mediation, then the dispute will be submitted to binding arbitration through ***cal*** under its Rules and Procedures. The parties will equally bear the costs of mediation/arbitration. If, however, the mediator declares that no legitimate dispute exists, then debtor will pay all mediation and arbitration costs, and in the event of arbitration,reasonable attorneys' fees of Dellavalle Laboratory.

Invoicing Information: ***Shipping***
Sampling hrs $ In
Miles $ Out
Consulting

Amt Paid	Rec By	Check #	Date

Signature

Samples recieved in cooler with ice (coolant)
[ ] Yes [ ] No

Paste Label Here

11/02/23 16:00 23K0094

Shipping Information: Shipped In ☐ Picked-Up ☒ Walk In ☐ DLI Sampler ☐ Other ☐ _____

☐ Samples refridgerated before pick up | ☐ Picked up samples placed in Ice chest

Container: Ice Chest ☒ Box ☐ None ☐ | **Refrigerant:** Wet Ice ☒ Blue Ice ☐ None ☐

Samples Preserved with HNO_3 or H_2SO_4 were: ☐ Received Preserved ☐ Preserved Upon Receipt at Laboratory

	Type of Container(s) Received	Sample Number 1	2	3	4	5	6	7	8	9	10
	Sample Containers for Internal (DLI) Use *(Containers that go into the Lab)*										
Plastics	100 mL sterile plastic $Na_2S_2O_3$ (Green)										
Plastics	250 mL unpreserved (White) Plastic										
Plastics	250 mL HNO_3 (Red) Plastic										
Plastics	* pH Value										
Plastics	250 mL H_2SO_4 (Yellow) Plastic										
Plastics	* pH Value										
Plastics	500 mL unpreserved (White) Plastic										
Plastics	1 L unpreserved (White) Plastic										
Plastics	1 L unpreserved (BOD) (Purple) Plastic										
Special	500mL unpreserved (White) Glass										
Special	PO4-P Kit										
Special	**Other:**										
	Sample Containers for Subcontracted ("Send Out") Analyses *(Containers that go in the Subcontract ("Send Out") Refrigerator)*										
Plastics	100 mL sterile plastic $Na_2S_2O_3$ (Green)										
Plastics	250 mL unpreserved (White) Plastic										
Plastics	250 mL HNO_3 (Red) Plastic										
Plastics	250 mL H_2SO_4 (Yellow) Plastic										
Plastics	500 mL HNO_3 (Red)										
Plastics	1 L unpreserved (White) Plastic										
Plastics	1 L unpreserved (BOD) (Purple) Plastic										
Plastics	1 L HNO_3 (Red)										
VOA Vials	40 mL VOA, $Na_2S_2O_3$ + MCAA (EPA531)										
VOA Vials	40 mL VOA, $Na_2S_2O_3$ (EPA547)										
VOA Vials	40mL AG VOA unpreserved (White) (Set of 3)										
VOA Vials	40 mL AG VOA, $Na_2S_2O_3$ (Green) (Set of 3)										
VOA Vials	40mL VOA, H_3PO_4 (Set of 3)										
VOA Vials	40 mL VOA, HCl (Blue) (Set of 3)										
VOA Vials	40 mL VOA, $Na_2S_2O_3$ (Green) (Set of 3)										
Glass	250 mL AG unpreserved (White)										
Glass	250 mL AG H_2SO_4 (Yellow)										
Glass	250 mL AG $Na_2S_2O_3$ (Green)										
Glass	250 mL AG $Na_2S_2O_3$ + MCAA										
Glass	500 mL glass unpreserved (White)										
Glass	500 mL AG HCl (Blue)										
Glass	1 L AG unpreserved (White)										
Glass	1 L AG H_2SO_4 (Yellow)										
Glass	1 L AG $Na_2S_2O_3$ (Green)										
Glass	1 L AG HCl (Blue)										
Special	Cr^{6+} - 50mL Plastic w/Borate/HCO_3/CO_3										
Special	Cyanide - 500 mL NaOH										
Special	Asbestos - 1L P wrapped in foil (Set of 2)										
Special	Sulfide - 1 L **AG** or **P** NaOH + ZnAc										
Special	Chlorite/Bromate - 250 mL AG with EDA										
Special	HAA5 - 250mL AG Ammonium Chlorite										
Special	DO KIT										
Special	**Other:**										
Special	**Other:**										

SEND OUT