**Annual Report - General Order No. R5-2007-0035**
*Reporting period 01/01/2023 to 12/31/2023.*

DAIRY FACILITY INFORMATION

**A. NAME OF DAIRY OR BUSINESS OPERATING THE DAIRY:** Vierra Dairy Farms

Physical address of dairy:

| Number and Street | City | County | Zip Code |
|---|---|---|---|
| 23160 W Williams AVE | Hilmar | Merced | 95324 |

Street and nearest cross street (if no address):

Date facility was originally placed in operation: 10/01/1967

Regional Water Quality Control Board Basin Plan designation: San Joaquin River Basin

County Assessor Parcel Number(s) for dairy facility:

X045-X190-X015-XXXX X045-X190-X017-XXXX X045-X190-X052-XXXX X045-X190-X063-XXXX X045-X190-X077-XXXX

**B. OPERATORS**

Swanson, Matt

Operator name: Swanson, Matt

Telephone no.: (209) 668-0343 (Landline) (Cellular)

| Mailing Address Number and Street | City | State | Zip Code |
|---|---|---|---|
| 23160 W Williams AVE | Hilmar | CA | 95324 |

**This operator is responsible for paying permit fees.**

**C. OWNERS**

Swanson, Matt

Legal owner name: Swanson, Matt

Telephone no.: (209) 668-0343 (Landline) (Cellular)

| Mailing Address Number and Street | City | State | Zip Code |
|---|---|---|---|
| 23160 W Williams AVE | Hilmar | CA | 95324 |

**This owner is responsible for paying permit fees.**

AVAILABLE NUTRIENTS

## A. HERD INFORMATION

| | Milk Cows | Dry Cows | Bred Heifers (15-24 mo.) | Heifers (7-14 mo. to breeding) | Calves (4-6 mo.) | Calves (0-3 mo.) |
|---|---|---|---|---|---|---|
| Number open confinement | 0 | 0 | 211 | 834 | 403 | 0 |
| Number under roof | 3,000 | 200 | 0 | 0 | 0 | 0 |
| Maximum number | 3,000 | 200 | 211 | 834 | 403 | 0 |
| Average number | 3,000 | 200 | 211 | 834 | 403 | 0 |
| Avg live weight (lbs) | 1,200 | 1,200 | 800 | 550 | | |

Predominant milk cow breed: Jersey-Holstein Cross

Average milk production: 70 *pounds per cow per day*

## B. MANURE GENERATED

Total manure excreted by the herd: 90,625.73 *tons per reporting period*

Total nitrogen from manure: 1,162,404.10 *lbs per reporting period*

After ammonia losses (30% loss applied): 813,682.87 *lbs per reporting period*

Total phosphorus from manure: 193,390.44 *lbs per reporting period*

Total potassium from manure: 574,527.68 *lbs per reporting period*

Total salt from manure: 1,458,540.00 *lbs per reporting period*

## C. PROCESS WASTEWATER GENERATED

Process wastewater generated: 39,450,000 *gallons*

Total nitrogen generated: 149,141.26 *lbs*

Total phosphorus generated: 19,313.84 *lbs*

Total potassium generated: 177,914.36 *lbs*

Total salt generated: 1,340,736.91 *lbs*

| | | |
|---|---|---|
| | 39,450,000 | *gallons applied* |
| + | 0 | *gallons exported* |
| - | 0 | *gallons imported* |
| = | 39,450,000 | *gallons generated* |

## D. FRESH WATER SOURCES

| Source Description | Type |
|---|---|
| T.I.D Canal | Surface water |

## E. SUBSURFACE (TILE) DRAINAGE SOURCES

*No subsurface (tile) drainage sources entered.*

## F. NUTRIENT IMPORTS

| Date | Material type / Description | Quantity | Reporting basis | Moist. (%) | N (mg/kg) | P (mg/kg) | K (mg/kg) | Salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|---|---|---|---|
| 05/16/2023 | Separator solids<br>*Solid Manure* | 1,700.00 *ton* | Dry-weight | 85.0 | 20,000.00 | 8,700.00 | 6,500.00 | | 16.90 |
| 05/22/2023 | Separator solids<br>*Solid Manure* | 350.00 *ton* | As-is | 85.0 | 20,000.00 | 8,700.00 | 6,500.00 | | 16.90 |

*No process wastewater nutrient imports entered.*

| Date | Material type / Description | Quantity | Reporting basis | Moisture (%) | N (%) | P (%) | K (%) | Salt (%) |
|---|---|---|---|---|---|---|---|---|
| 06/02/2023 | Solid commercial fertilizer<br>*UN32* | 50.30 *ton* | Dry-weight | 0.1 | 32.000000 | 0.000000 | 0.000000 | 0.000000 |

| Material type | Total N (lbs) | Total P (lbs) | Total K (lbs) | Total salt (lbs) |
|---|---|---|---|---|
| Commercial fertilizer / Other | 32,159.81 | 0.00 | 0.00 | 0.00 |
| Dry manure | 24,200.00 | 10,527.00 | 7,865.00 | 103,935.00 |
| Process wastewater | 0.00 | 0.00 | 0.00 | 0.00 |
| Total imports for all materials | 56,359.81 | 10,527.00 | 7,865.00 | 103,935.00 |

## G. NUTRIENT EXPORTS

| Date | Material type | Quantity | Reporting basis | Moisture (%) | Density (lbs/cu ft) | N (mg/kg) | P (mg/kg) | K (mg/kg) | Salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|---|---|---|---|---|
| 05/10/2023 | Separator solids | 4,224.00 *ton* | Dry-weight | 78.0 | | 15,800.00 | 2,500.00 | 6,000.00 | | 14.70 |
| 10/14/2023 | Corral solids | 1,188.00 *ton* | Dry-weight | 24.5 | | 11,800.00 | 3,000.00 | 10,600.00 | | 44.40 |

*No liquid nutrient exports entered.*

| Material type | Total N (lbs) | Total P (lbs) | Total K (lbs) | Total salt (lbs) |
|---|---|---|---|---|
| Dry manure | 50,533.03 | 10,028.04 | 30,166.49 | 1,069,691.04 |
| Process wastewater | 0.00 | 0.00 | 0.00 | 0.00 |
| Total exports for all materials | 50,533.03 | 10,028.04 | 30,166.49 | 1,069,691.04 |

APPLICATION AREA

## A. LIST OF LAND APPLICATION AREAS

| Field name | Controlled acres | Cropable acres | Total harvests | Type of waste applied | Parcel number |
|---|---|---|---|---|---|
| Borelli | 22 | 22 | 0 | none | X045-X040-X037-XXXX |
| L7 B-12 | 53 | 53 | 1 | manure | X045-X040-X036-XXXX |
| L7 B-13 | 72 | 72 | 2 | both | X045-X040-X022-XXXX<br>X045-X040-X024-XXXX |
| L7 B-14 | 14 | 14 | 2 | both | X045-X040-X013-XXXX |
| L7 B-15 | 37 | 37 | 2 | both | X045-X040-X021-XXXX<br>X045-X040-X036-XXXX |
| L7 B-16 | 18 | 18 | 2 | process wastewater | X045-X040-X023-XXXX |
| L7 B-17 | 72 | 72 | 0 | none | X045-X040-X042-XXXX<br>X045-X040-X043-XXXX |
| L7 B-18 | 70 | 70 | 2 | both | X045-X040-X007-XXXX |
| L7 B-19 | 68 | 68 | 2 | both | X045-X040-X019-XXXX |
| L7 B-20 | 34 | 34 | 2 | process wastewater | X045-X050-X027-XXXX |
| L7 B-21 | 60 | 60 | 2 | both | X045-X050-X026-XXXX |
| L7 B-3 | 9 | 9 | 2 | process wastewater | X045-X190-X077-XXXX |
| L7 B-4 | 13 | 13 | 0 | none | X045-X190-X017-XXXX |
| L7 B-5 | 23 | 23 | 2 | process wastewater | X045-X190-X077-XXXX |
| LS B24-B25 | 56 | 56 | 2 | both | X045-X253-X030-XXXX |
| LS B-26 | 18 | 18 | 2 | both | X045-X253-X002-XXXX |
| LS B-27 | 18 | 18 | 2 | manure | X045-X253-X001-XXXX<br>X045-X253-X002-XXXX<br>X045-X253-X005-XXXX |
| LS B28-B31 | 80 | 80 | 2 | both | X045-X252-X017-XXXX |
| LS B32-B34 | 75 | 75 | 2 | both | X045-X252-X012-XXXX<br>X045-X252-X013-XXXX<br>X045-X252-X014-XXXX |
| LS B-35 | 31 | 31 | 2 | both | X045-X080-X011-XXXX |
| LS B-36 | 33 | 33 | 2 | both | X045-X080-X030-XXXX |
| Totals for areas that were used for application | 769 | 769 | 35 | | |
| Totals for areas that were not used for application | 107 | 107 | 0 | | |
| Land application area totals | 876 | 876 | 35 | | |

## B. CROPS AND HARVESTS

## L7 B-12

Field name: L7 B-12

### 10/27/2023: Alfalfa Haylage

Crop: Alfalfa Haylage Acres planted: 53 Plant date: 10/27/2023

| Harvest date | Yield | Reporting basis | Density (lbs/cu ft) | Moisture (%) | N (mg/kg) | P (mg/kg) | K (mg/kg) | Salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|---|---|---|---|
| 12/31/2023 | 914.25 *ton* | As-is | | 48.0 | 11,500.00 | 1,600.00 | 1,400.00 | | 9.50 |

| | Yield (tons/acre) | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Salt (lbs/acre) |
|---|---|---|---|---|---|
| Anticipated harvest content | 22.50 | 450.00 | 40.50 | 315.00 | 0.00 |
| Total actual harvest content | 17.25 | 396.75 | 55.20 | 48.30 | 1,704.30 |

## L7 B-13

Field name: L7 B-13

### 10/18/2022: Oats, silage-soft dough

Crop: Oats, silage-soft dough Acres planted: 72 Plant date: 10/18/2022

| Harvest date | Yield | Reporting basis | Density (lbs/cu ft) | Moisture (%) | N (mg/kg) | P (mg/kg) | K (mg/kg) | Salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|---|---|---|---|
| 04/14/2023 | 1,000.80 *ton* | As-is | | 69.4 | 6,300.00 | 900.00 | 7,300.00 | | 9.62 |

| | Yield (tons/acre) | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Salt (lbs/acre) |
|---|---|---|---|---|---|
| Anticipated harvest content | 16.00 | 160.00 | 25.60 | 132.80 | 0.00 |
| Total actual harvest content | 13.90 | 175.14 | 25.02 | 202.94 | 818.35 |

### 05/19/2023: Corn, silage

Crop: Corn, silage Acres planted: 72 Plant date: 05/19/2023

| Harvest date | Yield | Reporting basis | Density (lbs/cu ft) | Moisture (%) | N (mg/kg) | P (mg/kg) | K (mg/kg) | Salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|---|---|---|---|
| 09/06/2023 | 1,975.65 *ton* | As-is | | 67.0 | 4,300.00 | 600.00 | 6,600.00 | | 4.70 |

| | Yield (tons/acre) | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Salt (lbs/acre) |
|---|---|---|---|---|---|
| Anticipated harvest content | 30.00 | 240.00 | 45.00 | 198.00 | 0.00 |
| Total actual harvest content | 27.44 | 235.98 | 32.93 | 362.20 | 851.18 |

## L7 B-14

Field name: L7 B-14

### 10/20/2022: Oats, silage-soft dough

Crop: Oats, silage-soft dough Acres planted: 14 Plant date: 10/20/2022

| Harvest date | Yield | Reporting basis | Density (lbs/cu ft) | Moisture (%) | N (mg/kg) | P (mg/kg) | K (mg/kg) | Salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|---|---|---|---|
| 04/27/2023 | 236.32 *ton* | As-is | | 62.6 | 4,600.00 | 1,000.00 | 5,300.00 | | 8.77 |

| | Yield (tons/acre) | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Salt (lbs/acre) |
|---|---|---|---|---|---|
| Anticipated harvest content | 16.00 | 160.00 | 25.60 | 132.80 | 0.00 |
| Total actual harvest content | 16.88 | 155.30 | 33.76 | 178.93 | 1,107.32 |

### 06/24/2023: Corn, silage

Crop: Corn, silage Acres planted: 14 Plant date: 06/24/2023

| Harvest date | Yield | Reporting basis | Density (lbs/cu ft) | Moisture (%) | N (mg/kg) | P (mg/kg) | K (mg/kg) | Salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|---|---|---|---|
| 10/13/2023 | 326.62 *ton* | As-is | | 65.4 | 5,200.00 | 600.00 | 3,800.00 | | 8.50 |

| | Yield (tons/acre) | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Salt (lbs/acre) |
|---|---|---|---|---|---|
| Anticipated harvest content | 30.00 | 240.00 | 45.00 | 198.00 | 0.00 |
| Total actual harvest content | 23.33 | 242.63 | 28.00 | 177.31 | 1,372.27 |

## L7 B-15

Field name: L7 B-15

### 10/22/2022: Oats, silage-soft dough

Crop: Oats, silage-soft dough Acres planted: 37 Plant date: 10/22/2022

| Harvest date | Yield | Reporting basis | Density (lbs/cu ft) | Moisture (%) | N (mg/kg) | P (mg/kg) | K (mg/kg) | Salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|---|---|---|---|
| 04/24/2023 | 605.69 *ton* | As-is | | 66.0 | 6,300.00 | 1,000.00 | 5,600.00 | | 6.73 |

| | Yield (tons/acre) | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Salt (lbs/acre) |
|---|---|---|---|---|---|
| Anticipated harvest content | 16.00 | 160.00 | 25.60 | 132.80 | 0.00 |
| Total actual harvest content | 16.37 | 206.26 | 32.74 | 183.34 | 749.16 |

## L7 B-15

### 06/30/2023: Corn, silage

Crop: Corn, silage  Acres planted: 37  Plant date: 06/30/2023

| Harvest date | Yield | Reporting basis | Density (lbs/cu ft) | Moisture (%) | N (mg/kg) | P (mg/kg) | K (mg/kg) | Salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|---|---|---|---|
| 10/13/2023 | 822.88 *ton* | As-is | | 65.4 | 5,200.00 | 600.00 | 3,800.00 | | 8.50 |

| | Yield (tons/acre) | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Salt (lbs/acre) |
|---|---|---|---|---|---|
| Anticipated harvest content | 30.00 | 240.00 | 45.00 | 198.00 | 0.00 |
| Total actual harvest content | 22.24 | 231.30 | 26.69 | 169.02 | 1,308.16 |

## L7 B-16

Field name: L7 B-16

### 11/20/2022: Oats, silage-soft dough

Crop: Oats, silage-soft dough  Acres planted: 18  Plant date: 11/20/2022

| Harvest date | Yield | Reporting basis | Density (lbs/cu ft) | Moisture (%) | N (mg/kg) | P (mg/kg) | K (mg/kg) | Salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|---|---|---|---|
| 04/20/2023 | 224.46 *ton* | As-is | | 66.0 | 6,300.00 | 1,000.00 | 5,600.00 | | 6.73 |

| | Yield (tons/acre) | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Salt (lbs/acre) |
|---|---|---|---|---|---|
| Anticipated harvest content | 16.00 | 160.00 | 25.60 | 132.80 | 0.00 |
| Total actual harvest content | 12.47 | 157.12 | 24.94 | 139.66 | 570.68 |

### 05/30/2023: Corn, silage

Crop: Corn, silage  Acres planted: 18  Plant date: 05/30/2023

| Harvest date | Yield | Reporting basis | Density (lbs/cu ft) | Moisture (%) | N (mg/kg) | P (mg/kg) | K (mg/kg) | Salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|---|---|---|---|
| 09/19/2023 | 508.86 *ton* | As-is | | 65.4 | 5,200.00 | 600.00 | 3,800.00 | | 8.50 |

| | Yield (tons/acre) | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Salt (lbs/acre) |
|---|---|---|---|---|---|
| Anticipated harvest content | 30.00 | 240.00 | 45.00 | 198.00 | 0.00 |
| Total actual harvest content | 28.27 | 294.01 | 33.92 | 214.85 | 1,662.84 |

## L7 B-18

Field name: L7 B-18

### 10/24/2022: Oats, silage-soft dough

Crop: Oats, silage-soft dough  Acres planted: 70  Plant date: 10/24/2022

| Harvest date | Yield | Reporting basis | Density (lbs/cu ft) | Moisture (%) | N (mg/kg) | P (mg/kg) | K (mg/kg) | Salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|---|---|---|---|
| 04/20/2023 | 1,298.50 *ton* | As-is | | 64.6 | 4,400.00 | 800.00 | 3,500.00 | | 8.09 |

| | Yield (tons/acre) | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Salt (lbs/acre) |
|---|---|---|---|---|---|
| Anticipated harvest content | 16.00 | 160.00 | 25.60 | 132.80 | 0.00 |
| Total actual harvest content | 18.55 | 163.24 | 29.68 | 129.85 | 1,062.49 |

### 06/10/2023: Corn, silage

Crop: Corn, silage  Acres planted: 70  Plant date: 06/10/2023

| Harvest date | Yield | Reporting basis | Density (lbs/cu ft) | Moisture (%) | N (mg/kg) | P (mg/kg) | K (mg/kg) | Salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|---|---|---|---|
| 09/18/2023 | 1,817.90 *ton* | As-is | | 63.6 | 4,500.00 | 700.00 | 4,500.00 | | 8.80 |

| | Yield (tons/acre) | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Salt (lbs/acre) |
|---|---|---|---|---|---|
| Anticipated harvest content | 30.00 | 240.00 | 45.00 | 198.00 | 0.00 |
| Total actual harvest content | 25.97 | 233.73 | 36.36 | 233.73 | 1,663.74 |

## L7 B-19

Field name: L7 B-19

### 10/21/2022: Oats, silage-soft dough

Crop: Oats, silage-soft dough  Acres planted: 68  Plant date: 10/21/2022

| Harvest date | Yield | Reporting basis | Density (lbs/cu ft) | Moisture (%) | N (mg/kg) | P (mg/kg) | K (mg/kg) | Salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|---|---|---|---|
| 04/27/2023 | 964.24 *ton* | As-is | | 55.0 | 5,400.00 | 1,100.00 | 13,100.00 | | 7.09 |

| | Yield (tons/acre) | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Salt (lbs/acre) |
|---|---|---|---|---|---|
| Anticipated harvest content | 16.00 | 160.00 | 25.60 | 132.80 | 0.00 |
| Total actual harvest content | 14.18 | 153.14 | 31.20 | 371.52 | 904.83 |

## L7 B-19

### 06/07/2023: Corn, silage

Crop: Corn, silage  Acres planted: 68  Plant date: 06/07/2023

| Harvest date | Yield | Reporting basis | Density (lbs/cu ft) | Moisture (%) | N (mg/kg) | P (mg/kg) | K (mg/kg) | Salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|---|---|---|---|
| 10/02/2023 | 2,097.12 *ton* | As-is | | 63.6 | 4,500.00 | 700.00 | 4,500.00 | | 8.80 |

| | Yield (tons/acre) | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Salt (lbs/acre) |
|---|---|---|---|---|---|
| Anticipated harvest content | 30.00 | 240.00 | 45.00 | 198.00 | 0.00 |
| Total actual harvest content | 30.84 | 277.56 | 43.18 | 277.56 | 1,975.73 |

## L7 B-20

Field name: L7 B-20

### 10/23/2022: Oats, silage-soft dough

Crop: Oats, silage-soft dough  Acres planted: 34  Plant date: 10/23/2022

| Harvest date | Yield | Reporting basis | Density (lbs/cu ft) | Moisture (%) | N (mg/kg) | P (mg/kg) | K (mg/kg) | Salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|---|---|---|---|
| 04/28/2023 | 407.32 *ton* | As-is | | 55.0 | 5,400.00 | 1,100.00 | 13,100.00 | | 7.09 |

| | Yield (tons/acre) | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Salt (lbs/acre) |
|---|---|---|---|---|---|
| Anticipated harvest content | 16.00 | 160.00 | 25.60 | 132.80 | 0.00 |
| Total actual harvest content | 11.98 | 129.38 | 26.36 | 313.88 | 764.44 |

### 05/23/2023: Corn, silage

Crop: Corn, silage  Acres planted: 34  Plant date: 05/23/2023

| Harvest date | Yield | Reporting basis | Density (lbs/cu ft) | Moisture (%) | N (mg/kg) | P (mg/kg) | K (mg/kg) | Salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|---|---|---|---|
| 09/18/2023 | 872.78 *ton* | As-is | | 67.0 | 4,300.00 | 600.00 | 6,600.00 | | 4.70 |

| | Yield (tons/acre) | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Salt (lbs/acre) |
|---|---|---|---|---|---|
| Anticipated harvest content | 30.00 | 240.00 | 45.00 | 198.00 | 0.00 |
| Total actual harvest content | 25.67 | 220.76 | 30.80 | 338.84 | 796.28 |

## L7 B-21

Field name: L7 B-21

### 10/19/2022: Oats, silage-soft dough

Crop: Oats, silage-soft dough  Acres planted: 60  Plant date: 10/19/2022

| Harvest date | Yield | Reporting basis | Density (lbs/cu ft) | Moisture (%) | N (mg/kg) | P (mg/kg) | K (mg/kg) | Salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|---|---|---|---|
| 04/19/2023 | 1,135.80 *ton* | As-is | | 65.8 | 4,200.00 | 1,200.00 | 7,400.00 | | 7.33 |

| | Yield (tons/acre) | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Salt (lbs/acre) |
|---|---|---|---|---|---|
| Anticipated harvest content | 16.00 | 160.00 | 25.60 | 132.80 | 0.00 |
| Total actual harvest content | 18.93 | 159.01 | 45.43 | 280.16 | 949.10 |

### 05/20/2023: Corn, silage

Crop: Corn, silage  Acres planted: 60  Plant date: 05/20/2023

| Harvest date | Yield | Reporting basis | Density (lbs/cu ft) | Moisture (%) | N (mg/kg) | P (mg/kg) | K (mg/kg) | Salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|---|---|---|---|
| 09/11/2023 | 1,875.00 *ton* | As-is | | 67.0 | 4,300.00 | 600.00 | 6,600.00 | | 4.70 |

| | Yield (tons/acre) | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Salt (lbs/acre) |
|---|---|---|---|---|---|
| Anticipated harvest content | 30.00 | 240.00 | 45.00 | 198.00 | 0.00 |
| Total actual harvest content | 31.25 | 268.75 | 37.50 | 412.50 | 969.38 |

## L7 B-3

Field name: L7 B-3

### 11/20/2022: Oats, silage-soft dough

Crop: Oats, silage-soft dough  Acres planted: 9  Plant date: 11/20/2022

| Harvest date | Yield | Reporting basis | Density (lbs/cu ft) | Moisture (%) | N (mg/kg) | P (mg/kg) | K (mg/kg) | Salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|---|---|---|---|
| 04/28/2023 | 146.16 *ton* | As-is | | 66.0 | 4,100.00 | 900.00 | 9,000.00 | | 4.51 |

| | Yield (tons/acre) | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Salt (lbs/acre) |
|---|---|---|---|---|---|
| Anticipated harvest content | 16.00 | 160.00 | 25.60 | 132.80 | 0.00 |
| Total actual harvest content | 16.24 | 133.17 | 29.23 | 292.32 | 498.05 |

## L7 B-3

### 06/21/2023: Corn, silage

Crop: Corn, silage  Acres planted: 9  Plant date: 06/21/2023

| Harvest date | Yield | Reporting basis | Density (lbs/cu ft) | Moisture (%) | N (mg/kg) | P (mg/kg) | K (mg/kg) | Salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|---|---|---|---|
| 10/11/2023 | 281.79 *ton* | As-is | | 65.6 | 4,200.00 | 800.00 | 5,400.00 | | 9.10 |

| | Yield (tons/acre) | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Salt (lbs/acre) |
|---|---|---|---|---|---|
| Anticipated harvest content | 30.00 | 240.00 | 45.00 | 198.00 | 0.00 |
| Total actual harvest content | 31.31 | 263.00 | 50.10 | 338.15 | 1,960.26 |

## L7 B-5

Field name: L7 B-5

### 11/20/2022: Oats, silage-soft dough

Crop: Oats, silage-soft dough  Acres planted: 23  Plant date: 11/20/2022

| Harvest date | Yield | Reporting basis | Density (lbs/cu ft) | Moisture (%) | N (mg/kg) | P (mg/kg) | K (mg/kg) | Salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|---|---|---|---|
| 04/28/2023 | 370.07 *ton* | As-is | | 66.0 | 4,100.00 | 900.00 | 9,000.00 | | 4.51 |

| | Yield (tons/acre) | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Salt (lbs/acre) |
|---|---|---|---|---|---|
| Anticipated harvest content | 16.00 | 160.00 | 25.60 | 132.80 | 0.00 |
| Total actual harvest content | 16.09 | 131.94 | 28.96 | 289.62 | 493.45 |

### 06/20/2023: Corn, silage

Crop: Corn, silage  Acres planted: 23  Plant date: 06/20/2023

| Harvest date | Yield | Reporting basis | Density (lbs/cu ft) | Moisture (%) | N (mg/kg) | P (mg/kg) | K (mg/kg) | Salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|---|---|---|---|
| 10/10/2023 | 565.57 *ton* | As-is | | 67.6 | 5,600.00 | 700.00 | 5,900.00 | | 10.30 |

| | Yield (tons/acre) | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Salt (lbs/acre) |
|---|---|---|---|---|---|
| Anticipated harvest content | 30.00 | 240.00 | 45.00 | 198.00 | 0.00 |
| Total actual harvest content | 24.59 | 275.41 | 34.43 | 290.16 | 1,641.23 |

## LS B24-B25

Field name: LS B24-B25

### 11/22/2022: Oats, silage-soft dough

Crop: Oats, silage-soft dough Acres planted: 56 Plant date: 11/22/2022

| Harvest date | Yield | Reporting basis | Density (lbs/cu ft) | Moisture (%) | N (mg/kg) | P (mg/kg) | K (mg/kg) | Salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|---|---|---|---|
| 04/30/2023 | 1,008.00 *ton* | As-is | | 65.8 | 4,200.00 | 1,200.00 | 7,400.00 | | 7.33 |

| | Yield (tons/acre) | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Salt (lbs/acre) |
|---|---|---|---|---|---|
| Anticipated harvest content | 16.00 | 160.00 | 25.60 | 132.80 | 0.00 |
| Total actual harvest content | 18.00 | 151.20 | 43.20 | 266.40 | 902.47 |

### 05/23/2023: Corn, silage

Crop: Corn, silage Acres planted: 56 Plant date: 05/23/2023

| Harvest date | Yield | Reporting basis | Density (lbs/cu ft) | Moisture (%) | N (mg/kg) | P (mg/kg) | K (mg/kg) | Salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|---|---|---|---|
| 09/13/2023 | 1,477.28 *ton* | As-is | | 66.8 | 5,500.00 | 600.00 | 4,700.00 | | 8.70 |

| | Yield (tons/acre) | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Salt (lbs/acre) |
|---|---|---|---|---|---|
| Anticipated harvest content | 30.00 | 240.00 | 45.00 | 198.00 | 0.00 |
| Total actual harvest content | 26.38 | 290.18 | 31.66 | 247.97 | 1,523.92 |

## LS B-26

Field name: LS B-26

### 10/25/2022: Oats, silage-soft dough

Crop: Oats, silage-soft dough Acres planted: 18 Plant date: 10/25/2022

| Harvest date | Yield | Reporting basis | Density (lbs/cu ft) | Moisture (%) | N (mg/kg) | P (mg/kg) | K (mg/kg) | Salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|---|---|---|---|
| 04/21/2023 | 320.04 *ton* | As-is | | 64.0 | 4,600.00 | 1,000.00 | 4,500.00 | | 6.16 |

| | Yield (tons/acre) | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Salt (lbs/acre) |
|---|---|---|---|---|---|
| Anticipated harvest content | 16.00 | 160.00 | 25.60 | 132.80 | 0.00 |
| Total actual harvest content | 17.78 | 163.58 | 35.56 | 160.02 | 788.58 |

## LS B-26

### 05/26/2023: Corn, silage

Crop: Corn, silage  Acres planted: 18  Plant date: 05/26/2023

| Harvest date | Yield | Reporting basis | Density (lbs/cu ft) | Moisture (%) | N (mg/kg) | P (mg/kg) | K (mg/kg) | Salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|---|---|---|---|
| 09/18/2023 | 481.50 *ton* | As-is | | 64.8 | 5,400.00 | 600.00 | 6,200.00 | | 7.28 |

| | Yield (tons/acre) | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Salt (lbs/acre) |
|---|---|---|---|---|---|
| Anticipated harvest content | 30.00 | 240.00 | 45.00 | 198.00 | 0.00 |
| Total actual harvest content | 26.75 | 288.90 | 32.10 | 331.70 | 1,370.97 |

## LS B-27

Field name: LS B-27

### 10/25/2022: Oats, silage-soft dough

Crop: Oats, silage-soft dough  Acres planted: 18  Plant date: 10/25/2022

| Harvest date | Yield | Reporting basis | Density (lbs/cu ft) | Moisture (%) | N (mg/kg) | P (mg/kg) | K (mg/kg) | Salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|---|---|---|---|
| 04/21/2023 | 227.16 *ton* | As-is | | 65.0 | 5,800.00 | 1,100.00 | 6,200.00 | | 6.88 |

| | Yield (tons/acre) | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Salt (lbs/acre) |
|---|---|---|---|---|---|
| Anticipated harvest content | 16.00 | 160.00 | 25.60 | 132.80 | 0.00 |
| Total actual harvest content | 12.62 | 146.39 | 27.76 | 156.49 | 607.78 |

### 05/26/2023: Corn, silage

Crop: Corn, silage  Acres planted: 18  Plant date: 05/26/2023

| Harvest date | Yield | Reporting basis | Density (lbs/cu ft) | Moisture (%) | N (mg/kg) | P (mg/kg) | K (mg/kg) | Salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|---|---|---|---|
| 09/14/2023 | 463.68 *ton* | As-is | | 67.0 | 4,300.00 | 600.00 | 6,600.00 | | 4.70 |

| | Yield (tons/acre) | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Salt (lbs/acre) |
|---|---|---|---|---|---|
| Anticipated harvest content | 30.00 | 240.00 | 45.00 | 198.00 | 0.00 |
| Total actual harvest content | 25.76 | 221.54 | 30.91 | 340.03 | 799.08 |

## LS B28-B31

Field name: LS B28-B31

### 10/22/2022: Oats, silage-soft dough

Crop: Oats, silage-soft dough Acres planted: 80 Plant date: 10/22/2022

| Harvest date | Yield | Reporting basis | Density (lbs/cu ft) | Moisture (%) | N (mg/kg) | P (mg/kg) | K (mg/kg) | Salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|---|---|---|---|
| 04/22/2023 | 1,553.60 *ton* | As-is | | 71.6 | 4,700.00 | 1,000.00 | 9,600.00 | | 8.92 |

| | Yield (tons/acre) | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Salt (lbs/acre) |
|---|---|---|---|---|---|
| Anticipated harvest content | 16.00 | 160.00 | 25.60 | 132.80 | 0.00 |
| Total actual harvest content | 19.42 | 182.55 | 38.84 | 372.86 | 983.93 |

### 05/16/2023: Corn, silage

Crop: Corn, silage Acres planted: 80 Plant date: 05/16/2023

| Harvest date | Yield | Reporting basis | Density (lbs/cu ft) | Moisture (%) | N (mg/kg) | P (mg/kg) | K (mg/kg) | Salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|---|---|---|---|
| 09/04/2023 | 2,226.40 *ton* | As-is | | 64.8 | 5,400.00 | 600.00 | 6,200.00 | | 7.28 |

| | Yield (tons/acre) | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Salt (lbs/acre) |
|---|---|---|---|---|---|
| Anticipated harvest content | 30.00 | 240.00 | 45.00 | 198.00 | 0.00 |
| Total actual harvest content | 27.83 | 300.56 | 33.40 | 345.09 | 1,426.32 |

## LS B32-B34

Field name: LS B32-B34

### 10/21/2022: Oats, silage-soft dough

Crop: Oats, silage-soft dough Acres planted: 75 Plant date: 10/21/2022

| Harvest date | Yield | Reporting basis | Density (lbs/cu ft) | Moisture (%) | N (mg/kg) | P (mg/kg) | K (mg/kg) | Salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|---|---|---|---|
| 04/29/2023 | 1,296.00 *ton* | As-is | | 66.8 | 5,900.00 | 1,300.00 | 15,000.00 | | 9.56 |

| | Yield (tons/acre) | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Salt (lbs/acre) |
|---|---|---|---|---|---|
| Anticipated harvest content | 16.00 | 160.00 | 25.60 | 132.80 | 0.00 |
| Total actual harvest content | 17.28 | 203.90 | 44.93 | 518.40 | 1,096.91 |

## LS B32-B34

### 06/23/2023: Corn, silage

Crop: Corn, silage  Acres planted: 75  Plant date: 06/23/2023

| Harvest date | Yield | Reporting basis | Density (lbs/cu ft) | Moisture (%) | N (mg/kg) | P (mg/kg) | K (mg/kg) | Salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|---|---|---|---|
| 10/20/2023 | 1,506.75 *ton* | As-is | | 64.8 | 5,400.00 | 600.00 | 6,200.00 | | 7.28 |

| | Yield (tons/acre) | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Salt (lbs/acre) |
|---|---|---|---|---|---|
| Anticipated harvest content | 30.00 | 240.00 | 45.00 | 198.00 | 0.00 |
| Total actual harvest content | 20.09 | 216.97 | 24.11 | 249.12 | 1,029.64 |

## LS B-35

Field name: LS B-35

### 11/21/2022: Oats, silage-soft dough

Crop: Oats, silage-soft dough  Acres planted: 31  Plant date: 11/21/2022

| Harvest date | Yield | Reporting basis | Density (lbs/cu ft) | Moisture (%) | N (mg/kg) | P (mg/kg) | K (mg/kg) | Salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|---|---|---|---|
| 04/20/2023 | 453.84 *ton* | As-is | | 67.2 | 5,200.00 | 600.00 | 4,900.00 | | 6.56 |

| | Yield (tons/acre) | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Salt (lbs/acre) |
|---|---|---|---|---|---|
| Anticipated harvest content | 16.00 | 160.00 | 25.60 | 132.80 | 0.00 |
| Total actual harvest content | 14.64 | 152.26 | 17.57 | 143.47 | 630.01 |

### 05/31/2023: Corn, silage

Crop: Corn, silage  Acres planted: 31  Plant date: 05/31/2023

| Harvest date | Yield | Reporting basis | Density (lbs/cu ft) | Moisture (%) | N (mg/kg) | P (mg/kg) | K (mg/kg) | Salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|---|---|---|---|
| 09/13/2023 | 1,044.39 *ton* | As-is | | 68.6 | 3,200.00 | 600.00 | 3,700.00 | | 2.50 |

| | Yield (tons/acre) | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Salt (lbs/acre) |
|---|---|---|---|---|---|
| Anticipated harvest content | 30.00 | 240.00 | 45.00 | 198.00 | 0.00 |
| Total actual harvest content | 33.69 | 215.62 | 40.43 | 249.31 | 528.93 |

## LS B-36

Field name: LS B-36

### 11/21/2022: Oats, silage-soft dough

Crop: Oats, silage-soft dough  Acres planted: 33  Plant date: 11/21/2022

| Harvest date | Yield | Reporting basis | Density (lbs/cu ft) | Moisture (%) | N (mg/kg) | P (mg/kg) | K (mg/kg) | Salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|---|---|---|---|
| 04/23/2023 | 524.70 *ton* | As-is | | 64.0 | 4,900.00 | 1,000.00 | 5,400.00 | | 6.65 |

| | Yield (tons/acre) | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Salt (lbs/acre) |
|---|---|---|---|---|---|
| Anticipated harvest content | 16.00 | 160.00 | 25.60 | 132.80 | 0.00 |
| Total actual harvest content | 15.90 | 155.82 | 31.80 | 171.72 | 761.29 |

### 06/06/2023: Corn, silage

Crop: Corn, silage  Acres planted: 33  Plant date: 06/06/2023

| Harvest date | Yield | Reporting basis | Density (lbs/cu ft) | Moisture (%) | N (mg/kg) | P (mg/kg) | K (mg/kg) | Salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|---|---|---|---|
| 10/16/2023 | 641.85 *ton* | As-is | | 64.8 | 5,400.00 | 600.00 | 6,200.00 | | 7.28 |

| | Yield (tons/acre) | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Salt (lbs/acre) |
|---|---|---|---|---|---|
| Anticipated harvest content | 30.00 | 240.00 | 45.00 | 198.00 | 0.00 |
| Total actual harvest content | 19.45 | 210.06 | 23.34 | 241.18 | 996.84 |

NUTRIENT BUDGET

## A. LAND APPLICATIONS

### L7 B-12 - 10/27/2023: Alfalfa Haylage

Field name: L7 B-12

Crop: Alfalfa Haylage

Plant date: 10/27/2023

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 09/30/2022 | Broadcast/incorporate | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| Solid Manure | Corral solids | 182.47 | 21.25 | 36.64 | 1,692.77 | 424.00 *ton* |
| Application event totals | | 182.47 | 21.25 | 36.64 | 1,692.77 | |

| | | | | |
|---|---|---|---|---|
| 04/25/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 172.81 | 5,628,293.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 172.81 | |

| | | | | |
|---|---|---|---|---|
| 05/11/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 172.81 | 5,628,293.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 172.81 | |

| | | | | |
|---|---|---|---|---|
| 05/25/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 163.70 | 5,331,724.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 163.70 | |

| | | | | |
|---|---|---|---|---|
| 06/08/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 200.32 | 6,524,518.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 200.32 | |

## L7 B-12 - 10/27/2023: Alfalfa Haylage

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 06/23/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 164.90 | 5,370,832.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 164.90 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 07/08/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 139.59 | 4,546,305.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 139.59 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 07/20/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 139.59 | 4,546,305.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 139.59 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 08/07/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 167.60 | 5,458,825.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 167.60 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 08/20/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 164.90 | 5,370,832.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 164.90 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 08/31/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 176.71 | 5,755,394.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 176.71 | |

## L7 B-12 - 10/27/2023: Alfalfa Haylage

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 09/19/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 180.61 | 5,882,495.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 180.61 | |

## L7 B-13 - 10/18/2022: Oats, silage-soft dough

Field name: L7 B-13

Crop: Oats, silage-soft dough

Plant date: 10/18/2022

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 09/28/2022 | Broadcast/incorporate | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| Solid Manure | Corral solids | 182.47 | 21.25 | 36.64 | 1,692.77 | 576.00 *ton* |
| Application event totals | | 182.47 | 21.25 | 36.64 | 1,692.77 | |

| | | | | |
|---|---|---|---|---|
| 10/08/2022 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 256.39 | 11,344,176.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 256.39 | |

| | | | | |
|---|---|---|---|---|
| 02/12/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 34.22 | 4.09 | 42.69 | 256.05 | 420,000.00 *gal* |
| Application event totals | | 34.22 | 4.09 | 42.69 | 256.05 | |

| | | | | |
|---|---|---|---|---|
| 03/29/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 199.99 | 8,848,728.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 199.99 | |

## L7 B-13 - 05/19/2023: Corn, silage

Field name: L7 B-13

Crop: Corn, silage

Plant date: 05/19/2023

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 05/03/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 164.32 | 7.30 | 171.50 | 1,854.54 | 1,770,000.00 *gal* |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 280.78 | 12,423,308.00 *gal* |
| Application event totals | | 164.32 | 7.30 | 171.50 | 2,135.32 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 06/14/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 271.50 | 12,012,674.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 271.50 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 07/08/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| UN32 | Solid commercial fertilizer | 24.00 | 0.00 | 0.00 | 0.00 | |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 338.53 | 14,978,364.00 *gal* |
| Application event totals | | 24.00 | 0.00 | 0.00 | 338.53 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 07/19/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| UN32 | Solid commercial fertilizer | 24.00 | 0.00 | 0.00 | 0.00 | |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 175.16 | 7,749,902.00 *gal* |
| Application event totals | | 24.00 | 0.00 | 0.00 | 175.16 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 07/28/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 39.04 | 10.83 | 48.53 | 257.86 | 1,545,000.00 *gal* |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 166.69 | 7,375,117.00 *gal* |
| Application event totals | | 39.04 | 10.83 | 48.53 | 424.55 | |

## L7 B-13 - 05/19/2023: Corn, silage

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 08/09/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 31.08 | 8.62 | 38.63 | 205.29 | 1,230,000.00 *gal* |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 179.13 | 7,925,888.00 *gal* |
| Application event totals | | 31.08 | 8.62 | 38.63 | 384.42 | |

| | | | | |
|---|---|---|---|---|
| 08/20/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 168.53 | 7,456,592.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 168.53 | |

## L7 B-14 - 10/20/2022: Oats, silage-soft dough

Field name: L7 B-14

Crop: Oats, silage-soft dough Plant date: 10/20/2022

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 09/27/2022 | Broadcast/incorporate | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| Solid Manure | Corral solids | 182.47 | 21.25 | 36.64 | 1,692.77 | 112.00 *ton* |
| Application event totals | | 182.47 | 21.25 | 36.64 | 1,692.77 | |

| | | | | |
|---|---|---|---|---|
| 10/11/2022 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 247.14 | 2,126,250.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 247.14 | |

| | | | | |
|---|---|---|---|---|
| 04/10/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 212.50 | 1,828,190.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 212.50 | |

## L7 B-14 - 06/24/2023: Corn, silage

Field name: L7 B-14

Crop: Corn, silage

Plant date: 06/24/2023

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 05/22/2023 | Broadcast/incorporate | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| Imported Solid Manure | Separator solids | 150.00 | 65.25 | 48.75 | 1,267.50 | 350.00 *ton* |
| Application event totals | | 150.00 | 65.25 | 48.75 | 1,267.50 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 06/08/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 340.31 | 2,927,783.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 340.31 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 07/22/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 85.76 | 23.80 | 106.61 | 566.51 | 660,000.00 *gal* |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 334.81 | 2,880,443.00 *gal* |
| Application event totals | | 85.76 | 23.80 | 106.61 | 901.31 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 08/05/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 173.13 | 1,489,535.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 173.13 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 08/19/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 64.32 | 17.85 | 79.96 | 424.88 | 495,000.00 *gal* |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 209.50 | 1,802,399.00 *gal* |
| Application event totals | | 64.32 | 17.85 | 79.96 | 634.38 | |

## L7 B-14 - 06/24/2023: Corn, silage

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 08/29/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 195.11 | 1,678,557.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 195.11 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 09/11/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 154.31 | 1,327,614.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 154.31 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 09/20/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 154.31 | 1,327,614.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 154.31 | |

## L7 B-15 - 10/22/2022: Oats, silage-soft dough

Field name: L7 B-15

Crop: Oats, silage-soft dough

Plant date: 10/22/2022

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 09/28/2022 | Broadcast/incorporate | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| Solid Manure | Corral solids | 182.47 | 21.25 | 36.64 | 1,692.77 | 296.00 *ton* |
| Application event totals | | 182.47 | 21.25 | 36.64 | 1,692.77 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 10/12/2022 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 261.79 | 5,952,375.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 261.79 | |

## L7 B-15 - 10/22/2022: Oats, silage-soft dough

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 01/08/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 28.54 | 3.41 | 35.60 | 213.54 | 180,000.00 *gal* |
| Application event totals | | 28.54 | 3.41 | 35.60 | 213.54 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 04/14/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 144.34 | 3,281,813.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 144.34 | |

## L7 B-15 - 06/30/2023: Corn, silage

Field name: L7 B-15

Crop: Corn, silage

Plant date: 06/30/2023

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 06/07/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 135.49 | 6.02 | 141.41 | 1,529.16 | 750,000.00 *gal* |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 354.27 | 8,055,222.00 *gal* |
| Application event totals | | 135.49 | 6.02 | 141.41 | 1,883.44 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 07/21/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 289.06 | 6,572,377.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 289.06 | |

## L7 B-15 - 06/30/2023: Corn, silage

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 08/05/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| UN32 | Solid commercial fertilizer | 24.00 | 0.00 | 0.00 | 0.00 | |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 252.65 | 5,744,591.00 *gal* |
| Application event totals | | 24.00 | 0.00 | 0.00 | 252.65 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 08/19/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| UN32 | Solid commercial fertilizer | 24.00 | 0.00 | 0.00 | 0.00 | |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 180.86 | 4,112,345.00 *gal* |
| Application event totals | | 24.00 | 0.00 | 0.00 | 180.86 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 08/29/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 55.31 | 15.35 | 68.76 | 365.38 | 1,125,000.00 *gal* |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 141.18 | 3,210,115.00 *gal* |
| Application event totals | | 55.31 | 15.35 | 68.76 | 506.56 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 09/10/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 59.00 | 16.37 | 73.35 | 389.73 | 1,200,000.00 *gal* |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 190.59 | 4,333,444.00 *gal* |
| Application event totals | | 59.00 | 16.37 | 73.35 | 580.32 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 09/20/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 190.59 | 4,333,444.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 190.59 | |

## L7 B-16 - 11/20/2022: Oats, silage-soft dough

## L7 B-16 - 11/20/2022: Oats, silage-soft dough

Field name: L7 B-16

Crop: Oats, silage-soft dough

Plant date: 11/20/2022

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 01/03/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 58.67 | 7.02 | 73.19 | 438.95 | 180,000.00 *gal* |
| Application event totals | | 58.67 | 7.02 | 73.19 | 438.95 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 02/28/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 44.00 | 5.26 | 54.89 | 329.21 | 135,000.00 *gal* |
| Application event totals | | 44.00 | 5.26 | 54.89 | 329.21 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 03/18/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 48.89 | 5.85 | 60.99 | 365.79 | 150,000.00 *gal* |
| Application event totals | | 48.89 | 5.85 | 60.99 | 365.79 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 04/14/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 44.56 | 1.98 | 46.51 | 502.93 | 120,000.00 *gal* |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 247.18 | 2,734,164.00 *gal* |
| Application event totals | | 44.56 | 1.98 | 46.51 | 750.11 | |

## L7 B-16 - 05/30/2023: Corn, silage

Field name: L7 B-16

Crop: Corn, silage

Plant date: 05/30/2023

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|

L7 B-16 - 05/30/2023: Corn, silage

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 05/16/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 260.17 | 2,877,869.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 260.17 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 06/24/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 116.98 | 5.20 | 122.09 | 1,320.18 | 315,000.00 *gal* |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 260.17 | 2,877,869.00 *gal* |
| Application event totals | | 116.98 | 5.20 | 122.09 | 1,580.35 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 07/10/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| UN32 | Solid commercial fertilizer | 24.00 | 0.00 | 0.00 | 0.00 | |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 250.09 | 2,766,378.00 *gal* |
| Application event totals | | 24.00 | 0.00 | 0.00 | 250.09 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 07/21/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| UN32 | Solid commercial fertilizer | 24.00 | 0.00 | 0.00 | 0.00 | |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 148.49 | 1,642,536.00 *gal* |
| Application event totals | | 24.00 | 0.00 | 0.00 | 148.49 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 08/04/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 60.64 | 16.83 | 75.38 | 400.56 | 600,000.00 *gal* |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 258.93 | 2,864,148.00 *gal* |
| Application event totals | | 60.64 | 16.83 | 75.38 | 659.49 | |

## L7 B-16 - 05/30/2023: Corn, silage

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 08/17/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 159.69 | 1,766,378.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 159.69 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 08/28/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 133.17 | 1,473,068.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 133.17 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 09/08/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 77.32 | 21.46 | 96.11 | 510.71 | 765,000.00 *gal* |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 133.17 | 1,473,068.00 *gal* |
| Application event totals | | 77.32 | 21.46 | 96.11 | 643.89 | |

## L7 B-18 - 10/24/2022: Oats, silage-soft dough

Field name: L7 B-18

Crop: Oats, silage-soft dough

Plant date: 10/24/2022

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 09/29/2022 | Broadcast/incorporate | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| Solid Manure | Corral solids | 182.47 | 21.25 | 36.64 | 1,692.77 | 560.00 *ton* |
| Application event totals | | 182.47 | 21.25 | 36.64 | 1,692.77 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 10/13/2022 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 266.38 | 11,458,930.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 266.38 | |

## L7 B-18 - 10/24/2022: Oats, silage-soft dough

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 04/12/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 200.29 | 8,615,600.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 200.29 | |

## L7 B-18 - 06/10/2023: Corn, silage

Field name: L7 B-18

Crop: Corn, silage

Plant date: 06/10/2023

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 05/24/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 371.57 | 15,983,675.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 371.57 | |

| | | | | |
|---|---|---|---|---|
| 07/04/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 150.40 | 6.68 | 156.97 | 1,697.37 | 1,575,000.00 *gal* |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 340.24 | 14,636,169.00 *gal* |
| Application event totals | | 150.40 | 6.68 | 156.97 | 2,037.62 | |

| | | | | |
|---|---|---|---|---|
| 07/23/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| UN32 | Solid commercial fertilizer | 24.00 | 0.00 | 0.00 | 0.00 | |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 240.39 | 10,340,807.00 *gal* |
| Application event totals | | 24.00 | 0.00 | 0.00 | 240.39 | |

## L7 B-18 - 06/10/2023: Corn, silage

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 08/04/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| UN32 | Solid commercial fertilizer | 24.00 | 0.00 | 0.00 | 0.00 | |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 225.70 | 9,709,074.00 *gal* |
| Application event totals | | 24.00 | 0.00 | 0.00 | 225.70 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 08/20/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 207.13 | 8,910,106.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 207.13 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 08/30/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 35.08 | 9.74 | 43.61 | 231.75 | 1,350,000.00 *gal* |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 138.28 | 5,948,188.00 *gal* |
| Application event totals | | 35.08 | 9.74 | 43.61 | 370.03 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 09/09/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 38.20 | 10.60 | 47.49 | 252.35 | 1,470,000.00 *gal* |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 124.64 | 5,361,568.00 *gal* |
| Application event totals | | 38.20 | 10.60 | 47.49 | 376.99 | |

## L7 B-19 - 10/21/2022: Oats, silage-soft dough

Field name: L7 B-19

Crop: Oats, silage-soft dough

Plant date: 10/21/2022

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|

## L7 B-19 - 10/21/2022: Oats, silage-soft dough

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 10/13/2022 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 34.64 | 3.82 | 52.91 | 372.84 | 615,000.00 *gal* |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 251.88 | 10,525,584.00 *gal* |
| Application event totals | | 34.64 | 3.82 | 52.91 | 624.72 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 12/18/2022 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 44.00 | 5.26 | 54.89 | 329.21 | 510,000.00 *gal* |
| Application event totals | | 44.00 | 5.26 | 54.89 | 329.21 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 02/01/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 58.23 | 6.97 | 72.65 | 435.72 | 675,000.00 *gal* |
| Application event totals | | 58.23 | 6.97 | 72.65 | 435.72 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 04/14/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 47.88 | 5.73 | 59.73 | 358.26 | 555,000.00 *gal* |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 190.53 | 7,961,737.00 *gal* |
| Application event totals | | 47.88 | 5.73 | 59.73 | 548.79 | |

## L7 B-19 - 06/07/2023: Corn, silage

Field name: L7 B-19

Crop: Corn, silage

Plant date: 06/07/2023

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|

## L7 B-19 - 06/07/2023: Corn, silage

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 05/16/2023 | Broadcast/incorporate | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| Imported Solid Manure | Separator solids | 150.00 | 65.25 | 48.75 | 1,267.50 | 1,700.00 *ton* |
| Application event totals | | 150.00 | 65.25 | 48.75 | 1,267.50 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 05/23/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 344.64 | 14,401,521.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 344.64 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 07/03/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 85.52 | 3.80 | 89.26 | 965.17 | 870,000.00 *gal* |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 304.24 | 12,713,359.00 *gal* |
| Application event totals | | 85.52 | 3.80 | 89.26 | 1,269.41 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 07/16/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| UN32 | Solid commercial fertilizer | 24.00 | 0.00 | 0.00 | 0.00 | |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 165.49 | 6,915,598.00 *gal* |
| Application event totals | | 24.00 | 0.00 | 0.00 | 165.49 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 08/03/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| UN32 | Solid commercial fertilizer | 24.00 | 0.00 | 0.00 | 0.00 | |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 193.34 | 8,079,061.00 *gal* |
| Application event totals | | 24.00 | 0.00 | 0.00 | 193.34 | |

## L7 B-19 - 06/07/2023: Corn, silage

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 08/17/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 196.22 | 8,199,644.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 196.22 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 08/30/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 12.84 | 3.56 | 15.96 | 84.82 | 480,000.00 *gal* |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 190.04 | 7,941,157.00 *gal* |
| Application event totals | | 12.84 | 3.56 | 15.96 | 274.86 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 09/11/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 148.09 | 6,188,328.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 148.09 | |

## L7 B-20 - 10/23/2022: Oats, silage-soft dough

Field name: L7 B-20

Crop: Oats, silage-soft dough

Plant date: 10/23/2022

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 10/15/2022 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 260.72 | 5,447,480.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 260.72 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 01/18/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 54.35 | 6.50 | 67.80 | 406.67 | 315,000.00 *gal* |
| Application event totals | | 54.35 | 6.50 | 67.80 | 406.67 | |

## L7 B-20 - 10/23/2022: Oats, silage-soft dough

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 02/09/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 31.06 | 3.72 | 38.75 | 232.38 | 180,000.00 *gal* |
| Application event totals | | 31.06 | 3.72 | 38.75 | 232.38 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 03/01/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 46.59 | 5.57 | 58.12 | 348.58 | 270,000.00 *gal* |
| Application event totals | | 46.59 | 5.57 | 58.12 | 348.58 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 04/15/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 47.18 | 2.10 | 49.25 | 532.51 | 240,000.00 *gal* |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 381.06 | 7,961,737.00 *gal* |
| Application event totals | | 47.18 | 2.10 | 49.25 | 913.57 | |

## L7 B-20 - 05/23/2023: Corn, silage

Field name: L7 B-20

Crop: Corn, silage

Plant date: 05/23/2023

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 05/23/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 171.04 | 7.60 | 178.51 | 1,930.35 | 870,000.00 *gal* |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 402.11 | 8,401,521.00 *gal* |
| Application event totals | | 171.04 | 7.60 | 178.51 | 2,332.45 | |

L7 B-20 - 05/23/2023: Corn, silage

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 07/03/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 321.31 | 6,713,359.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 321.31 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 07/16/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| UN32 | Solid commercial fertilizer | 24.00 | 0.00 | 0.00 | 0.00 | |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 330.99 | 6,915,598.00 *gal* |
| Application event totals | | 24.00 | 0.00 | 0.00 | 330.99 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 08/03/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| UN32 | Solid commercial fertilizer | 24.00 | 0.00 | 0.00 | 0.00 | |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 243.09 | 5,079,061.00 *gal* |
| Application event totals | | 24.00 | 0.00 | 0.00 | 243.09 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 08/17/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 25.68 | 7.13 | 31.93 | 169.65 | 480,000.00 *gal* |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 146.18 | 3,054,196.00 *gal* |
| Application event totals | | 25.68 | 7.13 | 31.93 | 315.83 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 08/30/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 138.67 | 2,897,430.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 138.67 | |

## L7 B-20 - 05/23/2023: Corn, silage

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 09/11/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 33.71 | 9.35 | 41.90 | 222.66 | 630,000.00 *gal* |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 148.71 | 3,107,215.00 *gal* |
| Application event totals | | 33.71 | 9.35 | 41.90 | 371.38 | |

## L7 B-21 - 10/19/2022: Oats, silage-soft dough

Field name: L7 B-21

Crop: Oats, silage-soft dough Plant date: 10/19/2022

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 09/29/2022 | Broadcast/incorporate | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| Solid Manure | Corral solids | 182.47 | 21.25 | 36.64 | 1,692.77 | 480.00 *ton* |
| Application event totals | | 182.47 | 21.25 | 36.64 | 1,692.77 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 10/08/2022 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 262.74 | 9,687,480.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 262.74 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 03/20/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 212.01 | 7,817,280.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 212.01 | |

## L7 B-21 - 05/20/2023: Corn, silage

Field name: L7 B-21

Crop: Corn, silage Plant date: 05/20/2023

L7 B-21 - 05/20/2023: Corn, silage

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 05/11/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 306.62 | 11,305,471.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 306.62 | |

| | | | | |
|---|---|---|---|---|
| 06/15/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 137.03 | 6.09 | 143.02 | 1,546.50 | 1,230,000.00 *gal* |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 124.36 | 4,585,413.00 *gal* |
| Application event totals | | 137.03 | 6.09 | 143.02 | 1,670.86 | |

| | | | | |
|---|---|---|---|---|
| 06/29/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| UN32 | Solid commercial fertilizer | 24.00 | 0.00 | 0.00 | 0.00 | |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 186.68 | 6,883,008.00 *gal* |
| Application event totals | | 24.00 | 0.00 | 0.00 | 186.68 | |

| | | | | |
|---|---|---|---|---|
| 07/10/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| UN32 | Solid commercial fertilizer | 24.00 | 0.00 | 0.00 | 0.00 | |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 177.13 | 6,531,036.00 *gal* |
| Application event totals | | 24.00 | 0.00 | 0.00 | 177.13 | |

| | | | | |
|---|---|---|---|---|
| 07/21/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 172.62 | 6,364,827.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 172.62 | |

## L7 B-21 - 05/20/2023: Corn, silage

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 07/29/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 42.75 | 11.86 | 53.15 | 282.39 | 1,410,000.00 *gal* |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 135.94 | 5,012,342.00 *gal* |
| Application event totals | | 42.75 | 11.86 | 53.15 | 418.34 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 08/10/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 47.30 | 13.13 | 58.80 | 312.44 | 1,560,000.00 *gal* |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 161.93 | 5,970,488.00 *gal* |
| Application event totals | | 47.30 | 13.13 | 58.80 | 474.36 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 08/20/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 159.10 | 5,866,200.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 159.10 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 08/28/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 134.26 | 4,950,421.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 134.26 | |

## L7 B-3 - 11/20/2022: Oats, silage-soft dough

Field name: L7 B-3

Crop: Oats, silage-soft dough

Plant date: 11/20/2022

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|

## L7 B-3 - 11/20/2022: Oats, silage-soft dough

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 12/18/2022 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 44.69 | 4.93 | 68.25 | 480.95 | 105,000.00 *gal* |
| Application event totals | | 44.69 | 4.93 | 68.25 | 480.95 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 01/22/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 39.11 | 4.68 | 48.79 | 292.63 | 60,000.00 *gal* |
| Application event totals | | 39.11 | 4.68 | 48.79 | 292.63 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 02/12/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 29.33 | 3.51 | 36.59 | 219.47 | 45,000.00 *gal* |
| Application event totals | | 29.33 | 3.51 | 36.59 | 219.47 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 03/20/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 48.89 | 5.85 | 60.99 | 365.79 | 75,000.00 *gal* |
| Application event totals | | 48.89 | 5.85 | 60.99 | 365.79 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 04/12/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 22.28 | 0.99 | 23.25 | 251.46 | 30,000.00 *gal* |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 223.57 | 1,236,484.00 *gal* |
| Application event totals | | 22.28 | 0.99 | 23.25 | 475.03 | |

## L7 B-3 - 06/21/2023: Corn, silage

Field name: L7 B-3

Crop: Corn, silage

Plant date: 06/21/2023

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|

L7 B-3 - 06/21/2023: Corn, silage

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 06/09/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 111.41 | 4.95 | 116.27 | 1,257.31 | 150,000.00 *gal* |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 346.87 | 1,918,430.00 *gal* |
| Application event totals | | 111.41 | 4.95 | 116.27 | 1,604.18 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 07/16/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 187.11 | 1,034,834.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 187.11 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 07/27/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 45.48 | 12.62 | 56.54 | 300.42 | 225,000.00 *gal* |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 207.13 | 1,145,559.00 *gal* |
| Application event totals | | 45.48 | 12.62 | 56.54 | 507.55 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 08/07/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 48.51 | 13.46 | 60.31 | 320.45 | 240,000.00 *gal* |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 192.19 | 1,062,974.00 *gal* |
| Application event totals | | 48.51 | 13.46 | 60.31 | 512.64 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 08/15/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 27.29 | 7.57 | 33.92 | 180.25 | 135,000.00 *gal* |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 174.11 | 962,974.00 *gal* |
| Application event totals | | 27.29 | 7.57 | 33.92 | 354.37 | |

## L7 B-3 - 06/21/2023: Corn, silage

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 08/26/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 33.35 | 9.26 | 41.46 | 220.31 | 165,000.00 *gal* |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 174.11 | 962,974.00 *gal* |
| Application event totals | | 33.35 | 9.26 | 41.46 | 394.42 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 09/08/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 36.38 | 10.10 | 45.23 | 240.34 | 180,000.00 *gal* |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 175.01 | 967,923.00 *gal* |
| Application event totals | | 36.38 | 10.10 | 45.23 | 415.34 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 09/19/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 175.01 | 967,923.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 175.01 | |

## L7 B-5 - 11/20/2022: Oats, silage-soft dough

Field name: L7 B-5

Crop: Oats, silage-soft dough

Plant date: 11/20/2022

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 12/18/2022 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 49.96 | 5.51 | 76.30 | 537.71 | 300,000.00 *gal* |
| Application event totals | | 49.96 | 5.51 | 76.30 | 537.71 | |

## L7 B-5 - 11/20/2022: Oats, silage-soft dough

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 01/23/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 45.91 | 5.49 | 57.28 | 343.52 | 180,000.00 *gal* |
| Application event totals | | 45.91 | 5.49 | 57.28 | 343.52 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 02/12/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 34.43 | 4.12 | 42.96 | 257.64 | 135,000.00 *gal* |
| Application event totals | | 34.43 | 4.12 | 42.96 | 257.64 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 03/21/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 26.78 | 3.20 | 33.41 | 200.39 | 105,000.00 *gal* |
| Application event totals | | 26.78 | 3.20 | 33.41 | 200.39 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 04/12/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 34.87 | 1.55 | 36.40 | 393.59 | 120,000.00 *gal* |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 223.57 | 3,159,906.00 *gal* |
| Application event totals | | 34.87 | 1.55 | 36.40 | 617.16 | |

## L7 B-5 - 06/20/2023: Corn, silage

Field name: L7 B-5

Crop: Corn, silage

Plant date: 06/20/2023

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|

L7 B-5 - 06/20/2023: Corn, silage

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 06/09/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 126.42 | 5.62 | 131.95 | 1,426.78 | 435,000.00 *gal* |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 321.69 | 4,546,818.00 *gal* |
| Application event totals | | 126.42 | 5.62 | 131.95 | 1,748.47 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 07/16/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 276.12 | 3,902,656.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 276.12 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 07/27/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 37.97 | 10.54 | 47.20 | 250.79 | 480,000.00 *gal* |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 187.11 | 2,644,576.00 *gal* |
| Application event totals | | 37.97 | 10.54 | 47.20 | 437.89 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 08/07/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 32.03 | 8.89 | 39.82 | 211.60 | 405,000.00 *gal* |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 253.59 | 3,584,212.00 *gal* |
| Application event totals | | 32.03 | 8.89 | 39.82 | 465.19 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 08/15/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 23.73 | 6.59 | 29.50 | 156.74 | 300,000.00 *gal* |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 168.61 | 2,383,158.00 *gal* |
| Application event totals | | 23.73 | 6.59 | 29.50 | 325.35 | |

## L7 B-5 - 06/20/2023: Corn, silage

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 08/26/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 33.22 | 9.22 | 41.30 | 219.44 | 420,000.00 *gal* |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 168.61 | 2,383,158.00 *gal* |
| Application event totals | | 33.22 | 9.22 | 41.30 | 388.05 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 09/08/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 42.71 | 11.85 | 53.10 | 282.13 | 540,000.00 *gal* |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 104.26 | 1,473,581.00 *gal* |
| Application event totals | | 42.71 | 11.85 | 53.10 | 386.39 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 09/19/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 104.26 | 1,473,581.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 104.26 | |

## LS B24-B25 - 11/22/2022: Oats, silage-soft dough

Field name: LS B24-B25

Crop: Oats, silage-soft dough

Plant date: 11/22/2022

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 12/26/2022 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 63.61 | 7.01 | 97.15 | 684.62 | 930,000.00 *gal* |
| Application event totals | | 63.61 | 7.01 | 97.15 | 684.62 | |

## LS B24-B25 - 11/22/2022: Oats, silage-soft dough

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 01/31/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 69.14 | 8.27 | 86.25 | 517.33 | 660,000.00 *gal* |
| Application event totals | | 69.14 | 8.27 | 86.25 | 517.33 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 03/11/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 58.14 | 6.96 | 72.53 | 435.03 | 555,000.00 *gal* |
| Application event totals | | 58.14 | 6.96 | 72.53 | 435.03 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 04/15/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 206.73 | 7,114,397.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 206.73 | |

## LS B24-B25 - 05/23/2023: Corn, silage

Field name: LS B24-B25

Crop: Corn, silage

Plant date: 05/23/2023

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 05/03/2023 | Broadcast/incorporate | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| Solid Manure | Corral solids | 229.65 | 35.99 | 87.40 | 9,854.35 | 616.00 *ton* |
| Application event totals | | 229.65 | 35.99 | 87.40 | 9,854.35 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 06/06/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 380.13 | 13,081,626.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 380.13 | |

## LS B24-B25 - 05/23/2023: Corn, silage

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 07/19/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 25.34 | 7.03 | 31.50 | 167.38 | 780,000.00 *gal* |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 376.72 | 12,964,302.00 *gal* |
| Application event totals | | 25.34 | 7.03 | 31.50 | 544.10 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 08/01/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| UN32 | Solid commercial fertilizer | 24.00 | 0.00 | 0.00 | 0.00 | |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 234.58 | 8,072,543.00 *gal* |
| Application event totals | | 24.00 | 0.00 | 0.00 | 234.58 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 08/11/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| UN32 | Solid commercial fertilizer | 24.00 | 0.00 | 0.00 | 0.00 | |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 226.05 | 7,779,233.00 *gal* |
| Application event totals | | 24.00 | 0.00 | 0.00 | 226.05 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 08/23/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 217.62 | 7,489,182.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 217.62 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 09/07/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 142.62 | 4,908,054.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 142.62 | |

## LS B-26 - 10/25/2022: Oats, silage-soft dough

Field name: LS B-26

Crop: Oats, silage-soft dough

Plant date: 10/25/2022

## LS B-26 - 10/25/2022: Oats, silage-soft dough

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 10/02/2022 | Broadcast/incorporate | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| Solid Manure | Corral solids | 182.47 | 21.25 | 36.64 | 1,692.77 | 144.00 *ton* |
| Application event totals | | 182.47 | 21.25 | 36.64 | 1,692.77 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 10/13/2022 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 278.59 | 3,081,600.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 278.59 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 04/08/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 209.20 | 2,314,044.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 209.20 | |

## LS B-26 - 05/26/2023: Corn, silage

Field name: LS B-26

Crop: Corn, silage

Plant date: 05/26/2023

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 05/04/2023 | Broadcast/incorporate | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| Solid Manure | Corral solids | 229.65 | 35.99 | 87.40 | 9,854.35 | 198.00 *ton* |
| Application event totals | | 229.65 | 35.99 | 87.40 | 9,854.35 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 05/16/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 367.99 | 4,070,491.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 367.99 | |

LS B-26 - 05/26/2023: Corn, silage

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 06/24/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 273.12 | 3,021,093.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 273.12 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 07/10/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| UN32 | Solid commercial fertilizer | 24.00 | 0.00 | 0.00 | 0.00 | |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 225.39 | 2,493,135.00 *gal* |
| Application event totals | | 24.00 | 0.00 | 0.00 | 225.39 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 07/22/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| UN32 | Solid commercial fertilizer | 24.00 | 0.00 | 0.00 | 0.00 | |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 144.07 | 1,593,651.00 *gal* |
| Application event totals | | 24.00 | 0.00 | 0.00 | 144.07 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 08/03/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 27.29 | 7.57 | 33.92 | 180.25 | 270,000.00 *gal* |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 185.27 | 2,049,398.00 *gal* |
| Application event totals | | 27.29 | 7.57 | 33.92 | 365.53 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 08/11/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 189.74 | 2,098,796.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 189.74 | |

## LS B-26 - 05/26/2023: Corn, silage

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 08/24/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 200.89 | 2,222,125.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 200.89 | |

## LS B-27 - 10/25/2022: Oats, silage-soft dough

Field name: LS B-27

Crop: Oats, silage-soft dough Plant date: 10/25/2022

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 10/02/2022 | Broadcast/incorporate | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| Solid Manure | Corral solids | 182.47 | 21.25 | 36.64 | 1,692.77 | 144.00 *ton* |
| Application event totals | | 182.47 | 21.25 | 36.64 | 1,692.77 | |

| | | | | |
|---|---|---|---|---|
| 10/14/2022 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 264.59 | 2,926,782.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 264.59 | |

| | | | | |
|---|---|---|---|---|
| 04/09/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 199.32 | 2,204,784.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 199.32 | |

## LS B-27 - 05/26/2023: Corn, silage

Field name: LS B-27

Crop: Corn, silage Plant date: 05/26/2023

LS B-27 - 05/26/2023: Corn, silage

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 05/04/2023 | Broadcast/incorporate | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| Solid Manure | Corral solids | 229.65 | 35.99 | 87.40 | 9,854.35 | 198.00 *ton* |
| Application event totals | | 229.65 | 35.99 | 87.40 | 9,854.35 | |

| | | | | |
|---|---|---|---|---|
| 05/16/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 452.25 | 5,002,565.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 452.25 | |

| | | | | |
|---|---|---|---|---|
| 06/24/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 265.16 | 2,933,100.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 265.16 | |

| | | | | |
|---|---|---|---|---|
| 07/10/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| UN32 | Solid commercial fertilizer | 24.00 | 0.00 | 0.00 | 0.00 | |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 198.58 | 2,196,566.00 *gal* |
| Application event totals | | 24.00 | 0.00 | 0.00 | 198.58 | |

| | | | | |
|---|---|---|---|---|
| 07/22/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| UN32 | Solid commercial fertilizer | 24.00 | 0.00 | 0.00 | 0.00 | |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 217.43 | 2,405,142.00 *gal* |
| Application event totals | | 24.00 | 0.00 | 0.00 | 217.43 | |

| | | | | |
|---|---|---|---|---|
| 08/03/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 140.24 | 1,551,284.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 140.24 | |

## LS B-27 - 05/26/2023: Corn, silage

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 08/11/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 140.24 | 1,551,284.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 140.24 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 08/24/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 198.58 | 2,196,566.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 198.58 | |

## LS B28-B31 - 10/22/2022: Oats, silage-soft dough

Field name: LS B28-B31

Crop: Oats, silage-soft dough

Plant date: 10/22/2022

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 10/05/2022 | Broadcast/incorporate | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| Solid Manure | Corral solids | 182.47 | 21.25 | 36.64 | 1,692.77 | 640.00 *ton* |
| Application event totals | | 182.47 | 21.25 | 36.64 | 1,692.77 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 10/16/2022 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 242.45 | 11,919,200.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 242.45 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 02/13/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 28.60 | 3.42 | 35.68 | 213.99 | 390,000.00 *gal* |
| Application event totals | | 28.60 | 3.42 | 35.68 | 213.99 | |

## LS B28-B31 - 10/22/2022: Oats, silage-soft dough

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 04/08/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 187.97 | 9,241,130.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 187.97 | |

## LS B28-B31 - 05/16/2023: Corn, silage

Field name: LS B28-B31

Crop: Corn, silage

Plant date: 05/16/2023

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 04/26/2023 | Broadcast/incorporate | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| Solid Manure | Corral solids | 229.65 | 35.99 | 87.40 | 9,854.35 | 880.00 *ton* |
| Application event totals | | 229.65 | 35.99 | 87.40 | 9,854.35 | |

| | | | | |
|---|---|---|---|---|
| 04/30/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 338.02 | 16,617,641.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 338.02 | |

| | | | | |
|---|---|---|---|---|
| 06/14/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 276.57 | 13,596,548.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 276.57 | |

| | | | | |
|---|---|---|---|---|
| 06/28/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| UN32 | Solid commercial fertilizer | 24.00 | 0.00 | 0.00 | 0.00 | |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 206.61 | 10,157,277.00 *gal* |
| Application event totals | | 24.00 | 0.00 | 0.00 | 206.61 | |

## LS B28-B31 - 05/16/2023: Corn, silage

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 07/09/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| UN32 | Solid commercial fertilizer | 24.00 | 0.00 | 0.00 | 0.00 | |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 236.15 | 11,609,765.00 *gal* |
| Application event totals | | 24.00 | 0.00 | 0.00 | 236.15 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 07/21/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 27.97 | 7.76 | 34.77 | 184.76 | 1,230,000.00 *gal* |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 227.20 | 11,169,800.00 *gal* |
| Application event totals | | 27.97 | 7.76 | 34.77 | 411.96 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 08/01/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 166.18 | 8,169,800.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 166.18 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 08/12/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 131.59 | 6,469,115.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 131.59 | |

## LS B32-B34 - 10/21/2022: Oats, silage-soft dough

Field name: LS B32-B34

Crop: Oats, silage-soft dough

Plant date: 10/21/2022

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|

## LS B32-B34 - 10/21/2022: Oats, silage-soft dough

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 10/03/2022 | Broadcast/incorporate | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| Solid Manure | Corral solids | 182.47 | 21.25 | 36.64 | 1,692.77 | 600.00 *ton* |
| Application event totals | | 182.47 | 21.25 | 36.64 | 1,692.77 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 10/16/2022 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 255.32 | 11,767,350.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 255.32 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 02/02/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 28.16 | 3.37 | 35.13 | 210.69 | 360,000.00 *gal* |
| Application event totals | | 28.16 | 3.37 | 35.13 | 210.69 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 04/10/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 207.39 | 9,558,600.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 207.39 | |

## LS B32-B34 - 06/23/2023: Corn, silage

Field name: LS B32-B34

Crop: Corn, silage

Plant date: 06/23/2023

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 05/19/2023 | Broadcast/incorporate | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| Solid Manure | Corral solids | 229.65 | 35.99 | 87.40 | 9,854.35 | 825.00 *ton* |
| Application event totals | | 229.65 | 35.99 | 87.40 | 9,854.35 | |

LS B32-B34 - 06/23/2023: Corn, silage

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 06/08/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 285.57 | 13,161,562.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 285.57 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 07/21/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 227.73 | 10,495,700.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 227.73 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 08/02/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| UN32 | Solid commercial fertilizer | 24.00 | 0.00 | 0.00 | 0.00 | |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 270.91 | 12,485,923.00 *gal* |
| Application event totals | | 24.00 | 0.00 | 0.00 | 270.91 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 08/12/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| UN32 | Solid commercial fertilizer | 24.00 | 0.00 | 0.00 | 0.00 | |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 178.33 | 8,219,198.00 *gal* |
| Application event totals | | 24.00 | 0.00 | 0.00 | 178.33 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 08/24/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 211.46 | 9,746,130.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 211.46 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 09/07/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 186.61 | 8,600,501.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 186.61 | |

## LS B32-B34 - 06/23/2023: Corn, silage

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 09/19/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 160.29 | 7,387,640.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 160.29 | |

## LS B-35 - 11/21/2022: Oats, silage-soft dough

Field name: LS B-35

Crop: Oats, silage-soft dough

Plant date: 11/21/2022

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 12/31/2022 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 85.26 | 9.40 | 130.21 | 917.57 | 690,000.00 *gal* |
| Application event totals | | 85.26 | 9.40 | 130.21 | 917.57 | |

| | | | | |
|---|---|---|---|---|
| 02/22/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 107.87 | 12.90 | 134.57 | 807.10 | 570,000.00 *gal* |
| Application event totals | | 107.87 | 12.90 | 134.57 | 807.10 | |

| | | | | |
|---|---|---|---|---|
| 04/03/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 308.78 | 5,882,405.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 308.78 | |

## LS B-35 - 05/31/2023: Corn, silage

Field name: LS B-35

Crop: Corn, silage

Plant date: 05/31/2023

LS B-35 - 05/31/2023: Corn, silage

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 05/11/2023 | Broadcast/incorporate | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| Solid Manure | Corral solids | 229.65 | 35.99 | 87.40 | 9,854.35 | 341.00 *ton* |
| Application event totals | | 229.65 | 35.99 | 87.40 | 9,854.35 | |

| | | | | |
|---|---|---|---|---|
| 05/17/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 279.34 | 5,321,434.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 279.34 | |

| | | | | |
|---|---|---|---|---|
| 06/25/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 279.34 | 5,321,434.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 279.34 | |

| | | | | |
|---|---|---|---|---|
| 07/10/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| UN32 | Solid commercial fertilizer | 24.00 | 0.00 | 0.00 | 0.00 | |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 216.72 | 4,128,640.00 *gal* |
| Application event totals | | 24.00 | 0.00 | 0.00 | 216.72 | |

| | | | | |
|---|---|---|---|---|
| 07/19/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| UN32 | Solid commercial fertilizer | 24.00 | 0.00 | 0.00 | 0.00 | |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 181.31 | 3,454,027.00 *gal* |
| Application event totals | | 24.00 | 0.00 | 0.00 | 181.31 | |

| | | | | |
|---|---|---|---|---|
| 07/31/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 188.52 | 3,591,418.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 188.52 | |

## LS B-35 - 05/31/2023: Corn, silage

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 08/10/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 121.98 | 2,323,667.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 121.98 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 08/24/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 130.53 | 2,486,617.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 130.53 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 09/06/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 123.69 | 2,356,257.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 123.69 | |

## LS B-36 - 11/21/2022: Oats, silage-soft dough

Field name: LS B-36

Crop: Oats, silage-soft dough

Plant date: 11/21/2022

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 01/03/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 80.09 | 8.83 | 122.31 | 861.96 | 690,000.00 *gal* |
| Application event totals | | 80.09 | 8.83 | 122.31 | 861.96 | |

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 03/02/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| WWS | Process wastewater | 101.33 | 12.12 | 126.41 | 758.18 | 570,000.00 *gal* |
| Application event totals | | 101.33 | 12.12 | 126.41 | 758.18 | |

## LS B-36 - 11/21/2022: Oats, silage-soft dough

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 04/05/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 296.49 | 6,012,567.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 296.49 | |

## LS B-36 - 06/06/2023: Corn, silage

Field name: LS B-36

Crop: Corn, silage

Plant date: 06/06/2023

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 05/10/2023 | Broadcast/incorporate | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| Solid Manure | Corral solids | 229.65 | 35.99 | 87.40 | 9,854.35 | 363.00 *ton* |
| Application event totals | | 229.65 | 35.99 | 87.40 | 9,854.35 | |

| | | | | |
|---|---|---|---|---|
| 05/17/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 248.79 | 5,045,337.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 248.79 | |

| | | | | |
|---|---|---|---|---|
| 07/10/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 226.14 | 4,585,878.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 226.14 | |

| | | | | |
|---|---|---|---|---|
| 07/19/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| UN32 | Solid commercial fertilizer | 24.00 | 0.00 | 0.00 | 0.00 | |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 200.88 | 4,073,784.00 *gal* |
| Application event totals | | 24.00 | 0.00 | 0.00 | 200.88 | |

LS B-36 - 06/06/2023: Corn, silage

| Application date | Application method | Precipitation 24 hours prior | Precipitation during application | Precipitation 24 hours following |
|---|---|---|---|---|
| 07/31/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| UN32 | Solid commercial fertilizer | 24.00 | 0.00 | 0.00 | 0.00 | |
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 192.99 | 3,913,767.00 *gal* |
| Application event totals | | 24.00 | 0.00 | 0.00 | 192.99 | |

| | | | | |
|---|---|---|---|---|
| 08/13/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 200.15 | 4,058,868.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 200.15 | |

| | | | | |
|---|---|---|---|---|
| 08/25/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 186.47 | 3,781,404.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 186.47 | |

| | | | | |
|---|---|---|---|---|
| 09/07/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 198.52 | 4,025,868.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 198.52 | |

| | | | | |
|---|---|---|---|---|
| 09/20/2023 | Surface (irrigation) | No precipitation | No precipitation | No precipitation |

| Source description | Material type | N (lbs/acre) | P (lbs/acre) | K (lbs/acre) | Salt (lbs/acre) | Amount |
|---|---|---|---|---|---|---|
| T.I.D Canal | Surface water | 0.00 | 0.00 | 0.00 | 190.90 | 3,871,403.00 *gal* |
| Application event totals | | 0.00 | 0.00 | 0.00 | 190.90 | |

## B. NUTRIENT BUDGET

L7 B-12 - 10/27/2023: Alfalfa Haylage

Field name: L7 B-12 Crop: Alfalfa Haylage Plant date: 10/27/2023




| | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Total salt (lbs/acre) |
|---|---|---|---|---|
| Existing soil nutrient content | 0.00 | 0.00 | 0.00 | 0.00 |
| Plowdown credit | 0.00 | 0.00 | 0.00 | 0.00 |
| Commercial fertilizer / Other | 0.00 | 0.00 | 0.00 | 0.00 |
| Dry manure | 182.47 | 21.25 | 36.64 | 1,692.77 |
| Process wastewater | 0.00 | 0.00 | 0.00 | 0.00 |
| Fresh water | 0.00 | 0.00 | 0.00 | 1,843.54 |
| Atmospheric deposition | 14.00 | 0.00 | 0.00 | 0.00 |
| Total nutrients applied | 196.47 | 21.25 | 36.64 | 3,536.31 |
| Anticipated crop nutrient removal | 450.00 | 40.50 | 315.00 | 0.00 |
| Actual crop nutrient removal | 396.75 | 55.20 | 48.30 | 1,704.30 |
| Nutrient balance | -200.28 | -33.95 | -11.66 | 1,832.01 |
| Applied to removed ratio | 0.50 | 0.38 | 0.76 | 2.07 |

| Fresh water applied | |
|---|---|
| 60,043,816.00 | *gallons* |
| 2,211.21 | *acre-inches* |
| 41.72 | *inches/acre* |

| Process wastewater applied | |
|---|---|
| 0.00 | *gallons* |
| 0.00 | *acre-inches* |
| 0.00 | *inches/acre* |

| Total harvests for the crop | |
|---|---|
| 1 | *harvests* |

## L7 B-13 - 10/18/2022: Oats, silage-soft dough

Field name: L7 B-13 Crop: Oats, silage-soft dough Plant date: 10/18/2022




| | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Total salt (lbs/acre) |
|---|---|---|---|---|
| Existing soil nutrient content | 0.00 | 0.00 | 0.00 | 0.00 |
| Plowdown credit | 0.00 | 0.00 | 0.00 | 0.00 |
| Commercial fertilizer / Other | 0.00 | 0.00 | 0.00 | 0.00 |
| Dry manure | 182.47 | 21.25 | 36.64 | 1,692.77 |
| Process wastewater | 34.22 | 4.09 | 42.69 | 256.05 |
| Fresh water | 0.00 | 0.00 | 0.00 | 456.38 |
| Atmospheric deposition | 7.00 | 0.00 | 0.00 | 0.00 |
| Total nutrients applied | 223.69 | 25.35 | 79.33 | 2,405.20 |
| Anticipated crop nutrient removal | 160.00 | 25.60 | 132.80 | 0.00 |
| Actual crop nutrient removal | 175.14 | 25.02 | 202.94 | 818.35 |
| Nutrient balance | 48.55 | 0.33 | -123.61 | 1,586.85 |
| Applied to removed ratio | 1.28 | 1.01 | 0.39 | 2.94 |

| Fresh water applied | |
|---|---|
| 20,192,904.00 | *gallons* |
| 743.64 | *acre-inches* |
| 10.33 | *inches/acre* |

| Process wastewater applied | |
|---|---|
| 420,000.00 | *gallons* |
| 15.47 | *acre-inches* |
| 0.21 | *inches/acre* |

| Total harvests for the crop | |
|---|---|
| 1 | *harvests* |

## L7 B-13 - 05/19/2023: Corn, silage

Field name: L7 B-13 Crop: Corn, silage Plant date: 05/19/2023




| | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Total salt (lbs/acre) |
|---|---|---|---|---|
| Existing soil nutrient content | 0.00 | 0.00 | 0.00 | 0.00 |
| Plowdown credit | 0.00 | 0.00 | 0.00 | 0.00 |
| Commercial fertilizer / Other | 48.00 | 0.00 | 0.00 | 0.00 |
| Dry manure | 0.00 | 0.00 | 0.00 | 0.00 |
| Process wastewater | 234.44 | 26.76 | 258.67 | 2,317.68 |
| Fresh water | 0.00 | 0.00 | 0.00 | 1,580.31 |
| Atmospheric deposition | 7.00 | 0.00 | 0.00 | 0.00 |
| Total nutrients applied | 289.44 | 26.76 | 258.67 | 3,897.99 |
| Anticipated crop nutrient removal | 240.00 | 45.00 | 198.00 | 0.00 |
| Actual crop nutrient removal | 235.98 | 32.93 | 362.20 | 851.18 |
| Nutrient balance | 53.46 | -6.17 | -103.54 | 3,046.82 |
| Applied to removed ratio | 1.23 | 0.81 | 0.71 | 4.58 |

| Fresh water applied | |
|---|---|
| 69,921,845.00 | *gallons* |
| 2,574.98 | *acre-inches* |
| 35.76 | *inches/acre* |

| Process wastewater applied | |
|---|---|
| 4,545,000.00 | *gallons* |
| 167.38 | *acre-inches* |
| 2.32 | *inches/acre* |

| Total harvests for the crop | |
|---|---|
| 1 | *harvests* |

## L7 B-14 - 10/20/2022: Oats, silage-soft dough

Field name: L7 B-14 Crop: Oats, silage-soft dough Plant date: 10/20/2022




| | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Total salt (lbs/acre) |
|---|---|---|---|---|
| Existing soil nutrient content | 0.00 | 0.00 | 0.00 | 0.00 |
| Plowdown credit | 0.00 | 0.00 | 0.00 | 0.00 |
| Commercial fertilizer / Other | 0.00 | 0.00 | 0.00 | 0.00 |
| Dry manure | 182.47 | 21.25 | 36.64 | 1,692.77 |
| Process wastewater | 0.00 | 0.00 | 0.00 | 0.00 |
| Fresh water | 0.00 | 0.00 | 0.00 | 459.64 |
| Atmospheric deposition | 7.00 | 0.00 | 0.00 | 0.00 |
| Total nutrients applied | 189.47 | 21.25 | 36.64 | 2,152.41 |
| Anticipated crop nutrient removal | 160.00 | 25.60 | 132.80 | 0.00 |
| Actual crop nutrient removal | 155.30 | 33.76 | 178.93 | 1,107.32 |
| Nutrient balance | 34.17 | -12.51 | -142.29 | 1,045.09 |
| Applied to removed ratio | 1.22 | 0.63 | 0.20 | 1.94 |

| Fresh water applied | |
|---|---|
| 3,954,440.00 | *gallons* |
| 145.63 | *acre-inches* |
| 10.40 | *inches/acre* |

| Process wastewater applied | |
|---|---|
| 0.00 | *gallons* |
| 0.00 | *acre-inches* |
| 0.00 | *inches/acre* |

| Total harvests for the crop | |
|---|---|
| 1 | *harvests* |

## L7 B-14 - 06/24/2023: Corn, silage

Field name: L7 B-14 Crop: Corn, silage Plant date: 06/24/2023




| | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Total salt (lbs/acre) |
|---|---|---|---|---|
| Existing soil nutrient content | 0.00 | 0.00 | 0.00 | 0.00 |
| Plowdown credit | 0.00 | 0.00 | 0.00 | 0.00 |
| Commercial fertilizer / Other | 0.00 | 0.00 | 0.00 | 0.00 |
| Dry manure | 150.00 | 65.25 | 48.75 | 1,267.50 |
| Process wastewater | 150.08 | 41.65 | 186.57 | 991.39 |
| Fresh water | 0.00 | 0.00 | 0.00 | 1,561.48 |
| Atmospheric deposition | 7.00 | 0.00 | 0.00 | 0.00 |
| Total nutrients applied | 307.08 | 106.90 | 235.32 | 3,820.37 |
| Anticipated crop nutrient removal | 240.00 | 45.00 | 198.00 | 0.00 |
| Actual crop nutrient removal | 242.63 | 28.00 | 177.31 | 1,372.27 |
| Nutrient balance | 64.45 | 78.91 | 58.02 | 2,448.10 |
| Applied to removed ratio | 1.27 | 3.82 | 1.33 | 2.78 |

| Fresh water applied | |
|---|---|
| 13,433,945.00 | *gallons* |
| 494.73 | *acre-inches* |
| 35.34 | *inches/acre* |

| Process wastewater applied | |
|---|---|
| 1,155,000.00 | *gallons* |
| 42.53 | *acre-inches* |
| 3.04 | *inches/acre* |

| Total harvests for the crop | |
|---|---|
| 1 | *harvests* |

## L7 B-15 - 10/22/2022: Oats, silage-soft dough

Field name: L7 B-15 Crop: Oats, silage-soft dough Plant date: 10/22/2022




| | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Total salt (lbs/acre) |
|---|---|---|---|---|
| Existing soil nutrient content | 0.00 | 0.00 | 0.00 | 0.00 |
| Plowdown credit | 0.00 | 0.00 | 0.00 | 0.00 |
| Commercial fertilizer / Other | 0.00 | 0.00 | 0.00 | 0.00 |
| Dry manure | 182.47 | 21.25 | 36.64 | 1,692.77 |
| Process wastewater | 28.54 | 3.41 | 35.60 | 213.54 |
| Fresh water | 0.00 | 0.00 | 0.00 | 406.12 |
| Atmospheric deposition | 7.00 | 0.00 | 0.00 | 0.00 |
| Total nutrients applied | 218.01 | 24.67 | 72.24 | 2,312.43 |
| Anticipated crop nutrient removal | 160.00 | 25.60 | 132.80 | 0.00 |
| Actual crop nutrient removal | 206.26 | 32.74 | 183.34 | 749.16 |
| Nutrient balance | 11.75 | -8.07 | -111.10 | 1,563.28 |
| Applied to removed ratio | 1.06 | 0.75 | 0.39 | 3.09 |

| Fresh water applied | |
|---|---|
| 9,234,188.00 | *gallons* |
| 340.06 | *acre-inches* |
| 9.19 | *inches/acre* |

| Process wastewater applied | |
|---|---|
| 180,000.00 | *gallons* |
| 6.63 | *acre-inches* |
| 0.18 | *inches/acre* |

| Total harvests for the crop | |
|---|---|
| 1 | *harvests* |

## L7 B-15 - 06/30/2023: Corn, silage

Field name: L7 B-15 Crop: Corn, silage Plant date: 06/30/2023




| | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Total salt (lbs/acre) |
|---|---|---|---|---|
| Existing soil nutrient content | 0.00 | 0.00 | 0.00 | 0.00 |
| Plowdown credit | 0.00 | 0.00 | 0.00 | 0.00 |
| Commercial fertilizer / Other | 48.00 | 0.00 | 0.00 | 0.00 |
| Dry manure | 0.00 | 0.00 | 0.00 | 0.00 |
| Process wastewater | 249.81 | 37.75 | 283.52 | 2,284.27 |
| Fresh water | 0.00 | 0.00 | 0.00 | 1,599.20 |
| Atmospheric deposition | 7.00 | 0.00 | 0.00 | 0.00 |
| Total nutrients applied | 304.81 | 37.75 | 283.52 | 3,883.47 |
| Anticipated crop nutrient removal | 240.00 | 45.00 | 198.00 | 0.00 |
| Actual crop nutrient removal | 231.30 | 26.69 | 169.02 | 1,308.16 |
| Nutrient balance | 73.51 | 11.06 | 114.50 | 2,575.31 |
| Applied to removed ratio | 1.32 | 1.41 | 1.68 | 2.97 |

| Fresh water applied | |
|---|---|
| 36,361,538.00 | *gallons* |
| 1,339.07 | *acre-inches* |
| 36.19 | *inches/acre* |

| Process wastewater applied | |
|---|---|
| 3,075,000.00 | *gallons* |
| 113.24 | *acre-inches* |
| 3.06 | *inches/acre* |

| Total harvests for the crop | |
|---|---|
| 1 | *harvests* |

## L7 B-16 - 11/20/2022: Oats, silage-soft dough

Field name: L7 B-16 Crop: Oats, silage-soft dough Plant date: 11/20/2022




| | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Total salt (lbs/acre) |
|---|---|---|---|---|
| Existing soil nutrient content | 0.00 | 0.00 | 0.00 | 0.00 |
| Plowdown credit | 0.00 | 0.00 | 0.00 | 0.00 |
| Commercial fertilizer / Other | 0.00 | 0.00 | 0.00 | 0.00 |
| Dry manure | 0.00 | 0.00 | 0.00 | 0.00 |
| Process wastewater | 196.11 | 20.11 | 235.57 | 1,636.87 |
| Fresh water | 0.00 | 0.00 | 0.00 | 247.18 |
| Atmospheric deposition | 7.00 | 0.00 | 0.00 | 0.00 |
| Total nutrients applied | 203.11 | 20.11 | 235.57 | 1,884.05 |
| Anticipated crop nutrient removal | 160.00 | 25.60 | 132.80 | 0.00 |
| Actual crop nutrient removal | 157.12 | 24.94 | 139.66 | 570.68 |
| Nutrient balance | 45.99 | -4.83 | 95.91 | 1,313.37 |
| Applied to removed ratio | 1.29 | 0.81 | 1.69 | 3.30 |

| Fresh water applied | |
|---|---|
| 2,734,164.00 | *gallons* |
| 100.69 | *acre-inches* |
| 5.59 | *inches/acre* |

| Process wastewater applied | |
|---|---|
| 585,000.00 | *gallons* |
| 21.54 | *acre-inches* |
| 1.20 | *inches/acre* |

| Total harvests for the crop | |
|---|---|
| 1 | *harvests* |

## L7 B-16 - 05/30/2023: Corn, silage

Field name: L7 B-16 Crop: Corn, silage Plant date: 05/30/2023




| | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Total salt (lbs/acre) |
|---|---|---|---|---|
| Existing soil nutrient content | 0.00 | 0.00 | 0.00 | 0.00 |
| Plowdown credit | 0.00 | 0.00 | 0.00 | 0.00 |
| Commercial fertilizer / Other | 48.00 | 0.00 | 0.00 | 0.00 |
| Dry manure | 0.00 | 0.00 | 0.00 | 0.00 |
| Process wastewater | 254.93 | 43.49 | 293.58 | 2,231.45 |
| Fresh water | 0.00 | 0.00 | 0.00 | 1,603.89 |
| Atmospheric deposition | 7.00 | 0.00 | 0.00 | 0.00 |
| Total nutrients applied | 309.93 | 43.49 | 293.58 | 3,835.34 |
| Anticipated crop nutrient removal | 240.00 | 45.00 | 198.00 | 0.00 |
| Actual crop nutrient removal | 294.01 | 33.92 | 214.85 | 1,662.84 |
| Nutrient balance | 15.92 | 9.56 | 78.73 | 2,172.50 |
| Applied to removed ratio | 1.05 | 1.28 | 1.37 | 2.31 |

| Fresh water applied | |
|---|---|
| 17,741,314.00 | *gallons* |
| 653.35 | *acre-inches* |
| 36.30 | *inches/acre* |

| Process wastewater applied | |
|---|---|
| 1,680,000.00 | *gallons* |
| 61.87 | *acre-inches* |
| 3.44 | *inches/acre* |

| Total harvests for the crop | |
|---|---|
| 1 | *harvests* |

## L7 B-18 - 10/24/2022: Oats, silage-soft dough

Field name: L7 B-18 Crop: Oats, silage-soft dough Plant date: 10/24/2022




| | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Total salt (lbs/acre) |
|---|---|---|---|---|
| Existing soil nutrient content | 0.00 | 0.00 | 0.00 | 0.00 |
| Plowdown credit | 0.00 | 0.00 | 0.00 | 0.00 |
| Commercial fertilizer / Other | 0.00 | 0.00 | 0.00 | 0.00 |
| Dry manure | 182.47 | 21.25 | 36.64 | 1,692.77 |
| Process wastewater | 0.00 | 0.00 | 0.00 | 0.00 |
| Fresh water | 0.00 | 0.00 | 0.00 | 466.67 |
| Atmospheric deposition | 7.00 | 0.00 | 0.00 | 0.00 |
| Total nutrients applied | 189.47 | 21.25 | 36.64 | 2,159.44 |
| Anticipated crop nutrient removal | 160.00 | 25.60 | 132.80 | 0.00 |
| Actual crop nutrient removal | 163.24 | 29.68 | 129.85 | 1,062.49 |
| Nutrient balance | 26.23 | -8.43 | -93.21 | 1,096.94 |
| Applied to removed ratio | 1.16 | 0.72 | 0.28 | 2.03 |

| Fresh water applied | |
|---|---|
| 20,074,530.00 | *gallons* |
| 739.28 | *acre-inches* |
| 10.56 | *inches/acre* |

| Process wastewater applied | |
|---|---|
| 0.00 | *gallons* |
| 0.00 | *acre-inches* |
| 0.00 | *inches/acre* |

| Total harvests for the crop | |
|---|---|
| 1 | *harvests* |

## L7 B-18 - 06/10/2023: Corn, silage

Field name: L7 B-18 Crop: Corn, silage Plant date: 06/10/2023




| | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Total salt (lbs/acre) |
|---|---|---|---|---|
| Existing soil nutrient content | 0.00 | 0.00 | 0.00 | 0.00 |
| Plowdown credit | 0.00 | 0.00 | 0.00 | 0.00 |
| Commercial fertilizer / Other | 48.00 | 0.00 | 0.00 | 0.00 |
| Dry manure | 0.00 | 0.00 | 0.00 | 0.00 |
| Process wastewater | 223.69 | 27.02 | 248.08 | 2,181.48 |
| Fresh water | 0.00 | 0.00 | 0.00 | 1,647.96 |
| Atmospheric deposition | 7.00 | 0.00 | 0.00 | 0.00 |
| Total nutrients applied | 278.69 | 27.02 | 248.08 | 3,829.43 |
| Anticipated crop nutrient removal | 240.00 | 45.00 | 198.00 | 0.00 |
| Actual crop nutrient removal | 233.73 | 36.36 | 233.73 | 1,663.74 |
| Nutrient balance | 44.96 | -9.33 | 14.35 | 2,165.69 |
| Applied to removed ratio | 1.19 | 0.74 | 1.06 | 2.30 |

| Fresh water applied | |
|---|---|
| 70,889,587.00 | *gallons* |
| 2,610.62 | *acre-inches* |
| 37.29 | *inches/acre* |

| Process wastewater applied | |
|---|---|
| 4,395,000.00 | *gallons* |
| 161.85 | *acre-inches* |
| 2.31 | *inches/acre* |

| Total harvests for the crop | |
|---|---|
| 1 | *harvests* |

## L7 B-19 - 10/21/2022: Oats, silage-soft dough

Field name: L7 B-19 Crop: Oats, silage-soft dough Plant date: 10/21/2022




| | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Total salt (lbs/acre) |
|---|---|---|---|---|
| Existing soil nutrient content | 0.00 | 0.00 | 0.00 | 0.00 |
| Plowdown credit | 0.00 | 0.00 | 0.00 | 0.00 |
| Commercial fertilizer / Other | 0.00 | 0.00 | 0.00 | 0.00 |
| Dry manure | 0.00 | 0.00 | 0.00 | 0.00 |
| Process wastewater | 184.76 | 21.78 | 240.18 | 1,496.03 |
| Fresh water | 0.00 | 0.00 | 0.00 | 442.41 |
| Atmospheric deposition | 7.00 | 0.00 | 0.00 | 0.00 |
| Total nutrients applied | 191.76 | 21.78 | 240.18 | 1,938.44 |
| Anticipated crop nutrient removal | 160.00 | 25.60 | 132.80 | 0.00 |
| Actual crop nutrient removal | 153.14 | 31.20 | 371.52 | 904.83 |
| Nutrient balance | 38.61 | -9.42 | -131.34 | 1,033.61 |
| Applied to removed ratio | 1.25 | 0.70 | 0.65 | 2.14 |

| Fresh water applied | |
|---|---|
| 18,487,321.00 | *gallons* |
| 680.83 | *acre-inches* |
| 10.01 | *inches/acre* |

| Process wastewater applied | |
|---|---|
| 2,355,000.00 | *gallons* |
| 86.73 | *acre-inches* |
| 1.28 | *inches/acre* |

| Total harvests for the crop | |
|---|---|
| 1 | *harvests* |

## L7 B-19 - 06/07/2023: Corn, silage

Field name: L7 B-19 Crop: Corn, silage Plant date: 06/07/2023




| | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Total salt (lbs/acre) |
|---|---|---|---|---|
| Existing soil nutrient content | 0.00 | 0.00 | 0.00 | 0.00 |
| Plowdown credit | 0.00 | 0.00 | 0.00 | 0.00 |
| Commercial fertilizer / Other | 48.00 | 0.00 | 0.00 | 0.00 |
| Dry manure | 150.00 | 65.25 | 48.75 | 1,267.50 |
| Process wastewater | 98.36 | 7.36 | 105.22 | 1,050.00 |
| Fresh water | 0.00 | 0.00 | 0.00 | 1,542.05 |
| Atmospheric deposition | 7.00 | 0.00 | 0.00 | 0.00 |
| Total nutrients applied | 303.36 | 72.61 | 153.97 | 3,859.55 |
| Anticipated crop nutrient removal | 240.00 | 45.00 | 198.00 | 0.00 |
| Actual crop nutrient removal | 277.56 | 43.18 | 277.56 | 1,975.73 |
| Nutrient balance | 25.80 | 29.44 | -123.59 | 1,883.81 |
| Applied to removed ratio | 1.09 | 1.68 | 0.55 | 1.95 |

| Fresh water applied | |
|---|---|
| 64,438,668.00 | *gallons* |
| 2,373.06 | *acre-inches* |
| 34.90 | *inches/acre* |

| Process wastewater applied | |
|---|---|
| 1,350,000.00 | *gallons* |
| 49.72 | *acre-inches* |
| 0.73 | *inches/acre* |

| Total harvests for the crop | |
|---|---|
| 1 | *harvests* |

## L7 B-20 - 10/23/2022: Oats, silage-soft dough

Field name: L7 B-20 Crop: Oats, silage-soft dough Plant date: 10/23/2022




| | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Total salt (lbs/acre) |
|---|---|---|---|---|
| Existing soil nutrient content | 0.00 | 0.00 | 0.00 | 0.00 |
| Plowdown credit | 0.00 | 0.00 | 0.00 | 0.00 |
| Commercial fertilizer / Other | 0.00 | 0.00 | 0.00 | 0.00 |
| Dry manure | 0.00 | 0.00 | 0.00 | 0.00 |
| Process wastewater | 179.18 | 17.89 | 213.91 | 1,520.14 |
| Fresh water | 0.00 | 0.00 | 0.00 | 641.78 |
| Atmospheric deposition | 7.00 | 0.00 | 0.00 | 0.00 |
| Total nutrients applied | 186.18 | 17.89 | 213.91 | 2,161.92 |
| Anticipated crop nutrient removal | 160.00 | 25.60 | 132.80 | 0.00 |
| Actual crop nutrient removal | 129.38 | 26.36 | 313.88 | 764.44 |
| Nutrient balance | 56.80 | -8.47 | -99.96 | 1,397.48 |
| Applied to removed ratio | 1.44 | 0.68 | 0.68 | 2.83 |

| Fresh water applied | |
|---|---|
| 13,409,217.00 | *gallons* |
| 493.82 | *acre-inches* |
| 14.52 | *inches/acre* |

| Process wastewater applied | |
|---|---|
| 1,005,000.00 | *gallons* |
| 37.01 | *acre-inches* |
| 1.09 | *inches/acre* |

| Total harvests for the crop | |
|---|---|
| 1 | *harvests* |

## L7 B-20 - 05/23/2023: Corn, silage

Field name: L7 B-20 Crop: Corn, silage Plant date: 05/23/2023




| | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Total salt (lbs/acre) |
|---|---|---|---|---|
| Existing soil nutrient content | 0.00 | 0.00 | 0.00 | 0.00 |
| Plowdown credit | 0.00 | 0.00 | 0.00 | 0.00 |
| Commercial fertilizer / Other | 48.00 | 0.00 | 0.00 | 0.00 |
| Dry manure | 0.00 | 0.00 | 0.00 | 0.00 |
| Process wastewater | 230.43 | 24.08 | 252.35 | 2,322.66 |
| Fresh water | 0.00 | 0.00 | 0.00 | 1,731.06 |
| Atmospheric deposition | 7.00 | 0.00 | 0.00 | 0.00 |
| Total nutrients applied | 285.43 | 24.08 | 252.35 | 4,053.71 |
| Anticipated crop nutrient removal | 240.00 | 45.00 | 198.00 | 0.00 |
| Actual crop nutrient removal | 220.76 | 30.80 | 338.84 | 796.28 |
| Nutrient balance | 64.67 | -6.72 | -86.50 | 3,257.43 |
| Applied to removed ratio | 1.29 | 0.78 | 0.74 | 5.09 |

| Fresh water applied | |
|---|---|
| 36,168,380.00 | *gallons* |
| 1,331.96 | *acre-inches* |
| 39.18 | *inches/acre* |

| Process wastewater applied | |
|---|---|
| 1,980,000.00 | *gallons* |
| 72.92 | *acre-inches* |
| 2.14 | *inches/acre* |

| Total harvests for the crop | |
|---|---|
| 1 | *harvests* |

## L7 B-21 - 10/19/2022: Oats, silage-soft dough

Field name: L7 B-21 Crop: Oats, silage-soft dough Plant date: 10/19/2022




| | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Total salt (lbs/acre) |
|---|---|---|---|---|
| Existing soil nutrient content | 0.00 | 0.00 | 0.00 | 0.00 |
| Plowdown credit | 0.00 | 0.00 | 0.00 | 0.00 |
| Commercial fertilizer / Other | 0.00 | 0.00 | 0.00 | 0.00 |
| Dry manure | 182.47 | 21.25 | 36.64 | 1,692.77 |
| Process wastewater | 0.00 | 0.00 | 0.00 | 0.00 |
| Fresh water | 0.00 | 0.00 | 0.00 | 474.75 |
| Atmospheric deposition | 7.00 | 0.00 | 0.00 | 0.00 |
| Total nutrients applied | 189.47 | 21.25 | 36.64 | 2,167.52 |
| Anticipated crop nutrient removal | 160.00 | 25.60 | 132.80 | 0.00 |
| Actual crop nutrient removal | 159.01 | 45.43 | 280.16 | 949.10 |
| Nutrient balance | 30.46 | -24.18 | -243.52 | 1,218.42 |
| Applied to removed ratio | 1.19 | 0.47 | 0.13 | 2.28 |

| Fresh water applied | |
|---|---|
| 17,504,760.00 | *gallons* |
| 644.64 | *acre-inches* |
| 10.74 | *inches/acre* |

| Process wastewater applied | |
|---|---|
| 0.00 | *gallons* |
| 0.00 | *acre-inches* |
| 0.00 | *inches/acre* |

| Total harvests for the crop | |
|---|---|
| 1 | *harvests* |

## L7 B-21 - 05/20/2023: Corn, silage

Field name: L7 B-21 Crop: Corn, silage Plant date: 05/20/2023




| | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Total salt (lbs/acre) |
|---|---|---|---|---|
| Existing soil nutrient content | 0.00 | 0.00 | 0.00 | 0.00 |
| Plowdown credit | 0.00 | 0.00 | 0.00 | 0.00 |
| Commercial fertilizer / Other | 48.00 | 0.00 | 0.00 | 0.00 |
| Dry manure | 0.00 | 0.00 | 0.00 | 0.00 |
| Process wastewater | 227.08 | 31.08 | 254.96 | 2,141.33 |
| Fresh water | 0.00 | 0.00 | 0.00 | 1,558.64 |
| Atmospheric deposition | 7.00 | 0.00 | 0.00 | 0.00 |
| Total nutrients applied | 282.08 | 31.08 | 254.96 | 3,699.96 |
| Anticipated crop nutrient removal | 240.00 | 45.00 | 198.00 | 0.00 |
| Actual crop nutrient removal | 268.75 | 37.50 | 412.50 | 969.38 |
| Nutrient balance | 13.33 | -6.42 | -157.54 | 2,730.59 |
| Applied to removed ratio | 1.05 | 0.83 | 0.62 | 3.82 |

| Fresh water applied | |
|---|---|
| 57,469,206.00 | *gallons* |
| 2,116.40 | *acre-inches* |
| 35.27 | *inches/acre* |

| Process wastewater applied | |
|---|---|
| 4,200,000.00 | *gallons* |
| 154.67 | *acre-inches* |
| 2.58 | *inches/acre* |

| Total harvests for the crop | |
|---|---|
| 1 | *harvests* |

## L7 B-3 - 11/20/2022: Oats, silage-soft dough

Field name: L7 B-3 Crop: Oats, silage-soft dough Plant date: 11/20/2022




| | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Total salt (lbs/acre) |
|---|---|---|---|---|
| Existing soil nutrient content | 0.00 | 0.00 | 0.00 | 0.00 |
| Plowdown credit | 0.00 | 0.00 | 0.00 | 0.00 |
| Commercial fertilizer / Other | 0.00 | 0.00 | 0.00 | 0.00 |
| Dry manure | 0.00 | 0.00 | 0.00 | 0.00 |
| Process wastewater | 184.30 | 19.95 | 237.87 | 1,610.31 |
| Fresh water | 0.00 | 0.00 | 0.00 | 223.57 |
| Atmospheric deposition | 7.00 | 0.00 | 0.00 | 0.00 |
| Total nutrients applied | 191.30 | 19.95 | 237.87 | 1,833.87 |
| Anticipated crop nutrient removal | 160.00 | 25.60 | 132.80 | 0.00 |
| Actual crop nutrient removal | 133.17 | 29.23 | 292.32 | 498.05 |
| Nutrient balance | 58.13 | -9.28 | -54.45 | 1,335.83 |
| Applied to removed ratio | 1.44 | 0.68 | 0.81 | 3.68 |

| Fresh water applied | |
|---|---|
| 1,236,484.00 | *gallons* |
| 45.54 | *acre-inches* |
| 5.06 | *inches/acre* |

| Process wastewater applied | |
|---|---|
| 315,000.00 | *gallons* |
| 11.60 | *acre-inches* |
| 1.29 | *inches/acre* |

| Total harvests for the crop | |
|---|---|
| 1 | *harvests* |

## L7 B-3 - 06/21/2023: Corn, silage

Field name: L7 B-3 Crop: Corn, silage Plant date: 06/21/2023




| | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Total salt (lbs/acre) |
|---|---|---|---|---|
| Existing soil nutrient content | 0.00 | 0.00 | 0.00 | 0.00 |
| Plowdown credit | 0.00 | 0.00 | 0.00 | 0.00 |
| Commercial fertilizer / Other | 0.00 | 0.00 | 0.00 | 0.00 |
| Dry manure | 0.00 | 0.00 | 0.00 | 0.00 |
| Process wastewater | 302.42 | 57.96 | 353.73 | 2,519.08 |
| Fresh water | 0.00 | 0.00 | 0.00 | 1,631.54 |
| Atmospheric deposition | 7.00 | 0.00 | 0.00 | 0.00 |
| Total nutrients applied | 309.42 | 57.96 | 353.73 | 4,150.62 |
| Anticipated crop nutrient removal | 240.00 | 45.00 | 198.00 | 0.00 |
| Actual crop nutrient removal | 263.00 | 50.10 | 338.15 | 1,960.26 |
| Nutrient balance | 46.42 | 7.87 | 15.58 | 2,190.36 |
| Applied to removed ratio | 1.18 | 1.16 | 1.05 | 2.12 |

| Fresh water applied | |
|---|---|
| 9,023,591.00 | *gallons* |
| 332.31 | *acre-inches* |
| 36.92 | *inches/acre* |

| Process wastewater applied | |
|---|---|
| 1,095,000.00 | *gallons* |
| 40.33 | *acre-inches* |
| 4.48 | *inches/acre* |

| Total harvests for the crop | |
|---|---|
| 1 | *harvests* |

## L7 B-5 - 11/20/2022: Oats, silage-soft dough

Field name: L7 B-5 Crop: Oats, silage-soft dough Plant date: 11/20/2022




| | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Total salt (lbs/acre) |
|---|---|---|---|---|
| Existing soil nutrient content | 0.00 | 0.00 | 0.00 | 0.00 |
| Plowdown credit | 0.00 | 0.00 | 0.00 | 0.00 |
| Commercial fertilizer / Other | 0.00 | 0.00 | 0.00 | 0.00 |
| Dry manure | 0.00 | 0.00 | 0.00 | 0.00 |
| Process wastewater | 191.96 | 19.87 | 246.34 | 1,732.86 |
| Fresh water | 0.00 | 0.00 | 0.00 | 223.57 |
| Atmospheric deposition | 7.00 | 0.00 | 0.00 | 0.00 |
| Total nutrients applied | 198.96 | 19.87 | 246.34 | 1,956.42 |
| Anticipated crop nutrient removal | 160.00 | 25.60 | 132.80 | 0.00 |
| Actual crop nutrient removal | 131.94 | 28.96 | 289.62 | 493.45 |
| Nutrient balance | 67.03 | -9.09 | -43.28 | 1,462.98 |
| Applied to removed ratio | 1.51 | 0.69 | 0.85 | 3.96 |

| Fresh water applied | |
|---|---|
| 3,159,906.00 | *gallons* |
| 116.37 | *acre-inches* |
| 5.06 | *inches/acre* |

| Process wastewater applied | |
|---|---|
| 840,000.00 | *gallons* |
| 30.93 | *acre-inches* |
| 1.34 | *inches/acre* |

| Total harvests for the crop | |
|---|---|
| 1 | *harvests* |

## L7 B-5 - 06/20/2023: Corn, silage

Field name: L7 B-5 Crop: Corn, silage Plant date: 06/20/2023




| | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Total salt (lbs/acre) |
|---|---|---|---|---|
| Existing soil nutrient content | 0.00 | 0.00 | 0.00 | 0.00 |
| Plowdown credit | 0.00 | 0.00 | 0.00 | 0.00 |
| Commercial fertilizer / Other | 0.00 | 0.00 | 0.00 | 0.00 |
| Dry manure | 0.00 | 0.00 | 0.00 | 0.00 |
| Process wastewater | 296.08 | 52.70 | 342.85 | 2,547.47 |
| Fresh water | 0.00 | 0.00 | 0.00 | 1,584.24 |
| Atmospheric deposition | 7.00 | 0.00 | 0.00 | 0.00 |
| Total nutrients applied | 303.08 | 52.70 | 342.85 | 4,131.71 |
| Anticipated crop nutrient removal | 240.00 | 45.00 | 198.00 | 0.00 |
| Actual crop nutrient removal | 275.41 | 34.43 | 290.16 | 1,641.23 |
| Nutrient balance | 27.67 | 18.28 | 52.69 | 2,490.48 |
| Applied to removed ratio | 1.10 | 1.53 | 1.18 | 2.52 |

| Fresh water applied | |
|---|---|
| 22,391,740.00 | *gallons* |
| 824.61 | *acre-inches* |
| 35.85 | *inches/acre* |

| Process wastewater applied | |
|---|---|
| 2,580,000.00 | *gallons* |
| 95.01 | *acre-inches* |
| 4.13 | *inches/acre* |

| Total harvests for the crop | |
|---|---|
| 1 | *harvests* |

## LS B24-B25 - 11/22/2022: Oats, silage-soft dough

Field name: LS B24-B25 Crop: Oats, silage-soft dough Plant date: 11/22/2022




| | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Total salt (lbs/acre) |
|---|---|---|---|---|
| Existing soil nutrient content | 0.00 | 0.00 | 0.00 | 0.00 |
| Plowdown credit | 0.00 | 0.00 | 0.00 | 0.00 |
| Commercial fertilizer / Other | 0.00 | 0.00 | 0.00 | 0.00 |
| Dry manure | 0.00 | 0.00 | 0.00 | 0.00 |
| Process wastewater | 190.89 | 22.24 | 255.94 | 1,636.98 |
| Fresh water | 0.00 | 0.00 | 0.00 | 206.73 |
| Atmospheric deposition | 7.00 | 0.00 | 0.00 | 0.00 |
| Total nutrients applied | 197.89 | 22.24 | 255.94 | 1,843.71 |
| Anticipated crop nutrient removal | 160.00 | 25.60 | 132.80 | 0.00 |
| Actual crop nutrient removal | 151.20 | 43.20 | 266.40 | 902.47 |
| Nutrient balance | 46.69 | -20.96 | -10.46 | 941.24 |
| Applied to removed ratio | 1.31 | 0.51 | 0.96 | 2.04 |

| Fresh water applied | |
|---|---|
| 7,114,397.00 | *gallons* |
| 262.00 | *acre-inches* |
| 4.68 | *inches/acre* |

| Process wastewater applied | |
|---|---|
| 2,145,000.00 | *gallons* |
| 78.99 | *acre-inches* |
| 1.41 | *inches/acre* |

| Total harvests for the crop | |
|---|---|
| 1 | *harvests* |

LS B24-B25 - 05/23/2023: Corn, silage

Field name: LS B24-B25 Crop: Corn, silage Plant date: 05/23/2023




| | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Total salt (lbs/acre) |
|---|---|---|---|---|
| Existing soil nutrient content | 0.00 | 0.00 | 0.00 | 0.00 |
| Plowdown credit | 0.00 | 0.00 | 0.00 | 0.00 |
| Commercial fertilizer / Other | 48.00 | 0.00 | 0.00 | 0.00 |
| Dry manure | 229.65 | 35.99 | 87.40 | 9,854.35 |
| Process wastewater | 25.34 | 7.03 | 31.50 | 167.38 |
| Fresh water | 0.00 | 0.00 | 0.00 | 1,577.73 |
| Atmospheric deposition | 7.00 | 0.00 | 0.00 | 0.00 |
| Total nutrients applied | 309.99 | 43.02 | 118.90 | 11,599.46 |
| Anticipated crop nutrient removal | 240.00 | 45.00 | 198.00 | 0.00 |
| Actual crop nutrient removal | 290.18 | 31.66 | 247.97 | 1,523.92 |
| Nutrient balance | 19.81 | 11.37 | -129.07 | 10,075.54 |
| Applied to removed ratio | 1.07 | 1.36 | 0.48 | 7.61 |

| Fresh water applied | |
|---|---|
| 54,294,940.00 | *gallons* |
| 1,999.50 | *acre-inches* |
| 35.71 | *inches/acre* |

| Process wastewater applied | |
|---|---|
| 780,000.00 | *gallons* |
| 28.72 | *acre-inches* |
| 0.51 | *inches/acre* |

| Total harvests for the crop | |
|---|---|
| 1 | *harvests* |

## LS B-26 - 10/25/2022: Oats, silage-soft dough

Field name: LS B-26 Crop: Oats, silage-soft dough Plant date: 10/25/2022




| | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Total salt (lbs/acre) |
|---|---|---|---|---|
| Existing soil nutrient content | 0.00 | 0.00 | 0.00 | 0.00 |
| Plowdown credit | 0.00 | 0.00 | 0.00 | 0.00 |
| Commercial fertilizer / Other | 0.00 | 0.00 | 0.00 | 0.00 |
| Dry manure | 182.47 | 21.25 | 36.64 | 1,692.77 |
| Process wastewater | 0.00 | 0.00 | 0.00 | 0.00 |
| Fresh water | 0.00 | 0.00 | 0.00 | 487.79 |
| Atmospheric deposition | 7.00 | 0.00 | 0.00 | 0.00 |
| Total nutrients applied | 189.47 | 21.25 | 36.64 | 2,180.56 |
| Anticipated crop nutrient removal | 160.00 | 25.60 | 132.80 | 0.00 |
| Actual crop nutrient removal | 163.58 | 35.56 | 160.02 | 788.58 |
| Nutrient balance | 25.89 | -14.31 | -123.38 | 1,391.98 |
| Applied to removed ratio | 1.16 | 0.60 | 0.23 | 2.77 |

| Fresh water applied | |
|---|---|
| 5,395,644.00 | *gallons* |
| 198.70 | *acre-inches* |
| 11.04 | *inches/acre* |

| Process wastewater applied | |
|---|---|
| 0.00 | *gallons* |
| 0.00 | *acre-inches* |
| 0.00 | *inches/acre* |

| Total harvests for the crop | |
|---|---|
| 1 | *harvests* |

LS B-26 - 05/26/2023: Corn, silage

Field name: LS B-26 Crop: Corn, silage Plant date: 05/26/2023




| | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Total salt (lbs/acre) |
|---|---|---|---|---|
| Existing soil nutrient content | 0.00 | 0.00 | 0.00 | 0.00 |
| Plowdown credit | 0.00 | 0.00 | 0.00 | 0.00 |
| Commercial fertilizer / Other | 48.00 | 0.00 | 0.00 | 0.00 |
| Dry manure | 229.65 | 35.99 | 87.40 | 9,854.35 |
| Process wastewater | 27.29 | 7.57 | 33.92 | 180.25 |
| Fresh water | 0.00 | 0.00 | 0.00 | 1,586.47 |
| Atmospheric deposition | 7.00 | 0.00 | 0.00 | 0.00 |
| Total nutrients applied | 311.94 | 43.56 | 121.33 | 11,621.08 |
| Anticipated crop nutrient removal | 240.00 | 45.00 | 198.00 | 0.00 |
| Actual crop nutrient removal | 288.90 | 32.10 | 331.70 | 1,370.97 |
| Nutrient balance | 23.04 | 11.46 | -210.37 | 10,250.11 |
| Applied to removed ratio | 1.08 | 1.36 | 0.37 | 8.48 |

| Fresh water applied | |
|---|---|
| 17,548,689.00 | *gallons* |
| 646.26 | *acre-inches* |
| 35.90 | *inches/acre* |

| Process wastewater applied | |
|---|---|
| 270,000.00 | *gallons* |
| 9.94 | *acre-inches* |
| 0.55 | *inches/acre* |

| Total harvests for the crop | |
|---|---|
| 1 | *harvests* |

LS B-27 - 10/25/2022: Oats, silage-soft dough

Field name: LS B-27 Crop: Oats, silage-soft dough Plant date: 10/25/2022




| | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Total salt (lbs/acre) |
|---|---|---|---|---|
| Existing soil nutrient content | 0.00 | 0.00 | 0.00 | 0.00 |
| Plowdown credit | 0.00 | 0.00 | 0.00 | 0.00 |
| Commercial fertilizer / Other | 0.00 | 0.00 | 0.00 | 0.00 |
| Dry manure | 182.47 | 21.25 | 36.64 | 1,692.77 |
| Process wastewater | 0.00 | 0.00 | 0.00 | 0.00 |
| Fresh water | 0.00 | 0.00 | 0.00 | 463.91 |
| Atmospheric deposition | 7.00 | 0.00 | 0.00 | 0.00 |
| Total nutrients applied | 189.47 | 21.25 | 36.64 | 2,156.68 |
| Anticipated crop nutrient removal | 160.00 | 25.60 | 132.80 | 0.00 |
| Actual crop nutrient removal | 146.39 | 27.76 | 156.49 | 607.78 |
| Nutrient balance | 43.08 | -6.51 | -119.85 | 1,548.90 |
| Applied to removed ratio | 1.29 | 0.77 | 0.23 | 3.55 |

| Fresh water applied |
|---|
| 5,131,566.00 *gallons* |
| 188.98 *acre-inches* |
| 10.50 *inches/acre* |

| Process wastewater applied |
|---|
| 0.00 *gallons* |
| 0.00 *acre-inches* |
| 0.00 *inches/acre* |

| Total harvests for the crop |
|---|
| 1 *harvests* |

## LS B-27 - 05/26/2023: Corn, silage

Field name: LS B-27 Crop: Corn, silage Plant date: 05/26/2023




| | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Total salt (lbs/acre) |
|---|---|---|---|---|
| Existing soil nutrient content | 0.00 | 0.00 | 0.00 | 0.00 |
| Plowdown credit | 0.00 | 0.00 | 0.00 | 0.00 |
| Commercial fertilizer / Other | 48.00 | 0.00 | 0.00 | 0.00 |
| Dry manure | 229.65 | 35.99 | 87.40 | 9,854.35 |
| Process wastewater | 0.00 | 0.00 | 0.00 | 0.00 |
| Fresh water | 0.00 | 0.00 | 0.00 | 1,612.49 |
| Atmospheric deposition | 7.00 | 0.00 | 0.00 | 0.00 |
| Total nutrients applied | 284.65 | 35.99 | 87.40 | 11,466.84 |
| Anticipated crop nutrient removal | 240.00 | 45.00 | 198.00 | 0.00 |
| Actual crop nutrient removal | 221.54 | 30.91 | 340.03 | 799.08 |
| Nutrient balance | 63.11 | 5.08 | -252.63 | 10,667.77 |
| Applied to removed ratio | 1.28 | 1.16 | 0.26 | 14.35 |

| Fresh water applied | |
|---|---|
| 17,836,507.00 | *gallons* |
| 656.86 | *acre-inches* |
| 36.49 | *inches/acre* |

| Process wastewater applied | |
|---|---|
| 0.00 | *gallons* |
| 0.00 | *acre-inches* |
| 0.00 | *inches/acre* |

| Total harvests for the crop | |
|---|---|
| 1 | *harvests* |

## LS B28-B31 - 10/22/2022: Oats, silage-soft dough

Field name: LS B28-B31 Crop: Oats, silage-soft dough Plant date: 10/22/2022




| | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Total salt (lbs/acre) |
|---|---|---|---|---|
| Existing soil nutrient content | 0.00 | 0.00 | 0.00 | 0.00 |
| Plowdown credit | 0.00 | 0.00 | 0.00 | 0.00 |
| Commercial fertilizer / Other | 0.00 | 0.00 | 0.00 | 0.00 |
| Dry manure | 182.47 | 21.25 | 36.64 | 1,692.77 |
| Process wastewater | 28.60 | 3.42 | 35.68 | 213.99 |
| Fresh water | 0.00 | 0.00 | 0.00 | 430.42 |
| Atmospheric deposition | 7.00 | 0.00 | 0.00 | 0.00 |
| Total nutrients applied | 218.07 | 24.67 | 72.32 | 2,337.18 |
| Anticipated crop nutrient removal | 160.00 | 25.60 | 132.80 | 0.00 |
| Actual crop nutrient removal | 182.55 | 38.84 | 372.86 | 983.93 |
| Nutrient balance | 35.52 | -14.17 | -300.55 | 1,353.25 |
| Applied to removed ratio | 1.19 | 0.64 | 0.19 | 2.38 |

| Fresh water applied | |
|---|---|
| 21,160,330.00 | *gallons* |
| 779.26 | *acre-inches* |
| 9.74 | *inches/acre* |

| Process wastewater applied | |
|---|---|
| 390,000.00 | *gallons* |
| 14.36 | *acre-inches* |
| 0.18 | *inches/acre* |

| Total harvests for the crop | |
|---|---|
| 1 | *harvests* |

LS B28-B31 - 05/16/2023: Corn, silage

Field name: LS B28-B31 Crop: Corn, silage Plant date: 05/16/2023




| | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Total salt (lbs/acre) |
|---|---|---|---|---|
| Existing soil nutrient content | 0.00 | 0.00 | 0.00 | 0.00 |
| Plowdown credit | 0.00 | 0.00 | 0.00 | 0.00 |
| Commercial fertilizer / Other | 48.00 | 0.00 | 0.00 | 0.00 |
| Dry manure | 229.65 | 35.99 | 87.40 | 9,854.35 |
| Process wastewater | 27.97 | 7.76 | 34.77 | 184.76 |
| Fresh water | 0.00 | 0.00 | 0.00 | 1,582.32 |
| Atmospheric deposition | 7.00 | 0.00 | 0.00 | 0.00 |
| Total nutrients applied | 312.62 | 43.75 | 122.17 | 11,621.43 |
| Anticipated crop nutrient removal | 240.00 | 45.00 | 198.00 | 0.00 |
| Actual crop nutrient removal | 300.56 | 33.40 | 345.09 | 1,426.32 |
| Nutrient balance | 12.06 | 10.36 | -222.92 | 10,195.11 |
| Applied to removed ratio | 1.04 | 1.31 | 0.35 | 8.15 |

| Fresh water applied | |
|---|---|
| 77,789,946.00 | *gallons* |
| 2,864.74 | *acre-inches* |
| 35.81 | *inches/acre* |

| Process wastewater applied | |
|---|---|
| 1,230,000.00 | *gallons* |
| 45.30 | *acre-inches* |
| 0.57 | *inches/acre* |

| Total harvests for the crop | |
|---|---|
| 1 | *harvests* |

## LS B32-B34 - 10/21/2022: Oats, silage-soft dough

Field name: LS B32-B34 Crop: Oats, silage-soft dough Plant date: 10/21/2022




| | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Total salt (lbs/acre) |
|---|---|---|---|---|
| Existing soil nutrient content | 0.00 | 0.00 | 0.00 | 0.00 |
| Plowdown credit | 0.00 | 0.00 | 0.00 | 0.00 |
| Commercial fertilizer / Other | 0.00 | 0.00 | 0.00 | 0.00 |
| Dry manure | 182.47 | 21.25 | 36.64 | 1,692.77 |
| Process wastewater | 28.16 | 3.37 | 35.13 | 210.69 |
| Fresh water | 0.00 | 0.00 | 0.00 | 462.71 |
| Atmospheric deposition | 7.00 | 0.00 | 0.00 | 0.00 |
| Total nutrients applied | 217.63 | 24.62 | 71.77 | 2,366.17 |
| Anticipated crop nutrient removal | 160.00 | 25.60 | 132.80 | 0.00 |
| Actual crop nutrient removal | 203.90 | 44.93 | 518.40 | 1,096.91 |
| Nutrient balance | 13.72 | -20.31 | -446.63 | 1,269.26 |
| Applied to removed ratio | 1.07 | 0.55 | 0.14 | 2.16 |

| Fresh water applied | |
|---|---|
| 21,325,950.00 | *gallons* |
| 785.36 | *acre-inches* |
| 10.47 | *inches/acre* |

| Process wastewater applied | |
|---|---|
| 360,000.00 | *gallons* |
| 13.26 | *acre-inches* |
| 0.18 | *inches/acre* |

| Total harvests for the crop | |
|---|---|
| 1 | *harvests* |

LS B32-B34 - 06/23/2023: Corn, silage

Field name: LS B32-B34 Crop: Corn, silage Plant date: 06/23/2023




| | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Total salt (lbs/acre) |
|---|---|---|---|---|
| Existing soil nutrient content | 0.00 | 0.00 | 0.00 | 0.00 |
| Plowdown credit | 0.00 | 0.00 | 0.00 | 0.00 |
| Commercial fertilizer / Other | 48.00 | 0.00 | 0.00 | 0.00 |
| Dry manure | 229.65 | 35.99 | 87.40 | 9,854.35 |
| Process wastewater | 0.00 | 0.00 | 0.00 | 0.00 |
| Fresh water | 0.00 | 0.00 | 0.00 | 1,520.89 |
| Atmospheric deposition | 7.00 | 0.00 | 0.00 | 0.00 |
| Total nutrients applied | 284.65 | 35.99 | 87.40 | 11,375.24 |
| Anticipated crop nutrient removal | 240.00 | 45.00 | 198.00 | 0.00 |
| Actual crop nutrient removal | 216.97 | 24.11 | 249.12 | 1,029.64 |
| Nutrient balance | 67.68 | 11.88 | -161.71 | 10,345.60 |
| Applied to removed ratio | 1.31 | 1.49 | 0.35 | 11.05 |

| Fresh water applied | |
|---|---|
| 70,096,654.00 | *gallons* |
| 2,581.42 | *acre-inches* |
| 34.42 | *inches/acre* |

| Process wastewater applied | |
|---|---|
| 0.00 | *gallons* |
| 0.00 | *acre-inches* |
| 0.00 | *inches/acre* |

| Total harvests for the crop | |
|---|---|
| 1 | *harvests* |

LS B-35 - 11/21/2022: Oats, silage-soft dough

Field name: LS B-35 Crop: Oats, silage-soft dough Plant date: 11/21/2022




| | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Total salt (lbs/acre) |
|---|---|---|---|---|
| Existing soil nutrient content | 0.00 | 0.00 | 0.00 | 0.00 |
| Plowdown credit | 0.00 | 0.00 | 0.00 | 0.00 |
| Commercial fertilizer / Other | 0.00 | 0.00 | 0.00 | 0.00 |
| Dry manure | 0.00 | 0.00 | 0.00 | 0.00 |
| Process wastewater | 193.12 | 22.30 | 264.77 | 1,724.67 |
| Fresh water | 0.00 | 0.00 | 0.00 | 308.78 |
| Atmospheric deposition | 7.00 | 0.00 | 0.00 | 0.00 |
| Total nutrients applied | 200.12 | 22.30 | 264.77 | 2,033.45 |
| Anticipated crop nutrient removal | 160.00 | 25.60 | 132.80 | 0.00 |
| Actual crop nutrient removal | 152.26 | 17.57 | 143.47 | 630.01 |
| Nutrient balance | 47.87 | 4.73 | 121.30 | 1,403.44 |
| Applied to removed ratio | 1.31 | 1.27 | 1.85 | 3.23 |

| Fresh water applied | |
|---|---|
| 5,882,405.00 | *gallons* |
| 216.63 | *acre-inches* |
| 6.99 | *inches/acre* |

| Process wastewater applied | |
|---|---|
| 1,260,000.00 | *gallons* |
| 46.40 | *acre-inches* |
| 1.50 | *inches/acre* |

| Total harvests for the crop | |
|---|---|
| 1 | *harvests* |

LS B-35 - 05/31/2023: Corn, silage

Field name: LS B-35 Crop: Corn, silage Plant date: 05/31/2023




| | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Total salt (lbs/acre) |
|---|---|---|---|---|
| Existing soil nutrient content | 0.00 | 0.00 | 0.00 | 0.00 |
| Plowdown credit | 0.00 | 0.00 | 0.00 | 0.00 |
| Commercial fertilizer / Other | 48.00 | 0.00 | 0.00 | 0.00 |
| Dry manure | 229.65 | 35.99 | 87.40 | 9,854.35 |
| Process wastewater | 0.00 | 0.00 | 0.00 | 0.00 |
| Fresh water | 0.00 | 0.00 | 0.00 | 1,521.42 |
| Atmospheric deposition | 7.00 | 0.00 | 0.00 | 0.00 |
| Total nutrients applied | 284.65 | 35.99 | 87.40 | 11,375.77 |
| Anticipated crop nutrient removal | 240.00 | 45.00 | 198.00 | 0.00 |
| Actual crop nutrient removal | 215.62 | 40.43 | 249.31 | 528.93 |
| Nutrient balance | 69.03 | -4.44 | -161.90 | 10,846.84 |
| Applied to removed ratio | 1.32 | 0.89 | 0.35 | 21.51 |

| Fresh water applied | |
|---|---|
| 28,983,494.00 | *gallons* |
| 1,067.36 | *acre-inches* |
| 34.43 | *inches/acre* |

| Process wastewater applied | |
|---|---|
| 0.00 | *gallons* |
| 0.00 | *acre-inches* |
| 0.00 | *inches/acre* |

| Total harvests for the crop | |
|---|---|
| 1 | *harvests* |

LS B-36 - 11/21/2022: Oats, silage-soft dough

Field name: LS B-36 Crop: Oats, silage-soft dough Plant date: 11/21/2022




| | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Total salt (lbs/acre) |
|---|---|---|---|---|
| Existing soil nutrient content | 0.00 | 0.00 | 0.00 | 0.00 |
| Plowdown credit | 0.00 | 0.00 | 0.00 | 0.00 |
| Commercial fertilizer / Other | 0.00 | 0.00 | 0.00 | 0.00 |
| Dry manure | 0.00 | 0.00 | 0.00 | 0.00 |
| Process wastewater | 181.42 | 20.95 | 248.73 | 1,620.14 |
| Fresh water | 0.00 | 0.00 | 0.00 | 296.49 |
| Atmospheric deposition | 7.00 | 0.00 | 0.00 | 0.00 |
| Total nutrients applied | 188.42 | 20.95 | 248.73 | 1,916.63 |
| Anticipated crop nutrient removal | 160.00 | 25.60 | 132.80 | 0.00 |
| Actual crop nutrient removal | 155.82 | 31.80 | 171.72 | 761.29 |
| Nutrient balance | 32.60 | -10.85 | 77.01 | 1,155.34 |
| Applied to removed ratio | 1.21 | 0.66 | 1.45 | 2.52 |

| Fresh water applied | |
|---|---|
| 6,012,567.00 | *gallons* |
| 221.42 | *acre-inches* |
| 6.71 | *inches/acre* |

| Process wastewater applied | |
|---|---|
| 1,260,000.00 | *gallons* |
| 46.40 | *acre-inches* |
| 1.41 | *inches/acre* |

| Total harvests for the crop | |
|---|---|
| 1 | *harvests* |

LS B-36 - 06/06/2023: Corn, silage

Field name: LS B-36 Crop: Corn, silage Plant date: 06/06/2023




| | Total N (lbs/acre) | Total P (lbs/acre) | Total K (lbs/acre) | Total salt (lbs/acre) |
|---|---|---|---|---|
| Existing soil nutrient content | 0.00 | 0.00 | 0.00 | 0.00 |
| Plowdown credit | 0.00 | 0.00 | 0.00 | 0.00 |
| Commercial fertilizer / Other | 48.00 | 0.00 | 0.00 | 0.00 |
| Dry manure | 229.65 | 35.99 | 87.40 | 9,854.35 |
| Process wastewater | 0.00 | 0.00 | 0.00 | 0.00 |
| Fresh water | 0.00 | 0.00 | 0.00 | 1,644.85 |
| Atmospheric deposition | 7.00 | 0.00 | 0.00 | 0.00 |
| Total nutrients applied | 284.65 | 35.99 | 87.40 | 11,499.20 |
| Anticipated crop nutrient removal | 240.00 | 45.00 | 198.00 | 0.00 |
| Actual crop nutrient removal | 210.06 | 23.34 | 241.18 | 996.84 |
| Nutrient balance | 74.59 | 12.65 | -153.78 | 10,502.36 |
| Applied to removed ratio | 1.36 | 1.54 | 0.36 | 11.54 |

| Fresh water applied | |
|---|---|
| 33,356,309.00 | *gallons* |
| 1,228.40 | *acre-inches* |
| 37.22 | *inches/acre* |

| Process wastewater applied | |
|---|---|
| 0.00 | *gallons* |
| 0.00 | *acre-inches* |
| 0.00 | *inches/acre* |

| Total harvests for the crop | |
|---|---|
| 1 | *harvests* |

NUTRIENT ANALYSES

## A. MANURE ANALYSES

### 2022 Fall Corral Solids

Sample and source description: 2022 Fall Corral Solids

Sample date: 11/14/2021 Material type: Corral solids Source of analysis: Lab analysis Method of reporting: Dry-weight

Moisture: 54.2 %

| | Total N (mg/kg) | Total P (mg/kg) | Total K (mg/kg) | Calcium (mg/kg) | Magnesium (mg/kg) | Sodium (mg/kg) | Sulfur (mg/kg) | Chloride (mg/kg) | Total salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|---|---|---|---|---|
| **Value** | 24,900.00 | 2,900.00 | 5,000.00 | 15,000.00 | 3,800.00 | 1,900.00 | 4,700.00 | 970.00 | | 23.10 |
| **DL** | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 | | 0.01 |

### 2022 Fall Separated Solids

Sample and source description: 2022 Fall Separated Solids

Sample date: 11/14/2021 Material type: Separator solids Source of analysis: Lab analysis Method of reporting: Dry-weight

Moisture: 78.9 %

| | Total N (mg/kg) | Total P (mg/kg) | Total K (mg/kg) | Calcium (mg/kg) | Magnesium (mg/kg) | Sodium (mg/kg) | Sulfur (mg/kg) | Chloride (mg/kg) | Total salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|---|---|---|---|---|
| **Value** | 10,300.00 | 1,200.00 | 4,200.00 | | | | | | | |
| **DL** | 100.00 | 100.00 | 100.00 | | | | | | | |

### Imported Spring Solid Manure VDF 4

Sample and source description: Imported Spring Solid Manure VDF 4

Sample date: 05/01/2023 Material type: Separator solids Source of analysis: Lab analysis Method of reporting: Dry-weight

Moisture: 85.0 %

| | Total N (mg/kg) | Total P (mg/kg) | Total K (mg/kg) | Calcium (mg/kg) | Magnesium (mg/kg) | Sodium (mg/kg) | Sulfur (mg/kg) | Chloride (mg/kg) | Total salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|---|---|---|---|---|
| **Value** | 20,000.00 | 8,700.00 | 6,500.00 | | | | | | | 16.90 |
| **DL** | 100.00 | 100.00 | 100.00 | | | | | | | 0.01 |

## Spring Corral Solids

Sample and source description: Spring Corral Solids

Sample date: 05/01/2023 Material type: Corral solids Source of analysis: Lab analysis Method of reporting: Dry-weight

Moisture: 22.1 %

| | Total N (mg/kg) | Total P (mg/kg) | Total K (mg/kg) | Calcium (mg/kg) | Magnesium (mg/kg) | Sodium (mg/kg) | Sulfur (mg/kg) | Chloride (mg/kg) | Total salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|---|---|---|---|---|
| **Value** | 13,400.00 | 2,100.00 | 5,100.00 | | | | | | | 57.50 |
| **DL** | 100.00 | 100.00 | 100.00 | | | | | | | 0.01 |

## Spring Separated Solids

Sample and source description: Spring Separated Solids

Sample date: 05/01/2023 Material type: Separator solids Source of analysis: Lab analysis Method of reporting: Dry-weight

Moisture: 78.0 %

| | Total N (mg/kg) | Total P (mg/kg) | Total K (mg/kg) | Calcium (mg/kg) | Magnesium (mg/kg) | Sodium (mg/kg) | Sulfur (mg/kg) | Chloride (mg/kg) | Total salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|---|---|---|---|---|
| **Value** | 15,800.00 | 2,500.00 | 6,000.00 | | | | | | | 14.70 |
| **DL** | 100.00 | 100.00 | 100.00 | | | | | | | 0.01 |

## Fall Corral Solids

Sample and source description: Fall Corral Solids

Sample date: 10/24/2023 Material type: Corral solids Source of analysis: Lab analysis Method of reporting: Dry-weight

Moisture: 24.5 %

| | Total N (mg/kg) | Total P (mg/kg) | Total K (mg/kg) | Calcium (mg/kg) | Magnesium (mg/kg) | Sodium (mg/kg) | Sulfur (mg/kg) | Chloride (mg/kg) | Total salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|---|---|---|---|---|
| **Value** | 11,800.00 | 3,000.00 | 10,600.00 | | | | | | | 44.40 |
| **DL** | 100.00 | 100.00 | 100.00 | | | | | | | 0.01 |

Fall Separated Solids

Sample and source description: Fall Separated Solids

Sample date: 10/24/2023 Material type: Separator solids Source of analysis: Lab analysis Method of reporting: Dry-weight

Moisture: 77.9 %

| | Total N (mg/kg) | Total P (mg/kg) | Total K (mg/kg) | Calcium (mg/kg) | Magnesium (mg/kg) | Sodium (mg/kg) | Sulfur (mg/kg) | Chloride (mg/kg) | Total salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|---|---|---|---|---|
| **Value** | 9,500.00 | 3,000.00 | 6,500.00 | 9,900.00 | 3,300.00 | 3,300.00 | 3,200.00 | 761.00 | | 11.40 |
| **DL** | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 | | 0.01 |

Imported Solid Manure Fall VDF #4

Sample and source description: Imported Solid Manure Fall VDF #4

Sample date: 10/24/2023 Material type: Separator solids Source of analysis: Lab analysis Method of reporting: Dry-weight

Moisture: 75.3 %

| | Total N (mg/kg) | Total P (mg/kg) | Total K (mg/kg) | Calcium (mg/kg) | Magnesium (mg/kg) | Sodium (mg/kg) | Sulfur (mg/kg) | Chloride (mg/kg) | Total salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|---|---|---|---|---|
| **Value** | 8,700.00 | 2,800.00 | 4,300.00 | 14,600.00 | 3,500.00 | 1,900.00 | 3,000.00 | 944.00 | | 7.50 |
| **DL** | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 | | 0.01 |

## B. PROCESS WASTEWATER ANALYSES

2022 WWSQ4

Sample and source description: 2022 WWSQ4

Sample date: 12/12/2022 Material type: Process wastewater Source of analysis: Lab analysis pH:

| | Kjeldahl-N (mg/L) | NH4-N (mg/L) | NH3-N (mg/L) | Nitrate-N (mg/L) | Total P (mg/L) | Total K (mg/L) | Calcium (mg/L) | Magnes. (mg/L) | Sodium (mg/L) | Bicarb. (mg/L) | Carb. (mg/L) | Sulfate (mg/L) | Chloride (mg/L) | EC (µmhos/cm) | TDS (mg/L) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Value** | 459.00 | 255.00 | 0.00 | 0.00 | 50.60 | 701.00 | | | | | | | | 6,050.00 | 4,940 |
| **DL** | 0.50 | 0.50 | 0.50 | 0.50 | 0.50 | 0.50 | | | | | | | | 1.00 | 10 |

## WWSQ1

Sample and source description: WWSQ1

Sample date: 03/13/2023 Material type: Process wastewater Source of analysis: Lab analysis pH:

| | Kjeldahl-N (mg/L) | NH4-N (mg/L) | NH3-N (mg/L) | Nitrate-N (mg/L) | Total P (mg/L) | Total K (mg/L) | Calcium (mg/L) | Magnes. (mg/L) | Sodium (mg/L) | Bicarb. (mg/L) | Carb. (mg/L) | Sulfate (mg/L) | Chloride (mg/L) | EC (µmhos/cm) | TDS (mg/L) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Value** | 703.00 | 434.00 | 0.00 | 0.00 | 84.10 | 877.00 | | | | | | | | 7,290.00 | 5,260 |
| **DL** | 0.50 | 0.50 | 0.50 | 0.50 | 0.50 | 0.50 | | | | | | | | 1.00 | 10 |

## WWSQ2

Sample and source description: WWSQ2

Sample date: 06/06/2023 Material type: Process wastewater Source of analysis: Lab analysis pH:

| | Kjeldahl-N (mg/L) | NH4-N (mg/L) | NH3-N (mg/L) | Nitrate-N (mg/L) | Total P (mg/L) | Total K (mg/L) | Calcium (mg/L) | Magnes. (mg/L) | Sodium (mg/L) | Bicarb. (mg/L) | Carb. (mg/L) | Sulfate (mg/L) | Chloride (mg/L) | EC (µmhos/cm) | TDS (mg/L) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Value** | 801.00 | 428.00 | 0.00 | 0.00 | 35.60 | 836.00 | | | | | | | | 8,010.00 | 9,040 |
| **DL** | 0.50 | 0.50 | 0.50 | 0.50 | 0.50 | 0.50 | | | | | | | | 1.00 | 10 |

## WWSQ3

Sample and source description: WWSQ3

Sample date: 09/19/2023 Material type: Process wastewater Source of analysis: Lab analysis pH:

| | Kjeldahl-N (mg/L) | NH4-N (mg/L) | NH3-N (mg/L) | Nitrate-N (mg/L) | Total P (mg/L) | Total K (mg/L) | Calcium (mg/L) | Magnes. (mg/L) | Sodium (mg/L) | Bicarb. (mg/L) | Carb. (mg/L) | Sulfate (mg/L) | Chloride (mg/L) | EC (µmhos/cm) | TDS (mg/L) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Value** | 218.00 | 120.00 | 0.00 | 0.00 | 60.50 | 271.00 | 73.50 | 49.80 | 65.80 | 1,100.00 | 0.00 | 77.10 | 108.00 | 2,600.00 | 1,440 |
| **DL** | 0.50 | 0.50 | 0.50 | 0.50 | 0.50 | 0.50 | 0.50 | 0.50 | 0.50 | 0.50 | 0.50 | 0.50 | 0.50 | 1.00 | 10 |

## WWSQ4

Sample and source description: WWSQ4

Sample date: 12/11/2023 Material type: Process wastewater Source of analysis: Lab analysis pH:

| | Kjeldahl-N (mg/L) | NH4-N (mg/L) | NH3-N (mg/L) | Nitrate-N (mg/L) | Total P (mg/L) | Total K (mg/L) | Calcium (mg/L) | Magnes. (mg/L) | Sodium (mg/L) | Bicarb. (mg/L) | Carb. (mg/L) | Sulfate (mg/L) | Chloride (mg/L) | EC (µmhos/cm) | TDS (mg/L) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Value** | 120.00 | 53.20 | 0.00 | 0.00 | 29.20 | 429.00 | | | | | | | | 3,000.00 | 3,380 |
| **DL** | 0.50 | 0.50 | 0.50 | 0.50 | 0.50 | 0.50 | | | | | | | | 1.00 | 10 |

## C. FRESH WATER ANALYSES

T.I.D Canal

Lateral 7

Sample description: Lateral 7

Sample date: 08/28/2023 Source of analysis: Lab analysis

| | Total N (mg/L) | NH4-N (mg/L) | Nitrate-N (mg/L) | Calcium (mg/L) | Magnesium (mg/L) | Sodium (mg/L) | Bicarbonate (mg/L) | Carbonate (mg/L) | Sulfate (mg/L) | Chloride (mg/L) | EC (µmhos/cm) | TDS (mg/L) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Value** | 0.00 | 0.00 | 0.00 | | | | | | | | 0.00 | 195 |
| **DL** | 0.50 | 0.50 | 0.50 | | | | | | | | 1.00 | 10 |

## D. SOIL ANALYSES

L7 B-13

Soil

Sample and source description: Soil

Sample date: 03/09/2023 Source of analysis: Lab analysis

| | Nitrate-N (mg/kg) | Total P (mg/kg) | Soluble P (mg/kg) | K (mg/kg) | EC (µmhos/cm) | Organic matter (%) | Total salt (mg/kg) |
|---|---|---|---|---|---|---|---|
| **Value** | | | 18.00 | | | | |
| **DL** | | | 4.00 | | | | |

L7 B-14

Soil

Sample and source description: Soil

Sample date: 03/09/2023 Source of analysis: Lab analysis

| | Nitrate-N (mg/kg) | Total P (mg/kg) | Soluble P (mg/kg) | K (mg/kg) | EC (µmhos/cm) | Organic matter (%) | Total salt (mg/kg) |
|---|---|---|---|---|---|---|---|
| **Value** | | | 24.00 | | | | |
| **DL** | | | 4.00 | | | | |

## L7 B-15

### Soil

Sample and source description: Soil

Sample date: 03/09/2023 Source of analysis: Lab analysis

| | Nitrate-N (mg/kg) | Total P (mg/kg) | Soluble P (mg/kg) | K (mg/kg) | EC (µmhos/cm) | Organic matter (%) | Total salt (mg/kg) |
|---|---|---|---|---|---|---|---|
| **Value** | | | 45.00 | | | | |
| **DL** | | | 4.00 | | | | |

## L7 B-16

### Soil

Sample and source description: Soil

Sample date: 01/31/2023 Source of analysis: Lab analysis

| | Nitrate-N (mg/kg) | Total P (mg/kg) | Soluble P (mg/kg) | K (mg/kg) | EC (µmhos/cm) | Organic matter (%) | Total salt (mg/kg) |
|---|---|---|---|---|---|---|---|
| **Value** | | | 15.00 | | | | |
| **DL** | | | 4.00 | | | | |

## L7 B-18

### Soil

Sample and source description: Soil

Sample date: 03/09/2023 Source of analysis: Lab analysis

| | Nitrate-N (mg/kg) | Total P (mg/kg) | Soluble P (mg/kg) | K (mg/kg) | EC (µmhos/cm) | Organic matter (%) | Total salt (mg/kg) |
|---|---|---|---|---|---|---|---|
| **Value** | | | 68.00 | | | | |
| **DL** | | | 4.00 | | | | |

## L7 B-19

## L7 B-19

### Soil

Sample and source description: Soil

Sample date: 03/09/2023 Source of analysis: Lab analysis

| | Nitrate-N (mg/kg) | Total P (mg/kg) | Soluble P (mg/kg) | K (mg/kg) | EC (µmhos/cm) | Organic matter (%) | Total salt (mg/kg) |
|---|---|---|---|---|---|---|---|
| **Value** | | | 68.00 | | | | |
| **DL** | | | 4.00 | | | | |

## L7 B-20

### Soil

Sample and source description: Soil

Sample date: 03/16/2023 Source of analysis: Lab analysis

| | Nitrate-N (mg/kg) | Total P (mg/kg) | Soluble P (mg/kg) | K (mg/kg) | EC (µmhos/cm) | Organic matter (%) | Total salt (mg/kg) |
|---|---|---|---|---|---|---|---|
| **Value** | | | 55.00 | | | | |
| **DL** | | | 4.00 | | | | |

## L7 B-21

### Soil

Sample and source description: Soil

Sample date: 03/16/2023 Source of analysis: Lab analysis

| | Nitrate-N (mg/kg) | Total P (mg/kg) | Soluble P (mg/kg) | K (mg/kg) | EC (µmhos/cm) | Organic matter (%) | Total salt (mg/kg) |
|---|---|---|---|---|---|---|---|
| **Value** | | | 22.00 | | | | |
| **DL** | | | 4.00 | | | | |

## L7 B-3

## L7 B-3

### Soil

Sample and source description: Soil

Sample date: 04/03/2023 Source of analysis: Lab analysis

| | Nitrate-N (mg/kg) | Total P (mg/kg) | Soluble P (mg/kg) | K (mg/kg) | EC (µmhos/cm) | Organic matter (%) | Total salt (mg/kg) |
|---|---|---|---|---|---|---|---|
| **Value** | | | 52.00 | | | | |
| **DL** | | | 4.00 | | | | |

## L7 B-5

### Soil

Sample and source description: Soil

Sample date: 01/31/2023 Source of analysis: Lab analysis

| | Nitrate-N (mg/kg) | Total P (mg/kg) | Soluble P (mg/kg) | K (mg/kg) | EC (µmhos/cm) | Organic matter (%) | Total salt (mg/kg) |
|---|---|---|---|---|---|---|---|
| **Value** | | | 81.00 | | | | |
| **DL** | | | 4.00 | | | | |

## LS B24-B25

### Soil

Sample and source description: Soil

Sample date: 01/31/2023 Source of analysis: Lab analysis

| | Nitrate-N (mg/kg) | Total P (mg/kg) | Soluble P (mg/kg) | K (mg/kg) | EC (µmhos/cm) | Organic matter (%) | Total salt (mg/kg) |
|---|---|---|---|---|---|---|---|
| **Value** | | | 64.00 | | | | |
| **DL** | | | 4.00 | | | | |

## LS B-26

## LS B-26

### Soil

Sample and source description: Soil

Sample date: 04/03/2023 Source of analysis: Lab analysis

| | Nitrate-N (mg/kg) | Total P (mg/kg) | Soluble P (mg/kg) | K (mg/kg) | EC (µmhos/cm) | Organic matter (%) | Total salt (mg/kg) |
|---|---|---|---|---|---|---|---|
| **Value** | | | 99.00 | | | | |
| **DL** | | | 4.00 | | | | |

## LS B28-B31

### Soil

Sample and source description: Soil

Sample date: 04/03/2023 Source of analysis: Lab analysis

| | Nitrate-N (mg/kg) | Total P (mg/kg) | Soluble P (mg/kg) | K (mg/kg) | EC (µmhos/cm) | Organic matter (%) | Total salt (mg/kg) |
|---|---|---|---|---|---|---|---|
| **Value** | | | 54.00 | | | | |
| **DL** | | | 4.00 | | | | |

## LS B32-B34

### Soil

Sample and source description: Soil

Sample date: 04/03/2023 Source of analysis: Lab analysis

| | Nitrate-N (mg/kg) | Total P (mg/kg) | Soluble P (mg/kg) | K (mg/kg) | EC (µmhos/cm) | Organic matter (%) | Total salt (mg/kg) |
|---|---|---|---|---|---|---|---|
| **Value** | | | 49.00 | | | | |
| **DL** | | | 4.00 | | | | |

## LS B-35

LS B-35

Soil

Sample and source description: Soil

Sample date: 03/16/2023 Source of analysis: Lab analysis

| | Nitrate-N (mg/kg) | Total P (mg/kg) | Soluble P (mg/kg) | K (mg/kg) | EC (µmhos/cm) | Organic matter (%) | Total salt (mg/kg) |
|---|---|---|---|---|---|---|---|
| **Value** | | | 22.00 | | | | |
| **DL** | | | 4.00 | | | | |

## E. PLANT TISSUE ANALYSES

L7 B-12 - 10/27/2023: Alfalfa Haylage

Alfalfa Haylage

Sample and source description: Alfalfa Haylage

Sample date: 06/21/2023 Source of analysis: Lab analysis Method of reporting: As-is

Moisture: 48.0 %

| | Total N (mg/kg) | Total P (mg/kg) | Total K (mg/kg) | Total salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|
| **Value** | 11,500.00 | 1,600.00 | 1,400.00 | | 9.50 |
| **DL** | 100.00 | 100.00 | 100.00 | | 0.01 |

L7 B-13 - 10/18/2022: Oats, silage-soft dough

Winter Forage

Sample and source description: Winter Forage

Sample date: 05/16/2023 Source of analysis: Lab analysis Method of reporting: As-is

Moisture: 69.4 %

| | Total N (mg/kg) | Total P (mg/kg) | Total K (mg/kg) | Total salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|
| **Value** | 6,300.00 | 900.00 | 7,300.00 | | 9.62 |
| **DL** | 100.00 | 100.00 | 100.00 | | 0.01 |

## L7 B-13 - 05/19/2023: Corn, silage

### Corn Silage

Sample and source description: Corn Silage

Sample date: 09/13/2023 Source of analysis: Lab analysis Method of reporting: As-is

Moisture: 67.0 %

| | Total N (mg/kg) | Total P (mg/kg) | Total K (mg/kg) | Total salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|
| **Value** | 4,300.00 | 600.00 | 6,600.00 | | 4.70 |
| **DL** | 100.00 | 100.00 | 100.00 | | 0.01 |

## L7 B-14 - 10/20/2022: Oats, silage-soft dough

### Winter Forage

Sample and source description: Winter Forage

Sample date: 05/16/2023 Source of analysis: Lab analysis Method of reporting: As-is

Moisture: 62.6 %

| | Total N (mg/kg) | Total P (mg/kg) | Total K (mg/kg) | Total salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|
| **Value** | 4,600.00 | 1,000.00 | 5,300.00 | | 8.77 |
| **DL** | 100.00 | 100.00 | 100.00 | | 0.01 |

## L7 B-14 - 06/24/2023: Corn, silage

### Corn Silage

Sample and source description: Corn Silage

Sample date: 10/18/2023 Source of analysis: Lab analysis Method of reporting: As-is

Moisture: 72.8 %

| | Total N (mg/kg) | Total P (mg/kg) | Total K (mg/kg) | Total salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|
| **Value** | 4,200.00 | 600.00 | 4,500.00 | | 9.50 |
| **DL** | 100.00 | 100.00 | 100.00 | | 0.01 |

## L7 B-15 - 10/22/2022: Oats, silage-soft dough

### Winter Forage

Sample and source description: Winter Forage

Sample date: 05/16/2023 Source of analysis: Lab analysis Method of reporting: As-is

Moisture: 66.0 %

| | Total N (mg/kg) | Total P (mg/kg) | Total K (mg/kg) | Total salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|
| **Value** | 6,300.00 | 1,000.00 | 5,600.00 | | 6.73 |
| **DL** | 100.00 | 100.00 | 100.00 | | 0.01 |

## L7 B-15 - 06/30/2023: Corn, silage

### Corn Silage

Sample and source description: Corn Silage

Sample date: 10/18/2023 Source of analysis: Lab analysis Method of reporting: As-is

Moisture: 65.4 %

| | Total N (mg/kg) | Total P (mg/kg) | Total K (mg/kg) | Total salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|
| **Value** | 5,200.00 | 600.00 | 3,800.00 | | 8.50 |
| **DL** | 100.00 | 100.00 | 100.00 | | 0.01 |

## L7 B-16 - 11/20/2022: Oats, silage-soft dough

### Winter Forage

Sample and source description: Winter Forage

Sample date: 05/16/2023 Source of analysis: Lab analysis Method of reporting: As-is

Moisture: 63.8 %

| | Total N (mg/kg) | Total P (mg/kg) | Total K (mg/kg) | Total salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|
| **Value** | 4,800.00 | 1,000.00 | 5,200.00 | | 7.90 |
| **DL** | 100.00 | 100.00 | 100.00 | | 0.01 |

## L7 B-16 - 05/30/2023: Corn, silage

### Corn Silage

Sample and source description: Corn Silage

Sample date: 10/18/2023 Source of analysis: Lab analysis Method of reporting: As-is

Moisture: 67.2 %

| | Total N (mg/kg) | Total P (mg/kg) | Total K (mg/kg) | Total salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|
| **Value** | 5,700.00 | 800.00 | 5,400.00 | | 10.10 |
| **DL** | 100.00 | 100.00 | 100.00 | | 0.01 |

## L7 B-18 - 10/24/2022: Oats, silage-soft dough

### Winter Forage

Sample and source description: Winter Forage

Sample date: 05/16/2023 Source of analysis: Lab analysis Method of reporting: As-is

Moisture: 64.6 %

| | Total N (mg/kg) | Total P (mg/kg) | Total K (mg/kg) | Total salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|
| **Value** | 4,400.00 | 800.00 | 3,500.00 | | 8.09 |
| **DL** | 100.00 | 100.00 | 100.00 | | 0.01 |

## L7 B-18 - 06/10/2023: Corn, silage

### Corn Silage

Sample and source description: Corn Silage

Sample date: 10/18/2023 Source of analysis: Lab analysis Method of reporting: As-is

Moisture: 63.6 %

| | Total N (mg/kg) | Total P (mg/kg) | Total K (mg/kg) | Total salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|
| **Value** | 4,500.00 | 700.00 | 4,500.00 | | 8.80 |
| **DL** | 100.00 | 100.00 | 100.00 | | 0.01 |

## L7 B-19 - 10/21/2022: Oats, silage-soft dough

### Winter Forage

Sample and source description: Winter Forage

Sample date: 05/16/2023 Source of analysis: Lab analysis Method of reporting: As-is

Moisture: 73.0 %

| | Total N (mg/kg) | Total P (mg/kg) | Total K (mg/kg) | Total salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|
| **Value** | 4,100.00 | 800.00 | 5,000.00 | | 8.36 |
| **DL** | 100.00 | 100.00 | 100.00 | | 0.01 |

## L7 B-19 - 06/07/2023: Corn, silage

### Corn Silage

Sample and source description: Corn Silage

Sample date: 10/18/2023 Source of analysis: Lab analysis Method of reporting: As-is

Moisture: 69.4 %

| | Total N (mg/kg) | Total P (mg/kg) | Total K (mg/kg) | Total salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|
| **Value** | 3,000.00 | 400.00 | 4,600.00 | | 9.60 |
| **DL** | 100.00 | 100.00 | 100.00 | | 0.01 |

## L7 B-20 - 10/23/2022: Oats, silage-soft dough

### Winter Forage

Sample and source description: Winter Forage

Sample date: 04/26/2023 Source of analysis: Lab analysis Method of reporting: As-is

Moisture: 55.0 %

| | Total N (mg/kg) | Total P (mg/kg) | Total K (mg/kg) | Total salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|
| **Value** | 5,400.00 | 1,100.00 | 13,100.00 | | 7.09 |
| **DL** | 100.00 | 100.00 | 100.00 | | 0.01 |

## L7 B-20 - 05/23/2023: Corn, silage

### Corn Silage

Sample and source description: Corn Silage

Sample date: 09/19/2023 Source of analysis: Lab analysis Method of reporting: As-is

Moisture: 64.6 %

| | Total N (mg/kg) | Total P (mg/kg) | Total K (mg/kg) | Total salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|
| **Value** | 3,600.00 | 600.00 | 4,800.00 | | 3.60 |
| **DL** | 100.00 | 100.00 | 100.00 | | 0.01 |

## L7 B-21 - 10/19/2022: Oats, silage-soft dough

### Winter Forage

Sample and source description: Winter Forage

Sample date: 04/26/2023 Source of analysis: Lab analysis Method of reporting: As-is

Moisture: 52.4 %

| | Total N (mg/kg) | Total P (mg/kg) | Total K (mg/kg) | Total salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|
| **Value** | 8,000.00 | 1,400.00 | 18,800.00 | | 7.47 |
| **DL** | 100.00 | 100.00 | 100.00 | | 0.01 |

## L7 B-21 - 05/20/2023: Corn, silage

### Corn Silage

Sample and source description: Corn Silage

Sample date: 09/19/2023 Source of analysis: Lab analysis Method of reporting: As-is

Moisture: 70.0 %

| | Total N (mg/kg) | Total P (mg/kg) | Total K (mg/kg) | Total salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|
| **Value** | 3,300.00 | 500.00 | 4,800.00 | | 4.60 |
| **DL** | 100.00 | 100.00 | 100.00 | | 0.01 |

## L7 B-3 - 11/20/2022: Oats, silage-soft dough

### Winter Forage

Sample and source description: Winter Forage

Sample date: 04/26/2023 Source of analysis: Lab analysis Method of reporting: As-is

Moisture: 66.0 %

| | Total N (mg/kg) | Total P (mg/kg) | Total K (mg/kg) | Total salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|
| **Value** | 4,100.00 | 900.00 | 9,000.00 | | 4.51 |
| **DL** | 100.00 | 100.00 | 100.00 | | 0.01 |

## L7 B-3 - 06/21/2023: Corn, silage

### Corn Silage

Sample and source description: Corn Silage

Sample date: 10/18/2023 Source of analysis: Lab analysis Method of reporting: As-is

Moisture: 67.6 %

| | Total N (mg/kg) | Total P (mg/kg) | Total K (mg/kg) | Total salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|
| **Value** | 5,600.00 | 700.00 | 5,900.00 | | 10.30 |
| **DL** | 100.00 | 100.00 | 100.00 | | 0.01 |

## L7 B-5 - 11/20/2022: Oats, silage-soft dough

### Winter Forage

Sample and source description: Winter Forage

Sample date: 04/26/2023 Source of analysis: Lab analysis Method of reporting: As-is

Moisture: 66.0 %

| | Total N (mg/kg) | Total P (mg/kg) | Total K (mg/kg) | Total salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|
| **Value** | 4,100.00 | 900.00 | 9,000.00 | | 4.51 |
| **DL** | 100.00 | 100.00 | 100.00 | | 0.01 |

## L7 B-5 - 06/20/2023: Corn, silage

### Corn Silage

Sample and source description: Corn Silage

Sample date: 10/18/2023 Source of analysis: Lab analysis Method of reporting: As-is

Moisture: 65.6 %

| | Total N (mg/kg) | Total P (mg/kg) | Total K (mg/kg) | Total salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|
| **Value** | 4,200.00 | 800.00 | 5,400.00 | | 9.10 |
| **DL** | 100.00 | 100.00 | 100.00 | | 0.01 |

## LS B24-B25 - 11/22/2022: Oats, silage-soft dough

### Winter Forage

Sample and source description: Winter Forage

Sample date: 05/16/2023 Source of analysis: Lab analysis Method of reporting: As-is

Moisture: 65.8 %

| | Total N (mg/kg) | Total P (mg/kg) | Total K (mg/kg) | Total salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|
| **Value** | 4,200.00 | 1,200.00 | 7,400.00 | | 7.33 |
| **DL** | 100.00 | 100.00 | 100.00 | | 0.01 |

### Winter Forage

Sample and source description: Winter Forage

Sample date: 05/16/2023 Source of analysis: Lab analysis Method of reporting: As-is

Moisture: 62.2 %

| | Total N (mg/kg) | Total P (mg/kg) | Total K (mg/kg) | Total salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|
| **Value** | 7,600.00 | 1,200.00 | 8,300.00 | | 7.53 |
| **DL** | 100.00 | 100.00 | 100.00 | | 0.01 |

## LS B24-B25 - 11/22/2022: Oats, silage-soft dough

### Winter Forage

Sample and source description: Winter Forage

Sample date: 05/16/2023 Source of analysis: Lab analysis Method of reporting: As-is

Moisture: 68.8 %

| | Total N (mg/kg) | Total P (mg/kg) | Total K (mg/kg) | Total salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|
| **Value** | 6,300.00 | 1,100.00 | 7,100.00 | | 8.28 |
| **DL** | 100.00 | 100.00 | 100.00 | | 0.01 |

## LS B24-B25 - 05/23/2023: Corn, silage

### Corn Silage

Sample and source description: Corn Silage

Sample date: 10/18/2023 Source of analysis: Lab analysis Method of reporting: As-is

Moisture: 66.6 %

| | Total N (mg/kg) | Total P (mg/kg) | Total K (mg/kg) | Total salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|
| **Value** | 4,000.00 | 500.00 | 4,300.00 | | 9.10 |
| **DL** | 100.00 | 100.00 | 100.00 | | 0.01 |

### Corn Silage

Sample and source description: Corn Silage

Sample date: 10/18/2023 Source of analysis: Lab analysis Method of reporting: As-is

Moisture: 66.8 %

| | Total N (mg/kg) | Total P (mg/kg) | Total K (mg/kg) | Total salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|
| **Value** | 5,500.00 | 600.00 | 4,700.00 | | 8.70 |
| **DL** | 100.00 | 100.00 | 100.00 | | 0.01 |

## LS B-26 - 10/25/2022: Oats, silage-soft dough

## LS B-26 - 10/25/2022: Oats, silage-soft dough

### Winter Forage

Sample and source description: Winter Forage

Sample date: 05/16/2023 Source of analysis: Lab analysis Method of reporting: As-is

Moisture: 64.0 %

| | Total N (mg/kg) | Total P (mg/kg) | Total K (mg/kg) | Total salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|
| **Value** | 4,600.00 | 1,000.00 | 4,500.00 | | 6.16 |
| **DL** | 100.00 | 100.00 | 100.00 | | 0.01 |

### Winter Forage

Sample and source description: Winter Forage

Sample date: 05/16/2023 Source of analysis: Lab analysis Method of reporting: As-is

Moisture: 70.0 %

| | Total N (mg/kg) | Total P (mg/kg) | Total K (mg/kg) | Total salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|
| **Value** | 4,700.00 | 900.00 | 5,300.00 | | 8.81 |
| **DL** | 100.00 | 100.00 | 100.00 | | 0.01 |

## LS B-26 - 05/26/2023: Corn, silage

### Corn Silage

Sample and source description: Corn Silage

Sample date: 09/19/2023 Source of analysis: Lab analysis Method of reporting: As-is

Moisture: 54.0 %

| | Total N (mg/kg) | Total P (mg/kg) | Total K (mg/kg) | Total salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|
| **Value** | 6,100.00 | 700.00 | 6,200.00 | | 2.80 |
| **DL** | 100.00 | 100.00 | 100.00 | | 0.01 |

## LS B-27 - 10/25/2022: Oats, silage-soft dough

## LS B-27 - 10/25/2022: Oats, silage-soft dough

### Winter Forage

Sample and source description: Winter Forage

Sample date: 04/26/2023 Source of analysis: Lab analysis Method of reporting: As-is

Moisture: 70.2 %

| | Total N (mg/kg) | Total P (mg/kg) | Total K (mg/kg) | Total salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|
| **Value** | 4,000.00 | 800.00 | 8,900.00 | | 6.39 |
| **DL** | 100.00 | 100.00 | 100.00 | | 0.01 |

### Winter Forage

Sample and source description: Winter Forage

Sample date: 05/16/2023 Source of analysis: Lab analysis Method of reporting: As-is

Moisture: 65.0 %

| | Total N (mg/kg) | Total P (mg/kg) | Total K (mg/kg) | Total salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|
| **Value** | 5,800.00 | 1,100.00 | 6,200.00 | | 6.88 |
| **DL** | 100.00 | 100.00 | 100.00 | | 0.01 |

## LS B-27 - 05/26/2023: Corn, silage

### Corn Silage

Sample and source description: Corn Silage

Sample date: 09/19/2023 Source of analysis: Lab analysis Method of reporting: As-is

Moisture: 64.4 %

| | Total N (mg/kg) | Total P (mg/kg) | Total K (mg/kg) | Total salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|
| **Value** | 3,600.00 | 500.00 | 3,800.00 | | 2.40 |
| **DL** | 100.00 | 100.00 | 100.00 | | 0.01 |

## LS B28-B31 - 10/22/2022: Oats, silage-soft dough

## LS B28-B31 - 10/22/2022: Oats, silage-soft dough

### Winter Forage

Sample and source description: Winter Forage

Sample date: 04/26/2023 Source of analysis: Lab analysis Method of reporting: As-is

Moisture: 71.6 %

| | Total N (mg/kg) | Total P (mg/kg) | Total K (mg/kg) | Total salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|
| **Value** | 4,700.00 | 1,000.00 | 9,600.00 | | 8.92 |
| **DL** | 100.00 | 100.00 | 100.00 | | 0.01 |

### Winter Forage

Sample and source description: Winter Forage

Sample date: 04/26/2023 Source of analysis: Lab analysis Method of reporting: As-is

Moisture: 58.4 %

| | Total N (mg/kg) | Total P (mg/kg) | Total K (mg/kg) | Total salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|
| **Value** | 5,100.00 | 1,300.00 | 14,700.00 | | 7.58 |
| **DL** | 100.00 | 100.00 | 100.00 | | 0.01 |

## LS B28-B31 - 05/16/2023: Corn, silage

### Corn Silage

Sample and source description: Corn Silage

Sample date: 09/13/2023 Source of analysis: Lab analysis Method of reporting: As-is

Moisture: 68.7 %

| | Total N (mg/kg) | Total P (mg/kg) | Total K (mg/kg) | Total salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|
| **Value** | 3,600.00 | 700.00 | 7,100.00 | | 7.88 |
| **DL** | 100.00 | 100.00 | 100.00 | | 0.01 |

## LS B28-B31 - 05/16/2023: Corn, silage

### Corn Silage

Sample and source description: Corn Silage
Sample date: 09/13/2023 Source of analysis: Lab analysis Method of reporting: As-is
Moisture: 66.6 %

| | Total N (mg/kg) | Total P (mg/kg) | Total K (mg/kg) | Total salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|
| **Value** | 4,600.00 | 700.00 | 6,000.00 | | 7.29 |
| **DL** | 100.00 | 100.00 | 100.00 | | 0.01 |

### Corn Silage

Sample and source description: Corn Silage
Sample date: 09/13/2023 Source of analysis: Lab analysis Method of reporting: As-is
Moisture: 64.8 %

| | Total N (mg/kg) | Total P (mg/kg) | Total K (mg/kg) | Total salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|
| **Value** | 5,100.00 | 600.00 | 6,200.00 | | 7.28 |
| **DL** | 100.00 | 100.00 | 100.00 | | 0.01 |

### Corn Silage

Sample and source description: Corn Silage
Sample date: 09/13/2023 Source of analysis: Lab analysis Method of reporting: As-is
Moisture: 67.6 %

| | Total N (mg/kg) | Total P (mg/kg) | Total K (mg/kg) | Total salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|
| **Value** | 4,300.00 | 600.00 | 6,200.00 | | 6.38 |
| **DL** | 100.00 | 100.00 | 100.00 | | 0.01 |

## LS B32-B34 - 10/21/2022: Oats, silage-soft dough

## LS B32-B34 - 10/21/2022: Oats, silage-soft dough

### Winter Forage

Sample and source description: Winter Forage

Sample date: 04/26/2023 Source of analysis: Lab analysis Method of reporting: As-is

Moisture: 66.8 %

| | Total N (mg/kg) | Total P (mg/kg) | Total K (mg/kg) | Total salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|
| **Value** | 5,900.00 | 1,300.00 | 15,000.00 | | 9.56 |
| **DL** | 100.00 | 100.00 | 100.00 | | 0.01 |

### Winter Forage

Sample and source description: Winter Forage

Sample date: 05/16/2023 Source of analysis: Lab analysis Method of reporting: As-is

Moisture: 74.0 %

| | Total N (mg/kg) | Total P (mg/kg) | Total K (mg/kg) | Total salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|
| **Value** | 3,100.00 | 500.00 | 3,800.00 | | 8.42 |
| **DL** | 100.00 | 100.00 | 100.00 | | 0.01 |

## LS B32-B34 - 06/23/2023: Corn, silage

### Corn Silage

Sample and source description: Corn Silage

Sample date: 09/19/2023 Source of analysis: Lab analysis Method of reporting: As-is

Moisture: 77.6 %

| | Total N (mg/kg) | Total P (mg/kg) | Total K (mg/kg) | Total salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|
| **Value** | 4,100.00 | 400.00 | 7,700.00 | | 11.70 |
| **DL** | 100.00 | 100.00 | 100.00 | | 0.01 |

## LS B-35 - 11/21/2022: Oats, silage-soft dough

## LS B-35 - 11/21/2022: Oats, silage-soft dough

### Winter Forage

Sample and source description: Winter Forage

Sample date: 05/16/2023 Source of analysis: Lab analysis Method of reporting: As-is

Moisture: 67.2 %

| | Total N (mg/kg) | Total P (mg/kg) | Total K (mg/kg) | Total salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|
| **Value** | 5,200.00 | 600.00 | 4,900.00 | | 6.56 |
| **DL** | 100.00 | 100.00 | 100.00 | | 0.01 |

## LS B-35 - 05/31/2023: Corn, silage

### Corn Silage

Sample and source description: Corn Silage

Sample date: 09/19/2023 Source of analysis: Lab analysis Method of reporting: As-is

Moisture: 68.6 %

| | Total N (mg/kg) | Total P (mg/kg) | Total K (mg/kg) | Total salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|
| **Value** | 3,200.00 | 600.00 | 3,700.00 | | 2.50 |
| **DL** | 100.00 | 100.00 | 100.00 | | 0.01 |

## LS B-36 - 11/21/2022: Oats, silage-soft dough

### Winter Forage

Sample and source description: Winter Forage

Sample date: 05/16/2023 Source of analysis: Lab analysis Method of reporting: As-is

Moisture: 64.0 %

| | Total N (mg/kg) | Total P (mg/kg) | Total K (mg/kg) | Total salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|
| **Value** | 4,900.00 | 1,000.00 | 5,400.00 | | 6.65 |
| **DL** | 100.00 | 100.00 | 100.00 | | 0.01 |

LS B-36 - 06/06/2023: Corn, silage

Corn Silage

Sample and source description: Corn Silage

Sample date: 10/18/2023 Source of analysis: Lab analysis Method of reporting: As-is

Moisture: 70.2 %

| | Total N (mg/kg) | Total P (mg/kg) | Total K (mg/kg) | Total salt (mg/kg) | TFS (%) |
|---|---|---|---|---|---|
| **Value** | 3,000.00 | 500.00 | 4,400.00 | | 9.70 |
| **DL** | 100.00 | 100.00 | 100.00 | | 0.01 |

## F. SUBSURFACE (TILE) DRAINAGE ANALYSES

*No subsurface (tile) drainage analyses entered.*

NUTRIENT APPLICATIONS, POTENTIAL REMOVAL, AND BALANCE

## A. SUMMARY OF NUTRIENT APPLICATIONS, POTENTIAL REMOVAL, AND BALANCE

| | Total N (lbs) | Total P (lbs) | Total K (lbs) | Total salt (lbs) |
|---|---|---|---|---|
| Existing soil nutrient content | 0.00 | 0.00 | 0.00 | 0.00 |
| Plowdown credit | 0.00 | 0.00 | 0.00 | 0.00 |
| Commercial fertilizer / Other | 32,160.00 | 0.00 | 0.00 | 0.00 |
| Dry manure | 174,407.10 | 27,105.17 | 49,390.16 | 4,009,943.55 |
| Process wastewater | 149,141.26 | 19,313.84 | 177,914.36 | 1,340,736.91 |
| Fresh water | 0.00 | 0.00 | 0.00 | 1,529,314.58 |
| Atmospheric deposition | 10,766.00 | 0.00 | 0.00 | 0.00 |
| Total nutrients applied | 366,474.36 | 46,419.01 | 227,304.52 | 6,879,995.03 |
| Anticipated crop nutrient removal | 310,250.00 | 52,696.10 | 253,547.80 | 0.00 |
| Actual crop nutrient removal | 321,267.64 | 51,032.04 | 407,400.80 | 1,634,011.30 |
| Nutrient balance | 45,206.71 | -4,613.03 | -180,096.29 | 5,245,983.74 |
| Applied to removed ratio | 1.14 | 0.91 | 0.56 | 4.21 |

## B. POUNDS OF NUTRIENT APPLIED VS. CROP REMOVAL



**C. POUNDS OF NUTRIENT APPLIED BY MATERIAL TYPE**












## EXCEPTION REPORTING

### A. MANURE, PROCESS WASTEWATER, AND OTHER DAIRY WASTE DISCHARGES

The following is a summary of all manure and process wastewater discharges from the production area to surface water or to land areas (land application areas or otherwise) when not in accordance with the facility's Nutrient Management Plan.

*No manure or process wastewater discharges occurred during the reporting period.*

### B. STORM WATER DISCHARGES

The following is a summary of all storm water discharges from the production area to surface water during the reporting period when not in accordance with the facility 's Nutrient Management Plan.

*No stormwater discharges occurred during the reporting period.*

### C. LAND APPLICATION AREA TO SURFACE WATER DISCHARGES

The following is a summary of all discharges from the land application area to surface water that have occurred during the reporting period when not in accordance with the facility's Nutrient Management Plan.

*No land application area to surface water discharges occurred during the reporting period.*

## NUTRIENT MANAGEMENT PLAN AND EXPORT AGREEMENT STATEMENTS

### A. NUTRIENT MANAGEMENT PLAN STATEMENTS

| | |
|---|---|
| Was the facility's NMP updated in the reporting period? | Yes |
| Was the facility's NMP developed by a certified nutrient management planner (specialist) as specified in Attachment C of the General Order? | Yes |
| Was the facility's NMP approved by a certified nutrient management planner (specialist) as specified in Attachment C of the General Order? | Yes |

### B. EXPORT AGREEMENT STATEMENT

| | |
|---|---|
| Are there any written agreements with third parties to receive manure or process wastewater that are new or were revised within the reporting period? | No |

ADDITIONAL NOTES

**A. NOTES**

Field L7 B3 and L7 B5 winter forage had a lower than anticipated nitrogen removal rate (8.3 pounds of nitrogen removed vs 10 pounds of nitrogen anticipated) resulting in these fields have a slightly higher than desired field ratio.

Field L7 B20 winter forage had lower than anticipated yield tonnage (12 tons per acre removed vs 16 tons per acre anticipated) resulted in this field having a ratio above the 1.4 threshold.

Field L7 B12 alfalfa haylage had a field ratio of below a 1.0 due to this field being a new alfalfa crop with no nutrients being applied during the crop season. Manure was applied before planting in the fall of 2022.

CERTIFICATION

## A. OWNER AND/OR OPERATOR CERTIFICATION

*I certify under penalty of law that I have personally examined and am familiar with the information submitted in this document and all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.*

| | |
|---|---|
| Matt Swanson (May 28, 2024 17:39 PDT) | Matt Swanson (May 28, 2024 17:39 PDT) |
| SIGNATURE OF OWNER OF FACILITY | SIGNATURE OF OPERATOR OF FACILITY |
| Matt Swanson | SAME AS OWNER |
| PRINT OR TYPE NAME | PRINT OR TYPE NAME |
| May 28, 2024 | May 28, 2024 |
| DATE | DATE |

ATTACHMENTS

## A. REQUIRED ATTACHMENTS

The following lists the required documents that should be attached to the Annual Report when submitted .

| Annual Dairy Facility Assessment |
| --- |
| Provide an Annual Dairy Facility Assessment (an update to the Preliminary Dairy Facility Assessment in Attachment A ) for each reporting period. On the PDFA Final page, click on the ADFA Report button to generate an ADFA report after updating information as needed . |

| Manure/Process Wastewater Tracking Manifests |
| --- |
| Provide copies of all manure/process wastewater tracking manifests for the reporting period, signed by both the owner/operator and the hauler. |

| Corrective Actions Documents |
| --- |
| Provide records documenting any corrective actions taken to correct deficiencies noted as a result of the inspections required in the Monitoring Requirements of the General Order. Deficiencies not corrected in 30 days must be accompanied by an explanation of the factors preventing immediate correction. |

| Groundwater Monitoring |
| --- |
| Dischargers that monitor supply wells or subsurface (tile) drainage systems, or that have monitoring well systems must submit monitoring results as directed in the General Order, Groundwater Reporting Section starting on page MRP-13. |

| Storm Water Monitoring |
| --- |
| Dischargers that are required to monitor storm water more frequently than required in the General Order must submit monitoring results as directed in the General Order, Storm Water Reporting Section on page MRP-14. |

**Denele Analytical, Inc.**

865 South Kilroy Avenue Turlock, CA 95380
Phone (209) 634-9055 - Fax (209) 634-9057

www.denelelabs.com

40 N. East Street, Woodland, CA 95776
Phone (530) 666-9056 - Fax (530) 666-9058

# Compliance Analysis Report

**Customer**
Vierra Dairy Farms
P.O. Box 1350
Hilmar, CA 95324

**Grower**

**Consultant:**
F & R Ag Services
2857 Geer Rd. Ste A
Turlock, CA 95382

PURCHASE ORDER:
RECEIVED DATE: 1/30/24 10:10 AM
SUBMITTED BY: KK
ANALYZED DATE: 1/31/24

Irrigation/ Ground Water (H1)
SOURCE: Well Water

NOTES: Temperature was above qualifying at 16.0c and passed hold time.

| Sample ID | Lab ID | Analyte | Method Ref | Result | Units |
|---|---|---|---|---|---|
| D1 Milk Barn | T4030005A | Electrical Conductivity (EC) | EPA 120.1 and | 1.03 | mmhos/cm |
| | | Nitrate Nitrogen (NO3-N) | EPA 353.2 | 23.5 | mg/L |
| | | Ammonia Nitrogen (NH3-N) | SM 4500-NH3 D,C | < 0.500 | mg/L |
| | | Soluble Salts (SALT-SOL) | Calculation | 662 | mg/L |

| Laboratory Quality Control | LCS % | MS % | MSD % | RPD % |
|---|---|---|---|---|
| Ammonia Nitrogen (NH3-N) | 103 | 101 (T4030004A) | 98.8 (T4030004A) | 1.80 |
| Electrical Conductivity (EC) | 99.1 | | | 0.959 |
| Nitrate Nitrogen (NO3-N) | 105 | 106 (T4030002A) | 104 (T4030002A) | 1.46 |

The warranty of Denele Analytical is limited to the accuracy of the analyses of the samples as received. Denele Analytical assumes no responsibility for which the customer uses our test results, nor liability for any other warranties, express or implied. These terms and conditions shall supercede any conflicting terms and conditions submitted on customer purchase orders or other forms submitted for work.



ELAP Certificate No.: 2714

**Denele Analytical, Inc.**

865 South Kilroy Avenue Turlock, CA 95380
Phone (209) 634-9055 - Fax (209) 634-9057

www.denelelabs.com

40 N. East Street, Woodland, CA 95776
Phone (530) 666-9056 - Fax (530) 666-9058

# Compliance Analysis Report

**Customer**
Vierra Dairy Farms
P.O. Box 1350
Hilmar, CA 95324

**Grower**

**Consultant:**
F & R Ag Services
2857 Geer Rd. Ste A
Turlock, CA 95382

PURCHASE ORDER:
RECEIVED DATE: 1/30/24 10:10 AM
SUBMITTED BY: KK
ANALYZED DATE: 1/31/24

Irrigation/ Ground Water (H1)
SOURCE: Well Water

NOTES: Temperature was above qualifying at 16.0c and passed hold time.

| Sample ID | Lab ID | Analyte | Method Ref | Result | Units |
|---|---|---|---|---|---|
| D2 Angie | T4030005B | Electrical Conductivity (EC) | EPA 120.1 and | 1.03 | mmhos/cm |
| | | Nitrate Nitrogen (NO3-N) | EPA 353.2 | 23.2 | mg/L |
| | | Ammonia Nitrogen (NH3-N) | SM 4500-NH3 D,C | < 0.500 | mg/L |
| | | Soluble Salts (SALT-SOL) | Calculation | 659 | mg/L |

| Laboratory Quality Control | LCS % | MS % | MSD % | RPD % |
|---|---|---|---|---|
| Ammonia Nitrogen (NH3-N) | 103 | 101 (T4030004A) | 98.8 (T4030004A) | 1.80 |
| Electrical Conductivity (EC) | 99.1 | | | 0.959 |
| Nitrate Nitrogen (NO3-N) | 105 | 106 (T4030002A) | 104 (T4030002A) | 1.46 |

The warranty of Denele Analytical is limited to the accuracy of the analyses of the samples as received. Denele Analytical assumes no responsibility for which the customer uses our test results, nor liability for any other warranties, express or implied. These terms and conditions shall supercede any conflicting terms and conditions submitted on customer purchase orders or other forms submitted for work.



ELAP Certificate No.: 2714

**Denele Analytical, Inc.**

865 South Kilroy Avenue Turlock, CA 95380
Phone (209) 634-9055 - Fax (209) 634-9057

www.denelelabs.com

40 N. East Street, Woodland, CA 95776
Phone (530) 666-9056 - Fax (530) 666-9058

# Compliance Analysis Report

**Customer**
Vierra Dairy Farms
P.O. Box 1350
Hilmar, CA 95324

**Grower**

**Consultant:**
F & R Ag Services
2857 Geer Rd. Ste A
Turlock, CA 95382

PURCHASE ORDER:
RECEIVED DATE: 1/30/24 10:10 AM
SUBMITTED BY: KK
ANALYZED DATE: 1/31/24

Irrigation/ Ground Water (H1)
SOURCE: Well Water

NOTES: Temperature was above qualifying at 16.0c and passed hold time.

| Sample ID | Lab ID | Analyte | Method Ref | Result | Units |
|---|---|---|---|---|---|
| D7 Couco/Mark | T4030005C | Electrical Conductivity (EC) | EPA 120.1 and | 0.913 | mmhos/cm |
| | | Nitrate Nitrogen (NO3-N) | EPA 353.2 | < 0.140 | mg/L |
| | | Ammonia Nitrogen (NH3-N) | SM 4500-NH3 D,C | < 0.500 | mg/L |
| | | Soluble Salts (SALT-SOL) | Calculation | 584 | mg/L |

| Laboratory Quality Control | LCS % | MS % | MSD % | RPD % |
|---|---|---|---|---|
| Ammonia Nitrogen (NH3-N) | 103 | 101 (T4030004A) | 98.8 (T4030004A) | 1.80 |
| Electrical Conductivity (EC) | 99.1 | | | 0.959 |
| Nitrate Nitrogen (NO3-N) | 105 | 106 (T4030002A) | 104 (T4030002A) | 1.46 |

The warranty of Denele Analytical is limited to the accuracy of the analyses of the samples as received. Denele Analytical assumes no responsibility for which the customer uses our test results, nor liability for any other warranties, express or implied. These terms and conditions shall supercede any conflicting terms and conditions submitted on customer purchase orders or other forms submitted for work.

**Denele Analytical, Inc.**

865 South Kilroy Avenue Turlock, CA 95380
Phone (209) 634-9055 - Fax (209) 634-9057

40 N. East Street, Woodland, CA 95776
Phone (530) 666-9056 - Fax (530) 666-9058

www.denelelabs.com

# Compliance Analysis Report

**Customer**
Vierra Dairy Farms
P.O. Box 1350
Hilmar, CA 95324

**Grower**

**Consultant:**
F & R Ag Services
2857 Geer Rd. Ste A
Turlock, CA 95382

PURCHASE ORDER:
RECEIVED DATE: 1/30/24 10:10 AM
SUBMITTED BY: KK
ANALYZED DATE: 1/31/24

Irrigation/ Ground Water (H1)
SOURCE: Well Water

NOTES: Temperature was above qualifying at 15.6c and passed hold time.

| Sample ID | Lab ID | Analyte | Method Ref | Result | Units |
|---|---|---|---|---|---|
| D8 Luis | T4030005D | Electrical Conductivity (EC) | EPA 120.1 and | 1.60 | mmhos/cm |
| | | Nitrate Nitrogen (NO3-N) | EPA 353.2 | < 0.140 | mg/L |
| | | Ammonia Nitrogen (NH3-N) | SM 4500-NH3 D,C | < 0.500 | mg/L |
| | | Soluble Salts (SALT-SOL) | Calculation | 1030 | mg/L |

| Laboratory Quality Control | LCS % | MS % | MSD % | RPD % |
|---|---|---|---|---|
| Ammonia Nitrogen (NH3-N) | 103 | 101 (T4030004A) | 98.8 (T4030004A) | 1.80 |
| Electrical Conductivity (EC) | 99.1 | | | 0.959 |
| Nitrate Nitrogen (NO3-N) | 105 | 106 (T4030002A) | 104 (T4030002A) | 1.46 |

The warranty of Denele Analytical is limited to the accuracy of the analyses of the samples as received. Denele Analytical assumes no responsibility for which the customer uses our test results, nor liability for any other warranties, express or implied. These terms and conditions shall supercede any conflicting terms and conditions submitted on customer purchase orders or other forms submitted for work.

**Denele Analytical, Inc.**

865 South Kilroy Avenue Turlock, CA 95380
Phone (209) 634-9055 - Fax (209) 634-9057

40 N. East Street, Woodland, CA 95776
Phone (530) 666-9056 - Fax (530) 666-9058

www.denelelabs.com

# Compliance Analysis Report

**Customer**
Vierra Dairy Farms
P.O. Box 1350
Hilmar, CA 95324

**Grower**

**Consultant:**
F & R Ag Services
2857 Geer Rd. Ste A
Turlock, CA 95382

PURCHASE ORDER:
RECEIVED DATE: 1/30/24 10:10 AM
SUBMITTED BY: KK
ANALYZED DATE: 1/31/24

Irrigation/ Ground Water (H1)
SOURCE: Well Water

NOTES: Temperature was above qualifying at 16.0c and passed hold time.

| Sample ID | Lab ID | Analyte | Method Ref | Result | Units |
|---|---|---|---|---|---|
| D3 Hiefers | T4030005E | Electrical Conductivity (EC) | EPA 120.1 and | 1.18 | mmhos/cm |
| | | Nitrate Nitrogen (NO3-N) | EPA 353.2 | 4.35 | mg/L |
| | | Ammonia Nitrogen (NH3-N) | SM 4500-NH3 D,C | < 0.500 | mg/L |
| | | Soluble Salts (SALT-SOL) | Calculation | 756 | mg/L |

| Laboratory Quality Control | LCS % | MS % | MSD % | RPD % |
|---|---|---|---|---|
| Ammonia Nitrogen (NH3-N) | 103 | 101 (T4030004A) | 98.8 (T4030004A) | 1.80 |
| Electrical Conductivity (EC) | 99.1 | | | 0.959 |
| Nitrate Nitrogen (NO3-N) | 105 | 106 (T4030002A) | 104 (T4030002A) | 1.46 |

The warranty of Denele Analytical is limited to the accuracy of the analyses of the samples as received. Denele Analytical assumes no responsibility for which the customer uses our test results, nor liability for any other warranties, express or implied. These terms and conditions shall supercede any conflicting terms and conditions submitted on customer purchase orders or other forms submitted for work.

**Denele Analytical, Inc.**

865 South Kilroy Avenue Turlock, CA 95380
Phone (209) 634-9055 - Fax (209) 634-9057

www.denelelabs.com

40 N. East Street, Woodland, CA 95776
Phone (530) 666-9056 - Fax (530) 666-9058

# Compliance Analysis Report

**Customer**
Vierra Dairy Farms
P.O. Box 1350
Hilmar, CA 95324

**Grower**

**Consultant:**
F & R Ag Services
2857 Geer Rd. Ste A
Turlock, CA 95382

PURCHASE ORDER:
RECEIVED DATE: 1/30/24 10:10 AM
SUBMITTED BY: KK
ANALYZED DATE: 1/31/24

Irrigation/ Ground Water (H1)
SOURCE: Well Water

NOTES: Temperature was above qualifying at 16.0c and passed hold time.

| Sample ID | Lab ID | Analyte | Method Ref | Result | Units |
|---|---|---|---|---|---|
| D5 Abel | T4030005F | Electrical Conductivity (EC) | EPA 120.1 and | 1.60 | mmhos/cm |
| | | Nitrate Nitrogen (NO3-N) | EPA 353.2 | < 0.140 | mg/L |
| | | Ammonia Nitrogen (NH3-N) | SM 4500-NH3 D,C | < 0.500 | mg/L |
| | | Soluble Salts (SALT-SOL) | Calculation | 1020 | mg/L |

| Laboratory Quality Control | LCS % | MS % | MSD % | RPD % |
|---|---|---|---|---|
| Ammonia Nitrogen (NH3-N) | 103 | 101 (T4030004A) | 98.8 (T4030004A) | 1.80 |
| Electrical Conductivity (EC) | 99.1 | | | 0.959 |
| Nitrate Nitrogen (NO3-N) | 105 | 106 (T4030002A) | 104 (T4030002A) | 1.46 |

The warranty of Denele Analytical is limited to the accuracy of the analyses of the samples as received. Denele Analytical assumes no responsibility for which the customer uses our test results, nor liability for any other warranties, express or implied. These terms and conditions shall supercede any conflicting terms and conditions submitted on customer purchase orders or other forms submitted for work.

**Denele Analytical, Inc.**

865 South Kilroy Avenue Turlock, CA 95380
Phone (209) 634-9055 - Fax (209) 634-9057

40 N. East Street, Woodland, CA 95776
Phone (530) 666-9056 - Fax (530) 666-9058

www.denelelabs.com

# Compliance Analysis Report

**Customer**
Vierra Dairy Farms
P.O. Box 1350
Hilmar, CA 95324

**Grower**

**Consultant:**
F & R Ag Services
2857 Geer Rd. Ste A
Turlock, CA 95382

PURCHASE ORDER:
RECEIVED DATE: 1/30/24 10:10 AM
SUBMITTED BY: KK
ANALYZED DATE: 1/31/24

Irrigation/ Ground Water (H1)
SOURCE: Well Water

NOTES: Temperature was above qualifying at 16.0c and passed hold time.

| Sample ID | Lab ID | Analyte | Method Ref | Result | Units |
|---|---|---|---|---|---|
| D6 Ruben | T4030005G | Electrical Conductivity (EC) | EPA 120.1 and | 1.32 | mmhos/cm |
| | | Nitrate Nitrogen (NO3-N) | EPA 353.2 | < 0.140 | mg/L |
| | | Ammonia Nitrogen (NH3-N) | SM 4500-NH3 D,C | < 0.500 | mg/L |
| | | Soluble Salts (SALT-SOL) | Calculation | 842 | mg/L |

| Laboratory Quality Control | LCS % | MS % | MSD % | RPD % |
|---|---|---|---|---|
| Ammonia Nitrogen (NH3-N) | 103 | 101 (T4030004A) | 98.8 (T4030004A) | 1.80 |
| Electrical Conductivity (EC) | 99.1 | | | 0.959 |
| Nitrate Nitrogen (NO3-N) | 105 | 106 (T4030002A) | 104 (T4030002A) | 1.46 |

The warranty of Denele Analytical is limited to the accuracy of the analyses of the samples as received. Denele Analytical assumes no responsibility for which the customer uses our test results, nor liability for any other warranties, express or implied. These terms and conditions shall supercede any conflicting terms and conditions submitted on customer purchase orders or other forms submitted for work.

**Denele Analytical, Inc.**

865 South Kilroy Avenue Turlock, CA 95380
Phone (209) 634-9055 - Fax (209) 634-9057

40 N. East Street, Woodland, CA 95776
Phone (530) 666-9056 - Fax (530) 666-9058

www.denelelabs.com

# Compliance Analysis Report

**Customer**
Vierra Dairy Farms
P.O. Box 1350
Hilmar, CA 95324

**Grower**

**Consultant:**
F & R Ag Services
2857 Geer Rd. Ste A
Turlock, CA 95382

PURCHASE ORDER:
RECEIVED DATE: 1/30/24 10:10 AM
SUBMITTED BY: KK
ANALYZED DATE: 1/31/24

Irrigation / Ground Water (H7)
SOURCE: Irrigation Water

NOTES: Temperature was above qualifying at 16.0c and passed hold time.

| Sample ID | Lab ID | Analyte | Method Ref | Result | Units |
|---|---|---|---|---|---|
| IW #1 | T4030005H | Electrical Conductivity (EC) | EPA 120.1 and | 1.58 | mmhos/cm |
| | | Ammonia Nitrogen (NH3-N) | SM 4500-NH3 D,C | < 0.500 | mg/L |
| | | Nitrate Nitrogen (NO3-N) | EPA 353.2 | 0.630 | mg/L |
| | | Total Dissolved Solids (TDS) | SM 2540 C-1997 and | 740 | mg/L |
| | | Total Nitrogen (TN) | SM 4500-NH3 D,C | < 1.50 | mg/L |
| | | Soluble Salts (SALT-SOL) | Calculation | 1010 | mg/L |

| Laboratory Quality Control | LCS % | MS % | MSD % | Sample mg/L | Dup mg/L | RPD % |
|---|---|---|---|---|---|---|
| Ammonia Nitrogen (NH3-N) | 103 | 101 (T4030004A) | 98.8 (T4030004A) | | | 1.80 |
| Electrical Conductivity (EC) | 99.1 | | | 1.68 (T4030004A) | 1.66 (Dup) | 0.959 |
| Nitrate Nitrogen (NO3-N) | 105 | 106 (T4030002A) | 104 (T4030002A) | | | 1.46 |
| Total Dissolved Solids (TDS) | 97.0 | | | 740 (T4030005H) | 800 (Dup) | 7.79 |
| Total Nitrogen (TN) | 102 | | | 0.000 (T4030005H) | 0.000 (null) | |

The warranty of Denele Analytical is limited to the accuracy of the analyses of the samples as received. Denele Analytical assumes no responsibility for which the customer uses our test results, nor liability for any other warranties, express or implied. These terms and conditions shall supercede any conflicting terms and conditions submitted on customer purchase orders or other forms submitted for work.

**Denele Analytical, Inc.**

865 South Kilroy Avenue Turlock, CA 95380
Phone (209) 634-9055 - Fax (209) 634-9057

40 N. East Street, Woodland, CA 95776
Phone (530) 666-9056 - Fax (530) 666-9058

www.denelelabs.com

# Compliance Analysis Report

**Customer**
Vierra Dairy Farms
P.O. Box 1350
Hilmar, CA 95324

**Grower**

**Consultant:**
F & R Ag Services
2857 Geer Rd. Ste A
Turlock, CA 95382

PURCHASE ORDER:
RECEIVED DATE: 1/30/24 10:10 AM
SUBMITTED BY: KK
ANALYZED DATE: 1/31/24

Irrigation / Ground Water (H7)
SOURCE: Irrigation Water

NOTES: Temperature was above qualifying at 15.0c and passed hold time.

| Sample ID | Lab ID | Analyte | Method Ref | Result | Units |
|---|---|---|---|---|---|
| IW #2 | T4030005I | Electrical Conductivity (EC) | EPA 120.1 and | 1.92 | mmhos/cm |
| | | Ammonia Nitrogen (NH3-N) | SM 4500-NH3 D,C | < 0.500 | mg/L |
| | | Nitrate Nitrogen (NO3-N) | EPA 353.2 | 12.4 | mg/L |
| | | Total Dissolved Solids (TDS) | SM 2540 C-1997 and | 1010 | mg/L |
| | | Total Nitrogen (TN) | SM 4500-NH3 D,C | 12.4 | mg/L |
| | | Soluble Salts (SALT-SOL) | Calculation | 1230 | mg/L |

| Laboratory Quality Control | LCS % | MS % | MSD % | Sample mg/L | Dup mg/L | RPD % |
|---|---|---|---|---|---|---|
| Ammonia Nitrogen (NH3-N) | 103 | 101 (T4030004A) | 98.8 (T4030004A) | | | 1.80 |
| Electrical Conductivity (EC) | 99.1 | | | 1.68 (T4030004A) | 1.66 (Dup) | 0.959 |
| Nitrate Nitrogen (NO3-N) | 105 | 106 (T4030002A) | 104 (T4030002A) | | | 1.46 |
| Total Dissolved Solids (TDS) | 97.0 | | | 740 (T4030005H) | 800 (Dup) | 7.79 |
| Total Nitrogen (TN) | 102 | | | 0.000 (T4030005H) | 0.000 (null) | |

The warranty of Denele Analytical is limited to the accuracy of the analyses of the samples as received. Denele Analytical assumes no responsibility for which the customer uses our test results, nor liability for any other warranties, express or implied. These terms and conditions shall supercede any conflicting terms and conditions submitted on customer purchase orders or other forms submitted for work.



ELAP Certificate No.: 2714

# DENELE ANALYTICAL, INC.

865 S. KILROY
TURLOCK, CA 95380

PH# 209-634-9055 FAX# 209-634-9057

## DAIRY COMPLIANCE

Client: VICKRA DAIRY FARMS
Mailing address:
(not facility address)
Phone#:

Authorized Copy Released To: F.R
Sampled By: J.M
Project ID:

## ANALYSIS TO BE COMPLETED:

**IRRIGATION/GROUND WATER**
- H1 EC*, NO3-N, NH4-N*
- H6 EC, TN, TDS
- H7 Combination of H1 & H6
- H14 EC, NO3-N, NH4-N, Ca, Mg, Na, Bicarb Carb, SO4, Cl, TDS

**PROCESS WASTE WATER**
- H3 EC*, NH4-N, TKN, TP, K, TDS
- H4 EC*, NO3-N, NH4-N, TKN, TP, K, TDS
- H5 Ca, Mg, Na, Bicarb, Carb, SO4, Cl
- H8 Combination of H3 &H5
- H9 Combination of H4 &H5

**TILE DRAIN**
- H2 EC*, NO3-N, TP, NH4-N*, TDS

** Required Field Measurement*

___ (Check here if performed)

**DISCHARGE WATER**
- E1 EC*, Temp*, pH*, NO3-N, NH4-N, TKN, TP, K, TDS, Dissolved Oxygen*, BOD 5, TSS, Total & Fecal Coliforms
- E2 EC,* Temp*, pH*, NO3-N, NH4-N*, Turbidity, TP, Dissolved Oxygen*, Total & Fecal Coliforms
- E3 EC*, Temp*, pH*, NO3-N, NH4-N*, TP, Total & Fecal Coliforms
- E4 EC*, Temp*, pH*, NO3-N, NH4-N*, Turbidity, TP, Total & Fecal Coliform

**MANURE**
- M1 % Moisture
- M3 TN TP, K, % Moisture
- M4 Ca, Mg, Na, Bicarb, Carb, SO4, Cl, Ash
- M7 Combination of M3 & M4

**PLANT TISSUE**
- F18 % Moisture, Ash, TN, P, K, DM and as received
- F18+ % Moisture, Ash, TN, P, K, DM and as received (Package also includes NIR DCAD)
- F19+ % Moisture, TN (Package includes complete plant tissue analysis)

**SOIL**
- K3 Soluble Phosphorus
- K4 1ft NO3, Organic Matter
- K5 Pre-Plant (2ft NO3), Fall (1-2ft NO3), Fall (2-3ft NO3)
- K6 0-1ft EC, NO3, Soluble P, K, Organic Matter
- K7 Combination of K3 & K4
- K8 Combination of K3 & K5

| | Date Collected | Time Collected | Sample ID. | Description | Temp | Well Purge | H1 | H3 | M3 | F18 | OTHER |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 1 | 12/31 | 8:15 | Domestic | D1 MILK BARN | | 16.0°c | X | | | | |
| 2 | 12/31 | 8:30 | wells | D2 Angie | | 16.0°c | X | | | | |
| 3 | 12/31 | 8:45 | | D7 calco/mark | | 16.0°c | X | | | | |
| 4 | 12/31 | 9:00 | | D8 LUIS | | 15.6°c | X | | | | |
| 5 | 12/31 | 9:15 | | D3 Heifers | | 16.0°c | X | | | | |
| 6 | 12/31 | 9:30 | | D5 Abel | | 16.0°c | X | | | | |
| 7 | 12/31 | 9:45 | | D6 Ruben | | 16.0°c | X | | | | |
| 8 | 12/31 | 10:00 | Irrigation | IW#1 | | 16.0°c | X | | | | H7 |
| 9 | 12/31 | 10:15 | well | IW#2 | | 15.0°c | | | | | H7 |
| 10 | | | | | | | | | | | |

**CHAIN OF CUSTODY RECORDING**

| | Signature | Company | Received Date & Time | Relinquished Date & Time | (LABORATORY USE ONLY) Logged in By: | LABORATORY NUMBER |
|---|---|---|---|---|---|---|
| 1st | [signature] | FRAG | | | | |
| 2nd | [signature] | DENELE ANALYTICAL, INC. | 1-30-24 10:10 | | | T4030005 |

Required to be submitted to any agency? (YES / NO)

# ATTACHMENT D

## Manure/Process Wastewater Tracking Manifest
## For
## Existing Milk Cow Dairies

Instructions:

1) Complete one manifest for each hauling event, for each destination. A hauling event may last for several days, as long as the manure is being hauled to the same destination.
2) If there are multiple destinations, **complete a separate form for each destination**.
3) The operator must obtain the signature of the hauler upon completion of each manure-hauling event.
4) The operator shall submit copies of manure/process wastewater tracking manifest(s) with the Annual Monitoring Report for Existing Milk Cow Dairies.

**Operator Information:**

Name of Operator: matt swanson

Name of Dairy Facility: **Vierra Dairy Farms**

Facility Address: **23160 Williams Ave. Hilmar, CA 95324**

Number and Street | City | Zip Code

Contact Person Name and Phone Number: **Nate Mord** **209-678-4436**

Name | Phone Number

**Manure/Process Wastewater Hauler Information:**

Name of Hauling Company/Person: Silva & Sons Spreading

Address of Hauling Company /Person: PO BOX 1241 Hilmar 95324

Number and Street | City | Zip Code

Contact Person: manuel silva (209) 667-2566

Name | Phone Number

**Destination Information:**

Composting Facility / Broker / Farmer / Other (identify) (please circle one)

Contact information of Composting Facility, Broker, Farmer, or Other (as identified above):

| Name | Number and Street | City | Zip Code | Phone Number |
|---|---|---|---|---|
| **Crane Dairy** | **20633 W. Crane Rd** | **Hilmar** | **95324** | **209-678-3423** |

Manure/Process Wastewater Destination Address or Assessor's Parcel Number:
**SAME AS ABOVE**

Number and Street | City | Zip Code | Assessor's Parcel Number

Dates Hauled: 5/10/23

**Amount Hauled:**

Enter the amount of manure hauled in tons or cubic yards (indicate the units used), the manure solids content (if amount reported in tons) or manure density (if amount reported in cubic yards), and the method used to calculate the amount:

Manure: 4,224 (Tons) or Cubic Yards (indicate which units used)

Manure Solids Content (if amount reported in tons): 27.8%

Manure Density (if amount reported in cubic yards):

Method used to determine amount of manure: @12 tons per load

Enter the amount of process wastewater hauled in gallons and the method used to determine the amount.

Process Wastewater: _____ Gallons

Method used to determine volume of process wastewater: _____

**Written Agreement:**
Does the Operator have a written agreement (in compliance with Land Application Specification C.2 of Waste Discharge Requirements General Order No. R5-2007-0035) with any party that receives process wastewater from the Operator for its own use? (please check one)

____ Yes _____ No

If the answer is no, the Operator agrees to have such a written agreement with any such party for any process wastewater transferred after **31 December 2007** to such party.
_____ (Operator shall provide initials here to acknowledge this requirement).

**Certification:**
I declare under the penalty of law that I personally examined and am familiar with the information submitted in this document, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of a fine and imprisonment for knowing violations.

Operator's Signature: Matt Swanson (May 28, 2024 17:39 PDT) Date: May 28, 2024

Hauler's Signature: _____ Date: _____

## ATTACHMENT D

## Manure/Process Wastewater Tracking Manifest
## For
## Existing Milk Cow Dairies

Instructions:

1) Complete one manifest for each hauling event, for each destination. A hauling event may last for several days, as long as the manure is being hauled to the same destination.
2) If there are multiple destinations, **complete a separate form for each destination**.
3) The operator must obtain the signature of the hauler upon completion of each manure-hauling event.
4) The operator shall submit copies of manure/process wastewater tracking manifest(s) with the Annual Monitoring Report for Existing Milk Cow Dairies.

**Operator Information:**

Name of Operator: matt swanson

Name of Dairy Facility: **Vierra Dairy Farms**

Facility Address: **23160 Williams Ave. Hilmar, CA 95324**

Number and Street | City | Zip Code

Contact Person Name and Phone Number: **Nate Mord** **209-678-4436**

Name | Phone Number

**Manure/Process Wastewater Hauler Information:**

Name of Hauling Company/Person: Silva & Sons Spreading

Address of Hauling Company /Person: PO BOX 1201 Hilmar 95324

Number and Street | City | Zip Code

Contact Person: Manuel Silva (209) 667-2506

Name | Phone Number

**Destination Information:**

Composting Facility / Broker / Farmer / Other (identify) (please circle one)

Contact information of Composting Facility, Broker, Farmer, or Other (as identified above):

**Crane Dairy** **20633 W. Crane Rd** **Hilmar** **95324** **209-678-3423**

Name | Number and Street | City | Zip Code | Phone Number

Manure/Process Wastewater Destination Address or Assessor's Parcel Number:
**SAME AS ABOVE**

Number and Street | City | Zip Code | Assessor's Parcel Number

Dates Hauled: 10/14/23

**Amount Hauled:**

Enter the amount of manure hauled in tons or cubic yards (indicate the units used), the manure solids content (if amount reported in tons) or manure density (if amount reported in cubic yards), and the method used to calculate the amount:

Manure: 1,188 Tons or Cubic Yards (indicate which units used)

Manure Solids Content (if amount reported in tons): @ 24.5%.

Manure Density (if amount reported in cubic yards):

Method used to determine amount of manure: @12 tons per load

Enter the amount of process wastewater hauled in gallons and the method used to determine the amount.

Process Wastewater: _____ Gallons

Method used to determine volume of process wastewater: _____

**Written Agreement:**
Does the Operator have a written agreement (in compliance with Land Application Specification C.2 of Waste Discharge Requirements General Order No. R5-2007-0035) with any party that receives process wastewater from the Operator for its own use? (please check one)

____ Yes _____ No

If the answer is no, the Operator agrees to have such a written agreement with any such party for any process wastewater transferred after **31 December 2007** to such party.
_____ (Operator shall provide initials here to acknowledge this requirement).

**Certification:**
I declare under the penalty of law that I personally examined and am familiar with the information submitted in this document, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of a fine and imprisonment for knowing violations.

Operator's Signature: Matt Swanson (May 28, 2024 17:39 PDT) Date: May 28, 2024

Hauler's Signature: _____ Date: _____

# 2023 Annual Report- Vierra Dairy Farms

Final Audit Report 2024-05-29

| | |
|---|---|
| Created: | 2024-05-28 |
| By: | Kristen Jones (kjones@fragservices.com) |
| Status: | Signed |
| Transaction ID: | CBJCHBCAABAA7kqY09YbwTVA9b4uQ8FBwftmJut0ire4 |

## "2023 Annual Report- Vierra Dairy Farms" History

Document created by Kristen Jones (kjones@fragservices.com)
2024-05-28 - 11:57:45 PM GMT

Document emailed to matt@associatedfeed.com for signature
2024-05-28 - 11:59:17 PM GMT

Email viewed by matt@associatedfeed.com
2024-05-29 - 0:23:50 AM GMT

Signer matt@associatedfeed.com entered name at signing as Matt Swanson
2024-05-29 - 0:39:01 AM GMT

Document e-signed by Matt Swanson (matt@associatedfeed.com)
Signature Date: 2024-05-29 - 0:39:03 AM GMT - Time Source: server

Agreement completed.
2024-05-29 - 0:39:03 AM GMT

Adobe Acrobat Sign