CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD

CENTRAL VALLEY REGION
11020 SUN CENTER DR #200
RANCHO CORDOVA CA 95670-6114

2023 ANNUAL REPORT

PREPARED FOR:

SILVAS HOLSTEINS #2

23356 Short Ave

Hilmar CA 95324

NOTES:
Facility purchased mid 2023 and previous owner crop and sample information not provided to new owner. Information submitted is from Silvas Holsteins 2 only

PREPARED BY:

CAS
CARDOSO AG SERVICES

PO BOX 906
NEWMAN CA 95360

Annual Report - General Order No. R5-2007-0035
Reporting period 01/01/2023 to 12/31/2023.

DAIRY FACILITY INFORMATION

A. NAME OF DAIRY OR BUSINESS OPERATING THE DAIRY: Silvas Holsteins #2

Physical address of dairy:

Number and Street	City	County	Zip Code
23356 Short AVE	Hilmar	Merced	95324

Street and nearest cross street (if no address):

Date facility was originally placed in operation: 01/01/1910

Regional Water Quality Control Board Basin Plan designation: San Joaquin River Basin

County Assessor Parcel Number(s) for dairy facility:

X045-X130-X004-XXXX X057-X016-X009-XXXX X057-X220-X008-XXXX

B. OPERATORS

Silva, Adrian

Operator name: Silva, Adrian

Telephone no.: Landline: ; Cellular: (209) 595-1846

Mailing Address Number and Street	City	State	Zip Code
6706q Elaine RD	Turlock	CA	95380

This operator is responsible for paying permit fees.

Silveira, Manuel

Operator name: Silveira, Manuel

Telephone no.: Landline: (209) 632-3452; Cellular:

Mailing Address Number and Street	City	State	Zip Code
23356 Short AVE	Hilmar	CA	95324

C. OWNERS

Silva, Adrian

Legal owner name: Silva, Adrian
Telephone no.: Landline: | Cellular: (209) 595-1846

6706q Elaine RD | Turlock | CA | 95380
Mailing Address Number and Street | City | State | Zip Code

This owner is responsible for paying permit fees.

Silveira, Lucy

Legal owner name: Silveira, Lucy
Telephone no.: Landline: (209) 632-3452 | Cellular:

23356 Short AVE | Hilmar | CA | 95324
Mailing Address Number and Street | City | State | Zip Code

Silveira, Manuel

Legal owner name: Silveira, Manuel
Telephone no.: Landline: (209) 632-3452 | Cellular:

23356 Short AVE | Hilmar | CA | 95324
Mailing Address Number and Street | City | State | Zip Code

Annual Report - General Order No. R5-2007-0035
Reporting period 01/01/2023 to 12/31/2023.

AVAILABLE NUTRIENTS

A. HERD INFORMATION

	Milk Cows	Dry Cows	Bred Heifers (15-24 mo.)	Heifers (7-14 mo. to breeding)	Calves (4-6 mo.)	Calves (0-3 mo.)
Number open confinement	0	0	0	0	0	0
Number under roof	724	230	0	0	0	0
Maximum number	724	230	0	0	0	0
Average number	724	230	0	0	0	0
Avg live weight (lbs)	1,400	1,500	0	0		

Predominant milk cow breed: Holstein

Average milk production: 65 *pounds per cow per day*

B. MANURE GENERATED

Total manure excreted by the herd: 21,550.84 *tons per reporting period*

Total nitrogen from manure: 279,235.45 *lbs per reporting period*

After ammonia losses (30% loss applied): 195,464.82 *lbs per reporting period*

Total phosphorus from manure: 45,626.49 *lbs per reporting period*

Total potassium from manure: 136,274.34 *lbs per reporting period*

Total salt from manure: 393,783.90 *lbs per reporting period*

C. PROCESS WASTEWATER GENERATED

Process wastewater generated: 6,467,816 *gallons*

Total nitrogen generated: 35,725.34 *lbs*

Total phosphorus generated: 3,896.92 *lbs*

Total potassium generated: 57,752.10 *lbs*

Total salt generated: 330,320.42 *lbs*

	6,467,816	*gallons applied*
+	0	*gallons exported*
-	0	*gallons imported*
=	6,467,816	*gallons generated*

D. FRESH WATER SOURCES

Source Description	Type
Canal	Surface water
Domestic Well	Ground water

E. SUBSURFACE (TILE) DRAINAGE SOURCES

No subsurface (tile) drainage sources entered.

F. NUTRIENT IMPORTS

No dry manure nutrient imports entered.

No process wastewater nutrient imports entered.

No commercial or other nutrient imports entered.

G. NUTRIENT EXPORTS

No solid nutrient exports entered.

No liquid nutrient exports entered.

APPLICATION AREA

A. LIST OF LAND APPLICATION AREAS

Field name	Controlled acres	Cropable acres	Total harvests	Type of waste applied	Parcel number
10	20	20	1	process wastewater	X045-X130-X004-XXXX X057-X022-X008-XXXX
14	15	15	1	process wastewater	X057-X022-X014-XXXX
15	20	20	1	process wastewater	X057-X022-X015-XXXX
16	20	20	1	process wastewater	X045-X130-X034-XXXX
7/8	35	35	1	process wastewater	X045-X130-X006-XXXX
9	20	20	1	process wastewater	X057-X022-X008-XXXX
Totals for areas that were used for application	130	130	6		
Totals for areas that were not used for application					
Land application area totals	130	130	6		

B. CROPS AND HARVESTS

10

Field name: 10

06/02/2023: Corn, silage

Crop: Corn, silage Acres planted: 20 Plant date: 06/02/2023

Harvest date	Yield	Reporting basis	Density (lbs/cu ft)	Moisture (%)	N (mg/kg)	P (mg/kg)	K (mg/kg)	Salt (mg/kg)	TFS (%)
09/17/2023	494.60 *ton*	Dry-weight		66.6	12,200.00	2,700.00	13,400.00		6.80

	Yield (tons/acre)	Total N (lbs/acre)	Total P (lbs/acre)	Total K (lbs/acre)	Salt (lbs/acre)
Anticipated harvest content	30.00	240.00	45.00	198.00	0.00
Total actual harvest content	24.73	201.54	44.60	221.36	1,123.34

14

Field name: 14

14

06/02/2023: Corn, silage

Crop: Corn, silage Acres planted: 15 Plant date: 06/02/2023

Harvest date	Yield	Reporting basis	Density (lbs/cu ft)	Moisture (%)	N (mg/kg)	P (mg/kg)	K (mg/kg)	Salt (mg/kg)	TFS (%)
09/17/2023	385.80 *ton*	Dry-weight		66.4	11,000.00	3,300.00	17,600.00		6.30

	Yield (tons/acre)	Total N (lbs/acre)	Total P (lbs/acre)	Total K (lbs/acre)	Salt (lbs/acre)
Anticipated harvest content	30.00	240.00	45.00	198.00	0.00
Total actual harvest content	25.72	190.12	57.04	304.20	1,088.88

15

Field name: 15

06/02/2023: Corn, silage

Crop: Corn, silage Acres planted: 20 Plant date: 06/02/2023

Harvest date	Yield	Reporting basis	Density (lbs/cu ft)	Moisture (%)	N (mg/kg)	P (mg/kg)	K (mg/kg)	Salt (mg/kg)	TFS (%)
09/17/2023	517.50 *ton*	Dry-weight		66.4	11,000.00	3,300.00	17,600.00		6.30

	Yield (tons/acre)	Total N (lbs/acre)	Total P (lbs/acre)	Total K (lbs/acre)	Salt (lbs/acre)
Anticipated harvest content	30.00	240.00	45.00	198.00	0.00
Total actual harvest content	25.88	191.27	57.38	306.03	1,095.44

16

Field name: 16

16

06/02/2023: Corn, silage

Crop: Corn, silage Acres planted: 20 Plant date: 06/02/2023

Harvest date	Yield	Reporting basis	Density (lbs/cu ft)	Moisture (%)	N (mg/kg)	P (mg/kg)	K (mg/kg)	Salt (mg/kg)	TFS (%)
09/17/2023	512.70 *ton*	Dry-weight		66.4	11,000.00	3,300.00	17,600.00		6.30

	Yield (tons/acre)	Total N (lbs/acre)	Total P (lbs/acre)	Total K (lbs/acre)	Salt (lbs/acre)
Anticipated harvest content	30.00	240.00	45.00	198.00	0.00
Total actual harvest content	25.64	189.49	56.85	303.19	1,085.28

7/8

Field name: 7/8

06/02/2023: Corn, silage

Crop: Corn, silage Acres planted: 35 Plant date: 06/02/2023

Harvest date	Yield	Reporting basis	Density (lbs/cu ft)	Moisture (%)	N (mg/kg)	P (mg/kg)	K (mg/kg)	Salt (mg/kg)	TFS (%)
09/17/2023	1,027.30 *ton*	Dry-weight		66.6	12,500.00	2,900.00	15,700.00		6.50

	Yield (tons/acre)	Total N (lbs/acre)	Total P (lbs/acre)	Total K (lbs/acre)	Salt (lbs/acre)
Anticipated harvest content	30.00	240.00	45.00	198.00	0.00
Total actual harvest content	29.35	245.08	56.86	307.83	1,274.44

9

Field name: 9

9

06/02/2023: Corn, silage

Crop: Corn, silage Acres planted: 20 Plant date: 06/02/2023

Harvest date	Yield	Reporting basis	Density (lbs/cu ft)	Moisture (%)	N (mg/kg)	P (mg/kg)	K (mg/kg)	Salt (mg/kg)	TFS (%)
09/17/2023	588.50 *ton*	Dry-weight		66.6	12,200.00	2,700.00	13,400.00		6.80

	Yield (tons/acre)	Total N (lbs/acre)	Total P (lbs/acre)	Total K (lbs/acre)	Salt (lbs/acre)
Anticipated harvest content	30.00	240.00	45.00	198.00	0.00
Total actual harvest content	29.43	239.80	53.07	263.39	1,336.60

NUTRIENT BUDGET

A. LAND APPLICATIONS

10 - 06/02/2023: Corn, silage

Field name: 10

Crop: Corn, silage

Plant date: 06/02/2023

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
05/13/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Lagoon Water	Process wastewater	64.24	7.01	103.85	594.00	232,615.00 *gal*
Canal	Surface water	2.01	0.00	0.00	0.00	4,823,858.00 *gal*
Application event totals		66.26	7.01	103.85	594.00	

07/21/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Lagoon Water	Process wastewater	64.24	7.01	103.85	594.00	232,615.00 *gal*
Canal	Surface water	1.26	0.00	0.00	0.00	3,014,772.00 *gal*
Application event totals		65.50	7.01	103.85	594.00	

08/02/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Canal	Surface water	1.80	0.00	0.00	0.00	4,309,425.00 *gal*
Application event totals		1.80	0.00	0.00	0.00	

08/15/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Lagoon Water	Process wastewater	64.24	7.01	103.85	594.00	232,615.00 *gal*
Canal	Surface water	1.57	0.00	0.00	0.00	3,773,433.00 *gal*
Application event totals		65.82	7.01	103.85	594.00	

10 - 06/02/2023: Corn, silage

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
08/27/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Lagoon Water	Process wastewater	64.24	7.01	103.85	594.00	232,615.00 *gal*
Canal	Surface water	1.57	0.00	0.00	0.00	3,773,433.00 *gal*
Application event totals		65.82	7.01	103.85	594.00	

14 - 06/02/2023: Corn, silage

Field name: 14

Crop: Corn, silage

Plant date: 06/02/2023

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
05/13/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Lagoon Water	Process wastewater	61.18	6.67	98.91	565.71	166,154.00 *gal*
Canal	Surface water	1.85	0.00	0.00	0.00	3,319,324.00 *gal*
Application event totals		63.03	6.67	98.91	565.71	

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
06/26/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Lagoon Water	Process wastewater	61.18	6.67	98.91	565.71	166,154.00 *gal*
Canal	Surface water	1.15	0.00	0.00	0.00	2,074,582.00 *gal*
Application event totals		62.34	6.67	98.91	565.71	

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
07/11/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Canal	Surface water	1.54	0.00	0.00	0.00	2,766,109.00 *gal*
Application event totals		1.54	0.00	0.00	0.00	

14 - 06/02/2023: Corn, silage

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
07/21/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Lagoon Water	Process wastewater	61.18	6.67	98.91	565.71	166,154.00 *gal*
Canal	Surface water	0.62	0.00	0.00	0.00	1,106,431.00 *gal*
Application event totals		61.80	6.67	98.91	565.71	

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
08/02/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Canal	Surface water	0.62	0.00	0.00	0.00	1,106,431.00 *gal*
Application event totals		0.62	0.00	0.00	0.00	

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
08/14/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Lagoon Water	Process wastewater	61.18	6.67	98.91	565.71	166,154.00 *gal*
Canal	Surface water	0.62	0.00	0.00	0.00	1,106,431.00 *gal*
Application event totals		61.80	6.67	98.91	565.71	

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
08/26/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Canal	Surface water	0.62	0.00	0.00	0.00	1,106,431.00 *gal*
Application event totals		0.62	0.00	0.00	0.00	

15 - 06/02/2023: Corn, silage

Field name: 15

Crop: Corn, silage

Plant date: 06/02/2023

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following

15 - 06/02/2023: Corn, silage

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
06/26/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Lagoon Water	Process wastewater	61.18	6.67	98.91	565.71	221,538.00 *gal*
Canal	Surface water	1.83	0.00	0.00	0.00	4,384,822.00 *gal*
Application event totals		63.01	6.67	98.91	565.71	

07/11/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Canal	Surface water	2.06	0.00	0.00	0.00	4,932,953.00 *gal*
Application event totals		2.06	0.00	0.00	0.00	

07/21/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Lagoon Water	Process wastewater	61.18	6.67	98.91	565.71	221,538.00 *gal*
Canal	Surface water	0.91	0.00	0.00	0.00	2,192,427.00 *gal*
Application event totals		62.10	6.67	98.91	565.71	

08/02/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Canal	Surface water	0.57	0.00	0.00	0.00	1,370,247.00 *gal*
Application event totals		0.57	0.00	0.00	0.00	

08/15/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Lagoon Water	Process wastewater	61.18	6.67	98.91	565.71	221,538.00 *gal*
Canal	Surface water	0.91	0.00	0.00	0.00	2,192,427.00 *gal*
Application event totals		62.10	6.67	98.91	565.71	

15 - 06/02/2023: Corn, silage

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
08/27/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Lagoon Water	Process wastewater	61.18	6.67	98.91	565.71	221,538.00 *gal*
Canal	Surface water	0.69	0.00	0.00	0.00	1,644,328.00 *gal*
Application event totals		61.87	6.67	98.91	565.71	

16 - 06/02/2023: Corn, silage

Field name: 16

Crop: Corn, silage

Plant date: 06/02/2023

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
06/26/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Lagoon Water	Process wastewater	60.73	6.62	98.17	561.47	219,877.00 *gal*
Canal	Surface water	1.45	0.00	0.00	0.00	3,476,897.00 *gal*
Application event totals		62.18	6.62	98.17	561.47	

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
07/11/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Lagoon Water	Process wastewater	60.73	6.62	98.17	561.47	219,877.00 *gal*
Canal	Surface water	1.90	0.00	0.00	0.00	4,546,696.00 *gal*
Application event totals		62.62	6.62	98.17	561.47	

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
08/02/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Canal	Surface water	1.81	0.00	0.00	0.00	4,328,799.00 *gal*
Application event totals		1.81	0.00	0.00	0.00	

16 - 06/02/2023: Corn, silage

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
08/15/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Lagoon Water	Process wastewater	60.73	6.62	98.17	561.47	219,877.00 *gal*
Canal	Surface water	1.12	0.00	0.00	0.00	2,674,531.00 *gal*
Application event totals		61.84	6.62	98.17	561.47	

08/27/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Lagoon Water	Process wastewater	60.73	6.62	98.17	561.47	219,877.00 *gal*
Canal	Surface water	2.14	0.00	0.00	0.00	5,131,165.00 *gal*
Application event totals		62.87	6.62	98.17	561.47	

7/8 - 06/02/2023: Corn, silage

Field name: 7/8

Crop: Corn, silage

Plant date: 06/02/2023

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
05/10/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Lagoon Water	Process wastewater	78.01	8.51	126.11	721.29	494,308.00 *gal*
Canal	Surface water	1.58	0.00	0.00	0.00	6,617,921.00 *gal*
Application event totals		79.59	8.51	126.11	721.29	

06/18/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Canal	Surface water	0.91	0.00	0.00	0.00	3,835,876.00 *gal*
Application event totals		0.91	0.00	0.00	0.00	

7/8 - 06/02/2023: Corn, silage

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
06/28/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Lagoon Water	Process wastewater	78.01	8.51	126.11	721.29	494,308.00 *gal*
Canal	Surface water	0.97	0.00	0.00	0.00	4,059,541.00 *gal*
Application event totals		78.98	8.51	126.11	721.29	

07/08/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Canal	Surface water	0.91	0.00	0.00	0.00	3,833,562.00 *gal*
Application event totals		0.91	0.00	0.00	0.00	

07/21/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Lagoon Water	Process wastewater	78.01	8.51	126.11	721.29	494,308.00 *gal*
Canal	Surface water	0.96	0.00	0.00	0.00	4,036,337.00 *gal*
Application event totals		78.97	8.51	126.11	721.29	

07/30/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Canal	Surface water	0.43	0.00	0.00	0.00	1,803,205.00 *gal*
Application event totals		0.43	0.00	0.00	0.00	

08/09/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Canal	Surface water	0.79	0.00	0.00	0.00	3,304,398.00 *gal*
Application event totals		0.79	0.00	0.00	0.00	

7/8 - 06/02/2023: Corn, silage

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
08/22/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Lagoon Water	Process wastewater	78.01	8.51	126.11	721.29	494,308.00 *gal*
Canal	Surface water	0.93	0.00	0.00	0.00	3,901,642.00 *gal*
Application event totals		78.94	8.51	126.11	721.29	

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
09/01/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Canal	Surface water	0.70	0.00	0.00	0.00	2,929,678.00 *gal*
Application event totals		0.70	0.00	0.00	0.00	

9 - 06/02/2023: Corn, silage

Field name: 9

Crop: Corn, silage

Plant date: 06/02/2023

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
05/13/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Lagoon Water	Process wastewater	78.01	8.51	126.11	721.29	282,462.00 *gal*
Canal	Surface water	2.01	0.00	0.00	0.00	4,823,858.00 *gal*
Application event totals		80.02	8.51	126.11	721.29	

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
07/21/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Lagoon Water	Process wastewater	78.01	8.51	126.11	721.29	282,462.00 *gal*
Canal	Surface water	1.26	0.00	0.00	0.00	3,014,772.00 *gal*
Application event totals		79.27	8.51	126.11	721.29	

9 - 06/02/2023: Corn, silage

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
08/02/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Canal	Surface water	1.80	0.00	0.00	0.00	4,309,425.00 *gal*
Application event totals		1.80	0.00	0.00	0.00	

08/15/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Lagoon Water	Process wastewater	78.01	8.51	126.11	721.29	282,462.00 *gal*
Canal	Surface water	1.57	0.00	0.00	0.00	3,773,433.00 *gal*
Application event totals		79.58	8.51	126.11	721.29	

08/27/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Lagoon Water	Process wastewater	78.01	8.51	126.11	721.29	282,462.00 *gal*
Canal	Surface water	1.57	0.00	0.00	0.00	3,773,433.00 *gal*
Application event totals		79.58	8.51	126.11	721.29	

B. NUTRIENT BUDGET

10 - 06/02/2023: Corn, silage

Field name: 10 Crop: Corn, silage Plant date: 06/02/2023



	Total N (lbs/acre)	Total P (lbs/acre)	Total K (lbs/acre)	Total salt (lbs/acre)
Existing soil nutrient content	0.00	0.00	0.00	0.00
Plowdown credit	0.00	0.00	0.00	0.00
Commercial fertilizer / Other	0.00	0.00	0.00	0.00
Dry manure	0.00	0.00	0.00	0.00
Process wastewater	256.97	28.03	415.41	2,375.99
Fresh water	8.22	0.00	0.00	0.00
Atmospheric deposition	14.00	0.00	0.00	0.00
Total nutrients applied	279.19	28.03	415.41	2,375.99
Anticipated crop nutrient removal	240.00	45.00	198.00	0.00
Actual crop nutrient removal	201.54	44.60	221.36	1,123.34
Nutrient balance	77.65	-16.57	194.05	1,252.66
Applied to removed ratio	1.39	0.63	1.88	2.12

Fresh water applied	
19,694,921.00	*gallons*
725.30	*acre-inches*
36.26	*inches/acre*

Process wastewater applied	
930,460.00	*gallons*
34.27	*acre-inches*
1.71	*inches/acre*

Total harvests for the crop	
1	*harvests*

14 - 06/02/2023: Corn, silage

Field name: 14 Crop: Corn, silage Plant date: 06/02/2023



	Total N (lbs/acre)	Total P (lbs/acre)	Total K (lbs/acre)	Total salt (lbs/acre)
Existing soil nutrient content	0.00	0.00	0.00	0.00
Plowdown credit	0.00	0.00	0.00	0.00
Commercial fertilizer / Other	0.00	0.00	0.00	0.00
Dry manure	0.00	0.00	0.00	0.00
Process wastewater	244.74	26.70	395.63	2,262.86
Fresh water	7.00	0.00	0.00	0.00
Atmospheric deposition	14.00	0.00	0.00	0.00
Total nutrients applied	265.74	26.70	395.63	2,262.86
Anticipated crop nutrient removal	240.00	45.00	198.00	0.00
Actual crop nutrient removal	190.12	57.04	304.20	1,088.88
Nutrient balance	75.62	-30.34	91.43	1,173.98
Applied to removed ratio	1.40	0.47	1.30	2.08

Fresh water applied	
12,585,739.00	*gallons*
463.49	*acre-inches*
30.90	*inches/acre*

Process wastewater applied	
664,616.00	*gallons*
24.48	*acre-inches*
1.63	*inches/acre*

Total harvests for the crop	
1	*harvests*

15 - 06/02/2023: Corn, silage

Field name: 15 Crop: Corn, silage Plant date: 06/02/2023



	Total N (lbs/acre)	Total P (lbs/acre)	Total K (lbs/acre)	Total salt (lbs/acre)
Existing soil nutrient content	0.00	0.00	0.00	0.00
Plowdown credit	0.00	0.00	0.00	0.00
Commercial fertilizer / Other	0.00	0.00	0.00	0.00
Dry manure	0.00	0.00	0.00	0.00
Process wastewater	244.74	26.70	395.63	2,262.85
Fresh water	6.98	0.00	0.00	0.00
Atmospheric deposition	14.00	0.00	0.00	0.00
Total nutrients applied	265.71	26.70	395.63	2,262.85
Anticipated crop nutrient removal	240.00	45.00	198.00	0.00
Actual crop nutrient removal	191.27	57.38	306.03	1,095.44
Nutrient balance	74.44	-30.68	89.60	1,167.41
Applied to removed ratio	1.39	0.47	1.29	2.07

Fresh water applied	
16,717,204.00	*gallons*
615.64	*acre-inches*
30.78	*inches/acre*

Process wastewater applied	
886,152.00	*gallons*
32.63	*acre-inches*
1.63	*inches/acre*

Total harvests for the crop	
1	*harvests*

16 - 06/02/2023: Corn, silage

Field name: 16 Crop: Corn, silage Plant date: 06/02/2023



	Total N (lbs/acre)	Total P (lbs/acre)	Total K (lbs/acre)	Total salt (lbs/acre)
Existing soil nutrient content	0.00	0.00	0.00	0.00
Plowdown credit	0.00	0.00	0.00	0.00
Commercial fertilizer / Other	0.00	0.00	0.00	0.00
Dry manure	0.00	0.00	0.00	0.00
Process wastewater	242.90	26.50	392.66	2,245.89
Fresh water	8.41	0.00	0.00	0.00
Atmospheric deposition	14.00	0.00	0.00	0.00
Total nutrients applied	265.31	26.50	392.66	2,245.89
Anticipated crop nutrient removal	240.00	45.00	198.00	0.00
Actual crop nutrient removal	189.49	56.85	303.19	1,085.28
Nutrient balance	75.82	-30.35	89.47	1,160.60
Applied to removed ratio	1.40	0.47	1.30	2.07

Fresh water applied	
20,158,088.00	*gallons*
742.35	*acre-inches*
37.12	*inches/acre*

Process wastewater applied	
879,508.00	*gallons*
32.39	*acre-inches*
1.62	*inches/acre*

Total harvests for the crop	
1	*harvests*

7/8 - 06/02/2023: Corn, silage

Field name: 7/8 Crop: Corn, silage Plant date: 06/02/2023



	Total N (lbs/acre)	Total P (lbs/acre)	Total K (lbs/acre)	Total salt (lbs/acre)
Existing soil nutrient content	0.00	0.00	0.00	0.00
Plowdown credit	0.00	0.00	0.00	0.00
Commercial fertilizer / Other	0.00	0.00	0.00	0.00
Dry manure	0.00	0.00	0.00	0.00
Process wastewater	312.04	34.04	504.43	2,885.14
Fresh water	8.18	0.00	0.00	0.00
Atmospheric deposition	14.00	0.00	0.00	0.00
Total nutrients applied	334.22	34.04	504.43	2,885.14
Anticipated crop nutrient removal	240.00	45.00	198.00	0.00
Actual crop nutrient removal	245.08	56.86	307.83	1,274.44
Nutrient balance	89.14	-22.82	196.60	1,610.70
Applied to removed ratio	1.36	0.60	1.64	2.26

Fresh water applied	
34,322,160.00	*gallons*
1,263.97	*acre-inches*
36.11	*inches/acre*

Process wastewater applied	
1,977,232.00	*gallons*
72.81	*acre-inches*
2.08	*inches/acre*

Total harvests for the crop	
1	*harvests*

9 - 06/02/2023: Corn, silage

Field name: 9 Crop: Corn, silage Plant date: 06/02/2023



	Total N (lbs/acre)	Total P (lbs/acre)	Total K (lbs/acre)	Total salt (lbs/acre)
Existing soil nutrient content	0.00	0.00	0.00	0.00
Plowdown credit	0.00	0.00	0.00	0.00
Commercial fertilizer / Other	0.00	0.00	0.00	0.00
Dry manure	0.00	0.00	0.00	0.00
Process wastewater	312.04	34.04	504.43	2,885.15
Fresh water	8.22	0.00	0.00	0.00
Atmospheric deposition	14.00	0.00	0.00	0.00
Total nutrients applied	334.26	34.04	504.43	2,885.15
Anticipated crop nutrient removal	240.00	45.00	198.00	0.00
Actual crop nutrient removal	239.80	53.07	263.39	1,336.60
Nutrient balance	94.45	-19.03	241.04	1,548.54
Applied to removed ratio	1.39	0.64	1.92	2.16

Fresh water applied	
19,694,921.00	*gallons*
725.30	*acre-inches*
36.26	*inches/acre*

Process wastewater applied	
1,129,848.00	*gallons*
41.61	*acre-inches*
2.08	*inches/acre*

Total harvests for the crop	
1	*harvests*

NUTRIENT ANALYSES

A. MANURE ANALYSES

Corral Manure

Sample and source description: Corral Manure

Sample date: 11/14/2023 Material type: Corral solids Source of analysis: Lab analysis Method of reporting: Dry-weight

Moisture: 8.3 %

	Total N (mg/kg)	Total P (mg/kg)	Total K (mg/kg)	Calcium (mg/kg)	Magnesium (mg/kg)	Sodium (mg/kg)	Sulfur (mg/kg)	Chloride (mg/kg)	Total salt (mg/kg)	TFS (%)
Value	23,000.00	10,700.00	29,100.00							0.00
DL	0.01	0.01	0.01							1.00

B. PROCESS WASTEWATER ANALYSES

Lagoon Q4

Sample and source description: Lagoon Q4

Sample date: 11/14/2023 Material type: Process wastewater Source of analysis: Lab analysis pH: 7.70

	Kjeldahl-N (mg/L)	NH4-N (mg/L)	NH3-N (mg/L)	Nitrate-N (mg/L)	Total P (mg/L)	Total K (mg/L)	Calcium (mg/L)	Magnes. (mg/L)	Sodium (mg/L)	Bicarb. (mg/L)	Carb. (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	EC (µmhos/cm)	TDS (mg/L)
Value	661.00	420.00	0.00	0.90	72.20	1,070.00								7,860.00	6,120
DL	0.01	0.01	0.01	0.01	0.01	0.01								10.00	1

C. FRESH WATER ANALYSES

Canal

Canal

Sample description: Canal

Sample date: 09/21/2023 Source of analysis: Lab analysis

	Total N (mg/L)	NH4-N (mg/L)	Nitrate-N (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	Bicarbonate (mg/L)	Carbonate (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	EC (µmhos/cm)	TDS (mg/L)
Value	1.00	0.00	1.00								284.00	0
DL	0.01	0.01	0.01								10.00	1

Domestic Well

DW Barn

Sample description: DW Barn

Sample date: 12/11/2023 Source of analysis: Lab analysis

	Total N (mg/L)	NH4-N (mg/L)	Nitrate-N (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	Bicarbonate (mg/L)	Carbonate (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	EC (µmhos/cm)	TDS (mg/L)
Value	63.80	0.00	63.80	151.00	35.60	125.00	349.00	0.00	60.10	124.00	1,760.00	1,100
DL	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	10.00	1

D. SOIL ANALYSES

No soil analyses entered.

E. PLANT TISSUE ANALYSES

10 - 06/02/2023: Corn, silage

Field 10 Corn

Sample and source description: Field 10 Corn

Sample date: 09/17/2023 Source of analysis: Lab analysis Method of reporting: Dry-weight

Moisture: 66.6 %

	Total N (mg/kg)	Total P (mg/kg)	Total K (mg/kg)	Total salt (mg/kg)	TFS (%)
Value	12,200.00	2,700.00	13,400.00		6.80
DL	0.01	0.01	0.01		1.00

14 - 06/02/2023: Corn, silage

14 - 06/02/2023: Corn, silage

Field 14 Corn

Sample and source description: Field 14 Corn

Sample date: 09/17/2023 Source of analysis: Lab analysis Method of reporting: Dry-weight

Moisture: 66.4 %

	Total N (mg/kg)	Total P (mg/kg)	Total K (mg/kg)	Total salt (mg/kg)	TFS (%)
Value	11,000.00	3,300.00	17,600.00		6.30
DL	0.01	0.01	0.01		1.00

15 - 06/02/2023: Corn, silage

Field 15 Corn

Sample and source description: Field 15 Corn

Sample date: 09/17/2023 Source of analysis: Lab analysis Method of reporting: Dry-weight

Moisture: 66.4 %

	Total N (mg/kg)	Total P (mg/kg)	Total K (mg/kg)	Total salt (mg/kg)	TFS (%)
Value	11,000.00	3,300.00	17,600.00		6.30
DL	0.01	0.01	0.01		1.00

16 - 06/02/2023: Corn, silage

Field 16 Corn

Sample and source description: Field 16 Corn

Sample date: 09/17/2023 Source of analysis: Lab analysis Method of reporting: Dry-weight

Moisture: 66.4 %

	Total N (mg/kg)	Total P (mg/kg)	Total K (mg/kg)	Total salt (mg/kg)	TFS (%)
Value	11,000.00	3,300.00	17,600.00		6.30
DL	0.01	0.01	0.01		1.00

7/8 - 06/02/2023: Corn, silage

Field 7/8 Corn

Sample and source description: Field 7/8 Corn

Sample date: 09/17/2023 Source of analysis: Lab analysis Method of reporting: Dry-weight

Moisture: 66.6 %

	Total N (mg/kg)	Total P (mg/kg)	Total K (mg/kg)	Total salt (mg/kg)	TFS (%)
Value	12,500.00	2,900.00	15,700.00		6.50
DL	0.01	0.01	0.01		1.00

9 - 06/02/2023: Corn, silage

Field 9 Corn

Sample and source description: Field 9 Corn

Sample date: 09/17/2023 Source of analysis: Lab analysis Method of reporting: Dry-weight

Moisture: 66.6 %

	Total N (mg/kg)	Total P (mg/kg)	Total K (mg/kg)	Total salt (mg/kg)	TFS (%)
Value	12,200.00	2,700.00	13,400.00		6.80
DL	0.01	0.01	0.01		1.00

F. SUBSURFACE (TILE) DRAINAGE ANALYSES

No subsurface (tile) drainage analyses entered.

NUTRIENT APPLICATIONS, POTENTIAL REMOVAL, AND BALANCE

A. SUMMARY OF NUTRIENT APPLICATIONS, POTENTIAL REMOVAL, AND BALANCE

	Total N (lbs)	Total P (lbs)	Total K (lbs)	Total salt (lbs)
Existing soil nutrient content	0.00	0.00	0.00	0.00
Plowdown credit	0.00	0.00	0.00	0.00
Commercial fertilizer / Other	0.00	0.00	0.00	0.00
Dry manure	0.00	0.00	0.00	0.00
Process wastewater	35,725.34	3,896.92	57,752.10	330,320.42
Fresh water	1,027.88	0.00	0.00	0.00
Atmospheric deposition	1,820.00	0.00	0.00	0.00
Total nutrients applied	38,573.22	3,896.92	57,752.10	330,320.42
Anticipated crop nutrient removal	31,200.00	5,850.00	25,740.00	0.00
Actual crop nutrient removal	27,871.86	7,083.69	37,216.27	153,751.88
Nutrient balance	10,701.36	-3,186.77	20,535.83	176,568.54
Applied to removed ratio	1.38	0.55	1.55	2.15

B. POUNDS OF NUTRIENT APPLIED VS. CROP REMOVAL



C. POUNDS OF NUTRIENT APPLIED BY MATERIAL TYPE









EXCEPTION REPORTING

A. MANURE, PROCESS WASTEWATER, AND OTHER DAIRY WASTE DISCHARGES

The following is a summary of all manure and process wastewater discharges from the production area to surface water or to land areas (land application areas or otherwise) when not in accordance with the facility's Nutrient Management Plan.

No manure or process wastewater discharges occurred during the reporting period.

B. STORM WATER DISCHARGES

The following is a summary of all storm water discharges from the production area to surface water during the reporting period when not in accordance with the facility 's Nutrient Management Plan.

No stormwater discharges occurred during the reporting period.

C. LAND APPLICATION AREA TO SURFACE WATER DISCHARGES

The following is a summary of all discharges from the land application area to surface water that have occurred during the reporting period when not in accordance with the facility's Nutrient Management Plan.

No land application area to surface water discharges occurred during the reporting period.

NUTRIENT MANAGEMENT PLAN AND EXPORT AGREEMENT STATEMENTS

A. NUTRIENT MANAGEMENT PLAN STATEMENTS

Was the facility's NMP updated in the reporting period?	Yes
Was the facility's NMP developed by a certified nutrient management planner (specialist) as specified in Attachment C of the General Order?	Yes
Was the facility's NMP approved by a certified nutrient management planner (specialist) as specified in Attachment C of the General Order?	Yes

B. EXPORT AGREEMENT STATEMENT

Are there any written agreements with third parties to receive manure or process wastewater that are new or were revised within the reporting period?	No

ADDITIONAL NOTES

A. NOTES

Facility purchased mid 2023 and previous owner crop and sample information not provided to new owner. Information submitted is from Silvas Holsteins 2 only

CERTIFICATION

A. OWNER AND/OR OPERATOR CERTIFICATION

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this document and all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Adrian Silva

SIGNATURE OF OWNER OF FACILITY	SIGNATURE OF OPERATOR OF FACILITY
Adrian Silva	SAME AS OWNER
PRINT OR TYPE NAME	PRINT OR TYPE NAME
Aug 20, 2024	
DATE	DATE

ATTACHMENTS

A. REQUIRED ATTACHMENTS

The following lists the required documents that should be attached to the Annual Report when submitted .

Annual Dairy Facility Assessment
Provide an Annual Dairy Facility Assessment (an update to the Preliminary Dairy Facility Assessment in Attachment A) for each reporting period. On the PDFA Final page, click on the ADFA Report button to generate an ADFA report after updating information as needed .

Manure/Process Wastewater Tracking Manifests
Provide copies of all manure/process wastewater tracking manifests for the reporting period, signed by both the owner/operator and the hauler.

Corrective Actions Documents
Provide records documenting any corrective actions taken to correct deficiencies noted as a result of the inspections required in the Monitoring Requirements of the General Order. Deficiencies not corrected in 30 days must be accompanied by an explanation of the factors preventing immediate correction.

Groundwater Monitoring
Dischargers that monitor supply wells or subsurface (tile) drainage systems, or that have monitoring well systems must submit monitoring results as directed in the General Order, Groundwater Reporting Section starting on page MRP-13.

Storm Water Monitoring
Dischargers that are required to monitor storm water more frequently than required in the General Order must submit monitoring results as directed in the General Order, Storm Water Reporting Section on page MRP-14.

DELLAVALLE LABORATORY INC

Report of Dairy Well Water Analysis

Lab No.: 23L0692
Sampled By: M.Dekeyrel
Requested By: Adrian Silva
Submitted Date: 12/12/23
Reported Date: 12/21/23
Project:
Crop ID:

Silva Holsteins Dairy #2
6706 Elaine Road
Turlock CA 95380
00-0026204 08

E-mail: cas.labs@yahoo.com
Copy To:

		Date Sampled	Time Sampled	EC µmhos/cm	EC mmhos/cm	NO_3-N mg/L	Field NH_4-N mg/L	Total NH_4-N mg/L	TDS mg/L	CO_3 as $CaCO_3$ mg/L	HCO_3 as $CaCO_3$ mg/L	Cl mg/L	SO_4 mg/L	Ca mg/L	Mg mg/L	Na mg/L	pH at 25°C unit
1	DW-Barn	12/11/23	12:35	1760	1.76	63.8	ND		1100	ND	349	124	60.1	151	35.6	125	7.4

***** = Field NH_4-N not Taken.
ND = None Detected

Approved By: Scott M Friedland
Laboratory Director\Technical Manager
ELAP Certification #1595
A2LA Certification #6440.02

DELLAVALLE LABORATORY INC

Report of Dairy Well Water Analysis

Silva Holsteins Dairy #2
6706 Elaine Road
Turlock CA 95380
00-0026204 08

E-mail: cas.labs@yahoo.com
Copy To:

Lab No.: 23L0692
Sampled By: M.Dekeyrel
Requested By: Adrian Silva
Submitted Date: 12/12/23
Reported Date: 12/21/23
Project:
Crop ID:

		Date Sampled	Time Sampled	EC µmhos/cm	EC mmhos/cm	NO_3-N mg/L	Nitrogen agricultural use Calcs calculated from nitrate-N lbs/AcFoot	lbs/AcInch
1	DW-Barn	12/11/23	12:35	**1760**	**1.76**	**63.8**	174.17	14.51

Water for Crop Use **Nutrient Management**	Total Salts	Total Salts	Nitrate Nitrogen
Low Levels	< 900	< 0.90	< 2.0
Significant Levels	900-2200	0.90-2.2	2.0-10.0
High Levels	2200+	2.2+	10.0+

Sampling abbreviations: H.B. = hose bib, S.P. = stand pipe, Dom. = domestic well, IR = irrigation well, AG = ag well.
Nitrate exceeds Water Quality MCL levels if results are above 10 mg/l nitrate-nitrogen NO3-N (equivalent to 45 mg/l nitrate, NO3).
Total Salt results are used to monitor changes of salt in the well aquifers between annual tests.
MCL = Maximum Contaminant Level according to the California Domestic Water Quality and Monitoring Regulations (Title 22)
MDL = Method Detection Limit; **RL** = Reporting Limit, mg/L = ppm.
SM = Standard Methods for the Examination of Water and Wastewater
EPA = Environmental Protection Agency methods used unless otherwise indicated.

DELLAVALLE™
LABORATORY INC

Silva Holsteins Dairy #2
6706 Elaine Road
Turlock, CA 95380

Account# 00-0026204
Account Manager: Ben Nydam
Submitted By: Adrian Silva

Received: 12/12/2023 15:55
Reported: 12/21/2023 08:14

Samples in this Report

Lab ID	Sample	Matrix	Sampled By	Crop	Date Sampled
23L0692-01	DW-Barn	Ag Water	M.Dekeyrel		12/11/2023 12:35

Default Cooler Temperature on Receipt °C: 0.0
Containers Intact
COC/Labels Agree
Received On Ice

Notes and Definitions

Item	Definition
H	Hold Time Exceeded
MCL	Drinking Water Maximum Contaminant Level
ND	Analyte NOT DETECTED at or above the reporting limit.
NES	Not Enough Sample
*	Not Taken
RPD	Relative Percent Difference
%REC	Percent Recovery
Source	Sample that was matrix spiked or duplicated.

Scott McFriedland

Laboratory Director/Technical Manager

ELAP Certification #1595
A2LA Certification #6440.02

The results in this report apply to the samples as received and were analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Dellavalle Laboratory, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

DELLAVALLE™
LABORATORY INC

Silva Holsteins Dairy #2
6706 Elaine Road
Turlock, CA 95380

Account# 00-0026204
Account Manager: Ben Nydam
Submitted By: Adrian Silva

Received: 12/12/2023 15:55
Reported: 12/21/2023 08:14

Sample Results

Sample: DW-Barn
23L0692-01 (Water)

Sampled: 12/11/2023 12:35
Sampled By: M.Dekeyrel

Analyte	Result	Units	Reporting Limit	DIL	DW MCL	Date/Time Analyzed	Method	Notes	Batch
Alkalinity as CaCO3	**349**	mg/L	10.0	1		12/14/23 11:38	SM 2320 B		BEL0492
Calcium	**151**	mg/L	0.1	1		12/18/23 10:35	EPA 200.7		BEL0570
Chloride	**124**	mg/L	0.2	1	250	12/13/23 08:59	EPA 300.0		BEL0351
Carbonate as CaCO3	ND	mg/L	1	1		12/14/23 11:38	SM 2320 B		BEL0492
Electrical Conductivity	**1.76**	mmhos/cm	0.01	1		12/14/23 11:38	SM 2510 B		BEL0492
Electrical Conductivity umhos	**1760**	umhos/cm	10.0	1		12/14/23 11:38	SM 2510 B		BEL0492
Bicarbonate as CaCO3	**349**	mg/L	5.00	1		12/14/23 11:38	SM 2320 B		BEL0492
Potassium	**14.4**	mg/L	0.500	1		12/18/23 10:35	EPA 200.7		BEL0570
Magnesium	**35.6**	mg/L	0.1	1		12/18/23 10:35	EPA 200.7		BEL0570
Sodium	**125**	mg/L	1	1		12/18/23 10:35	EPA 200.7		BEL0570
Ammonia (as N)	ND	mg/L	0.00	1		12/11/23 12:35	Field		BEL0382
Nitrate Nitrogen as NO3N	**63.8**	mg/L	0.1	1	10	12/13/23 08:59	EPA 300.0		BEL0351
Hydroxide as CaCO3	ND	mg/L	1.00	1		12/14/23 11:38	SM 2320 B		BEL0492
pH	**7.4**	units	1.0	1		12/14/23 11:38	SM 4500-H+	H	BEL0492
Temperature	**25.0**	units	0.0	1		12/14/23 11:38	SM 4500-H+	H	BEL0492
Sulfate (SO4)	**60.1**	mg/L	0.5	1	250	12/13/23 08:59	EPA 300.0		BEL0351
Total Filterable Solids (TDS)	**1100**	mg/L	10.0	1		12/14/23 15:35	SM 2540 C		BEL0340

The results in this report apply to the samples as received and were analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Dellavalle Laboratory, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

DELLAVALLE™
LABORATORY INC

Silva Holsteins Dairy #2
6706 Elaine Road
Turlock, CA 95380

Account# 00-0026204
Account Manager: Ben Nydam
Submitted By: Adrian Silva

Received: 12/12/2023 15:55
Reported: 12/21/2023 08:14

Quality Control

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BEL0340										
Blank (BEL0340-BLK1)					Prepared: 12/12/2023	Analyzed: 12/14/2023				
Total Filterable Solids (TDS)	ND		10.0	mg/L						
LCS (BEL0340-BS1)					Prepared: 12/12/2023	Analyzed: 12/14/2023				
Total Filterable Solids (TDS)	30.0		10.0	mg/L	2000		1.50	0-200		
Duplicate (BEL0340-DUP1)		**Source: 23L0521-01**			Prepared: 12/12/2023	Analyzed: 12/14/2023				
Total Filterable Solids (TDS)	3150		10.0	mg/L		3300			4.65	10
Duplicate (BEL0340-DUP2)		**Source: 23L0575-01**			Prepared: 12/12/2023	Analyzed: 12/14/2023				
Total Filterable Solids (TDS)	430		10.0	mg/L		440			2.30	10
Reference (BEL0340-SRM1)					Prepared: 12/12/2023	Analyzed: 12/14/2023				
Total Filterable Solids (TDS)	393			mg/L	390.0		101	90-110		

The results in this report apply to the samples as received and were analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Dellavalle Laboratory, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

DELLAVALLE™
LABORATORY INC

Silva Holsteins Dairy #2
6706 Elaine Road
Turlock, CA 95380

Account# 00-0026204
Account Manager: Ben Nydam
Submitted By: Adrian Silva

Received: 12/12/2023 15:55
Reported: 12/21/2023 08:14

Quality Control
(Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BEL0351										
Blank (BEL0351-BLK1)					Prepared & Analyzed: 12/12/2023					
Chloride	ND		0.2	mg/L						
Nitrate Nitrogen as NO3N	ND		0.1	mg/L						
Sulfate (SO4)	ND		0.5	mg/L						
Blank (BEL0351-BLK2)					Prepared & Analyzed: 12/12/2023					
Chloride	ND		0.2	mg/L						
Nitrate Nitrogen as NO3N	ND		0.1	mg/L						
Sulfate (SO4)	ND		0.5	mg/L						
Blank (BEL0351-BLK3)					Prepared & Analyzed: 12/13/2023					
Chloride	ND		0.2	mg/L						
Nitrate Nitrogen as NO3N	ND		0.1	mg/L						
Sulfate (SO4)	ND		0.5	mg/L						
Blank (BEL0351-BLK4)					Prepared & Analyzed: 12/13/2023					
Chloride	ND		0.2	mg/L						
Nitrate Nitrogen as NO3N	ND		0.1	mg/L						
Sulfate (SO4)	ND		0.5	mg/L						
Blank (BEL0351-BLK5)					Prepared & Analyzed: 12/13/2023					
Chloride	ND		0.2	mg/L						
Nitrate Nitrogen as NO3N	ND		0.1	mg/L						
Sulfate (SO4)	ND		0.5	mg/L						
LCS (BEL0351-BS1)					Prepared & Analyzed: 12/12/2023					
Chloride	4.8		0.2	mg/L	5.000		96.4	90-110		
Nitrate Nitrogen as NO3N	5.0		0.1	mg/L	5.000		101	90-110		
Sulfate (SO4)	4.5		0.5	mg/L	5.000		89.0	90-110		
LCS (BEL0351-BS2)					Prepared & Analyzed: 12/13/2023					
Chloride	4.9		0.2	mg/L	5.000		97.2	90-110		
Nitrate Nitrogen as NO3N	5.1		0.1	mg/L	5.000		101	90-110		
Sulfate (SO4)	4.5		0.5	mg/L	5.000		89.4	90-110		
LCS (BEL0351-BS3)					Prepared & Analyzed: 12/13/2023					
Chloride	4.9		0.2	mg/L	5.000		98.6	90-110		
Nitrate Nitrogen as NO3N	5.1		0.1	mg/L	5.000		103	90-110		
Sulfate (SO4)	4.5		0.5	mg/L	5.000		90.8	90-110		
LCS (BEL0351-BS4)					Prepared & Analyzed: 12/13/2023					
Chloride	4.9		0.2	mg/L	5.000		98.5	90-110		
Nitrate Nitrogen as NO3N	5.1		0.1	mg/L	5.000		103	90-110		
Sulfate (SO4)	4.5		0.5	mg/L	5.000		90.2	90-110		

The results in this report apply to the samples as received and were analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Dellavalle Laboratory, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

DELLAVALLE™ LABORATORY INC

Silva Holsteins Dairy #2
6706 Elaine Road
Turlock, CA 95380

Account# 00-0026204
Account Manager: Ben Nydam
Submitted By: Adrian Silva

Received: 12/12/2023 15:55
Reported: 12/21/2023 08:14

Quality Control
(Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BEL0351 (Continued)										
Duplicate (BEL0351-DUP1)			**Source: 23L0613-01**		Prepared & Analyzed: 12/12/2023					
Chloride	13.9		0.2	mg/L		13.8			0.750	10
Nitrate Nitrogen as NO3N	1.8		0.1	mg/L		1.8			0.900	10
Sulfate (SO4)	10.7		0.5	mg/L		10.6			0.554	10
Duplicate (BEL0351-DUP2)			**Source: 23L0664-02**		Prepared & Analyzed: 12/13/2023					
Chloride	22.3		0.2	mg/L		22.3			0.0224	10
Nitrate Nitrogen as NO3N	6.7		0.1	mg/L		6.7			0.0448	10
Sulfate (SO4)	20.1		0.5	mg/L		20.1			0.174	10
Duplicate (BEL0351-DUP3)			**Source: 23L0695-01**		Prepared & Analyzed: 12/13/2023					
Chloride	8.9		0.2	mg/L		8.9			0.438	10
Nitrate Nitrogen as NO3N	4.1		0.1	mg/L		4.1			0.441	10
Sulfate (SO4)	5.8		0.5	mg/L		5.8			0.622	10
Duplicate (BEL0351-DUP4)			**Source: 23L0718-02**		Prepared & Analyzed: 12/13/2023					
Chloride	19.5		0.2	mg/L		19.8			1.60	10
Nitrate Nitrogen as NO3N	1.3		0.1	mg/L		1.3			1.70	10
Sulfate (SO4)	5.9		0.5	mg/L		6.0			1.56	10
Matrix Spike (BEL0351-MS1)			**Source: 23L0613-01**		Prepared & Analyzed: 12/12/2023					
Chloride	18.7		0.2	mg/L	5.000	13.8	98.4	90-110		
Nitrate Nitrogen as NO3N	7.1		0.1	mg/L	5.000	1.8	106	90-110		
Sulfate (SO4)	15.8		0.5	mg/L	5.000	10.6	104	90-110		
Matrix Spike (BEL0351-MS2)			**Source: 23L0664-02**		Prepared & Analyzed: 12/13/2023					
Chloride	26.8		0.2	mg/L	5.000	22.3	91.2	90-110		
Nitrate Nitrogen as NO3N	11.7		0.1	mg/L	5.000	6.7	101	90-110		
Sulfate (SO4)	25.1		0.5	mg/L	5.000	20.1	99.9	90-110		
Matrix Spike (BEL0351-MS3)			**Source: 23L0695-01**		Prepared & Analyzed: 12/13/2023					
Chloride	14.0		0.2	mg/L	5.000	8.9	102	90-110		
Nitrate Nitrogen as NO3N	9.3		0.1	mg/L	5.000	4.1	105	90-110		
Sulfate (SO4)	11.1		0.5	mg/L	5.000	5.8	105	90-110		
Matrix Spike (BEL0351-MS4)			**Source: 23L0718-02**		Prepared & Analyzed: 12/13/2023					
Chloride	24.2		0.2	mg/L	5.000	19.8	88.9	90-110		
Nitrate Nitrogen as NO3N	6.6		0.1	mg/L	5.000	1.3	105	90-110		
Sulfate (SO4)	11.1		0.5	mg/L	5.000	6.0	102	90-110		
Reference (BEL0351-SRM1)					Prepared & Analyzed: 12/12/2023					
Chloride	12.7			mg/L	12.50		102	90-110		
Nitrate Nitrogen as NO3N	10.1			mg/L	10.00		101	90-110		

The results in this report apply to the samples as received and were analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Dellavalle Laboratory, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

DELLAVALLE™ LABORATORY INC

Silva Holsteins Dairy #2
6706 Elaine Road
Turlock, CA 95380

Account# 00-0026204
Account Manager: Ben Nydam
Submitted By: Adrian Silva

Received: 12/12/2023 15:55
Reported: 12/21/2023 08:14

Quality Control
(Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BEL0351 (Continued)										
Reference (BEL0351-SRM1)					Prepared & Analyzed: 12/12/2023					
Sulfate (SO4)	9.8			mg/L	10.00		98.1	90-110		
Reference (BEL0351-SRM2)					Prepared & Analyzed: 12/13/2023					
Chloride	12.8			mg/L	12.50		103	90-110		
Nitrate Nitrogen as NO3N	10.2			mg/L	10.00		102	90-110		
Sulfate (SO4)	9.9			mg/L	10.00		98.5	90-110		
Reference (BEL0351-SRM3)					Prepared & Analyzed: 12/13/2023					
Chloride	12.8			mg/L	12.50		103	90-110		
Nitrate Nitrogen as NO3N	10.2			mg/L	10.00		102	90-110		
Sulfate (SO4)	9.9			mg/L	10.00		98.8	90-110		
Reference (BEL0351-SRM4)					Prepared & Analyzed: 12/13/2023					
Chloride	12.9			mg/L	12.50		103	90-110		
Nitrate Nitrogen as NO3N	10.3			mg/L	10.00		103	90-110		
Sulfate (SO4)	9.9			mg/L	10.00		99.1	90-110		
Reference (BEL0351-SRM5)					Prepared & Analyzed: 12/13/2023					
Chloride	13.0			mg/L	12.50		104	90-110		
Nitrate Nitrogen as NO3N	10.3			mg/L	10.00		103	90-110		
Sulfate (SO4)	10.0			mg/L	10.00		99.7	90-110		

The results in this report apply to the samples as received and were analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Dellavalle Laboratory, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

DELLAVALLE™ LABORATORY INC

Silva Holsteins Dairy #2
6706 Elaine Road
Turlock, CA 95380

Account# 00-0026204
Account Manager: Ben Nydam
Submitted By: Adrian Silva

Received: 12/12/2023 15:55
Reported: 12/21/2023 08:14

Quality Control
(Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BEL0492										
Blank (BEL0492-BLK1)					Prepared: 12/13/2023 Analyzed: 12/14/2023					
Electrical Conductivity	ND		0.01	mmhos/cm						
Carbonate as CaCO3	ND		1	mg/L						
pH	5.3		1.0	units						
Hydroxide as CaCO3	ND		1.00	mg/L						
Alkalinity as CaCO3	ND		10.0	mg/L						
Electrical Conductivity umhos	ND		10.0	umhos/cm						
Bicarbonate as CaCO3	ND		5.00	mg/L						
Temperature	25.0		0.0	units						
Blank (BEL0492-BLK2)					Prepared: 12/13/2023 Analyzed: 12/14/2023					
pH	5.3		1.0	units						
Hydroxide as CaCO3	ND		1.00	mg/L						
Alkalinity as CaCO3	ND		10.0	mg/L						
Electrical Conductivity	ND		0.01	mmhos/cm						
Carbonate as CaCO3	ND		1	mg/L						
Bicarbonate as CaCO3	ND		5.00	mg/L						
Temperature	25.0		0.0	units						
Electrical Conductivity umhos	ND		10.0	umhos/cm						
Blank (BEL0492-BLK3)					Prepared: 12/13/2023 Analyzed: 12/14/2023					
Electrical Conductivity	ND		0.01	mmhos/cm						
Hydroxide as CaCO3	ND		1.00	mg/L						
Alkalinity as CaCO3	ND		10.0	mg/L						
Carbonate as CaCO3	ND		1	mg/L						
pH	5.5		1.0	units						
Electrical Conductivity umhos	ND		10.0	umhos/cm						
Temperature	25.0		0.0	units						
Bicarbonate as CaCO3	ND		5.00	mg/L						
Duplicate (BEL0492-DUP1)		**Source: 23L0701-03**			Prepared: 12/13/2023 Analyzed: 12/14/2023					
pH	7.8		1.0	units		7.9			1.53	10
Carbonate as CaCO3	ND		1	mg/L		ND				10
Electrical Conductivity	3.09		0.01	mmhos/cm		3.07			0.516	10
Hydroxide as CaCO3	ND		1.00	mg/L		ND				10
Alkalinity as CaCO3	575		10.0	mg/L		533			7.60	10
Electrical Conductivity umhos	3090		10.0	umhos/cm		3070			0.516	10
Duplicate (BEL0492-DUP2)		**Source: 23L0857-01**			Prepared: 12/13/2023 Analyzed: 12/14/2023					
Alkalinity as CaCO3	345		10.0	mg/L		327			5.28	10
pH	7.8		1.0	units		7.7			0.258	10
Carbonate as CaCO3	ND		1	mg/L		ND				10
Electrical Conductivity	1.46		0.01	mmhos/cm		1.46			0.0890	10
Hydroxide as CaCO3	ND		1.00	mg/L		ND				10

The results in this report apply to the samples as received and were analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Dellavalle Laboratory, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

DELLAVALLE™
LABORATORY INC

Silva Holsteins Dairy #2
6706 Elaine Road
Turlock, CA 95380

Account# 00-0026204
Account Manager: Ben Nydam
Submitted By: Adrian Silva

Received: 12/12/2023 15:55
Reported: 12/21/2023 08:14

Quality Control
(Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BEL0492 (Continued)										
Duplicate (BEL0492-DUP2)			**Source: 23L0857-01**		Prepared: 12/13/2023	Analyzed: 12/14/2023				
Electrical Conductivity umhos	1460		10.0	umhos/cm		1460			0.0890	10
Reference (BEL0492-SRM1)					Prepared: 12/13/2023	Analyzed: 12/14/2023				
Electrical Conductivity	446			umhos/cm	426.0		105	90-110		
Alkalinity as CaCO3	129			mg/L	128.0		100	90-110		
Reference (BEL0492-SRM2)					Prepared: 12/13/2023	Analyzed: 12/14/2023				
Electrical Conductivity	455			umhos/cm	426.0		107	90-110		
Alkalinity as CaCO3	128			mg/L	128.0		100	90-110		
Reference (BEL0492-SRM3)					Prepared: 12/13/2023	Analyzed: 12/14/2023				
Alkalinity as CaCO3	123			mg/L	128.0		95.9	90-110		
Electrical Conductivity	447			umhos/cm	426.0		105	90-110		
Reference (BEL0492-SRM4)					Prepared: 12/13/2023	Analyzed: 12/14/2023				
pH	4.0			units	4.000		101	97.5-102.5		
Reference (BEL0492-SRM5)					Prepared: 12/13/2023	Analyzed: 12/14/2023				
pH	4.1			units	4.000		102	97.5-102.5		
Reference (BEL0492-SRM6)					Prepared: 12/13/2023	Analyzed: 12/14/2023				
pH	4.0			units	4.000		99.8	97.5-102.5		
Reference (BEL0492-SRM7)					Prepared: 12/13/2023	Analyzed: 12/14/2023				
pH	7.5			units	7.520		100	67021-101.32		

The results in this report apply to the samples as received and were analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Dellavalle Laboratory, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

DELLAVALLE™ LABORATORY INC

Silva Holsteins Dairy #2
6706 Elaine Road
Turlock, CA 95380

Account# 00-0026204
Account Manager: Ben Nydam
Submitted By: Adrian Silva

Received: 12/12/2023 15:55
Reported: 12/21/2023 08:14

Quality Control
(Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BEL0570										
Blank (BEL0570-BLK1)					Prepared: 12/13/2023	Analyzed: 12/18/2023				
Sodium	ND		1	mg/L						
Calcium	0.1		0.1	mg/L						
Potassium	ND		0.500	mg/L						
Magnesium	ND		0.1	mg/L						
Blank (BEL0570-BLK2)					Prepared: 12/13/2023	Analyzed: 12/18/2023				
Potassium	ND		0.500	mg/L						
Calcium	ND		0.1	mg/L						
Sodium	ND		1	mg/L						
Magnesium	ND		0.1	mg/L						
LCS (BEL0570-BS1)					Prepared: 12/13/2023	Analyzed: 12/18/2023				
Sodium	38		1	mg/L	35.71		107	90-110		
Potassium	37.0		0.500	mg/L	35.71		104	90-110		
Calcium	38.7		0.1	mg/L	35.71		108	90-110		
Magnesium	36.6		0.1	mg/L	35.71		103	90-110		
LCS (BEL0570-BS2)					Prepared: 12/13/2023	Analyzed: 12/18/2023				
Sodium	38		1	mg/L	35.71		105	90-110		
Calcium	39.6		0.1	mg/L	35.71		111	90-110		
Potassium	37.7		0.500	mg/L	35.71		105	90-110		
Magnesium	37.4		0.1	mg/L	35.71		105	90-110		
Duplicate (BEL0570-DUP1)		**Source: 23L0701-03**			Prepared: 12/13/2023	Analyzed: 12/18/2023				
Potassium	3.86		0.500	mg/L		3.84			0.467	15
Sodium	446		1	mg/L		450			1.00	15
Calcium	60.9		0.1	mg/L		61.0			0.197	15
Magnesium	20.3		0.1	mg/L		20.4			0.492	15
Matrix Spike (BEL0570-MS1)		**Source: 23L0701-03**			Prepared: 12/13/2023	Analyzed: 12/18/2023				
Sodium	450		1	mg/L	35.71	450	NR	90-110		
Potassium	41.7		0.500	mg/L	35.71	3.84	106	90-110		
Calcium	96.3		0.1	mg/L	35.71	61.0	98.6	90-110		
Magnesium	54.3		0.1	mg/L	35.71	20.4	95.1	90-110		
Matrix Spike (BEL0570-MS2)		**Source: 23L0877-04**			Prepared: 12/13/2023	Analyzed: 12/18/2023				
Potassium	41.4		0.500	mg/L	35.71	4.33	104	90-110		
Sodium	60		1	mg/L	35.71	25	97.7	90-110		
Calcium	62.2		0.1	mg/L	35.71	23.4	109	90-110		
Magnesium	44.6		0.1	mg/L	35.71	8.5	101	90-110		
Reference (BEL0570-SRM2)					Prepared: 12/13/2023	Analyzed: 12/18/2023				
Potassium	23.7			mg/L	21.90		108	90-110		

The results in this report apply to the samples as received and were analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Dellavalle Laboratory, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

DELLAVALLE™ LABORATORY INC

Silva Holsteins Dairy #2
6706 Elaine Road
Turlock, CA 95380

Account# 00-0026204
Account Manager: Ben Nydam
Submitted By: Adrian Silva

Received: 12/12/2023 15:55
Reported: 12/21/2023 08:14

Quality Control
(Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BEL0570 (Continued)										
Reference (BEL0570-SRM2)					Prepared: 12/13/2023	Analyzed: 12/18/2023				
Sodium	96			mg/L	91.50		105	90-110		
Reference (BEL0570-SRM3)					Prepared: 12/13/2023	Analyzed: 12/18/2023				
Calcium	49.3			mg/L	45.90		107	90-110		
Magnesium	37.1			mg/L	35.60		104	90-110		

The results in this report apply to the samples as received and were analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Dellavalle Laboratory, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

12/12/23 15:55 23L0692

DELLAVALLE LABORATORY, INC.

1910 W. McKinley Avenue, Suite 110 • Fresno, CA 93728
www.dellavallelab.com 559 233-6129 • 800 228-9896 • Fax 559 268-8174

WATER WORK REQUEST

Bill To: Acct No. 26204 Cons. 8

Purchase Order No. _____ Results Needed By _____

Client: Silva Holsteins Dairy #2
Address: 6706 Elaine Road
City, State, Zip: Turlock CA 95380
Phone _____ Fax _____
Cell/Email _____

Copy to: Cardoso Ag Sevices - cas.labs@yahoo.com

Requested by: Adrian Silva (209) 595-1846

Facility: _____

Date sampled: 12/11/23

Sampled by: mDekuyed

[X] QA/QC Document [X] Copy of Chain [ ] RWQCB

No. of Samples _____ No. Bottles _____

Water Type: [ ] Drinking [ ] Wastewater
[X] Ag Water [ ] Ground Water [ ] Mon. Well
[ ] Supply Water [ ] Other _____

Analysis and Bottles Required: *(Please Indicate Analysis)*

( ) DWW1: (EC, pH, NO_3-N, **NH_4-N Field Test)**
(1) l L plastic, unpreserved (white)

(X) DWW2: (DWW1 Plus SO_4, CO_3, HCO_3, Cl, Ca, Mg, Na, TDS)
(1) l L plastic, unpreserved (white)

( ) DCW1: (EC, NO_3-N, TDS)
(1) l L plastic, unpreserved (white)

( ) DPW1: (EC, pH, NO_3-N, NH_4-N, TKN, TDS, TP, TK)
(1) l L plastic, unpreserved (white)

( ) DPW2: (DPW1 Plus Ca, Mg, Na, HCO_3, CO_3, SO_4, Cl)
(1) l L plastic, unpreserved (white)

( ) Other _____

DESCRIPTION OF SAMPLES		Date Sampled	Time Sampled	Field NH4-N (mg/L)	Received Temp °C
1. DW-Barn	Sampled From:	12/11/23	1235p	Ø	-0.0
2.	Sampled From:				
3.	Sampled From:				
4.	Sampled From:				
5.	Sampled From:				
6.	Sampled From:				
7.	Sampled From:				
8.	Sampled From:				
9.	Sampled From:				
10.	Sampled From:				

IR Thermometer SN: 200560723
Correction Factor: 0°C
Calibration Due: 03/06/2024
Location: Laboratory

CHAIN OF CUSTODY

Carrier	Signature	Company	Received (Date/Time)	Relinquished (Date/Time)
First	mDekuyed	CAS INC	12/11/23 1230p	12/12/23 @9:30am
Second	JLF	DLV	12-12-23 9:30	12-12-23 2:01
Third	MM	DLI	12/12 15:55	
Fourth				

I guarantee that as the client, or on behalf of the client named, I have the authority to contract the above requested services. Should it be found that I do not have such authority, I agree to be personally liable for all costs and, if there should be action against me for this breach, reasonable attorneys' fees. It is understood that payment is expected to be cash with samples unless terms have been previously arranged. Terms are net 30 days; overdue accounts will be charged a dated damage fee of 2% per month (annually 24 %) or $5.00 per month whichever is greater.

If payment is not made when due and a legitimate dispute exists concerning the product or services of Dellavalle Laboratory, Inc., it will be submitted to mediation under the Rules and Procedures of Creative Alternative to Litigation, Inc. (cal). If the dispute is not resolved in mediation, then the dispute will be submitted to binding arbitration through cal under its Rules and Procedures. The prties will equally bear the costs of mediation/arbitration. If, however, the mediator declares that no legitimate dispute exists, then debtor will pay all mediation and arbitration costs, and in the event of arbitration, reasonable attorneys' fees of Dellavalle Laboratory.

Invoicing Information:

Sampling Hrs ____ Miles ____ Consulting ____

Amt Paid ____ Rec By ____ Check No. ____

Shipping
$ _____ In
$ _____ Out
Date _____

Signature _____

Sample received in cooler with ice?
[ ] Yes [ ] No

ctl:update 2020

Shipping Information: Shipped In ☐ Picked-Up ☒ Walk In ☐ DLI Sampler ☐ Other ☐ _____

Container: Ice Chest ☒ Box ☐ None ☐ **Refrigerant:** Wet Ice ☒ Blue Ice ☐ None ☐

Samples Preserved with HNO_3 or H_2SO_4 were: ☐ Received Preserved ☐ Preserved Upon Receipt at Laboratory

12/12/23 15:55 23L0692

Type of Container(s) Received		Sample Number 1	2	3	4	5	6	7	8	9	10
Sample Containers for Internal (DLI) Use *(Containers that go into the Lab)*											
Plastics	100 mL sterile plastic $Na_2S_2O_3$ (Green)										
	250 mL unpreserved (White) Plastic										
	250 mL HNO_3 (Red) Plastic										
	* pH Value										
	250 mL H_2SO_4 (Yellow) Plastic										
	* pH Value										
	500 mL unpreserved (White) Plastic										
	1 L unpreserved (White) Plastic										
	1 L unpreserved (BOD) (Purple) Plastic										
"	500mL unpreserved (White) Glass										
	PO4-P Kit										
	Other:										
Sample Containers for Subcontracted ("Send Out") Analyses *(Containers that go in the Subcontract ("Send Out") Refrigerator)*											
Plastics	100 mL sterile plastic $Na_2S_2O_3$ (Green)										
	250 mL unpreserved (White) Plastic										
	250 mL HNO_3 (Red) Plastic										
	250 mL H_2SO_4 (Yellow) Plastic										
	500 mL HNO_3 (Red)										
	1 L unpreserved (White) Plastic										
	1 L unpreserved (BOD) (Purple) Plastic										
	1 L HNO_3 (Red)										
VOA Vials	40 mL AG VOA, $Na_2S_2O_3$ + MCAA										
	40 mL AG VOA, $Na_2S_2O_3$										
	40mL AG VOA unpreserved (White) (Set of 3										
	40 mL AG VOA, $Na_2S_2O_3$ (Green) (Set of 3)										
	40mL VOA, H_3PO_4 (Set of 3)										
	40 mL VOA, HCl (Blue) (Set of 3)										
	40 mL VOA, $Na_2S_2O_3$ (Green) (Set of 3)										
Glass	250 mL AG unpreserved (White)										
	250 mL AG H_2SO_4 (Yellow)										
	250 mL AG $Na_2S_2O_3$ (Green)										
	250 mL AG $Na_2S_2O_3$ + MCAA										
	500 mL glass unpreserved (White)										
	500 mL AG HCl (Blue)										
	1 L AG unpreserved (White)										
	1 L AG H_2SO_4 (Yellow)										
	1 L AG $Na_2S_2O_3$ (Green)										
	1 L AG HCl (Blue)										
Special	Cr^{6+} - 50mL Plastic w/Borate/HCO_3/CO_3										
	Cyanide - 500 mL NaOH										
	Asbestos - 1L P wrapped in foil (Set of 2)										
	Sulfide - 1 L **AG** or **P** NaOH + ZnAc										
	Chlorite/Bromate - 250 mL AG with EDA										
	HAA5 - 250mL AG Ammonium Chlorite										
	DO KIT										
	Other:										
	Other:										

SEND OUT