Annual Report - General Order No. R5-2007-0035
Reporting period 01/01/2023 to 12/31/2023.

DAIRY FACILITY INFORMATION

A. NAME OF DAIRY OR BUSINESS OPERATING THE DAIRY: Nunes Heifers

Physical address of dairy:

Number and Street	City	County	Zip Code
2618 E Reilly RD	Merced	Merced	95340

Street and nearest cross street (if no address):

Date facility was originally placed in operation: 01/01/1955

Regional Water Quality Control Board Basin Plan designation: San Joaquin River Basin

County Assessor Parcel Number(s) for dairy facility:

X066-X250-X017-XXXX

B. OPERATORS

Antonio and/or Filomena Nunes

Operator name: Antonio and/or Filomena Nunes

Telephone no.: Landline: ; Cellular: (209) 658-6162

Mailing Address Number and Street	City	State	Zip Code
1730 S Healy RD	Merced	CA	95341

Nunes Dairy, LP

Operator name: Nunes Dairy, LP

Telephone no.: Landline: ; Cellular: (209) 678-0568

Mailing Address Number and Street	City	State	Zip Code
1730 S Healy RD	Merced	CA	95340

This operator is responsible for paying permit fees.

C. OWNERS

Nunes Dairy, LLC

Legal owner name: Nunes Dairy, LLC

Telephone no.: Landline: ; Cellular: (209) 678-0568

Mailing Address Number and Street	City	State	Zip Code
1730 S Healy RD	Merced	CA	95340

Paulo and/or Paula Floriano

Legal owner name:	Paulo and/or Paula Floriano	Telephone no.:	(209) 723-8966	
			Landline	Cellular
2618 E Reilly RD	Merced		CA	95340
Mailing Address Number and Street	City		State	Zip Code

Annual Report - General Order No. R5-2007-0035
Reporting period 01/01/2023 to 12/31/2023.

AVAILABLE NUTRIENTS

A. HERD INFORMATION

	Milk Cows	Dry Cows	Bred Heifers (15-24 mo.)	Heifers (7-14 mo. to breeding)	Calves (4-6 mo.)	Calves (0-3 mo.)
Number open confinement	0	0	128	158	0	0
Number under roof	0	0	128	158	0	0
Maximum number	0	0	260	320	0	0
Average number	0	0	260	320	0	0
Avg live weight (lbs)	0	0	850	700		

Predominant milk cow breed: Holstein

Average milk production: 1 *pounds per cow per day*

B. MANURE GENERATED

Total manure excreted by the herd: 5,619.59 *tons per reporting period*

Total nitrogen from manure: 55,042.00 *lbs per reporting period*

After ammonia losses (30% loss applied): 38,529.40 *lbs per reporting period*

Total phosphorus from manure: 9,314.80 *lbs per reporting period*

Total potassium from manure: 1.00 *lbs per reporting period*

Total salt from manure: 0.00 *lbs per reporting period*

C. PROCESS WASTEWATER GENERATED

Process wastewater generated: _____ *gallons*

Total nitrogen generated: _____ *lbs*

Total phosphorus generated: _____ *lbs*

Total potassium generated: _____ *lbs*

Total salt generated: _____ *lbs*

	0	*gallons applied*
+	0	*gallons exported*
-	0	*gallons imported*
=	0	*gallons generated*

D. FRESH WATER SOURCES

Source Description	Type
Domestic Well - DW-Commodity Barn	Ground water
Domestic Well - DW-Milk Barn	Ground water
Irrigation Water - Canal	Surface water

E. SUBSURFACE (TILE) DRAINAGE SOURCES

No subsurface (tile) drainage sources entered.

F. NUTRIENT IMPORTS

No dry manure nutrient imports entered.

No process wastewater nutrient imports entered.

No commercial or other nutrient imports entered.

G. NUTRIENT EXPORTS

No solid nutrient exports entered.

No liquid nutrient exports entered.

APPLICATION AREA

A. LIST OF LAND APPLICATION AREAS

Field name	Controlled acres	Cropable acres	Total harvests	Type of waste applied	Parcel number
House	10	10	2	manure	X066-X250-X017-XXXX
Savemart	25	25	2	manure	X066-X250-X008-XXXX
Totals for areas that were used for application	35	35	4		
Totals for areas that were not used for application					
Land application area totals	35	35	4		

B. CROPS AND HARVESTS

House

Field name: House

11/29/2022: Oats, silage-soft dough

Crop: Oats, silage-soft dough Acres planted: 10 Plant date: 11/29/2022

Harvest date	Yield	Reporting basis	Density (lbs/cu ft)	Moisture (%)	N (mg/kg)	P (mg/kg)	K (mg/kg)	Salt (mg/kg)	TFS (%)
05/04/2023	139.50 *ton*	Dry-weight		67.1	15,200.00	2,500.00	15,300.00		11.20

	Yield (tons/acre)	Total N (lbs/acre)	Total P (lbs/acre)	Total K (lbs/acre)	Salt (lbs/acre)
Anticipated harvest content	16.00	160.00	24.00	132.80	0.00
Total actual harvest content	13.95	139.52	22.95	140.44	1,028.06

06/15/2023: Corn, silage

Crop: Corn, silage Acres planted: 10 Plant date: 06/15/2023

Harvest date	Yield	Reporting basis	Density (lbs/cu ft)	Moisture (%)	N (mg/kg)	P (mg/kg)	K (mg/kg)	Salt (mg/kg)	TFS (%)
10/25/2023	290.60 *ton*	Dry-weight		66.9	12,200.00	2,200.00	12,800.00		5.70

	Yield (tons/acre)	Total N (lbs/acre)	Total P (lbs/acre)	Total K (lbs/acre)	Salt (lbs/acre)
Anticipated harvest content	30.00	240.00	45.00	198.00	0.00
Total actual harvest content	29.06	234.70	42.32	246.24	1,096.55

Savemart

Savemart

Field name: Savemart

11/29/2022: Oats, silage-soft dough

Crop: Oats, silage-soft dough Acres planted: 25 Plant date: 11/29/2022

Harvest date	Yield	Reporting basis	Density (lbs/cu ft)	Moisture (%)	N (mg/kg)	P (mg/kg)	K (mg/kg)	Salt (mg/kg)	TFS (%)
05/04/2023	312.50 *ton*	Dry-weight		67.1	15,200.00	2,500.00	15,300.00		11.20

	Yield (tons/acre)	Total N (lbs/acre)	Total P (lbs/acre)	Total K (lbs/acre)	Salt (lbs/acre)
Anticipated harvest content	16.00	160.00	25.60	132.80	0.00
Total actual harvest content	12.50	125.02	20.56	125.84	921.20

06/15/2023: Corn, silage

Crop: Corn, silage Acres planted: 25 Plant date: 06/15/2023

Harvest date	Yield	Reporting basis	Density (lbs/cu ft)	Moisture (%)	N (mg/kg)	P (mg/kg)	K (mg/kg)	Salt (mg/kg)	TFS (%)
10/25/2023	694.50 *ton*	Dry-weight		66.9	12,200.00	2,200.00	12,800.00		5.70

	Yield (tons/acre)	Total N (lbs/acre)	Total P (lbs/acre)	Total K (lbs/acre)	Salt (lbs/acre)
Anticipated harvest content	30.00	240.00	45.00	198.00	0.00
Total actual harvest content	27.78	224.36	40.46	235.40	1,048.25

NUTRIENT BUDGET

A. LAND APPLICATIONS

House - 11/29/2022: Oats, silage-soft dough

Field name: House

Crop: Oats, silage-soft dough — Plant date: 11/29/2022

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
11/01/2022	Broadcast/incorporate	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Solid Manure	Corral solids	178.60	51.24	236.63	0.00	40.00 *ton*
Application event totals		178.60	51.24	236.63	0.00	

03/09/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Irrigation Water - Canal	Surface water	0.00	0.00	0.00	28.01	1,198,830.00 *gal*
Application event totals		0.00	0.00	0.00	28.01	

04/04/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Irrigation Water - Canal	Surface water	0.00	0.00	0.00	29.59	1,266,180.00 *gal*
Application event totals		0.00	0.00	0.00	29.59	

House - 06/15/2023: Corn, silage

Field name: House

Crop: Corn, silage — Plant date: 06/15/2023

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
06/01/2023	Broadcast/incorporate	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Solid Manure	Corral solids	312.56	89.68	414.10	0.00	70.00 *ton*
Application event totals		312.56	89.68	414.10	0.00	

House - 06/15/2023: Corn, silage

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
06/05/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Irrigation Water - Canal	Surface water	0.00	0.00	0.00	25.65	1,097,805.00 *gal*
Application event totals		0.00	0.00	0.00	25.65	

07/07/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Irrigation Water - Canal	Surface water	0.00	0.00	0.00	25.49	1,091,070.00 *gal*
Application event totals		0.00	0.00	0.00	25.49	

07/19/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Irrigation Water - Canal	Surface water	0.00	0.00	0.00	25.49	1,091,070.00 *gal*
Application event totals		0.00	0.00	0.00	25.49	

08/03/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Irrigation Water - Canal	Surface water	0.00	0.00	0.00	25.97	1,111,275.00 *gal*
Application event totals		0.00	0.00	0.00	25.97	

08/16/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Irrigation Water - Canal	Surface water	0.00	0.00	0.00	25.34	1,084,335.00 *gal*
Application event totals		0.00	0.00	0.00	25.34	

08/29/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Irrigation Water - Canal	Surface water	0.00	0.00	0.00	25.65	1,097,805.00 *gal*
Application event totals		0.00	0.00	0.00	25.65	

House - 06/15/2023: Corn, silage

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
09/12/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Irrigation Water - Canal	Surface water	0.00	0.00	0.00	25.97	1,111,275.00 *gal*
Application event totals		0.00	0.00	0.00	25.97	

10/01/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Irrigation Water - Canal	Surface water	0.00	0.00	0.00	25.97	1,111,275.00 *gal*
Application event totals		0.00	0.00	0.00	25.97	

Savemart - 11/29/2022: Oats, silage-soft dough

Field name: Savemart

Crop: Oats, silage-soft dough

Plant date: 11/29/2022

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
11/01/2022	Broadcast/incorporate	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Solid Manure	Corral solids	160.74	46.12	212.97	0.00	90.00 *ton*
Application event totals		160.74	46.12	212.97	0.00	

03/09/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Irrigation Water - Canal	Surface water	0.00	0.00	0.00	28.96	3,098,100.00 *gal*
Application event totals		0.00	0.00	0.00	28.96	

04/04/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Irrigation Water - Canal	Surface water	0.00	0.00	0.00	29.21	3,125,040.00 *gal*
Application event totals		0.00	0.00	0.00	29.21	

Savemart - 06/15/2023: Corn, silage

Field name: Savemart

Crop: Corn, silage

Plant date: 06/15/2023

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
06/01/2023	Broadcast/incorporate	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Solid Manure	Corral solids	303.63	87.12	402.27	0.00	170.00 *ton*
Application event totals		303.63	87.12	402.27	0.00	

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
06/05/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Irrigation Water - Canal	Surface water	0.00	0.00	0.00	25.37	2,714,205.00 *gal*
Application event totals		0.00	0.00	0.00	25.37	

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
07/07/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Irrigation Water - Canal	Surface water	0.00	0.00	0.00	25.18	2,694,000.00 *gal*
Application event totals		0.00	0.00	0.00	25.18	

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
07/19/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Irrigation Water - Canal	Surface water	0.00	0.00	0.00	25.49	2,727,675.00 *gal*
Application event totals		0.00	0.00	0.00	25.49	

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
08/03/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Irrigation Water - Canal	Surface water	0.00	0.00	0.00	25.31	2,707,470.00 *gal*
Application event totals		0.00	0.00	0.00	25.31	

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
08/16/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Irrigation Water - Canal	Surface water	0.00	0.00	0.00	25.43	2,720,940.00 *gal*
Application event totals		0.00	0.00	0.00	25.43	

Savemart - 06/15/2023: Corn, silage

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
08/29/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Irrigation Water - Canal	Surface water	0.00	0.00	0.00	25.05	2,680,530.00 *gal*
Application event totals		0.00	0.00	0.00	25.05	

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
09/12/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Irrigation Water - Canal	Surface water	0.00	0.00	0.00	25.56	2,734,410.00 *gal*
Application event totals		0.00	0.00	0.00	25.56	

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
10/01/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Irrigation Water - Canal	Surface water	0.00	0.00	0.00	25.12	2,687,265.00 *gal*
Application event totals		0.00	0.00	0.00	25.12	

B. NUTRIENT BUDGET

House - 11/29/2022: Oats, silage-soft dough

Field name: House | Crop: Oats, silage-soft dough | Plant date: 11/29/2022



	Total N (lbs/acre)	Total P (lbs/acre)	Total K (lbs/acre)	Total salt (lbs/acre)
Existing soil nutrient content	0.00	0.00	0.00	0.00
Plowdown credit	0.00	0.00	0.00	0.00
Commercial fertilizer / Other	0.00	0.00	0.00	0.00
Dry manure	178.60	51.24	236.63	0.00
Process wastewater	0.00	0.00	0.00	0.00
Fresh water	0.00	0.00	0.00	57.60
Atmospheric deposition	7.00	0.00	0.00	0.00
Total nutrients applied	185.60	51.24	236.63	57.60
Anticipated crop nutrient removal	160.00	24.00	132.80	0.00
Actual crop nutrient removal	139.52	22.95	140.44	1,028.06
Nutrient balance	46.08	28.30	96.19	-970.46
Applied to removed ratio	1.33	2.23	1.68	0.06

Fresh water applied	
2,465,010.00	*gallons*
90.78	*acre-inches*
9.08	*inches/acre*

Process wastewater applied	
0.00	*gallons*
0.00	*acre-inches*
0.00	*inches/acre*

Total harvests for the crop	
1	*harvests*

House - 06/15/2023: Corn, silage

Field name: House | Crop: Corn, silage | Plant date: 06/15/2023



	Total N (lbs/acre)	Total P (lbs/acre)	Total K (lbs/acre)	Total salt (lbs/acre)
Existing soil nutrient content	0.00	0.00	0.00	0.00
Plowdown credit	0.00	0.00	0.00	0.00
Commercial fertilizer / Other	0.00	0.00	0.00	0.00
Dry manure	312.56	89.68	414.10	0.00
Process wastewater	0.00	0.00	0.00	0.00
Fresh water	0.00	0.00	0.00	205.53
Atmospheric deposition	7.00	0.00	0.00	0.00
Total nutrients applied	319.56	89.68	414.10	205.53
Anticipated crop nutrient removal	240.00	45.00	198.00	0.00
Actual crop nutrient removal	234.70	42.32	246.24	1,096.55
Nutrient balance	84.86	47.36	167.86	-891.02
Applied to removed ratio	1.36	2.12	1.68	0.19

Fresh water applied	
8,795,910.00	*gallons*
323.92	*acre-inches*
32.39	*inches/acre*

Process wastewater applied	
0.00	*gallons*
0.00	*acre-inches*
0.00	*inches/acre*

Total harvests for the crop	
1	*harvests*

Savemart - 11/29/2022: Oats, silage-soft dough

Field name: Savemart | Crop: Oats, silage-soft dough | Plant date: 11/29/2022



	Total N (lbs/acre)	Total P (lbs/acre)	Total K (lbs/acre)	Total salt (lbs/acre)
Existing soil nutrient content	0.00	0.00	0.00	0.00
Plowdown credit	0.00	0.00	0.00	0.00
Commercial fertilizer / Other	0.00	0.00	0.00	0.00
Dry manure	160.74	46.12	212.97	0.00
Process wastewater	0.00	0.00	0.00	0.00
Fresh water	0.00	0.00	0.00	58.16
Atmospheric deposition	7.00	0.00	0.00	0.00
Total nutrients applied	167.74	46.12	212.97	58.16
Anticipated crop nutrient removal	160.00	25.60	132.80	0.00
Actual crop nutrient removal	125.02	20.56	125.84	921.20
Nutrient balance	42.72	25.56	87.12	-863.04
Applied to removed ratio	1.34	2.24	1.69	0.06

Fresh water applied	
6,223,140.00	*gallons*
229.18	*acre-inches*
9.17	*inches/acre*

Process wastewater applied	
0.00	*gallons*
0.00	*acre-inches*
0.00	*inches/acre*

Total harvests for the crop	
1	*harvests*

Savemart - 06/15/2023: Corn, silage

Field name: Savemart | Crop: Corn, silage | Plant date: 06/15/2023



	Total N (lbs/acre)	Total P (lbs/acre)	Total K (lbs/acre)	Total salt (lbs/acre)
Existing soil nutrient content	0.00	0.00	0.00	0.00
Plowdown credit	0.00	0.00	0.00	0.00
Commercial fertilizer / Other	0.00	0.00	0.00	0.00
Dry manure	303.63	87.12	402.27	0.00
Process wastewater	0.00	0.00	0.00	0.00
Fresh water	0.00	0.00	0.00	202.50
Atmospheric deposition	7.00	0.00	0.00	0.00
Total nutrients applied	310.63	87.12	402.27	202.50
Anticipated crop nutrient removal	240.00	45.00	198.00	0.00
Actual crop nutrient removal	224.36	40.46	235.40	1,048.25
Nutrient balance	86.26	46.66	166.88	-845.75
Applied to removed ratio	1.38	2.15	1.71	0.19

Fresh water applied	
21,666,495.00	*gallons*
797.90	*acre-inches*
31.92	*inches/acre*

Process wastewater applied	
0.00	*gallons*
0.00	*acre-inches*
0.00	*inches/acre*

Total harvests for the crop	
1	*harvests*

NUTRIENT ANALYSES

A. MANURE ANALYSES

Solid Manure

Sample and source description: Solid Manure

Sample date: 06/07/2023 Material type: Corral solids Source of analysis: Lab analysis Method of reporting: Dry-weight

Moisture: 13.6 %

	Total N (mg/kg)	Total P (mg/kg)	Total K (mg/kg)	Calcium (mg/kg)	Magnesium (mg/kg)	Sodium (mg/kg)	Sulfur (mg/kg)	Chloride (mg/kg)	Total salt (mg/kg)	TFS (%)
Value	23,900.00	6,600.00	29,000.00							
DL	100.00	100.00	100.00							

Solid Manure

Sample and source description: Solid Manure

Sample date: 10/09/2023 Material type: Corral solids Source of analysis: Lab analysis Method of reporting: Dry-weight

Moisture: 5.8 %

	Total N (mg/kg)	Total P (mg/kg)	Total K (mg/kg)	Calcium (mg/kg)	Magnesium (mg/kg)	Sodium (mg/kg)	Sulfur (mg/kg)	Chloride (mg/kg)	Total salt (mg/kg)	TFS (%)
Value	23,700.00	6,800.00	31,400.00							
DL	100.00	100.00	100.00							

B. PROCESS WASTEWATER ANALYSES

Lagoon Water

Sample and source description: Lagoon Water

Sample date: 02/15/2023 Material type: Process wastewater Source of analysis: Lab analysis pH: 7.40

	Kjeldahl-N (mg/L)	NH4-N (mg/L)	NH3-N (mg/L)	Nitrate-N (mg/L)	Total P (mg/L)	Total K (mg/L)	Calcium (mg/L)	Magnes. (mg/L)	Sodium (mg/L)	Bicarb. (mg/L)	Carb. (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	EC (µmhos/cm)	TDS (mg/L)
Value	322.00	124.00	0.00	1.10	106.00	984.00								6,060.00	4,200
DL	1.00	0.50	0.50	0.10	0.10	0.50								10.00	10

Lagoon Water

Sample and source description: Lagoon Water

Sample date: 06/28/2023 Material type: Process wastewater Source of analysis: Lab analysis pH: 7.80

	Kjeldahl-N (mg/L)	NH4-N (mg/L)	NH3-N (mg/L)	Nitrate-N (mg/L)	Total P (mg/L)	Total K (mg/L)	Calcium (mg/L)	Magnes. (mg/L)	Sodium (mg/L)	Bicarb. (mg/L)	Carb. (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	EC (µmhos/cm)	TDS (mg/L)
Value	395.00	206.00	0.00	0.80	128.00	1,460.00								9,800.00	7,600
DL	1.00	0.50	0.50	0.10	0.10	0.50								10.00	10

Lagoon Water

Sample and source description: Lagoon Water

Sample date: 09/18/2023 Material type: Process wastewater Source of analysis: Lab analysis pH: 8.60

	Kjeldahl-N (mg/L)	NH4-N (mg/L)	NH3-N (mg/L)	Nitrate-N (mg/L)	Total P (mg/L)	Total K (mg/L)	Calcium (mg/L)	Magnes. (mg/L)	Sodium (mg/L)	Bicarb. (mg/L)	Carb. (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	EC (µmhos/cm)	TDS (mg/L)
Value	524.00	45.70	0.00	1.00	147.00	2,760.00								13,800.00	12,000
DL	1.00	0.50	1.00	0.10	0.10	0.50								0.01	10

Lagoon Water

Sample and source description: Lagoon Water

Sample date: 12/11/2023 Material type: Process wastewater Source of analysis: Lab analysis pH: 7.90

	Kjeldahl-N (mg/L)	NH4-N (mg/L)	NH3-N (mg/L)	Nitrate-N (mg/L)	Total P (mg/L)	Total K (mg/L)	Calcium (mg/L)	Magnes. (mg/L)	Sodium (mg/L)	Bicarb. (mg/L)	Carb. (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	EC (µmhos/cm)	TDS (mg/L)
Value	81.90	19.00	0.00	0.40	13.70	238.00								3,850.00	2,900
DL	1.00	0.50	1.00	0.10	0.10	0.50								10.00	10

C. FRESH WATER ANALYSES

Domestic Well - DW-Commodity Barn

Domestic Well - DW-Commodity Barn

DW - Commodity Barn

Sample description: DW - Commodity Barn

Sample date: 11/01/2023 Source of analysis: Lab analysis

	Total N (mg/L)	NH4-N (mg/L)	Nitrate-N (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	Bicarbonate (mg/L)	Carbonate (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	EC (µmhos/cm)	TDS (mg/L)
Value			1.90								330.00	
DL			0.10								10.00	

Domestic Well - DW-Milk Barn

DW - Milk Barn

Sample description: DW - Milk Barn

Sample date: 11/01/2023 Source of analysis: Lab analysis

	Total N (mg/L)	NH4-N (mg/L)	Nitrate-N (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	Bicarbonate (mg/L)	Carbonate (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	EC (µmhos/cm)	TDS (mg/L)
Value			1.60								344.00	
DL			0.10								10.00	

Irrigation Water - Canal

MID Canal

Sample description: MID Canal

Sample date: 11/01/2023 Source of analysis: Lab analysis

	Total N (mg/L)	NH4-N (mg/L)	Nitrate-N (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	Bicarbonate (mg/L)	Carbonate (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	EC (µmhos/cm)	TDS (mg/L)
Value	0.00	0.00	0.00								243.00	28
DL	0.10	0.10	0.10								10.00	10

D. SOIL ANALYSES

House

Nunes Heifers

Sample and source description: Nunes Heifers

Sample date: 05/05/2023 Source of analysis: Lab analysis

	Nitrate-N (mg/kg)	Total P (mg/kg)	Soluble P (mg/kg)	K (mg/kg)	EC (µmhos/cm)	Organic matter (%)	Total salt (mg/kg)
Value			71.10				
DL			1.00				

Savemart

Nunes Heifers

Sample and source description: Nunes Heifers

Sample date: 05/05/2023 Source of analysis: Lab analysis

	Nitrate-N (mg/kg)	Total P (mg/kg)	Soluble P (mg/kg)	K (mg/kg)	EC (µmhos/cm)	Organic matter (%)	Total salt (mg/kg)
Value			71.10				
DL			1.00				

E. PLANT TISSUE ANALYSES

House - 11/29/2022: Oats, silage-soft dough

House & Savemart Fields

Sample and source description: House & Savemart Fields

Sample date: 05/04/2023 Source of analysis: Lab analysis Method of reporting: Dry-weight

Moisture: 67.1 %

	Total N (mg/kg)	Total P (mg/kg)	Total K (mg/kg)	Total salt (mg/kg)	TFS (%)
Value	15,200.00	2,500.00	15,300.00		11.20
DL	100.00	100.00	100.00		0.01

House - 06/15/2023: Corn, silage

House - 06/15/2023: Corn, silage

Hose & Savemart Fields

Sample and source description: Hose & Savemart Fields

Sample date: 10/25/2023 Source of analysis: Lab analysis Method of reporting: Dry-weight

Moisture: 66.9 %

	Total N (mg/kg)	Total P (mg/kg)	Total K (mg/kg)	Total salt (mg/kg)	TFS (%)
Value	12,200.00	2,200.00	12,800.00		5.70
DL	100.00	100.00	100.00		0.01

Savemart - 11/29/2022: Oats, silage-soft dough

House & Savemart Fields

Sample and source description: House & Savemart Fields

Sample date: 05/04/2023 Source of analysis: Lab analysis Method of reporting: Dry-weight

Moisture: 67.1 %

	Total N (mg/kg)	Total P (mg/kg)	Total K (mg/kg)	Total salt (mg/kg)	TFS (%)
Value	15,200.00	2,500.00	15,300.00		11.20
DL	100.00	100.00	100.00		0.01

Savemart - 06/15/2023: Corn, silage

Hose & Savemart Fields

Sample and source description: Hose & Savemart Fields

Sample date: 10/25/2023 Source of analysis: Lab analysis Method of reporting: Dry-weight

Moisture: 66.9 %

	Total N (mg/kg)	Total P (mg/kg)	Total K (mg/kg)	Total salt (mg/kg)	TFS (%)
Value	12,200.00	2,200.00	12,800.00		5.70
DL	100.00	100.00	100.00		0.01

F. SUBSURFACE (TILE) DRAINAGE ANALYSES

No subsurface (tile) drainage analyses entered.

NUTRIENT APPLICATIONS, POTENTIAL REMOVAL, AND BALANCE

A. SUMMARY OF NUTRIENT APPLICATIONS, POTENTIAL REMOVAL, AND BALANCE

	Total N (lbs)	Total P (lbs)	Total K (lbs)	Total salt (lbs)
Existing soil nutrient content	0.00	0.00	0.00	0.00
Plowdown credit	0.00	0.00	0.00	0.00
Commercial fertilizer / Other	0.00	0.00	0.00	0.00
Dry manure	16,520.80	4,740.14	21,888.31	0.00
Process wastewater	0.00	0.00	0.00	0.00
Fresh water	0.00	0.00	0.00	9,147.92
Atmospheric deposition	490.00	0.00	0.00	0.00
Total nutrients applied	17,010.80	4,740.14	21,888.31	9,147.92
Anticipated crop nutrient removal	14,000.00	2,455.00	11,578.00	0.00
Actual crop nutrient removal	12,476.78	2,178.24	12,897.81	70,482.36
Nutrient balance	4,534.01	2,561.90	8,990.50	-61,334.44
Applied to removed ratio	1.36	2.18	1.70	0.13

B. POUNDS OF NUTRIENT APPLIED VS. CROP REMOVAL



C. POUNDS OF NUTRIENT APPLIED BY MATERIAL TYPE









EXCEPTION REPORTING

A. MANURE, PROCESS WASTEWATER, AND OTHER DAIRY WASTE DISCHARGES

The following is a summary of all manure and process wastewater discharges from the production area to surface water or to land areas (land application areas or otherwise) when not in accordance with the facility's Nutrient Management Plan.

No manure or process wastewater discharges occurred during the reporting period.

B. STORM WATER DISCHARGES

The following is a summary of all storm water discharges from the production area to surface water during the reporting period when not in accordance with the facility 's Nutrient Management Plan.

No stormwater discharges occurred during the reporting period.

C. LAND APPLICATION AREA TO SURFACE WATER DISCHARGES

The following is a summary of all discharges from the land application area to surface water that have occurred during the reporting period when not in accordance with the facility's Nutrient Management Plan.

No land application area to surface water discharges occurred during the reporting period.

NUTRIENT MANAGEMENT PLAN AND EXPORT AGREEMENT STATEMENTS

A. NUTRIENT MANAGEMENT PLAN STATEMENTS

Was the facility's NMP updated in the reporting period?	Yes
Was the facility's NMP developed by a certified nutrient management planner (specialist) as specified in Attachment C of the General Order?	Yes
Was the facility's NMP approved by a certified nutrient management planner (specialist) as specified in Attachment C of the General Order?	Yes

B. EXPORT AGREEMENT STATEMENT

Are there any written agreements with third parties to receive manure or process wastewater that are new or were revised within the reporting period?	No

ADDITIONAL NOTES

A. NOTES

No notes entered for this annual report.

CERTIFICATION

A. OWNER AND/OR OPERATOR CERTIFICATION

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this document and all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Antonio Nunes	Antonio Nunes
SIGNATURE OF OWNER OF FACILITY	SIGNATURE OF OPERATOR OF FACILITY
Nunes Dairy, LLC	Nunes Dairy, LP
PRINT OR TYPE NAME	PRINT OR TYPE NAME
06/21/2024	06/21/2024
DATE	DATE

DELLAVALLE™
LABORATORY INC

R & J Avila Inc
8119 Ellington Ave
Hilmar, CA 95324

Account# 00-0019840
Account Manager: Ben Nydam
Submitted By: Rui & John Avila
Ranch: Nunes Heifers

Received: 11/02/2023 16:00
Reported: 11/16/2023 09:36

Samples in this Report

Lab ID	Sample	Matrix	Sampled By	Crop	Date Sampled
23K0096-01	DW - Milk Barn	Well Water	T. Madruga		11/01/2023 15:00
23K0096-02	DW - Commodity Barn	Well Water	T. Madruga		11/01/2023 16:00

Default Cooler Temperature on Receipt °C: 1.7
Containers Intact
COC/Labels Agree
Received On Ice

Notes and Definitions

Item	Definition
H	Hold Time Exceeded
MCL	Drinking Water Maximum Contaminant Level
ND	Analyte NOT DETECTED at or above the reporting limit.
NES	Not Enough Sample
*	Not Taken
RPD	Relative Percent Difference
%REC	Percent Recovery
Source	Sample that was matrix spiked or duplicated.

Scott McFriedland

Laboratory Director/Technical Manager

ELAP Certification #1595
A2LA Certification #6440.02

The results in this report apply to the samples as received and were analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Dellavalle Laboratory, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

DELLAVALLE™
LABORATORY INC

R & J Avila Inc
8119 Ellington Ave
Hilmar, CA 95324

Account# 00-0019840
Account Manager: Ben Nydam
Submitted By: Rui & John Avila
Ranch: Nunes Heifers

Received: 11/02/2023 16:00
Reported: 11/16/2023 09:36

Sample Results

Sample: DW - Milk Barn
23K0096-01 (Water)

Sampled: 11/1/2023 15:00
Sampled By: T. Madruga

Analyte	Result	Units	Reporting Limit	DIL	DW MCL	Date/Time Analyzed	Method	Notes	Batch
Electrical Conductivity	**0.34**	mmhos/cm	0.01	1		11/14/23 14:22	SM 2510 B		BEK0443
Electrical Conductivity umhos	**344**	umhos/cm	10.0	1		11/14/23 14:22	SM 2510 B		BEK0443
Ammonia (as N)	ND	mg/L	0.00	1		11/01/23 15:00	Field		BEK0058
Nitrate Nitrogen as NO3N	**1.6**	mg/L	0.1	1	10	11/02/23 21:39	EPA 300.0		BEK0069
Temperature	**25.0**	units	0.0	1		11/14/23 11:51	SM 4500-H+	H	BEK0123
pH	**8.2**	units	1.0	1		11/14/23 11:51	SM 4500-H+	H	BEK0123

The results in this report apply to the samples as received and were analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Dellavalle Laboratory, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

DELLAVALLE™
LABORATORY INC

R & J Avila Inc
8119 Ellington Ave
Hilmar, CA 95324

Account# 00-0019840
Account Manager: Ben Nydam
Submitted By: Rui & John Avila
Ranch: Nunes Heifers

Received: 11/02/2023 16:00
Reported: 11/16/2023 09:36

Sample Results
(Continued)

Sample: DW - Commodity Barn
23K0096-02 (Water)

Sampled: 11/1/2023 16:00
Sampled By: T. Madruga

Analyte	Result	Units	Reporting Limit	DIL	DW MCL	Date/Time Analyzed	Method	Notes	Batch
Electrical Conductivity	**0.33**	mmhos/cm	0.01	1		11/14/23 14:22	SM 2510 B		BEK0443
Electrical Conductivity umhos	**330**	umhos/cm	10.0	1		11/14/23 14:22	SM 2510 B		BEK0443
Ammonia (as N)	ND	mg/L	0.00	1		11/01/23 16:00	Field		BEK0058
Nitrate Nitrogen as NO3N	**1.9**	mg/L	0.1	1	10	11/02/23 22:00	EPA 300.0		BEK0069
Temperature	**25.0**	units	0.0	1		11/14/23 11:53	SM 4500-H+	H	BEK0123
pH	**8.1**	units	1.0	1		11/14/23 11:53	SM 4500-H+	H	BEK0123

The results in this report apply to the samples as received and were analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Dellavalle Laboratory, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

DELLAVALLE™
LABORATORY INC

R & J Avila Inc
8119 Ellington Ave
Hilmar, CA 95324

Account# 00-0019840
Account Manager: Ben Nydam
Submitted By: Rui & John Avila
Ranch: Nunes Heifers

Received: 11/02/2023 16:00
Reported: 11/16/2023 09:36

Quality Control

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BEK0069										
Blank (BEK0069-BLK1)					Prepared & Analyzed: 11/2/2023					
Nitrate Nitrogen as NO3N	ND		0.1	mg/L						
Blank (BEK0069-BLK2)					Prepared & Analyzed: 11/2/2023					
Nitrate Nitrogen as NO3N	ND		0.1	mg/L						
Blank (BEK0069-BLK3)					Prepared: 11/2/2023 Analyzed: 11/3/2023					
Nitrate Nitrogen as NO3N	ND		0.1	mg/L						
LCS (BEK0069-BS1)					Prepared: 11/2/2023 Analyzed: 11/3/2023					
Nitrate Nitrogen as NO3N	4.9		0.1	mg/L	5.000		97.9	90-110		
LCS (BEK0069-BS2)					Prepared: 11/2/2023 Analyzed: 11/3/2023					
Nitrate Nitrogen as NO3N	4.9		0.1	mg/L	5.000		98.0	90-110		
Duplicate (BEK0069-DUP1)		**Source: 23K0120-01**			Prepared: 11/2/2023 Analyzed: 11/3/2023					
Nitrate Nitrogen as NO3N	6.0		0.1	mg/L		6.0			0.134	10
Duplicate (BEK0069-DUP2)		**Source: 23K0162-01**			Prepared: 11/2/2023 Analyzed: 11/3/2023					
Nitrate Nitrogen as NO3N	1.9		0.1	mg/L		1.9			0.418	10
Matrix Spike (BEK0069-MS1)		**Source: 23K0120-01**			Prepared & Analyzed: 11/2/2023					
Nitrate Nitrogen as NO3N	11.1		0.1	mg/L	5.000	6.0	102	90-110		
Matrix Spike (BEK0069-MS2)		**Source: 23K0162-01**			Prepared: 11/2/2023 Analyzed: 11/3/2023					
Nitrate Nitrogen as NO3N	6.9		0.1	mg/L	5.000	1.9	98.9	90-110		
Reference (BEK0069-SRM1)					Prepared & Analyzed: 11/2/2023					
Nitrate Nitrogen as NO3N	9.8			mg/L	10.00		97.5	90-110		
Reference (BEK0069-SRM2)					Prepared: 11/2/2023 Analyzed: 11/3/2023					
Nitrate Nitrogen as NO3N	9.8			mg/L	10.00		97.9	90-110		
Reference (BEK0069-SRM3)					Prepared: 11/2/2023 Analyzed: 11/3/2023					
Nitrate Nitrogen as NO3N	9.8			mg/L	10.00		97.7	90-110		

The results in this report apply to the samples as received and were analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Dellavalle Laboratory, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

DELLAVALLE™
LABORATORY INC

R & J Avila Inc
8119 Ellington Ave
Hilmar, CA 95324

Account# 00-0019840
Account Manager: Ben Nydam
Submitted By: Rui & John Avila
Ranch: Nunes Heifers

Received: 11/02/2023 16:00
Reported: 11/16/2023 09:36

Quality Control
(Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BEK0123										
Blank (BEK0123-BLK1)					Prepared: 11/3/2023	Analyzed: 11/14/2023				
Temperature	25.0		0.0	units						
pH	5.8		1.0	units						
Blank (BEK0123-BLK2)					Prepared: 11/3/2023	Analyzed: 11/14/2023				
Temperature	25.0		0.0	units						
pH	7.4		1.0	units						
Blank (BEK0123-BLK3)					Prepared: 11/3/2023	Analyzed: 11/14/2023				
Temperature	25.0		0.0	units						
pH	7.7		1.0	units						
Duplicate (BEK0123-DUP1)		**Source: 23K0140-02**			Prepared: 11/3/2023	Analyzed: 11/14/2023				
pH	8.2		1.0	units		8.2			0.122	10
Duplicate (BEK0123-DUP2)		**Source: 23K0142-05**			Prepared: 11/3/2023	Analyzed: 11/14/2023				
pH	8.0		1.0	units		8.0			0.125	10
Reference (BEK0123-SRM2)					Prepared: 11/3/2023	Analyzed: 11/14/2023				
pH	7.5			units	7.520		100	67021-101.3		
Reference (BEK0123-SRM6)					Prepared: 11/3/2023	Analyzed: 11/14/2023				
pH	4.0			units	4.000		100	97.5-102.5		
Reference (BEK0123-SRM7)					Prepared: 11/3/2023	Analyzed: 11/14/2023				
pH	4.0			units	4.000		100	97.5-102.5		
Reference (BEK0123-SRM8)					Prepared: 11/3/2023	Analyzed: 11/14/2023				
pH	4.0			units	4.000		100	97.5-102.5		

The results in this report apply to the samples as received and were analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Dellavalle Laboratory, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

DELLAVALLE™
LABORATORY INC

R & J Avila Inc
8119 Ellington Ave
Hilmar, CA 95324

Account# 00-0019840
Account Manager: Ben Nydam
Submitted By: Rui & John Avila
Ranch: Nunes Heifers

Received: 11/02/2023 16:00
Reported: 11/16/2023 09:36

Quality Control
(Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BEK0443										
Blank (BEK0443-BLK1)					Prepared & Analyzed: 11/14/2023					
Electrical Conductivity	ND		0.01	mmhos/cm						
Electrical Conductivity umhos	ND		10.0	umhos/cm						
Blank (BEK0443-BLK2)					Prepared & Analyzed: 11/14/2023					
Electrical Conductivity	ND		0.01	mmhos/cm						
Electrical Conductivity umhos	ND		10.0	umhos/cm						
Blank (BEK0443-BLK3)					Prepared & Analyzed: 11/14/2023					
Electrical Conductivity	ND		0.01	mmhos/cm						
Electrical Conductivity umhos	ND		10.0	umhos/cm						
Duplicate (BEK0443-DUP1)		**Source: 23K0094-01**			Prepared & Analyzed: 11/14/2023					
Electrical Conductivity	0.30		0.01	mmhos/cm		0.30			0.828	10
Electrical Conductivity umhos	301		10.0	umhos/cm		303			0.828	10
Duplicate (BEK0443-DUP2)		**Source: 23K0142-01**			Prepared & Analyzed: 11/14/2023					
Electrical Conductivity	0.60		0.01	mmhos/cm		0.61			0.563	10
Electrical Conductivity umhos	602		10.0	umhos/cm		606			0.563	10
Reference (BEK0443-SRM1)					Prepared & Analyzed: 11/14/2023					
Electrical Conductivity	538			umhos/cm	538.0		100	90-110		
Reference (BEK0443-SRM2)					Prepared & Analyzed: 11/14/2023					
Electrical Conductivity	1000			umhos/cm	1000		100	90-110		
Electrical Conductivity umhos	1000			umhos/cm	1000		100	90-110		
Reference (BEK0443-SRM3)					Prepared & Analyzed: 11/14/2023					
Electrical Conductivity	993			umhos/cm	1000		99.3	90-110		
Electrical Conductivity umhos	993			umhos/cm	1000		99.3	90-110		
Reference (BEK0443-SRM4)					Prepared & Analyzed: 11/14/2023					
Electrical Conductivity	1000			umhos/cm	1000		100	90-110		
Electrical Conductivity umhos	1000			umhos/cm	1000		100	90-110		

The results in this report apply to the samples as received and were analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Dellavalle Laboratory, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

11/02/23 16:00 23K0096

DELLAVALLE LABORATORY, INC.

1910 W. McKinley Avenue, Suite 110 • Fresno, CA 93728
www.dellavallelab.com 559 233-6129 · 800 228-9896 · Fax 559 268-8174

JG

No. Samples 2 No. of Bottles: 2

Purchase Order No | Bill To: Acct # 19840 | Cons # 08

Results Need By

Water Type: [ ] Drinking Water [ ] Wastewater
[X] Ag Water [ ] Groundwater [ ] Monitoring Well

Name: R & J Avila Inc
Address: 8119 Ellington Avenue
City: Hilmar **State:** CA **Zip:** 95324
Telephone: (209) 669-7919 **Fax:** (209) 634-4604
Cell/Email: 209 678-3086 Rui / 209 678-1723 John frontdesk.randjavila@gmail.com

COPY TO:

REQUESTED BY: Rui & John Avila
PROJECT Nunes Heifers
ID CROP: N/A

[X] Copy of Chain [X] QA/QC Documents

Sampled By: T. Madruga

Other:

Analysis and Bottles Required: (Please indicate Analysis)

(X) DWW1: EC, pH, NO_3-N (NH4-N Field Test)
(1-1 Liter Plastic, Unpreserved) White Per Sample
( ) DWW2: DWW1 Plus SO_4, CO_3, HCO_3, Cl, Ca, Mg, Na, TDS
(1-1 Liter Plastic, Unpreserved) White Per Sample
( ) DCW1: EC, NO_3-N, TDS + TKN & TN
(1-1 Liter Plastic, Unpreserved) White Per Sample
( ) DPW1: EC, pH, NO_3-N, NH_4-N, TKN, TDS, TP, TK
(1-1 Liter Plastic, Unpreserved) White Per Sample
( ) DPW2: DPW1 Plus SO_4, CO_3, HCO_3, Cl, Ca, Mg, Na
(1-1 Liter Plastic, Unpreserved) White Per Sample
( ) Other

	Description of Samples	Date Sampled	Time Sampled	Rec'd Temp °C	Field NH_4-N
1	DW - Milk Barn	11/1/2023	1500	1.7	ND
2	DW - Commodity Barn	11/1/2023	1600	1.3	ND
3					
4					
5					
6					
7					
8					
9					
10					

IR Thermometer SN: 200560723
Correction Factor: 0°C
Calibration Due: 12/22/2023
Location: Laboratory

CHAIN OF CUSTODY

Carrier	Signature	Company	Received (Date/Time)	Relinquished (Date/Time)
First	John Avila	R & J Avila, Inc.	11/1/2023 @ 1600	11/2/2023 @ 900
Second	JGF	Dellavalle Laboratory, Inc.	11/2/2023 @ 900	11-2-23 3:45
Third				
Fourth			11/2 16:00	

I guarantee that as the client, or on behalf of client named, I have the authority to contract the above requested services. Should it be found that I do not have such authority, I agree to be personally liable for all costs and, if there should be action against me for this breach, reasonable attorneys' fees. It is understood that payment is expected to be cash with samples unless terms have been previously arranged. Terms are net 30 days; overdue accounts will be charged a liquidated damage fee of 2% per month (annually 24%) or $5.00 per month whichever is greater.
If payment is not made when due and a legitimate dispute exists concerning the product or services of Dellavalle Laboratory, Inc., it will be submitted to mediation under the Rules and Procedures of Creative Alternative to Litigation, Inc. (*cal*). If the dispute is not resolved in mediation, then the dispute will be submitted to binding arbitration through ***cal*** under its Rules and Procedures. The parties will equally bear the costs of mediation/arbitration. If, however, the mediator declares that no legitimate dispute exists, then debtor will pay all mediation and arbitration costs, and in the event of arbitration,reasonable attorneys' fees of Dellavalle Laboratory.

Invoicing Information: ***Shipping***
Sampling hrs $ In
Miles $ Out
Consulting

Amt Paid	Rec By	Check #	Date

Signature

Samples recieved in cooler with ice (coolant)
[ ] Yes [ ] No

Paste Labe

11/02/23 16:00 23K0096

Shipping Information: Shipped In ☐ Picked-Up ☒ Walk In ☐ DLI Sampler ☐ Other ☐ _____

☐ Samples refridgerated before pick up | ☐ Picked up samples placed in Ice chest

Container: Ice Chest ☒ Box ☐ None ☐ | **Refrigerant:** Wet Ice ☒ Blue Ice ☐ None ☐

Samples Preserved with HNO_3 or H_2SO_4 were: ☐ Received Preserved ☐ Preserved Upon Receipt at Laboratory

	Type of Container(s) Received	Sample Number 1	2	3	4	5	6	7	8	9	10
	Sample Containers for Internal (DLI) Use *(Containers that go into the Lab)*										
Plastics	100 mL sterile plastic $Na_2S_2O_3$ (Green)										
Plastics	250 mL unpreserved (White) Plastic										
Plastics	250 mL HNO_3 (Red) Plastic										
Plastics	* pH Value										
Plastics	250 mL H_2SO_4 (Yellow) Plastic										
Plastics	* pH Value										
Plastics	500 mL unpreserved (White) Plastic										
Plastics	1 L unpreserved (White) Plastic	1	1								
Plastics	1 L unpreserved (BOD) (Purple) Plastic										
Special	500mL unpreserved (White) Glass										
Special	PO4-P Kit										
Special	**Other:**										
	Sample Containers for Subcontracted ("Send Out") Analyses *(Containers that go in the Subcontract ("Send Out") Refrigerator)*										
Plastics	100 mL sterile plastic $Na_2S_2O_3$ (Green)										
Plastics	250 mL unpreserved (White) Plastic										
Plastics	250 mL HNO_3 (Red) Plastic										
Plastics	250 mL H_2SO_4 (Yellow) Plastic										
Plastics	500 mL HNO_3 (Red)										
Plastics	1 L unpreserved (White) Plastic										
Plastics	1 L unpreserved (BOD) (Purple) Plastic										
Plastics	1 L HNO_3 (Red)										
VOA Vials	40 mL VOA, $Na_2S_2O_3$ + MCAA (EPA531)										
VOA Vials	40 mL VOA, $Na_2S_2O_3$ (EPA547)										
VOA Vials	40mL AG VOA unpreserved (White) (Set of 3)										
VOA Vials	40 mL AG VOA, $Na_2S_2O_3$ (Green) (Set of 3)										
VOA Vials	40mL VOA, H_3PO_4 (Set of 3)										
VOA Vials	40 mL VOA, HCl (Blue) (Set of 3)										
VOA Vials	40 mL VOA, $Na_2S_2O_3$ (Green) (Set of 3)										
Glass	250 mL AG unpreserved (White)										
Glass	250 mL AG H_2SO_4 (Yellow)										
Glass	250 mL AG $Na_2S_2O_3$ (Green)										
Glass	250 mL AG $Na_2S_2O_3$ + MCAA										
Glass	500 mL glass unpreserved (White)										
Glass	500 mL AG HCl (Blue)										
Glass	1 L AG unpreserved (White)										
Glass	1 L AG H_2SO_4 (Yellow)										
Glass	1 L AG $Na_2S_2O_3$ (Green)										
Glass	1 L AG HCl (Blue)										
Special	Cr^{6+} - 50mL Plastic w/Borate/HCO_3/CO_3										
Special	Cyanide - 500 mL NaOH										
Special	Asbestos - 1L P wrapped in foil (Set of 2)										
Special	Sulfide - 1 L **AG** or **P** NaOH + ZnAc										
Special	Chlorite/Bromate - 250 mL AG with EDA										
Special	HAA5 - 250mL AG Ammonium Chlorite										
Special	DO KIT										
Special	**Other:**										
Special	**Other:**										

DRAFT SEMI-OUT