Annual Report - General Order No. R5-2007-0035
Reporting period 01/01/2023 to 12/31/2023.

DAIRY FACILITY INFORMATION

A. NAME OF DAIRY OR BUSINESS OPERATING THE DAIRY: Diamond B Dairy

Physical address of dairy:

Number and Street	City	County	Zip Code
3137 E Tuolumne RD	Ceres	Stanislaus	95307

Street and nearest cross street (if no address):

Date facility was originally placed in operation: 01/01/1945

Regional Water Quality Control Board Basin Plan designation: San Joaquin River Basin

County Assessor Parcel Number(s) for dairy facility:

X022-X017-X005-XXXX X022-X019-X004-XXXX

B. OPERATORS

Brasil, John

Operator name: Brasil, John

Telephone no.: Landline: ; Cellular: (209) 652-3681

Mailing Address Number and Street	City	State	Zip Code
2613 S Mitchell RD	Turlock	CA	95380

This operator is responsible for paying permit fees.

C. OWNERS

Meneses Properties, LLC

Legal owner name: Meneses Properties, LLC

Telephone no.: Landline: (209) 577-4178; Cellular:

Mailing Address Number and Street	City	State	Zip Code
615 N Hopper RD	Modesto	CA	95357

Annual Report - General Order No. R5-2007-0035
Reporting period 01/01/2023 to 12/31/2023.

AVAILABLE NUTRIENTS

A. HERD INFORMATION

	Milk Cows	Dry Cows	Bred Heifers (15-24 mo.)	Heifers (7-14 mo. to breeding)	Calves (4-6 mo.)	Calves (0-3 mo.)
Number open confinement	0	0	0	198	0	0
Number under roof	623	0	181	0	0	0
Maximum number	623	0	181	198	0	0
Average number	363	0	105	116	0	0
Avg live weight (lbs)	1,350	0	950	700		

Predominant milk cow breed: Holstein

Average milk production: 75 *pounds per cow per day*

B. MANURE GENERATED

Total manure excreted by the herd: 11,704.48 *tons per reporting period*

Total nitrogen from manure: 145,500.92 *lbs per reporting period*

After ammonia losses (30% loss applied): 101,850.64 *lbs per reporting period*

Total phosphorus from manure: 24,671.71 *lbs per reporting period*

Total potassium from manure: 70,710.30 *lbs per reporting period*

Total salt from manure: 170,918.55 *lbs per reporting period*

C. PROCESS WASTEWATER GENERATED

Process wastewater generated: 2,580,000 *gallons*

Total nitrogen generated: 16,636.31 *lbs*

Total phosphorus generated: 3,358.70 *lbs*

Total potassium generated: 21,164.09 *lbs*

Total salt generated: 103,344.48 *lbs*

	2,580,000	*gallons applied*
+	0	*gallons exported*
-	0	*gallons imported*
=	2,580,000	*gallons generated*

D. FRESH WATER SOURCES

Source Description	Type
Domestic Well - Dom Well #1	Ground water
Irrigation Water - Canal Water	Surface water

E. SUBSURFACE (TILE) DRAINAGE SOURCES

No subsurface (tile) drainage sources entered.

F. NUTRIENT IMPORTS

No dry manure nutrient imports entered.

No process wastewater nutrient imports entered.

No commercial or other nutrient imports entered.

G. NUTRIENT EXPORTS

No solid nutrient exports entered.

No liquid nutrient exports entered.

APPLICATION AREA

A. LIST OF LAND APPLICATION AREAS

Field name	Controlled acres	Cropable acres	Total harvests	Type of waste applied	Parcel number
Field #1	31	31	1	process wastewater	X022-X017-X005-XXXX
Field #2	31	31	1	process wastewater	X022-X017-X005-XXXX
Field #3	31	31	1	process wastewater	X022-X019-X004-XXXX
Trees	17	17	0	none	X058-X011-X011-XXXX
Totals for areas that were used for application	93	93	3		
Totals for areas that were not used for application	17	17	0		
Land application area totals	110	110	3		

B. CROPS AND HARVESTS

Field #1

Field name: Field #1

12/06/2022: Oats, silage-soft dough

Crop: Oats, silage-soft dough Acres planted: 31 Plant date: 12/06/2022

Harvest date	Yield	Reporting basis	Density (lbs/cu ft)	Moisture (%)	N (mg/kg)	P (mg/kg)	K (mg/kg)	Salt (mg/kg)	TFS (%)
05/15/2023	513.65 *ton*	Dry-weight		68.1	12,100.00	2,900.00	26,200.00		8.40

	Yield (tons/acre)	Total N (lbs/acre)	Total P (lbs/acre)	Total K (lbs/acre)	Salt (lbs/acre)
Anticipated harvest content	16.00	160.00	25.60	132.80	0.00
Total actual harvest content	16.57	127.91	30.66	276.97	887.98

Field #2

Field name: Field #2

Field #2

12/06/2022: Oats, silage-soft dough

Crop: Oats, silage-soft dough Acres planted: 31 Plant date: 12/06/2022

Harvest date	Yield	Reporting basis	Density (lbs/cu ft)	Moisture (%)	N (mg/kg)	P (mg/kg)	K (mg/kg)	Salt (mg/kg)	TFS (%)
05/15/2023	493.56 *ton*	Dry-weight		67.9	12,700.00	3,100.00	27,700.00		8.50

	Yield (tons/acre)	Total N (lbs/acre)	Total P (lbs/acre)	Total K (lbs/acre)	Salt (lbs/acre)
Anticipated harvest content	16.00	160.00	25.60	132.80	0.00
Total actual harvest content	15.92	129.81	31.69	283.13	868.82

Field #3

Field name: Field #3

12/06/2022: Oats, silage-soft dough

Crop: Oats, silage-soft dough Acres planted: 31 Plant date: 12/06/2022

Harvest date	Yield	Reporting basis	Density (lbs/cu ft)	Moisture (%)	N (mg/kg)	P (mg/kg)	K (mg/kg)	Salt (mg/kg)	TFS (%)
05/15/2023	468.57 *ton*	Dry-weight		68.4	16,600.00	2,900.00	26,000.00		9.80

	Yield (tons/acre)	Total N (lbs/acre)	Total P (lbs/acre)	Total K (lbs/acre)	Salt (lbs/acre)
Anticipated harvest content	16.00	160.00	25.60	132.80	0.00
Total actual harvest content	15.12	158.58	27.70	248.37	936.17

NUTRIENT BUDGET

A. LAND APPLICATIONS

Field #1 - 12/06/2022: Oats, silage-soft dough

Field name: Field #1

Crop: Oats, silage-soft dough — Plant date: 12/06/2022

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
04/04/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Lagoon Water	Process wastewater	88.61	17.89	112.73	550.45	426,000.00 *gal*
Irrigation Water - Canal Water	Surface water	0.00	0.00	0.00	22.86	3,266,475.00 *gal*
Application event totals		88.61	17.89	112.73	573.31	

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
04/24/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Lagoon Water	Process wastewater	76.13	15.37	96.85	472.92	366,000.00 *gal*
Irrigation Water - Canal Water	Surface water	0.00	0.00	0.00	23.10	3,300,150.00 *gal*
Application event totals		76.13	15.37	96.85	496.02	

Field #2 - 12/06/2022: Oats, silage-soft dough

Field name: Field #2

Crop: Oats, silage-soft dough — Plant date: 12/06/2022

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
04/04/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Lagoon Water	Process wastewater	86.11	17.39	109.55	534.94	414,000.00 *gal*
Irrigation Water - Canal Water	Surface water	0.00	0.00	0.00	31.82	4,546,125.00 *gal*
Application event totals		86.11	17.39	109.55	566.76	

Field #2 - 12/06/2022: Oats, silage-soft dough

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
04/24/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Lagoon Water	Process wastewater	81.12	16.38	103.20	503.93	390,000.00 *gal*
Irrigation Water - Canal Water	Surface water	0.00	0.00	0.00	28.99	4,142,025.00 *gal*
Application event totals		81.12	16.38	103.20	532.92	

Field #3 - 12/06/2022: Oats, silage-soft dough

Field name: Field #3

Crop: Oats, silage-soft dough

Plant date: 12/06/2022

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
04/04/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Lagoon Water	Process wastewater	103.59	20.91	131.78	643.48	498,000.00 *gal*
Irrigation Water - Canal Water	Surface water	0.00	0.00	0.00	28.99	4,142,025.00 *gal*
Application event totals		103.59	20.91	131.78	672.47	

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
04/24/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Lagoon Water	Process wastewater	101.09	20.41	128.60	627.97	486,000.00 *gal*
Irrigation Water - Canal Water	Surface water	0.00	0.00	0.00	28.52	4,074,675.00 *gal*
Application event totals		101.09	20.41	128.60	656.49	

B. NUTRIENT BUDGET

Field #1 - 12/06/2022: Oats, silage-soft dough

Field name: Field #1 Crop: Oats, silage-soft dough Plant date: 12/06/2022



	Total N (lbs/acre)	Total P (lbs/acre)	Total K (lbs/acre)	Total salt (lbs/acre)
Existing soil nutrient content	0.00	0.00	0.00	0.00
Plowdown credit	0.00	0.00	0.00	0.00
Commercial fertilizer / Other	0.00	0.00	0.00	0.00
Dry manure	0.00	0.00	0.00	0.00
Process wastewater	164.74	33.26	209.58	1,023.37
Fresh water	0.00	0.00	0.00	45.96
Atmospheric deposition	14.00	0.00	0.00	0.00
Total nutrients applied	178.74	33.26	209.58	1,069.33
Anticipated crop nutrient removal	160.00	25.60	132.80	0.00
Actual crop nutrient removal	127.91	30.66	276.97	887.98
Nutrient balance	50.83	2.60	-67.39	181.34
Applied to removed ratio	1.40	1.08	0.76	1.20

Fresh water applied	
6,566,625.00	*gallons*
241.83	*acre-inches*
7.80	*inches/acre*

Process wastewater applied	
792,000.00	*gallons*
29.17	*acre-inches*
0.94	*inches/acre*

Total harvests for the crop	
1	*harvests*

Field #2 - 12/06/2022: Oats, silage-soft dough

Field name: Field #2 Crop: Oats, silage-soft dough Plant date: 12/06/2022



	Total N (lbs/acre)	Total P (lbs/acre)	Total K (lbs/acre)	Total salt (lbs/acre)
Existing soil nutrient content	0.00	0.00	0.00	0.00
Plowdown credit	0.00	0.00	0.00	0.00
Commercial fertilizer / Other	0.00	0.00	0.00	0.00
Dry manure	0.00	0.00	0.00	0.00
Process wastewater	167.24	33.76	212.75	1,038.87
Fresh water	0.00	0.00	0.00	60.81
Atmospheric deposition	14.00	0.00	0.00	0.00
Total nutrients applied	181.24	33.76	212.75	1,099.68
Anticipated crop nutrient removal	160.00	25.60	132.80	0.00
Actual crop nutrient removal	129.81	31.69	283.13	868.82
Nutrient balance	51.42	2.08	-70.38	230.86
Applied to removed ratio	1.40	1.07	0.75	1.27

Fresh water applied	
8,688,150.00	*gallons*
319.96	*acre-inches*
10.32	*inches/acre*

Process wastewater applied	
804,000.00	*gallons*
29.61	*acre-inches*
0.96	*inches/acre*

Total harvests for the crop	
1	*harvests*

Field #3 - 12/06/2022: Oats, silage-soft dough

Field name: Field #3 Crop: Oats, silage-soft dough Plant date: 12/06/2022



	Total N (lbs/acre)	Total P (lbs/acre)	Total K (lbs/acre)	Total salt (lbs/acre)
Existing soil nutrient content	0.00	0.00	0.00	0.00
Plowdown credit	0.00	0.00	0.00	0.00
Commercial fertilizer / Other	0.00	0.00	0.00	0.00
Dry manure	0.00	0.00	0.00	0.00
Process wastewater	204.68	41.32	260.38	1,271.45
Fresh water	0.00	0.00	0.00	57.51
Atmospheric deposition	14.00	0.00	0.00	0.00
Total nutrients applied	218.68	41.32	260.38	1,328.96
Anticipated crop nutrient removal	160.00	25.60	132.80	0.00
Actual crop nutrient removal	158.58	27.70	248.37	936.17
Nutrient balance	60.10	13.62	12.01	392.79
Applied to removed ratio	1.38	1.49	1.05	1.42

Fresh water applied	
8,216,700.00	*gallons*
302.59	*acre-inches*
9.76	*inches/acre*

Process wastewater applied	
984,000.00	*gallons*
36.24	*acre-inches*
1.17	*inches/acre*

Total harvests for the crop	
1	*harvests*

NUTRIENT ANALYSES

A. MANURE ANALYSES

Solid Manure

Sample and source description: Solid Manure

Sample date: 05/24/2023 Material type: Corral solids Source of analysis: Lab analysis Method of reporting: Dry-weight

Moisture: 9.7 %

	Total N (mg/kg)	Total P (mg/kg)	Total K (mg/kg)	Calcium (mg/kg)	Magnesium (mg/kg)	Sodium (mg/kg)	Sulfur (mg/kg)	Chloride (mg/kg)	Total salt (mg/kg)	TFS (%)
Value	21,000.00	5,600.00	18,200.00							
DL	100.00	100.00	100.00							

B. PROCESS WASTEWATER ANALYSES

Lagoon Water

Sample and source description: Lagoon Water

Sample date: 02/15/2023 Material type: Process wastewater Source of analysis: Lab analysis pH: 7.40

	Kjeldahl-N (mg/L)	NH4-N (mg/L)	NH3-N (mg/L)	Nitrate-N (mg/L)	Total P (mg/L)	Total K (mg/L)	Calcium (mg/L)	Magnes. (mg/L)	Sodium (mg/L)	Bicarb. (mg/L)	Carb. (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	EC (µmhos/cm)	TDS (mg/L)
Value	771.00	202.00	0.00	1.70	156.00	983.00								9,170.00	4,800
DL	1.00	0.50	0.50	0.10	0.10	0.50								10.00	10

C. FRESH WATER ANALYSES

Domestic Well - Dom Well #1

Dom Well #1

Sample description: Dom Well #1

Sample date: 11/15/2023 Source of analysis: Lab analysis

	Total N (mg/L)	NH4-N (mg/L)	Nitrate-N (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	Bicarbonate (mg/L)	Carbonate (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	EC (µmhos/cm)	TDS (mg/L)
Value			69.10								1,650.00	
DL			0.10								10.00	

Irrigation Water - Canal Water

Canal

Sample description: Canal

Sample date: 07/24/2023 Source of analysis: Lab analysis

	Total N (mg/L)	NH4-N (mg/L)	Nitrate-N (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	Bicarbonate (mg/L)	Carbonate (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	EC (µmhos/cm)	TDS (mg/L)
Value	0.00	0.00	0.00								31.50	26
DL	1.00	1.00	1.00								10.00	10

D. SOIL ANALYSES

No soil analyses entered.

E. PLANT TISSUE ANALYSES

Field #1 - 12/06/2022: Oats, silage-soft dough

1

Sample and source description: 1

Sample date: 05/15/2023 Source of analysis: Lab analysis Method of reporting: Dry-weight

Moisture: 68.1 %

	Total N (mg/kg)	Total P (mg/kg)	Total K (mg/kg)	Total salt (mg/kg)	TFS (%)
Value	12,100.00	2,900.00	26,200.00		8.40
DL	100.00	100.00	100.00		0.01

Field #2 - 12/06/2022: Oats, silage-soft dough

Field #2 - 12/06/2022: Oats, silage-soft dough

2

Sample and source description: 2

Sample date: 05/15/2023 Source of analysis: Lab analysis Method of reporting: Dry-weight

Moisture: 67.9 %

	Total N (mg/kg)	Total P (mg/kg)	Total K (mg/kg)	Total salt (mg/kg)	TFS (%)
Value	12,700.00	3,100.00	27,700.00		8.50
DL	100.00	100.00	100.00		0.01

Field #3 - 12/06/2022: Oats, silage-soft dough

3

Sample and source description: 3

Sample date: 05/15/2023 Source of analysis: Lab analysis Method of reporting: Dry-weight

Moisture: 68.4 %

	Total N (mg/kg)	Total P (mg/kg)	Total K (mg/kg)	Total salt (mg/kg)	TFS (%)
Value	16,600.00	2,900.00	26,000.00		9.80
DL	100.00	100.00	100.00		0.01

F. SUBSURFACE (TILE) DRAINAGE ANALYSES

No subsurface (tile) drainage analyses entered.

NUTRIENT APPLICATIONS, POTENTIAL REMOVAL, AND BALANCE

A. SUMMARY OF NUTRIENT APPLICATIONS, POTENTIAL REMOVAL, AND BALANCE

	Total N (lbs)	Total P (lbs)	Total K (lbs)	Total salt (lbs)
Existing soil nutrient content	0.00	0.00	0.00	0.00
Plowdown credit	0.00	0.00	0.00	0.00
Commercial fertilizer / Other	0.00	0.00	0.00	0.00
Dry manure	0.00	0.00	0.00	0.00
Process wastewater	16,636.31	3,358.70	21,164.09	103,344.48
Fresh water	0.00	0.00	0.00	5,092.61
Atmospheric deposition	1,302.00	0.00	0.00	0.00
Total nutrients applied	17,938.31	3,358.70	21,164.09	108,437.09
Anticipated crop nutrient removal	14,880.00	2,380.80	12,350.40	0.00
Actual crop nutrient removal	12,905.33	2,791.43	25,062.69	83,482.45
Nutrient balance	5,032.98	567.26	-3,898.60	24,954.63
Applied to removed ratio	1.39	1.20	0.84	1.30

B. POUNDS OF NUTRIENT APPLIED VS. CROP REMOVAL



C. POUNDS OF NUTRIENT APPLIED BY MATERIAL TYPE









EXCEPTION REPORTING

A. MANURE, PROCESS WASTEWATER, AND OTHER DAIRY WASTE DISCHARGES

The following is a summary of all manure and process wastewater discharges from the production area to surface water or to land areas (land application areas or otherwise) when not in accordance with the facility's Nutrient Management Plan.

No manure or process wastewater discharges occurred during the reporting period.

B. STORM WATER DISCHARGES

The following is a summary of all storm water discharges from the production area to surface water during the reporting period when not in accordance with the facility 's Nutrient Management Plan.

No stormwater discharges occurred during the reporting period.

C. LAND APPLICATION AREA TO SURFACE WATER DISCHARGES

The following is a summary of all discharges from the land application area to surface water that have occurred during the reporting period when not in accordance with the facility's Nutrient Management Plan.

No land application area to surface water discharges occurred during the reporting period.

NUTRIENT MANAGEMENT PLAN AND EXPORT AGREEMENT STATEMENTS

A. NUTRIENT MANAGEMENT PLAN STATEMENTS

Was the facility's NMP updated in the reporting period?	Yes
Was the facility's NMP developed by a certified nutrient management planner (specialist) as specified in Attachment C of the General Order?	Yes
Was the facility's NMP approved by a certified nutrient management planner (specialist) as specified in Attachment C of the General Order?	Yes

B. EXPORT AGREEMENT STATEMENT

Are there any written agreements with third parties to receive manure or process wastewater that are new or were revised within the reporting period?	No

ADDITIONAL NOTES

A. NOTES

The cattle at this facility were SOLD on 5-31-2023 and the facility remained EMPTY the rest of the year

ONLY 1 Manure Sample and ONLY 1 Lagoon water sample were taken in 2023 due to the SALE of the cattle and no additional farming occurring the remainder of the 2023 Year

Domestic Well Sample was Labeled under Project Name: T&L Family Dairy, LLC, who was in the process of renting the facility

CERTIFICATION

A. OWNER AND/OR OPERATOR CERTIFICATION

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this document and all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Adeline Meneses	
SIGNATURE OF OWNER OF FACILITY	SIGNATURE OF OPERATOR OF FACILITY
Meneses Properties, LLC	John Brasil
PRINT OR TYPE NAME	PRINT OR TYPE NAME
06/19/2024	06/19/2024
DATE	DATE

DELLAVALLE™
LABORATORY INC

R & J Avila Inc
8119 Ellington Ave
Hilmar, CA 95324

Account# 00-0019840
Account Manager: Ben Nydam
Submitted By: Rui & John Avila
Ranch: T & L Family Dairy, LLC

Received: 11/16/2023 15:35
Reported: 11/22/2023 08:57

Samples in this Report

Lab ID	Sample	Matrix	Sampled By	Crop	Date Sampled
23K0890-01	Dom Well #1	Ag Water	T. Madruga		11/15/2023 16:00

Default Cooler Temperature on Receipt °C: 2.6
Containers Intact
COC/Labels Agree
Received On Ice

Notes and Definitions

Item	Definition
H	Hold Time Exceeded
MCL	Drinking Water Maximum Contaminant Level
ND	Analyte NOT DETECTED at or above the reporting limit.
NES	Not Enough Sample
*	Not Taken
RPD	Relative Percent Difference
%REC	Percent Recovery
Source	Sample that was matrix spiked or duplicated.

Scott McFriedland

Laboratory Director/Technical Manager

ELAP Certification #1595
A2LA Certification #6440.02

The results in this report apply to the samples as received and were analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Dellavalle Laboratory, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

DELLAVALLE™
LABORATORY INC

R & J Avila Inc
8119 Ellington Ave
Hilmar, CA 95324

Account# 00-0019840
Account Manager: Ben Nydam
Submitted By: Rui & John Avila
Ranch: T & L Family Dairy, LLC

Received: 11/16/2023 15:35
Reported: 11/22/2023 08:57

Sample Results

Sample: Dom Well #1
23K0890-01 (Water)

Sampled: 11/15/2023 16:00
Sampled By: T. Madruga

Analyte	Result	Units	Reporting Limit	DIL	DW MCL	Date/Time Analyzed	Method	Notes	Batch
Electrical Conductivity	**1.65**	mmhos/cm	0.01	1		11/20/23 13:11	SM 2510 B		BEK0615
Electrical Conductivity umhos	**1650**	umhos/cm	10.0	1		11/20/23 13:11	SM 2510 B		BEK0615
Ammonia (as N)	ND	mg/L	0.00	1		11/15/23 16:00	Field		BEK0551
Nitrate Nitrogen as NO3N	**69.1**	mg/L	0.1	1	10	11/16/23 23:44	EPA 300.0		BEK0571
Temperature	**25.0**	units	0.0	1		11/20/23 13:11	SM 4500-H+	H	BEK0615
pH	**7.6**	units	1.0	1		11/20/23 13:11	SM 4500-H+	H	BEK0615

The results in this report apply to the samples as received and were analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Dellavalle Laboratory, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

DELLAVALLE™ LABORATORY INC

R & J Avila Inc
8119 Ellington Ave
Hilmar, CA 95324

Account# 00-0019840
Account Manager: Ben Nydam
Submitted By: Rui & John Avila
Ranch: T & L Family Dairy, LLC

Received: 11/16/2023 15:35
Reported: 11/22/2023 08:57

Quality Control

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BEK0571										
Blank (BEK0571-BLK1)					Prepared & Analyzed: 11/16/2023					
Nitrate Nitrogen as NO3N	ND		0.1	mg/L						
Blank (BEK0571-BLK2)					Prepared & Analyzed: 11/16/2023					
Nitrate Nitrogen as NO3N	ND		0.1	mg/L						
Blank (BEK0571-BLK3)					Prepared & Analyzed: 11/17/2023					
Nitrate Nitrogen as NO3N	ND		0.1	mg/L						
Blank (BEK0571-BLK4)					Prepared & Analyzed: 11/17/2023					
Nitrate Nitrogen as NO3N	ND		0.1	mg/L						
LCS (BEK0571-BS1)					Prepared & Analyzed: 11/16/2023					
Nitrate Nitrogen as NO3N	5.2		0.1	mg/L	5.000		105	90-110		
LCS (BEK0571-BS2)					Prepared & Analyzed: 11/17/2023					
Nitrate Nitrogen as NO3N	5.1		0.1	mg/L	5.000		102	90-110		
LCS (BEK0571-BS3)					Prepared & Analyzed: 11/17/2023					
Nitrate Nitrogen as NO3N	5.0		0.1	mg/L	5.000		99.7	90-110		
Duplicate (BEK0571-DUP1)		**Source: 23K0836-01**			Prepared & Analyzed: 11/16/2023					
Nitrate Nitrogen as NO3N	5.3		0.1	mg/L		5.2			1.95	10
Duplicate (BEK0571-DUP2)		**Source: 23K0891-01**			Prepared & Analyzed: 11/17/2023					
Nitrate Nitrogen as NO3N	2.2		0.1	mg/L		2.2			1.15	10
Duplicate (BEK0571-DUP3)		**Source: 23K0934-04**			Prepared & Analyzed: 11/17/2023					
Nitrate Nitrogen as NO3N	5.5		0.1	mg/L		5.5			0.290	10
Matrix Spike (BEK0571-MS1)		**Source: 23K0836-01**			Prepared & Analyzed: 11/16/2023					
Nitrate Nitrogen as NO3N	10.2		0.1	mg/L	5.000	5.2	101	90-110		
Matrix Spike (BEK0571-MS2)		**Source: 23K0891-01**			Prepared & Analyzed: 11/17/2023					
Nitrate Nitrogen as NO3N	7.2		0.1	mg/L	5.000	2.2	100	90-110		
Matrix Spike (BEK0571-MS3)		**Source: 23K0934-04**			Prepared & Analyzed: 11/17/2023					
Nitrate Nitrogen as NO3N	10.7		0.1	mg/L	5.000	5.5	104	90-110		
Reference (BEK0571-SRM1)					Prepared & Analyzed: 11/16/2023					
Nitrate Nitrogen as NO3N	9.7			mg/L	10.00		97.1	90-110		
Reference (BEK0571-SRM2)					Prepared & Analyzed: 11/16/2023					
Nitrate Nitrogen as NO3N	9.7			mg/L	10.00		97.5	90-110		

The results in this report apply to the samples as received and were analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Dellavalle Laboratory, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

DELLAVALLE™
LABORATORY INC

R & J Avila Inc
8119 Ellington Ave
Hilmar, CA 95324

Account# 00-0019840
Account Manager: Ben Nydam
Submitted By: Rui & John Avila
Ranch: T & L Family Dairy, LLC

Received: 11/16/2023 15:35
Reported: 11/22/2023 08:57

Quality Control
(Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BEK0571 (Continued)										
Reference (BEK0571-SRM3)					Prepared & Analyzed: 11/17/2023					
Nitrate Nitrogen as NO3N	9.8			mg/L	10.00		98.2	90-110		
Reference (BEK0571-SRM4)					Prepared & Analyzed: 11/17/2023					
Nitrate Nitrogen as NO3N	9.8			mg/L	10.00		98.4	90-110		

The results in this report apply to the samples as received and were analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Dellavalle Laboratory, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

DELLAVALLE™ LABORATORY INC

R & J Avila Inc
8119 Ellington Ave
Hilmar, CA 95324

Account# 00-0019840
Account Manager: Ben Nydam
Submitted By: Rui & John Avila
Ranch: T & L Family Dairy, LLC

Received: 11/16/2023 15:35
Reported: 11/22/2023 08:57

Quality Control
(Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BEK0615										
Blank (BEK0615-BLK1)					Prepared: 11/17/2023	Analyzed: 11/20/2023				
Electrical Conductivity	ND		0.01	mmhos/cm						
Temperature	25.0		0.0	units						
Electrical Conductivity umhos	ND		10.0	umhos/cm						
pH	5.7		1.0	units						
Blank (BEK0615-BLK2)					Prepared: 11/17/2023	Analyzed: 11/20/2023				
Temperature	25.0		0.0	units						
Electrical Conductivity	ND		0.01	mmhos/cm						
Electrical Conductivity umhos	ND		10.0	umhos/cm						
pH	6.4		1.0	units						
Blank (BEK0615-BLK3)					Prepared: 11/17/2023	Analyzed: 11/20/2023				
Electrical Conductivity	ND		0.01	mmhos/cm						
Temperature	25.0		0.0	units						
Electrical Conductivity umhos	ND		10.0	umhos/cm						
pH	6.0		1.0	units						
Duplicate (BEK0615-DUP1)		**Source: 23K0888-03**			Prepared: 11/17/2023	Analyzed: 11/20/2023				
Electrical Conductivity	1.78		0.01	mmhos/cm		1.78			0.477	10
pH	7.4		1.0	units		7.4			0.271	10
Electrical Conductivity umhos	1780		10.0	umhos/cm		1780			0.477	10
Duplicate (BEK0615-DUP2)		**Source: 23K0892-03**			Prepared: 11/17/2023	Analyzed: 11/20/2023				
Electrical Conductivity	0.84		0.01	mmhos/cm		0.84			0.262	10
Electrical Conductivity umhos	841		10.0	umhos/cm		839			0.262	10
pH	7.6		1.0	units		7.6			0.00	10
Reference (BEK0615-SRM1)					Prepared: 11/17/2023	Analyzed: 11/20/2023				
Electrical Conductivity	550			umhos/cm	538.0		102	90-110		
Reference (BEK0615-SRM2)					Prepared: 11/17/2023	Analyzed: 11/20/2023				
pH	7.6			units	7.520		101	67021-101.32		
Reference (BEK0615-SRM3)					Prepared: 11/17/2023	Analyzed: 11/20/2023				
Electrical Conductivity	1020			umhos/cm	1000		102	90-110		
Electrical Conductivity umhos	1020			umhos/cm	1000		102	90-110		
Reference (BEK0615-SRM4)					Prepared: 11/17/2023	Analyzed: 11/20/2023				
Electrical Conductivity	1040			umhos/cm	1000		104	90-110		
Electrical Conductivity umhos	1040			umhos/cm	1000		104	90-110		
Reference (BEK0615-SRM5)					Prepared: 11/17/2023	Analyzed: 11/20/2023				
Electrical Conductivity	1030			umhos/cm	1000		103	90-110		

The results in this report apply to the samples as received and were analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Dellavalle Laboratory, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

DELLAVALLE™
LABORATORY INC

R & J Avila Inc
8119 Ellington Ave
Hilmar, CA 95324

Account# 00-0019840
Account Manager: Ben Nydam
Submitted By: Rui & John Avila
Ranch: T & L Family Dairy, LLC

Received: 11/16/2023 15:35
Reported: 11/22/2023 08:57

Quality Control
(Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BEK0615 (Continued)										
Reference (BEK0615-SRM5)					Prepared: 11/17/2023	Analyzed: 11/20/2023				
Electrical Conductivity umhos	1030			umhos/cm	1000		103	90-110		
Reference (BEK0615-SRM6)					Prepared: 11/17/2023	Analyzed: 11/20/2023				
pH	4.0			units	4.000		101	97.5-102.5		
Reference (BEK0615-SRM7)					Prepared: 11/17/2023	Analyzed: 11/20/2023				
pH	4.0			units	4.000		101	97.5-102.5		
Reference (BEK0615-SRM8)					Prepared: 11/17/2023	Analyzed: 11/20/2023				
pH	4.0			units	4.000		101	97.5-102.5		

The results in this report apply to the samples as received and were analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Dellavalle Laboratory, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

11/16/23 15:35 23K0890

DELLAVALLE LABORATORY, INC.

1910 W. McKinley Avenue, Suite 110 • Fresno, CA 93728
www.dellavallelab.com 559 233-6129 · 800 228-9896 · Fax 559 268-8174

No. Samples 1 No. of Bottles:

Purchase Order No | Bill To: | Acct # 19840 | Cons # 08

Results Need By

Water Type: [ ] Drinking Water [ ] Wastewater
[X] Ag Water [ ] Groundwater [ ] Monitoring Well

Name: R & J Avila Inc
Address: 8119 Ellington Avenue
City: Hilmar **State:** CA **Zip:** 95324
Telephone: (209) 669-7919 **Fax:** (209) 634-4604
Cell/Email: 209 678-3086 Rui / 209 678-1723 John frontdesk.randjavila@gmail.com
COPY TO:

REQUESTED BY: Rui & John Avila
PROJECT T & L Family Dairy, LLC
ID CROP: N/A

[X] Copy of Chain [X] QA/QC Documents
Sampled By: T. Madruga

Other:
Analysis and Bottles Required: (Please indicate Analysis)
(X) DWW1: EC, pH, NO_3-N (NH4-N Field Test)
(1-1 Liter Plastic, Unpreserved) White Per Sample
( ) DWW2: DWW1 Plus SO_4, CO_3, HCO_3, Cl, Ca, Mg, Na, TDS
(1-1 Liter Plastic, Unpreserved) White Per Sample
( ) DCW1: EC, NO_3-N, TDS + TKN & TN
(1-1 Liter Plastic, Unpreserved) White Per Sample
( ) DPW1: EC, pH, NO_3-N, NH_4-N, TKN, TDS, TP, TK
(1-1 Liter Plastic, Unpreserved) White Per Sample
( ) DPW2: DPW1 Plus SO_4, CO_3, HCO_3, Cl, Ca, Mg, Na
(1-1 Liter Plastic, Unpreserved) White Per Sample
( ) Other

	Description of Samples	Date Sampled	Time Sampled	Rec'd Temp °C	Field NH_4-N
1	Dom Well #1	11/15/2023	1600	2.6	ND
2					ND
3					ND
4					
5					
6					
7					
8					
9					
10					

IR Thermometer SN: 221314357
Correction Factor: 0°C
Calibration Due: 12/22/2023
Location: Laboratory

CHAIN OF CUSTODY

Carrier	Signature	Company	Received (Date/Time)	Relinquished (Date/Time)
First	John Avila	R & J Avila, Inc.	11/15/2023 @ 1600	11/16/2023 @9am
Second	JLP	Dellavalle Laboratory, Inc.	11/16/2023 @9am	11-16-23 3:25
Third		DCI	11-16-23 15:35	
Fourth				

I guarantee that as the client, or on behalf of client named, I have the authority to contract the above requested services. Should it be found that I do not have such authority, I agree to be personally liable for all costs and, if there should be action against me for this breach, reasonable attorneys' fees. It is understood that payment is expected to be cash with samples unless terms have been previously arranged. Terms are net 30 days; overdue accounts will be charged a liquidated damage fee of 2% per month (annually 24%) or $5.00 per month whichever is greater.
If payment is not made when due and a legitimate dispute exists concerning the product or services of Dellavalle Laboratory, Inc., it will be submitted to mediation under the Rules and Procedures of Creative Alternative to Litigation, Inc. (*cal*). If the dispute is not resolved in mediation, then the dispute will be submitted to binding arbitration through ***cal*** under its Rules and Procedures. The parties will equally bear the costs of mediation/arbitration. If, however, the mediator declares that no legitimate dispute exists, then debtor will pay all mediation and arbitration costs, and in the event of arbitration,reasonable attorneys' fees of Dellavalle Laboratory.

Invoicing Information: ***Shipping***
Sampling hrs $ In
Miles $ Out
Consulting

Amt Paid	Rec By	Check #	Date

Signature

Samples recieved in cooler with ice (coolant)
[ ] Yes [ ] No

11/16/23 15:35 23K0890

Shipping Information: Fed Ex ☐ UPS ☐ GSO ☐ Picked-Up ☑ Walk In ☐ DLI Sampler ☐
Ontrac ☐ PMS ☐ USPS ☐ Other ☐ _____

Shipping Container: Ice Chest ☑ None ☐ Box ☐

Refrigerant: Wet Ice: ☑ Blue Ice: ☐ None: ☐

Container(s) Received	**1**	**2**	**3**	**4**	**5**	**6**	**7**	**8**	**9**	**10**
Plastics:										
100 mL sterile plastic $Na_2S_2O_3$ (Green)										
250 mL unpreserved (White)										
250 mL HNO_3 (Red)										
250 mL H_2SO_4 (Yellow)										
500 mL unpreserved (White)										
500 mL HNO_3 (Red)										
500 mL H_2SO_4 (Yellow)										
1 L unpreserved (White)	1									
1 L unpreserved (BOD) (Purple)										
1 L HNO_3 (Red)										
1 L H_2SO_4 (Yellow)										
VOA Vials in sets of 3:										
40 mL VOA, HCl (Blue)										
40 mL VOA, $Na_2S_2O_3$ (Green)										
40 mL VOA, unpreserved (White)										
Glass:										
250 mL AG unpreserved (White)										
250 mL AG H_2SO_4 (Yellow)										
250 mL AG $Na_2S_2O_3$ (Green)										
250 mL AG $Na_2S_2O_3$ + MCAA										
500 mL glass unpreserved (White)										
500 mL AG HCl (Blue)										
1 L AG unpreserved (White)										
1 L AG H_2SO_4 (Yellow)										
1 L AG $Na_2S_2O_3$ (Green)										
1 L AG HCl (Blue)										
Special:										
Cr^{6+} w/Borate/HCO3/CO3										
Cyanide - 500 mL NaOH										
Asbestos - 2 - 1L P wrapped in foil										
500 mL or 1 L **AP** $Na_2S_2O_3$ (Green)										
1 L **AG** or **P** NaOH + ZnAc (Sulfide)										
Chlorite/Bromate 250 mL AG with EDA										
TTHM										
HAA5										
40 mL VOA, $Na_2S_2O_3$ + MCAA										