Annual Report - General Order No. R5-2007-0035
Reporting period 01/01/2023 to 12/31/2023.

DAIRY FACILITY INFORMATION

A. NAME OF DAIRY OR BUSINESS OPERATING THE DAIRY: Avis Dairy

Physical address of dairy:

Number and Street	City	County	Zip Code
4400 Pt. Pleasant RD	Elk Grove	Sacramento	95757

Street and nearest cross street (if no address):

Date facility was originally placed in operation: 01/01/1950

Regional Water Quality Control Board Basin Plan designation: Sacramento River Basin

County Assessor Parcel Number(s) for dairy facility:

X132-X332-X053-XXXX

B. OPERATORS

Avis, Joe

Operator name: Avis, Joe

Telephone no.: (209) 603-6107 (Landline) (Cellular)

Mailing Address Number and Street	City	State	Zip Code
4510 Point Pleasant RD	Elk Grove	CA	95757

This operator is responsible for paying permit fees.

C. OWNERS

Avis Trust, Joe

Legal owner name: Avis Trust, Joe

Telephone no.: (123) 000-0000 (Landline) (Cellular)

Mailing Address Number and Street	City	State	Zip Code
4400 Point Pleasant RD	Elk Grove	CA	95757

Annual Report - General Order No. R5-2007-0035
Reporting period 01/01/2023 to 12/31/2023.

AVAILABLE NUTRIENTS

A. HERD INFORMATION

	Milk Cows	Dry Cows	Bred Heifers (15-24 mo.)	Heifers (7-14 mo. to breeding)	Calves (4-6 mo.)	Calves (0-3 mo.)
Number open confinement	0	0	0	25	0	0
Number under roof	0	0	0	0	0	0
Maximum number	0	0	0	25	0	0
Average number	0	0	0	25	0	0
Avg live weight (lbs)	0	0	0	750		

Predominant milk cow breed: Jersey-Holstein Cross

Average milk production: 1 *pounds per cow per day*

B. MANURE GENERATED

Total manure excreted by the herd: 240.81 *tons per reporting period*

Total nitrogen from manure: 2,372.50 *lbs per reporting period*

After ammonia losses (30% loss applied): 1,660.75 *lbs per reporting period*

Total phosphorus from manure: 401.50 *lbs per reporting period*

Total potassium from manure: 1.00 *lbs per reporting period*

Total salt from manure: 0.00 *lbs per reporting period*

C. PROCESS WASTEWATER GENERATED

Process wastewater generated: _____ *gallons*

Total nitrogen generated: _____ *lbs*

Total phosphorus generated: _____ *lbs*

Total potassium generated: _____ *lbs*

Total salt generated: _____ *lbs*

	0	*gallons applied*
+	0	*gallons exported*
-	0	*gallons imported*
=	0	*gallons generated*

D. FRESH WATER SOURCES

Source Description	Type
Ag Well #2	Ground water
Ag Well #3	Ground water
Ag Well #4	Ground water
Ag Well #5	Ground water
Ag Well #6	Ground water

Source Description	Type
Ag Well by pit #1	Ground water
Dom. #1, Dairy #1	Ground water
Dom. #2, Dairy #1	Ground water

E. SUBSURFACE (TILE) DRAINAGE SOURCES

No subsurface (tile) drainage sources entered.

F. NUTRIENT IMPORTS

No dry manure nutrient imports entered.

No process wastewater nutrient imports entered.

No commercial or other nutrient imports entered.

G. NUTRIENT EXPORTS

No solid nutrient exports entered.

No liquid nutrient exports entered.

APPLICATION AREA

A. LIST OF LAND APPLICATION AREAS

Field name	Controlled acres	Cropable acres	Total harvests	Type of waste applied	Parcel number
A1-1	20	20	0	none	X132-0332-X053-XXXX
A1-2	40	40	0	none	X132-0332-X053-XXXX
A1-3	40	40	0	none	X132-0332-X021-XXXX
A1-4	15	15	0	none	X132-0331-X011-XXXX
A1-5A	22	22	0	none	X132-0331-X011-XXXX
A1-5B	23	23	0	none	X132-0331-X011-XXXX
A1-6	21	21	0	none	X132-0331-X012-XXXX
A1-7A	18	18	0	none	X132-0210-X015-XXXX
A1-7B	20	20	0	none	X132-0331-X011-XXXX
A1-7C	22	22	0	none	X132-0210-X015-XXXX
A1-8	34	34	0	none	X132-0331-X011-XXXX
Totals for areas that were used for application					
Totals for areas that were not used for application	275	275	0		
Land application area totals	275	275	0		

B. CROPS AND HARVESTS

No application area fields entered.

NUTRIENT BUDGET

A. LAND APPLICATIONS

No application area crops entered.

B. NUTRIENT BUDGET

No application area crops entered.

NUTRIENT ANALYSES

A. MANURE ANALYSES

T3130025B

Sample and source description: T3130025B

Sample date: 05/10/2023 Material type: Corral solids Source of analysis: Lab analysis Method of reporting: Dry-weight

Moisture: 30.2 %

	Total N (mg/kg)	Total P (mg/kg)	Total K (mg/kg)	Calcium (mg/kg)	Magnesium (mg/kg)	Sodium (mg/kg)	Sulfur (mg/kg)	Chloride (mg/kg)	Total salt (mg/kg)	TFS (%)
Value	15,800.00	2,970.00	12,100.00							0.00
DL	1.00	1.00	1.00							1.00

T3264050A

Sample and source description: T3264050A

Sample date: 09/21/2023 Material type: Corral solids Source of analysis: Lab analysis Method of reporting: Dry-weight

Moisture: 8.6 %

	Total N (mg/kg)	Total P (mg/kg)	Total K (mg/kg)	Calcium (mg/kg)	Magnesium (mg/kg)	Sodium (mg/kg)	Sulfur (mg/kg)	Chloride (mg/kg)	Total salt (mg/kg)	TFS (%)
Value	18,100.00	3,520.00	19,600.00	10,900.00	7,970.00	5,100.00	6,720.00	914.00		20.60
DL	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		1.00

B. PROCESS WASTEWATER ANALYSES

T3069019A

Sample and source description: T3069019A

Sample date: 03/10/2023 Material type: Process wastewater Source of analysis: Lab analysis pH: 0.00

	Kjeldahl-N (mg/L)	NH4-N (mg/L)	NH3-N (mg/L)	Nitrate-N (mg/L)	Total P (mg/L)	Total K (mg/L)	Calcium (mg/L)	Magnes. (mg/L)	Sodium (mg/L)	Bicarb. (mg/L)	Carb. (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	EC (µmhos/cm)	TDS (mg/L)
Value	47.60	28.00	0.00	0.00	31.50	196.00								1,150.00	780
DL	1.00	1.00	1.00	1.00	1.00	1.00								100.00	1

T3130025A

Sample and source description: T3130025A

Sample date: 05/10/2023 Material type: Process wastewater Source of analysis: Lab analysis pH: 0.00

	Kjeldahl-N (mg/L)	NH4-N (mg/L)	NH3-N (mg/L)	Nitrate-N (mg/L)	Total P (mg/L)	Total K (mg/L)	Calcium (mg/L)	Magnes. (mg/L)	Sodium (mg/L)	Bicarb. (mg/L)	Carb. (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	EC (µmhos/cm)	TDS (mg/L)
Value	61.60	25.20	0.00	0.00	52.70	219.00								1,580.00	1,020
DL	1.00	1.00	1.00	1.00	1.00	1.00								100.00	1

C. FRESH WATER ANALYSES

Ag Well #2

T3326016F

Sample description: T3326016F

Sample date: 11/22/2023 Source of analysis: Lab analysis

	Total N (mg/L)	NH4-N (mg/L)	Nitrate-N (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	Bicarbonate (mg/L)	Carbonate (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	EC (µmhos/cm)	TDS (mg/L)
Value	2.47	0.00	2.47								735.00	0
DL	1.00	0.50	1.00								100.00	1

Ag Well #3

T3326016B

Sample description: T3326016B

Sample date: 11/22/2023 Source of analysis: Lab analysis

	Total N (mg/L)	NH4-N (mg/L)	Nitrate-N (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	Bicarbonate (mg/L)	Carbonate (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	EC (µmhos/cm)	TDS (mg/L)
Value	2.72	0.00	2.72								761.00	0
DL	1.00	0.50	1.00								100.00	1

Ag Well #4

Ag Well #4

T3326016C

Sample description: T3326016C

Sample date: 11/22/2023 Source of analysis: Lab analysis

	Total N (mg/L)	NH4-N (mg/L)	Nitrate-N (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	Bicarbonate (mg/L)	Carbonate (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	EC (µmhos/cm)	TDS (mg/L)
Value	1.41	0.00	1.41								788.00	0
DL	1.00	0.50	1.00								100.00	1

Ag Well #5

T3326016A

Sample description: T3326016A

Sample date: 11/22/2023 Source of analysis: Lab analysis

	Total N (mg/L)	NH4-N (mg/L)	Nitrate-N (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	Bicarbonate (mg/L)	Carbonate (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	EC (µmhos/cm)	TDS (mg/L)
Value	2.41	0.00	2.41	54.70	38.10	31.70	294.00	0.00	29.90	59.20	751.00	380
DL	1.00	0.50	1.00	1.00	1.00	1.00	1.00	2.00	1.00	1.00	100.00	1

Ag Well #6

T3326016D

Sample description: T3326016D

Sample date: 11/22/2023 Source of analysis: Lab analysis

	Total N (mg/L)	NH4-N (mg/L)	Nitrate-N (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	Bicarbonate (mg/L)	Carbonate (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	EC (µmhos/cm)	TDS (mg/L)
Value	1.93	0.00	1.93								727.00	0
DL	1.00	0.50	1.00								100.00	1

Ag Well by pit #1

Ag Well by pit #1

T3326016E

Sample description: T3326016E

Sample date: 11/22/2023 Source of analysis: Lab analysis

	Total N (mg/L)	NH4-N (mg/L)	Nitrate-N (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	Bicarbonate (mg/L)	Carbonate (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	EC (µmhos/cm)	TDS (mg/L)
Value	2.57	0.00	2.57								737.00	0
DL	1.00	0.50	1.00								100.00	1

Dom. #1, Dairy #1

T3326016G

Sample description: T3326016G

Sample date: 11/22/2023 Source of analysis: Lab analysis

	Total N (mg/L)	NH4-N (mg/L)	Nitrate-N (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	Bicarbonate (mg/L)	Carbonate (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	EC (µmhos/cm)	TDS (mg/L)
Value	2.47	0.00	2.47								753.00	0
DL	1.00	0.50	1.00								100.00	1

Dom. #2, Dairy #1

T3326016H

Sample description: T3326016H

Sample date: 11/22/2023 Source of analysis: Lab analysis

	Total N (mg/L)	NH4-N (mg/L)	Nitrate-N (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	Bicarbonate (mg/L)	Carbonate (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	EC (µmhos/cm)	TDS (mg/L)
Value	2.47	0.00	2.47								739.00	0
DL	1.00	0.50	1.00								100.00	1

D. SOIL ANALYSES

A1-1

T3349016A

Sample and source description: T3349016A

Sample date: 12/15/2023 Source of analysis: Lab analysis

	Nitrate-N (mg/kg)	Total P (mg/kg)	Soluble P (mg/kg)	K (mg/kg)	EC (µmhos/cm)	Organic matter (%)	Total salt (mg/kg)
Value			52.00		0.00	0.00	
DL			1.00		1.00	1.00	

A1-2

T3349016B

Sample and source description: T3349016B

Sample date: 12/15/2023 Source of analysis: Lab analysis

	Nitrate-N (mg/kg)	Total P (mg/kg)	Soluble P (mg/kg)	K (mg/kg)	EC (µmhos/cm)	Organic matter (%)	Total salt (mg/kg)
Value			55.00		0.00	0.00	
DL			1.00		1.00	1.00	

A1-3

T3349016C

Sample and source description: T3349016C

Sample date: 12/15/2023 Source of analysis: Lab analysis

	Nitrate-N (mg/kg)	Total P (mg/kg)	Soluble P (mg/kg)	K (mg/kg)	EC (µmhos/cm)	Organic matter (%)	Total salt (mg/kg)
Value			46.00		0.00	0.00	
DL			1.00		1.00	1.00	

A1-4

A1-4

T3349016A

Sample and source description: T3349016A

Sample date: 12/15/2023 Source of analysis: Lab analysis

	Nitrate-N (mg/kg)	Total P (mg/kg)	Soluble P (mg/kg)	K (mg/kg)	EC (µmhos/cm)	Organic matter (%)	Total salt (mg/kg)
Value			52.00		0.00	0.00	
DL			1.00		1.00	1.00	

T3349016D

Sample and source description: T3349016D

Sample date: 12/15/2023 Source of analysis: Lab analysis

	Nitrate-N (mg/kg)	Total P (mg/kg)	Soluble P (mg/kg)	K (mg/kg)	EC (µmhos/cm)	Organic matter (%)	Total salt (mg/kg)
Value			60.00		0.00	0.00	
DL			1.00		1.00	1.00	

A1-5A

T3349016D

Sample and source description: T3349016D

Sample date: 12/15/2023 Source of analysis: Lab analysis

	Nitrate-N (mg/kg)	Total P (mg/kg)	Soluble P (mg/kg)	K (mg/kg)	EC (µmhos/cm)	Organic matter (%)	Total salt (mg/kg)
Value			60.00		0.00	0.00	
DL			1.00		1.00	1.00	

A1-5B

A1-5B

T3349016E

Sample and source description: T3349016E

Sample date: 12/15/2023 Source of analysis: Lab analysis

	Nitrate-N (mg/kg)	Total P (mg/kg)	Soluble P (mg/kg)	K (mg/kg)	EC (µmhos/cm)	Organic matter (%)	Total salt (mg/kg)
Value			54.00		0.00	0.00	
DL			1.00		1.00	1.00	

A1-6

T3349016E

Sample and source description: T3349016E

Sample date: 12/15/2023 Source of analysis: Lab analysis

	Nitrate-N (mg/kg)	Total P (mg/kg)	Soluble P (mg/kg)	K (mg/kg)	EC (µmhos/cm)	Organic matter (%)	Total salt (mg/kg)
Value			54.00		0.00	0.00	
DL			1.00		1.00	1.00	

A1-7A

T3349016F

Sample and source description: T3349016F

Sample date: 12/15/2023 Source of analysis: Lab analysis

	Nitrate-N (mg/kg)	Total P (mg/kg)	Soluble P (mg/kg)	K (mg/kg)	EC (µmhos/cm)	Organic matter (%)	Total salt (mg/kg)
Value			41.00		0.00	0.00	
DL			1.00		1.00	1.00	

A1-7B

A1-7B

T3349016F

Sample and source description: T3349016F

Sample date: 12/15/2023 Source of analysis: Lab analysis

	Nitrate-N (mg/kg)	Total P (mg/kg)	Soluble P (mg/kg)	K (mg/kg)	EC (µmhos/cm)	Organic matter (%)	Total salt (mg/kg)
Value			41.00		0.00	0.00	
DL			1.00		1.00	1.00	

A1-7C

T3349016F

Sample and source description: T3349016F

Sample date: 12/15/2023 Source of analysis: Lab analysis

	Nitrate-N (mg/kg)	Total P (mg/kg)	Soluble P (mg/kg)	K (mg/kg)	EC (µmhos/cm)	Organic matter (%)	Total salt (mg/kg)
Value			41.00		0.00	0.00	
DL			1.00		1.00	1.00	

E. PLANT TISSUE ANALYSES

No plant tissue analyses entered.

F. SUBSURFACE (TILE) DRAINAGE ANALYSES

No subsurface (tile) drainage analyses entered.

NUTRIENT APPLICATIONS, POTENTIAL REMOVAL, AND BALANCE

A. SUMMARY OF NUTRIENT APPLICATIONS, POTENTIAL REMOVAL, AND BALANCE

	Total N (lbs)	Total P (lbs)	Total K (lbs)	Total salt (lbs)
Existing soil nutrient content	0.00	0.00	0.00	0.00
Plowdown credit	0.00	0.00	0.00	0.00
Commercial fertilizer / Other	0.00	0.00	0.00	0.00
Dry manure	0.00	0.00	0.00	0.00
Process wastewater	0.00	0.00	0.00	0.00
Fresh water	0.00	0.00	0.00	0.00
Atmospheric deposition	0.00	0.00	0.00	0.00
Total nutrients applied	0.00	0.00	0.00	0.00
Anticipated crop nutrient removal	0.00	0.00	0.00	0.00
Actual crop nutrient removal	0.00	0.00	0.00	0.00
Nutrient balance	0.00	0.00	0.00	0.00
Applied to removed ratio	0.00	0.00	0.00	0.00

B. POUNDS OF NUTRIENT APPLIED VS. CROP REMOVAL



C. POUNDS OF NUTRIENT APPLIED BY MATERIAL TYPE

Pounds of nitrogen applied

Existing soil nutrient content	0
Plowdown credit	0
Commercial fertilizer / Other	0
Dry manure	0
Process wastewater	0
Fresh water	0
Atmospheric deposition	0

lbs

Pounds of phosphorus applied

Existing soil nutrient content	0
Plowdown credit	0
Commercial fertilizer / Other	0
Dry manure	0
Process wastewater	0
Fresh water	0
Atmospheric deposition	0

lbs

Pounds of potassium applied

Existing soil nutrient content	0
Plowdown credit	0
Commercial fertilizer / Other	0
Dry manure	0
Process wastewater	0
Fresh water	0
Atmospheric deposition	0

lbs

Pounds of salt applied

Existing soil nutrient content	0
Plowdown credit	0
Commercial fertilizer / Other	0
Dry manure	0
Process wastewater	0
Fresh water	0
Atmospheric deposition	0

lbs

EXCEPTION REPORTING

A. MANURE, PROCESS WASTEWATER, AND OTHER DAIRY WASTE DISCHARGES

The following is a summary of all manure and process wastewater discharges from the production area to surface water or to land areas (land application areas or otherwise) when not in accordance with the facility's Nutrient Management Plan.

No manure or process wastewater discharges occurred during the reporting period.

B. STORM WATER DISCHARGES

The following is a summary of all storm water discharges from the production area to surface water during the reporting period when not in accordance with the facility 's Nutrient Management Plan.

No stormwater discharges occurred during the reporting period.

C. LAND APPLICATION AREA TO SURFACE WATER DISCHARGES

The following is a summary of all discharges from the land application area to surface water that have occurred during the reporting period when not in accordance with the facility's Nutrient Management Plan.

No land application area to surface water discharges occurred during the reporting period.

NUTRIENT MANAGEMENT PLAN AND EXPORT AGREEMENT STATEMENTS

A. NUTRIENT MANAGEMENT PLAN STATEMENTS

Was the facility's NMP updated in the reporting period?	No
Was the facility's NMP developed by a certified nutrient management planner (specialist) as specified in Attachment C of the General Order?	Yes
Was the facility's NMP approved by a certified nutrient management planner (specialist) as specified in Attachment C of the General Order?	Yes

B. EXPORT AGREEMENT STATEMENT

Are there any written agreements with third parties to receive manure or process wastewater that are new or were revised within the reporting period?	No

ADDITIONAL NOTES

A. NOTES

No wastewater or solid manure was applied to any of the fields listed during 2023.
Minimal amounts of wastewater and manure due to low heifer numbers. No milking cows have been at this facility for over 5 years.

CERTIFICATION

A. OWNER AND/OR OPERATOR CERTIFICATION

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this document and all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

SIGNATURE OF OWNER OF FACILITY

Joe Avis Trust
PRINT OR TYPE NAME

6/20/24
DATE

Same as Owner
SIGNATURE OF OPERATOR OF FACILITY

Joe Avis
PRINT OR TYPE NAME

6/20/24
DATE

ATTACHMENTS

A. REQUIRED ATTACHMENTS

The following lists the required documents that should be attached to the Annual Report when submitted .

Annual Dairy Facility Assessment
Provide an Annual Dairy Facility Assessment (an update to the Preliminary Dairy Facility Assessment in Attachment A) for each reporting period. On the PDFA Final page, click on the ADFA Report button to generate an ADFA report after updating information as needed .

Manure/Process Wastewater Tracking Manifests
Provide copies of all manure/process wastewater tracking manifests for the reporting period, signed by both the owner/operator and the hauler.

Corrective Actions Documents
Provide records documenting any corrective actions taken to correct deficiencies noted as a result of the inspections required in the Monitoring Requirements of the General Order. Deficiencies not corrected in 30 days must be accompanied by an explanation of the factors preventing immediate correction.

Groundwater Monitoring
Dischargers that monitor supply wells or subsurface (tile) drainage systems, or that have monitoring well systems must submit monitoring results as directed in the General Order, Groundwater Reporting Section starting on page MRP-13.

Storm Water Monitoring
Dischargers that are required to monitor storm water more frequently than required in the General Order must submit monitoring results as directed in the General Order, Storm Water Reporting Section on page MRP-14.

DENELE ANALYTICAL, INC.

865 S. KILROY
TURLOCK, CA 95380
PH# 209-634-9055 FAX# 209-634-9057

DAIRY COMPLIANCE

Client: AVIS DAIRY
Mailing address: 4400 POINT PLEASANT RD.
(not facility address) ELK GROVE, CA 95757
Phone#: (916) 684-1774

Authorized Copy Released To:
JCRK, INC.
(209) 327-0992
Sampled By: ~~JIM CAPTEIN~~ Desiree
Project ID:

ANALYSIS TO BE COMPLETED:

IRRIGATION/GROUND WATER
H1 EC*, NO3-N, NH4-N*
H6 EC, TN, TDS
H7 Combination of H1 & H6
H14 EC, NO3-N, NH4-N, Ca, Mg, Na, Bicarb Carb, SO4, Cl, TDS

PROCESS WASTE WATER
H3 EC*, NH4-N, TKN, TP, K, TDS
H4 EC*, NO3-N, NH4-N, TKN, TP, K, TDS
H5 Ca, Mg, Na, Bicarb, Carb, SO4, Cl
H8 Combination of H3 &H5
H9 Combination of H4 &H5

TILE DRAIN
H2 EC*, NO3-N, TP, NH4-N*, TDS

** Required Field Measurement*

___ (Check here if performed)

DISCHARGE WATER
E1 EC*, Temp*, pH*, NO3-N, NH4-N, TKN, TP, K, TDS, Dissolved Oxygen*, BOD 5, TSS, Total & Fecal Coliforms
E2 EC,* Temp*, pH*, NO3-N, NH4-N*, Turbidity, TP, Dissolved Oxygen*, Total & Fecal Coliforms
E3 EC*, Temp*, pH*, NO3-N, NH4-N*, TP, Total & Fecal Coliforms
E4 EC*, Temp*, pH*, NO3-N, NH4-N*, Turbidity, TP, Total & Fecal Coliform

MANURE
M1 % Moisture
M3 TN TP, K, % Moisture
M4 Ca, Mg, Na, Bicarb, Carb, SO4, Cl, Ash
M7 Combination of M3 & M4

PLANT TISSUE
F18 % Moisture, Ash, TN, P, K, DM and as received
F18+ % Moisture, Ash, TN, P, K, DM and as received (Package also includes NIR DCAD)
F19+ % Moisture, TN (Package includes complete plant tissue analysis)

SOIL
K3 Soluble Phosphorus
K4 1ft NO3, Organic Matter
K5 Pre-Plant (2ft NO3), Fall (1-2ft NO3), Fall (2-3ft NO3)
K6 0-1ft EC, NO3, Soluble P, K, Organic Matter
K7 Combination of K3 & K4
K8 Combination of K3 & K5

	Date Collected	Time Collected	Sample ID	Description	Temp	Well Purge	Analysis: H1	H3	M3	F18	OTHER
1	11/21/23	10:00a	Ag Well #5	Ag Well	12.8 c	20 min.					H14
2	✓	11:00a	Ag Well #3	✓	13.8	✓	X				
3	✓	11:30a	Ag Well #4	✓	13.8	✓	X				
4	✓	12:30pa	Ag Well #6	✓	13.6	✓	X				
5	✓	1:00p	Ag Well by pit #1	✓	15.0	✓	X				
6	✓	1:30p	Ag Well #2	✓	12.8	✓	X				
7	✓	2:00p	Dom. #1, Dairy #1	✓	14.6	✓	X				
8	✓	2:30p	Dom. #2, Dairy #1	✓	13.8	✓	X				
9											
10											

CHAIN OF CUSTODY RECORDING

	Signature	Company	Received Date & Time	Relinquished Date & Time	(LABORATORY USE ONLY) Logged In By:	LABORATORY NUMBER
1st	Jacquise Capteiro	JCRK, INC.		11/22/23 8:00a		
2nd		DENELE ANALYTICAL, INC.	11-22-23 12:54			T332600116

Required to be submitted to any agency? (YES / NO)

Denele Analytical, Inc.

865 South Kilroy Avenue Turlock, CA 95380
Phone (209) 634-9055 - Fax (209) 634-9057

www.denelelabs.com

40 N. East Street, Woodland, CA 95776
Phone (530) 666-9056 - Fax (530) 666-9058

Compliance Analysis Report

Customer
Avis Dairy
4510 Point Pleasant Rd.
Elk Grove, CA 95757

Grower

Consultant:
Jacquie Captein
P.O. Box 386
Herald, CA 95638

PURCHASE ORDER:
RECEIVED DATE: 11/22/23 12:54 PM
SUBMITTED BY: Jacquie
ANALYZED DATE: 11/27/23

Irrigation /Ground Water (H14)
SOURCE: Irrigation Water

NOTES: Temperature was above qualifying at 12.8c

Sample ID	Lab ID	Analyte	Method Ref	Result	Units
Ag Well #5	T3326016A	Electrical Conductivity (EC)	EPA 120.1 and	0.751	mmhos/cm
		Bicarbonate Alkalinity (ALK-B)	SM 2320B-2011	294	mg/L
		Carbonate Alkalinity (Carb)	SM 2320B-2011	< 2.00	mg/L
		Sulfate (SO4)	EPA 375.2	29.9	mg/L
		Sodium (Na)	EPA 200.7	31.7	mg/L
		Ammonia Nitrogen (NH3-N)	SM 4500-NH3 D,C	< 0.500	mg/L
		Magnesium (Mg)	EPA 200.7	38.1	mg/L
		Nitrate Nitrogen (NO3-N)	EPA 353.2	2.41	mg/L
		Total Dissolved Solids (TDS)	SM 2540 C-1997 and	380	mg/L
		Calcium (Ca)	EPA 200.7	54.7	mg/L
		Chloride (Cl)	SM 4500-Cl D-2011	59.2	mg/L
		Soluble Salts (SALT-SOL)	Calculation	481	mg/L

Laboratory Quality Control	LCS %	MS %	MSD %	Sample mg/L	Dup mg/L	RPD %
Ammonia Nitrogen (NH3-N)	91.4			0.000 (T3326009H)	0.000 (null)	
Calcium (Ca)	95.6	95.4 (T3326009I)	96.5 (T3326009I)			1.20
Chloride (Cl)	103	104 (T3326009G)	103 (T3326009G)			0.523
Magnesium (Mg)	93.1	95.6 (T3326009I)	97.0 (T3326009I)			1.38
Nitrate Nitrogen (NO3-N)	96.9	102 (T3326009G)	99.7 (T3326009G)			2.50
Sodium (Na)	94.8	101 (T3326009I)	105 (T3326009I)			3.92
Sulfate (SO4)	98.3	122 (T3326009G)	116 (T3326009G)			4.37
Total Dissolved Solids (TDS)	101			380 (T3326016A)	370 (Dup)	2.67

The warranty of Denele Analytical is limited to the accuracy of the analyses of the samples as received. Denele Analytical assumes no responsibility for which the customer uses our test results, nor liability for any other warranties, express or implied. These terms and conditions shall supercede any conflicting terms and conditions submitted on customer purchase orders or other forms submitted for work.

ELAP Certificate No.: 2714

Denele Analytical, Inc.

865 South Kilroy Avenue Turlock, CA 95380
Phone (209) 634-9055 - Fax (209) 634-9057

www.denelelabs.com

40 N. East Street, Woodland, CA 95776
Phone (530) 666-9056 - Fax (530) 666-9058

Compliance Analysis Report

Customer
Avis Dairy
4510 Point Pleasant Rd.
Elk Grove, CA 95757

Grower

Consultant:
Jacquie Captein
P.O. Box 386
Herald, CA 95638

PURCHASE ORDER:
RECEIVED DATE: 11/22/23 12:54 PM
SUBMITTED BY: Jacquie
ANALYZED DATE: 11/27/23

Irrigation/ Ground Water (H1)
SOURCE: Irrigation Water

NOTES: Temperature was above qualifying at 13.8c

Sample ID	Lab ID	Analyte	Method Ref	Result	Units
Ag Well #3	T3326016B	Electrical Conductivity (EC)	EPA 120.1 and	0.761	mmhos/cm
		Nitrate Nitrogen (NO3-N)	EPA 353.2	2.72	mg/L
		Ammonia Nitrogen (NH3-N)	SM 4500-NH3 D,C	< 0.500	mg/L
		Soluble Salts (SALT-SOL)	Calculation	487	mg/L

Laboratory Quality Control	LCS %	MS %	MSD %	RPD %
Ammonia Nitrogen (NH3-N)	91.4			
Electrical Conductivity (EC)	94.7			0.710
Nitrate Nitrogen (NO3-N)	96.9	102 (T3326009G)	99.7 (T3326009G)	2.50

The warranty of Denele Analytical is limited to the accuracy of the analyses of the samples as received. Denele Analytical assumes no responsibility for which the customer uses our test results, nor liability for any other warranties, express or implied. These terms and conditions shall supercede any conflicting terms and conditions submitted on customer purchase orders or other forms submitted for work.

ELAP Certificate No.: 2714

Denele Analytical, Inc.

865 South Kilroy Avenue Turlock, CA 95380
Phone (209) 634-9055 - Fax (209) 634-9057

www.denelelabs.com

40 N. East Street, Woodland, CA 95776
Phone (530) 666-9056 - Fax (530) 666-9058

Compliance Analysis Report

Customer
Avis Dairy
4510 Point Pleasant Rd.
Elk Grove, CA 95757

Grower

Consultant:
Jacquie Captein
P.O. Box 386
Herald, CA 95638

PURCHASE ORDER:
RECEIVED DATE: 11/22/23 12:54 PM
SUBMITTED BY: Jacquie
ANALYZED DATE: 11/27/23

Irrigation/ Ground Water (H1)
SOURCE: Irrigation Water

NOTES: Temperature was above qualifying at 13.8c

Sample ID	Lab ID	Analyte	Method Ref	Result	Units
Ag Well #4	T3326016C	Electrical Conductivity (EC)	EPA 120.1 and	0.788	mmhos/cm
		Nitrate Nitrogen (NO3-N)	EPA 353.2	1.41	mg/L
		Ammonia Nitrogen (NH3-N)	SM 4500-NH3 D,C	< 0.500	mg/L
		Soluble Salts (SALT-SOL)	Calculation	504	mg/L

Laboratory Quality Control	LCS %	MS %	MSD %	RPD %
Ammonia Nitrogen (NH3-N)	91.4			
Electrical Conductivity (EC)	94.7			0.710
Nitrate Nitrogen (NO3-N)	96.9	102 (T3326009G)	99.7 (T3326009G)	2.50

The warranty of Denele Analytical is limited to the accuracy of the analyses of the samples as received. Denele Analytical assumes no responsibility for which the customer uses our test results, nor liability for any other warranties, express or implied. These terms and conditions shall supercede any conflicting terms and conditions submitted on customer purchase orders or other forms submitted for work.

Denele Analytical, Inc.

865 South Kilroy Avenue Turlock, CA 95380
Phone (209) 634-9055 - Fax (209) 634-9057

www.denelelabs.com

40 N. East Street, Woodland, CA 95776
Phone (530) 666-9056 - Fax (530) 666-9058

Compliance Analysis Report

Customer
Avis Dairy
4510 Point Pleasant Rd.
Elk Grove, CA 95757

Grower

Consultant:
Jacquie Captein
P.O. Box 386
Herald, CA 95638

PURCHASE ORDER:
RECEIVED DATE: 11/22/23 12:54 PM
SUBMITTED BY: Jacquie
ANALYZED DATE: 11/27/23

Irrigation/ Ground Water (H1)
SOURCE: Irrigation Water

NOTES: Temperature was above qualifying at 13.6c

Sample ID	Lab ID	Analyte	Method Ref	Result	Units
Ag Well #6	T3326016D	Electrical Conductivity (EC)	EPA 120.1 and	0.727	mmhos/cm
		Nitrate Nitrogen (NO3-N)	EPA 353.2	1.93	mg/L
		Ammonia Nitrogen (NH3-N)	SM 4500-NH3 D,C	< 0.500	mg/L
		Soluble Salts (SALT-SOL)	Calculation	465	mg/L

Laboratory Quality Control	LCS %	MS %	MSD %	RPD %
Ammonia Nitrogen (NH3-N)	91.4			
Electrical Conductivity (EC)	94.7			0.710
Nitrate Nitrogen (NO3-N)	96.9	102 (T3326009G)	99.7 (T3326009G)	2.50

The warranty of Denele Analytical is limited to the accuracy of the analyses of the samples as received. Denele Analytical assumes no responsibility for which the customer uses our test results, nor liability for any other warranties, express or implied. These terms and conditions shall supercede any conflicting terms and conditions submitted on customer purchase orders or other forms submitted for work.

Denele Analytical, Inc.

865 South Kilroy Avenue Turlock, CA 95380
Phone (209) 634-9055 - Fax (209) 634-9057

www.denelelabs.com

40 N. East Street, Woodland, CA 95776
Phone (530) 666-9056 - Fax (530) 666-9058

Compliance Analysis Report

Customer
Avis Dairy
4510 Point Pleasant Rd.
Elk Grove, CA 95757

Grower

Consultant:
Jacquie Captein
P.O. Box 386
Herald, CA 95638

PURCHASE ORDER:
RECEIVED DATE: 11/22/23 12:54 PM
SUBMITTED BY: Jacquie
ANALYZED DATE: 11/27/23

Irrigation/ Ground Water (H1)
SOURCE: Irrigation Water

NOTES: Temperature was above qualifying at 15.0c

Sample ID	Lab ID	Analyte	Method Ref	Result	Units
Ag Well by pit #1	T3326016E	Electrical Conductivity (EC)	EPA 120.1 and	0.737	mmhos/cm
		Nitrate Nitrogen (NO3-N)	EPA 353.2	2.57	mg/L
		Ammonia Nitrogen (NH3-N)	SM 4500-NH3 D,C	< 0.500	mg/L
		Soluble Salts (SALT-SOL)	Calculation	472	mg/L

Laboratory Quality Control	LCS %	MS %	MSD %	RPD %
Ammonia Nitrogen (NH3-N)	91.4			
Electrical Conductivity (EC)	94.7			0.710
Nitrate Nitrogen (NO3-N)	96.9	102 (T3326009G)	99.7 (T3326009G)	2.50

The warranty of Denele Analytical is limited to the accuracy of the analyses of the samples as received. Denele Analytical assumes no responsibility for which the customer uses our test results, nor liability for any other warranties, express or implied. These terms and conditions shall supercede any conflicting terms and conditions submitted on customer purchase orders or other forms submitted for work.

ELAP Certificate No.: 2714

Denele Analytical, Inc.

865 South Kilroy Avenue Turlock, CA 95380
Phone (209) 634-9055 - Fax (209) 634-9057

www.denelelabs.com

40 N. East Street, Woodland, CA 95776
Phone (530) 666-9056 - Fax (530) 666-9058

Compliance Analysis Report

Customer
Avis Dairy
4510 Point Pleasant Rd.
Elk Grove, CA 95757

Grower

Consultant:
Jacquie Captein
P.O. Box 386
Herald, CA 95638

PURCHASE ORDER:
RECEIVED DATE: 11/22/23 12:54 PM
SUBMITTED BY: Jacquie
ANALYZED DATE: 11/27/23

Irrigation/ Ground Water (H1)
SOURCE: Irrigation Water

NOTES: Temperature was above qualifying at 12.8c

Sample ID	Lab ID	Analyte	Method Ref	Result	Units
Ag Well #2	T3326016F	Electrical Conductivity (EC)	EPA 120.1 and	0.735	mmhos/cm
		Nitrate Nitrogen (NO3-N)	EPA 353.2	2.47	mg/L
		Ammonia Nitrogen (NH3-N)	SM 4500-NH3 D,C	< 0.500	mg/L
		Soluble Salts (SALT-SOL)	Calculation	470	mg/L

Laboratory Quality Control	LCS %	MS %	MSD %	RPD %
Ammonia Nitrogen (NH3-N)	91.4			
Electrical Conductivity (EC)	94.7			0.710
Nitrate Nitrogen (NO3-N)	96.9	102 (T3326009G)	99.7 (T3326009G)	2.50

The warranty of Denele Analytical is limited to the accuracy of the analyses of the samples as received. Denele Analytical assumes no responsibility for which the customer uses our test results, nor liability for any other warranties, express or implied. These terms and conditions shall supercede any conflicting terms and conditions submitted on customer purchase orders or other forms submitted for work.

Denele Analytical, Inc.

865 South Kilroy Avenue Turlock, CA 95380
Phone (209) 634-9055 - Fax (209) 634-9057

www.denelelabs.com

40 N. East Street, Woodland, CA 95776
Phone (530) 666-9056 - Fax (530) 666-9058

Compliance Analysis Report

Customer
Avis Dairy
4510 Point Pleasant Rd.
Elk Grove, CA 95757

Grower

Consultant:
Jacquie Captein
P.O. Box 386
Herald, CA 95638

PURCHASE ORDER:
RECEIVED DATE: 11/22/23 12:54 PM
SUBMITTED BY: Jacquie
ANALYZED DATE: 11/27/23

Irrigation/ Ground Water (H1)
SOURCE: Well Water

NOTES: Temperature was above qualifying at 14.6c

Sample ID	Lab ID	Analyte	Method Ref	Result	Units
Dom. #1 Dairy #1	T3326016G	Electrical Conductivity (EC)	EPA 120.1 and	0.753	mmhos/cm
		Nitrate Nitrogen (NO3-N)	EPA 353.2	2.47	mg/L
		Ammonia Nitrogen (NH3-N)	SM 4500-NH3 D,C	< 0.500	mg/L
		Soluble Salts (SALT-SOL)	Calculation	482	mg/L

Laboratory Quality Control	LCS %	MS %	MSD %	RPD %
Ammonia Nitrogen (NH3-N)	91.4			
Electrical Conductivity (EC)	94.7			0.710
Nitrate Nitrogen (NO3-N)	96.9	102 (T3326009G)	99.7 (T3326009G)	2.50

The warranty of Denele Analytical is limited to the accuracy of the analyses of the samples as received. Denele Analytical assumes no responsibility for which the customer uses our test results, nor liability for any other warranties, express or implied. These terms and conditions shall supercede any conflicting terms and conditions submitted on customer purchase orders or other forms submitted for work.

Denele Analytical, Inc.

865 South Kilroy Avenue Turlock, CA 95380
Phone (209) 634-9055 - Fax (209) 634-9057

www.denelelabs.com

40 N. East Street, Woodland, CA 95776
Phone (530) 666-9056 - Fax (530) 666-9058

Compliance Analysis Report

Customer
Avis Dairy
4510 Point Pleasant Rd.
Elk Grove, CA 95757

Grower

Consultant:
Jacquie Captein
P.O. Box 386
Herald, CA 95638

PURCHASE ORDER:
RECEIVED DATE: 11/22/23 12:54 PM
SUBMITTED BY: Jacquie
ANALYZED DATE: 11/27/23

Irrigation/ Ground Water (H1)
SOURCE: Well Water

NOTES: Temperature was above qualifying at 13.8c

Sample ID	Lab ID	Analyte	Method Ref	Result	Units
Dom. #2 Dairy #1	T3326016H	Electrical Conductivity (EC)	EPA 120.1 and	0.739	mmhos/cm
		Nitrate Nitrogen (NO3-N)	EPA 353.2	2.47	mg/L
		Ammonia Nitrogen (NH3-N)	SM 4500-NH3 D,C	< 0.500	mg/L
		Soluble Salts (SALT-SOL)	Calculation	473	mg/L

Laboratory Quality Control	LCS %	MS %	MSD %	RPD %
Ammonia Nitrogen (NH3-N)	91.4			
Electrical Conductivity (EC)	94.7			0.710
Nitrate Nitrogen (NO3-N)	96.9	102 (T3326009G)	99.7 (T3326009G)	2.50

The warranty of Denele Analytical is limited to the accuracy of the analyses of the samples as received. Denele Analytical assumes no responsibility for which the customer uses our test results, nor liability for any other warranties, express or implied. These terms and conditions shall supercede any conflicting terms and conditions submitted on customer purchase orders or other forms submitted for work.