Annual Report - General Order No. R5-2007-0035
Reporting period 01/01/2023 to 12/31/2023.

DAIRY FACILITY INFORMATION

A. NAME OF DAIRY OR BUSINESS OPERATING THE DAIRY: Manuel Vieira Jr. Dairy

Physical address of dairy:

Number and Street	City	County	Zip Code
5843 N Utah RD	Merced	Merced	95348

Street and nearest cross street (if no address):

Date facility was originally placed in operation: 01/01/1947

Regional Water Quality Control Board Basin Plan designation: San Joaquin River Basin

County Assessor Parcel Number(s) for dairy facility:

X052-X023-X090-XXXX

B. OPERATORS

Whitaker, Steve

Operator name: Whitaker, Steve

Telephone no.: Landline: ; Cellular: (209) 564-8154

Mailing Address Number and Street	City	State	Zip Code
5843 N Utah RD	Merced	CA	95348

This operator is responsible for paying permit fees.

C. OWNERS

Whitaker, Steve

Legal owner name: Whitaker, Steve

Telephone no.: Landline: ; Cellular: (209) 564-8154

Mailing Address Number and Street	City	State	Zip Code
5843 N Utah RD	Merced	CA	95348

This owner is responsible for paying permit fees.

Annual Report - General Order No. R5-2007-0035
Reporting period 01/01/2023 to 12/31/2023.

AVAILABLE NUTRIENTS

A. HERD INFORMATION

	Milk Cows	Dry Cows	Bred Heifers (15-24 mo.)	Heifers (7-14 mo. to breeding)	Calves (4-6 mo.)	Calves (0-3 mo.)
Number open confinement	0	0	30	20	0	0
Number under roof	0	0	0	0	0	0
Maximum number	0	0	35	25	0	0
Average number	0	0	30	20	0	0
Avg live weight (lbs)	0	0	900	650		

Predominant milk cow breed: Holstein

Average milk production: 1 *pounds per cow per day*

B. MANURE GENERATED

Total manure excreted by the herd: 489.83 *tons per reporting period*

Total nitrogen from manure: 4,745.00 *lbs per reporting period*

After ammonia losses (30% loss applied): 3,321.50 *lbs per reporting period*

Total phosphorus from manure: 803.00 *lbs per reporting period*

Total potassium from manure: 1.00 *lbs per reporting period*

Total salt from manure: 0.00 *lbs per reporting period*

C. PROCESS WASTEWATER GENERATED

Process wastewater generated: _____ *gallons*

Total nitrogen generated: _____ *lbs*

Total phosphorus generated: _____ *lbs*

Total potassium generated: _____ *lbs*

Total salt generated: _____ *lbs*

	0	*gallons applied*
+	0	*gallons exported*
-	0	*gallons imported*
=	0	*gallons generated*

D. FRESH WATER SOURCES

Source Description	Type
IW 6	Ground water

E. SUBSURFACE (TILE) DRAINAGE SOURCES

No subsurface (tile) drainage sources entered.

Annual Report - General Order No. R5-2007-0035
Reporting period 01/01/2023 to 12/31/2023.

F. NUTRIENT IMPORTS

No dry manure nutrient imports entered.

No process wastewater nutrient imports entered.

Date	Material type / Description	Quantity	Reporting basis	Moisture (%)	N (%)	P (%)	K (%)	Salt (%)
05/01/2023	Solid commercial fertilizer *CAN 17*	21.30 *ton*	As-is	0.1	17.000000	0.000000	0.000000	0.000000

Material type	Total N (lbs)	Total P (lbs)	Total K (lbs)	Total salt (lbs)
Commercial fertilizer / Other	7,242.00	0.00	0.00	0.00
Dry manure	0.00	0.00	0.00	0.00
Process wastewater	0.00	0.00	0.00	0.00
Total imports for all materials	7,242.00	0.00	0.00	0.00

G. NUTRIENT EXPORTS

No solid nutrient exports entered.

No liquid nutrient exports entered.

Annual Report - General Order No. R5-2007-0035
Reporting period 01/01/2023 to 12/31/2023.

APPLICATION AREA

A. LIST OF LAND APPLICATION AREAS

Field name	Controlled acres	Cropable acres	Total harvests	Type of waste applied	Parcel number
Field 1	34	34	1	none	X052-X016-X010-XXXX X052-X016-X011-XXXX X052-X016-X012-XXXX X052-X016-X017-XXXX
Field 2	22	22	1	manure	X052-X023-X090-XXXX
Field 3	5	5	0	none	X052-X023-X090-XXXX
Field 5	37	37	1	none	X052-X023-X058-XXXX X052-X023-X090-XXXX
Field 6	21	21	1	manure	X052-X023-X089-XXXX
Totals for areas that were used for application	43	43	2		
Totals for areas that were not used for application	76	76	2		
Land application area totals	119	119	4		

B. CROPS AND HARVESTS

Field 1

Field name: Field 1

09/01/2016: Almond, in shell

Crop: Almond, in shell Acres planted: 34 Plant date: 09/01/2016

Harvest date	Yield	Reporting basis	Density (lbs/cu ft)	Moisture (%)	N (mg/kg)	P (mg/kg)	K (mg/kg)	Salt (mg/kg)	TFS (%)
10/11/2023	128.00 *ton*	As-is		10.0	24,400.00	4,200.00	26,500.00		0.00

	Yield (tons/acre)	Total N (lbs/acre)	Total P (lbs/acre)	Total K (lbs/acre)	Salt (lbs/acre)
Anticipated harvest content	4.00	195.20	33.20	211.60	0.00
Total actual harvest content	3.76	183.72	31.62	199.53	0.00

Field 2

Field name: Field 2

Annual Report - General Order No. R5-2007-0035
Reporting period 01/01/2023 to 12/31/2023.

Field 2

10/06/2022: Wheat Hay

Crop: Wheat Hay Acres planted: 22 Plant date: 10/06/2022

Harvest date	Yield	Reporting basis	Density (lbs/cu ft)	Moisture (%)	N (mg/kg)	P (mg/kg)	K (mg/kg)	Salt (mg/kg)	TFS (%)
04/20/2023	84.00 *ton*	As-is		35.2	9,400.00	1,900.00	15,300.00		8.60

	Yield (tons/acre)	Total N (lbs/acre)	Total P (lbs/acre)	Total K (lbs/acre)	Salt (lbs/acre)
Anticipated harvest content	5.00	165.00	24.00	123.00	0.00
Total actual harvest content	3.82	71.78	14.51	116.84	425.56

Field 5

Field name: Field 5

09/01/2015: Almond, in shell

Crop: Almond, in shell Acres planted: 37 Plant date: 09/01/2015

Harvest date	Yield	Reporting basis	Density (lbs/cu ft)	Moisture (%)	N (mg/kg)	P (mg/kg)	K (mg/kg)	Salt (mg/kg)	TFS (%)
09/15/2023	122.00 *ton*	As-is		10.0	24,400.00	4,200.00	26,500.00		0.00

	Yield (tons/acre)	Total N (lbs/acre)	Total P (lbs/acre)	Total K (lbs/acre)	Salt (lbs/acre)
Anticipated harvest content	4.00	195.20	33.20	211.60	0.00
Total actual harvest content	3.30	160.91	27.70	174.76	0.00

Field 6

Field name: Field 6

Annual Report - General Order No. R5-2007-0035
Reporting period 01/01/2023 to 12/31/2023.

Field 6

10/06/2022: Wheat Hay

Crop: Wheat Hay Acres planted: 21 Plant date: 10/06/2022

Harvest date	Yield	Reporting basis	Density (lbs/cu ft)	Moisture (%)	N (mg/kg)	P (mg/kg)	K (mg/kg)	Salt (mg/kg)	TFS (%)
04/20/2023	98.00 *ton*	As-is		27.3	9,700.00	2,300.00	16,700.00		9.50

	Yield (tons/acre)	Total N (lbs/acre)	Total P (lbs/acre)	Total K (lbs/acre)	Salt (lbs/acre)
Anticipated harvest content	5.00	165.00	24.00	123.00	0.00
Total actual harvest content	4.67	90.53	21.47	155.87	644.61

Annual Report - General Order No. R5-2007-0035
Reporting period 01/01/2023 to 12/31/2023.

NUTRIENT BUDGET

A. LAND APPLICATIONS

Field 1 - 09/01/2016: Almond, in shell

Field name: Field 1

Crop: Almond, in shell — Plant date: 09/01/2016

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
02/01/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
IW 6	Ground water	20.59	0.00	0.00	2,187.15	40,140,000.00 *gal*
Application event totals		20.59	0.00	0.00	2,187.15	

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
05/01/2023	Sidedress	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
CAN 17	Solid commercial fertilizer	102.00	0.00	0.00	0.00	
Application event totals		102.00	0.00	0.00	0.00	

Field 2 - 10/06/2022: Wheat Hay

Field name: Field 2

Crop: Wheat Hay — Plant date: 10/06/2022

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
09/20/2022	Broadcast/incorporate	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Solid Manure	Corral solids	83.42	10.93	83.82	0.00	48.00 *ton*
Application event totals		83.42	10.93	83.82	0.00	

Field 5 - 09/01/2015: Almond, in shell

Field name: Field 5

Crop: Almond, in shell — Plant date: 09/01/2015

Annual Report - General Order No. R5-2007-0035
Reporting period 01/01/2023 to 12/31/2023.

Field 5 - 09/01/2015: Almond, in shell

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
02/07/2023	Surface (irrigation)	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
IW 6	Ground water	19.39	0.00	0.00	2,059.38	41,130,000.00 *gal*
Application event totals		19.39	0.00	0.00	2,059.38	

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
05/01/2023	Sidedress	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
CAN 17	Solid commercial fertilizer	102.00	0.00	0.00	0.00	
Application event totals		102.00	0.00	0.00	0.00	

Field 6 - 10/06/2022: Wheat Hay

Field name: Field 6

Crop: Wheat Hay

Plant date: 10/06/2022

Application date	Application method	Precipitation 24 hours prior	Precipitation during application	Precipitation 24 hours following
09/20/2022	Broadcast/incorporate	No precipitation	No precipitation	No precipitation

Source description	Material type	N (lbs/acre)	P (lbs/acre)	K (lbs/acre)	Salt (lbs/acre)	Amount
Solid Manure	Corral solids	101.96	13.36	102.45	0.00	56.00 *ton*
Application event totals		101.96	13.36	102.45	0.00	

Annual Report - General Order No. R5-2007-0035
Reporting period 01/01/2023 to 12/31/2023.

B. NUTRIENT BUDGET

Field 1 - 09/01/2016: Almond, in shell

Field name: Field 1 Crop: Almond, in shell Plant date: 09/01/2016



	Total N (lbs/acre)	Total P (lbs/acre)	Total K (lbs/acre)	Total salt (lbs/acre)
Existing soil nutrient content	0.00	0.00	0.00	0.00
Plowdown credit	0.00	0.00	0.00	0.00
Commercial fertilizer / Other	102.00	0.00	0.00	0.00
Dry manure	0.00	0.00	0.00	0.00
Process wastewater	0.00	0.00	0.00	0.00
Fresh water	20.59	0.00	0.00	2,187.15
Atmospheric deposition	14.00	0.00	0.00	0.00
Total nutrients applied	136.59	0.00	0.00	2,187.15
Anticipated crop nutrient removal	195.20	33.20	211.60	0.00
Actual crop nutrient removal	183.72	31.62	199.53	0.00
Nutrient balance	-47.13	-31.62	-199.53	2,187.15
Applied to removed ratio	0.74	0.00	0.00	0.00

Fresh water applied	
40,140,000.00	*gallons*
1,478.22	*acre-inches*
43.48	*inches/acre*

Process wastewater applied	
0.00	*gallons*
0.00	*acre-inches*
0.00	*inches/acre*

Total harvests for the crop	
1	*harvests*

Annual Report - General Order No. R5-2007-0035
Reporting period 01/01/2023 to 12/31/2023.

Field 2 - 10/06/2022: Wheat Hay

Field name: Field 2 Crop: Wheat Hay Plant date: 10/06/2022



	Total N (lbs/acre)	Total P (lbs/acre)	Total K (lbs/acre)	Total salt (lbs/acre)
Existing soil nutrient content	0.00	0.00	0.00	0.00
Plowdown credit	0.00	0.00	0.00	0.00
Commercial fertilizer / Other	0.00	0.00	0.00	0.00
Dry manure	83.42	10.93	83.82	0.00
Process wastewater	0.00	0.00	0.00	0.00
Fresh water	0.00	0.00	0.00	0.00
Atmospheric deposition	14.00	0.00	0.00	0.00
Total nutrients applied	97.42	10.93	83.82	0.00
Anticipated crop nutrient removal	165.00	24.00	123.00	0.00
Actual crop nutrient removal	71.78	14.51	116.84	425.56
Nutrient balance	25.64	-3.58	-33.01	-425.56
Applied to removed ratio	1.36	0.75	0.72	0.00

Fresh water applied
0.00 *gallons*
0.00 *acre-inches*
0.00 *inches/acre*

Process wastewater applied
0.00 *gallons*
0.00 *acre-inches*
0.00 *inches/acre*

Total harvests for the crop
1 *harvests*

Annual Report - General Order No. R5-2007-0035
Reporting period 01/01/2023 to 12/31/2023.

Field 5 - 09/01/2015: Almond, in shell

Field name: Field 5 Crop: Almond, in shell Plant date: 09/01/2015



	Total N (lbs/acre)	Total P (lbs/acre)	Total K (lbs/acre)	Total salt (lbs/acre)
Existing soil nutrient content	0.00	0.00	0.00	0.00
Plowdown credit	0.00	0.00	0.00	0.00
Commercial fertilizer / Other	102.00	0.00	0.00	0.00
Dry manure	0.00	0.00	0.00	0.00
Process wastewater	0.00	0.00	0.00	0.00
Fresh water	19.39	0.00	0.00	2,059.38
Atmospheric deposition	14.00	0.00	0.00	0.00
Total nutrients applied	135.39	0.00	0.00	2,059.38
Anticipated crop nutrient removal	195.20	33.20	211.60	0.00
Actual crop nutrient removal	160.91	27.70	174.76	0.00
Nutrient balance	-25.52	-27.70	-174.76	2,059.38
Applied to removed ratio	0.84	0.00	0.00	0.00

Fresh water applied	
41,130,000.00	*gallons*
1,514.68	*acre-inches*
40.94	*inches/acre*

Process wastewater applied	
0.00	*gallons*
0.00	*acre-inches*
0.00	*inches/acre*

Total harvests for the crop	
1	*harvests*

Annual Report - General Order No. R5-2007-0035
Reporting period 01/01/2023 to 12/31/2023.

Field 6 - 10/06/2022: Wheat Hay

Field name: Field 6 Crop: Wheat Hay Plant date: 10/06/2022



	Total N (lbs/acre)	Total P (lbs/acre)	Total K (lbs/acre)	Total salt (lbs/acre)
Existing soil nutrient content	0.00	0.00	0.00	0.00
Plowdown credit	0.00	0.00	0.00	0.00
Commercial fertilizer / Other	0.00	0.00	0.00	0.00
Dry manure	101.96	13.36	102.45	0.00
Process wastewater	0.00	0.00	0.00	0.00
Fresh water	0.00	0.00	0.00	0.00
Atmospheric deposition	14.00	0.00	0.00	0.00
Total nutrients applied	115.96	13.36	102.45	0.00
Anticipated crop nutrient removal	165.00	24.00	123.00	0.00
Actual crop nutrient removal	90.53	21.47	155.87	644.61
Nutrient balance	25.42	-8.10	-53.42	-644.61
Applied to removed ratio	1.28	0.62	0.66	0.00

Fresh water applied
0.00 *gallons*
0.00 *acre-inches*
0.00 *inches/acre*

Process wastewater applied
0.00 *gallons*
0.00 *acre-inches*
0.00 *inches/acre*

Total harvests for the crop
1 *harvests*

Annual Report - General Order No. R5-2007-0035
Reporting period 01/01/2023 to 12/31/2023.

NUTRIENT ANALYSES

A. MANURE ANALYSES

Corral Solids

Sample and source description: Corral Solids
Sample date: 10/05/2022 Material type: Corral solids Source of analysis: Lab analysis Method of reporting: Dry-weight
Moisture: 7.2 %

	Total N (mg/kg)	Total P (mg/kg)	Total K (mg/kg)	Calcium (mg/kg)	Magnesium (mg/kg)	Sodium (mg/kg)	Sulfur (mg/kg)	Chloride (mg/kg)	Total salt (mg/kg)	TFS (%)
Value	20,600.00	2,700.00	20,700.00							
DL	100.00	100.00	100.00							

Corral Solids

Sample and source description: Corral Solids
Sample date: 04/19/2023 Material type: Corral solids Source of analysis: Lab analysis Method of reporting: Dry-weight
Moisture: 21.4 %

	Total N (mg/kg)	Total P (mg/kg)	Total K (mg/kg)	Calcium (mg/kg)	Magnesium (mg/kg)	Sodium (mg/kg)	Sulfur (mg/kg)	Chloride (mg/kg)	Total salt (mg/kg)	TFS (%)
Value	15,000.00	4,600.00	12,500.00							
DL	100.00	100.00	100.00							

Corral Solids

Sample and source description: Corral Solids
Sample date: 10/13/2023 Material type: Corral solids Source of analysis: Lab analysis Method of reporting: Dry-weight
Moisture: 4.7 %

	Total N (mg/kg)	Total P (mg/kg)	Total K (mg/kg)	Calcium (mg/kg)	Magnesium (mg/kg)	Sodium (mg/kg)	Sulfur (mg/kg)	Chloride (mg/kg)	Total salt (mg/kg)	TFS (%)
Value	21,500.00	5,000.00	22,600.00	13,900.00	7,100.00	3,600.00	3,200.00	7,000.00		35.90
DL	100.00	100.00	100.00	100.00	100.00	100.00	100.00	1,000.00		0.01

B. PROCESS WASTEWATER ANALYSES

Annual Report - General Order No. R5-2007-0035
Reporting period 01/01/2023 to 12/31/2023.

WW1Q

Sample and source description: WW1Q

Sample date: 02/15/2023 Material type: Process wastewater Source of analysis: Lab analysis pH: 7.50

	Kjeldahl-N (mg/L)	NH4-N (mg/L)	NH3-N (mg/L)	Nitrate-N (mg/L)	Total P (mg/L)	Total K (mg/L)	Calcium (mg/L)	Magnes. (mg/L)	Sodium (mg/L)	Bicarb. (mg/L)	Carb. (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	EC (µmhos/cm)	TDS (mg/L)
Value	39.40	17.80	0.00	0.50	26.30	257.00								1,740.00	1,280
DL	1.00	0.50	0.50	0.10	0.10	0.50								10.00	10

WW2Q

Sample and source description: WW2Q

Sample date: 06/09/2023 Material type: Process wastewater Source of analysis: Lab analysis pH: 8.00

	Kjeldahl-N (mg/L)	NH4-N (mg/L)	NH3-N (mg/L)	Nitrate-N (mg/L)	Total P (mg/L)	Total K (mg/L)	Calcium (mg/L)	Magnes. (mg/L)	Sodium (mg/L)	Bicarb. (mg/L)	Carb. (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	EC (µmhos/cm)	TDS (mg/L)
Value	6.75	4.90	0.00	23.80	3.90	33.70								1,110.00	620
DL	1.00	0.50	0.50	0.10	0.10	0.50								10.00	10

WW3Q

Sample and source description: WW3Q

Sample date: 09/08/2023 Material type: Process wastewater Source of analysis: Lab analysis pH: 7.90

	Kjeldahl-N (mg/L)	NH4-N (mg/L)	NH3-N (mg/L)	Nitrate-N (mg/L)	Total P (mg/L)	Total K (mg/L)	Calcium (mg/L)	Magnes. (mg/L)	Sodium (mg/L)	Bicarb. (mg/L)	Carb. (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	EC (µmhos/cm)	TDS (mg/L)
Value	555.00	352.00	0.00	1.30	138.00	1,110.00	244.00	114.00	335.00	3,250.00	0.00	15.20	512.00	7,870.00	5,750
DL	1.00	0.50	0.50	0.10	0.10	0.50	0.10	0.10	1.00	10.00	1.00	0.50	0.20	10.00	10

C. FRESH WATER ANALYSES

IW 6

Annual Report - General Order No. R5-2007-0035
Reporting period 01/01/2023 to 12/31/2023.

IW 6

Ag Supply Well

Sample description: Ag Supply Well

Sample date: 02/23/2024 Source of analysis: Lab analysis

	Total N (mg/L)	NH4-N (mg/L)	Nitrate-N (mg/L)	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	Bicarbonate (mg/L)	Carbonate (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	EC (µmhos/cm)	TDS (mg/L)
Value	2.09	0.00	1.90								271.00	222
DL	1.00	0.50	0.10								10.00	10

D. SOIL ANALYSES

No soil analyses entered.

E. PLANT TISSUE ANALYSES

Field 1 - 09/01/2016: Almond, in shell

Almonds

Sample and source description: Almonds

Sample date: 10/04/2023 Source of analysis: Other/estimated Method of reporting: As-is

Moisture: 10.0 %

	Total N (mg/kg)	Total P (mg/kg)	Total K (mg/kg)	Total salt (mg/kg)	TFS (%)
Value	24,400.00	4,200.00	26,500.00		0.00
DL	100.00	100.00	100.00		0.01

Field 2 - 10/06/2022: Wheat Hay

Annual Report - General Order No. R5-2007-0035
Reporting period 01/01/2023 to 12/31/2023.

Field 2 - 10/06/2022: Wheat Hay

Wheat Hay

Sample and source description: Wheat Hay
Sample date: 04/26/2023 Source of analysis: Lab analysis Method of reporting: As-is
Moisture: 35.2 %

	Total N (mg/kg)	Total P (mg/kg)	Total K (mg/kg)	Total salt (mg/kg)	TFS (%)
Value	9,400.00	1,900.00	15,300.00		8.60
DL	100.00	100.00	100.00		0.01

Field 5 - 09/01/2015: Almond, in shell

Almonds

Sample and source description: Almonds
Sample date: 10/04/2023 Source of analysis: Other/estimated Method of reporting: As-is
Moisture: 10.0 %

	Total N (mg/kg)	Total P (mg/kg)	Total K (mg/kg)	Total salt (mg/kg)	TFS (%)
Value	24,400.00	4,200.00	26,500.00		0.00
DL	100.00	100.00	100.00		0.01

Field 6 - 10/06/2022: Wheat Hay

Wheat Hay

Sample and source description: Wheat Hay
Sample date: 04/26/2023 Source of analysis: Lab analysis Method of reporting: As-is
Moisture: 27.3 %

	Total N (mg/kg)	Total P (mg/kg)	Total K (mg/kg)	Total salt (mg/kg)	TFS (%)
Value	9,700.00	2,300.00	16,700.00		9.50
DL	100.00	100.00	100.00		0.01

F. SUBSURFACE (TILE) DRAINAGE ANALYSES

No subsurface (tile) drainage analyses entered.

Annual Report - General Order No. R5-2007-0035
Reporting period 01/01/2023 to 12/31/2023.

NUTRIENT APPLICATIONS, POTENTIAL REMOVAL, AND BALANCE

A. SUMMARY OF NUTRIENT APPLICATIONS, POTENTIAL REMOVAL, AND BALANCE

	Total N (lbs)	Total P (lbs)	Total K (lbs)	Total salt (lbs)
Existing soil nutrient content	0.00	0.00	0.00	0.00
Plowdown credit	0.00	0.00	0.00	0.00
Commercial fertilizer / Other	7,242.00	0.00	0.00	0.00
Dry manure	3,976.29	521.16	3,995.60	0.00
Process wastewater	0.00	0.00	0.00	0.00
Fresh water	1,417.43	0.00	0.00	150,559.99
Atmospheric deposition	1,596.00	0.00	0.00	0.00
Total nutrients applied	14,231.73	521.16	3,995.60	150,559.99
Anticipated crop nutrient removal	20,954.20	3,389.20	20,312.60	0.00
Actual crop nutrient removal	15,680.40	2,870.00	19,093.60	22,899.04
Nutrient balance	-1,448.67	-2,348.84	-15,098.00	127,660.95
Applied to removed ratio	0.91	0.18	0.21	6.57

B. POUNDS OF NUTRIENT APPLIED VS. CROP REMOVAL



Annual Report - General Order No. R5-2007-0035
Reporting period 01/01/2023 to 12/31/2023.

C. POUNDS OF NUTRIENT APPLIED BY MATERIAL TYPE









Annual Report - General Order No. R5-2007-0035
Reporting period 01/01/2023 to 12/31/2023.

EXCEPTION REPORTING

A. MANURE, PROCESS WASTEWATER, AND OTHER DAIRY WASTE DISCHARGES

The following is a summary of all manure and process wastewater discharges from the production area to surface water or to land areas (land application areas or otherwise) when not in accordance with the facility's Nutrient Management Plan.

No manure or process wastewater discharges occurred during the reporting period.

B. STORM WATER DISCHARGES

The following is a summary of all storm water discharges from the production area to surface water during the reporting period when not in accordance with the facility 's Nutrient Management Plan.

No stormwater discharges occurred during the reporting period.

C. LAND APPLICATION AREA TO SURFACE WATER DISCHARGES

The following is a summary of all discharges from the land application area to surface water that have occurred during the reporting period when not in accordance with the facility's Nutrient Management Plan.

No land application area to surface water discharges occurred during the reporting period.

NUTRIENT MANAGEMENT PLAN AND EXPORT AGREEMENT STATEMENTS

A. NUTRIENT MANAGEMENT PLAN STATEMENTS

Was the facility's NMP updated in the reporting period?	No
Was the facility's NMP developed by a certified nutrient management planner (specialist) as specified in Attachment C of the General Order?	Yes
Was the facility's NMP approved by a certified nutrient management planner (specialist) as specified in Attachment C of the General Order?	Yes

B. EXPORT AGREEMENT STATEMENT

Are there any written agreements with third parties to receive manure or process wastewater that are new or were revised within the reporting period?	No

Annual Report - General Order No. R5-2007-0035
Reporting period 01/01/2023 to 12/31/2023.

ADDITIONAL NOTES

A. NOTES

Precipitation utilized during winter months to meet forage freshwater requirements. Heavy rains during the winter season allowed for smaller amounts of water to be applied through irrigation wells to grow crops.

Fields 2 Wheat Hay & 6 Wheat Hay had lower than anticipated removal rates. This was due to lower than expected yields and/or a lower than expected %N. The %N was based on analysis that was derived through a certified laboratory. However, the applications to these fields matched the low removal rates and was able to meet the field ratio threshold of 1.4.

Fields 2 and 6 were fallow during the 2023 summer cropping season with no nutrients applied.

Field 3 was fallow during the 2023 crop year.

Wastewater that was generated on this facility was from runoff only, which was evaporated throughout the year. No wastewater was utilized or exported offsite, however samples were taken in the 1st, 2nd, & 3rd quarters of 2023.

Due to the limited herd population, very small amounts of solid manure was generated in 2023 which stayed on site. Producer is in the process of removing animals from the site and closing down the facility.

Annual Report - General Order No. R5-2007-0035
Reporting period 01/01/2023 to 12/31/2023.

CERTIFICATION

A. OWNER AND/OR OPERATOR CERTIFICATION

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this document and all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

DocuSigned by:
303613012016457...

SIGNATURE OF OWNER OF FACILITY	SIGNATURE OF OPERATOR OF FACILITY
Steve Whitaker	SAME AS OWNER
PRINT OR TYPE NAME	PRINT OR TYPE NAME
6/27/2024	
DATE	DATE

Annual Report - General Order No. R5-2007-0035
Reporting period 01/01/2023 to 12/31/2023.

ATTACHMENTS

A. REQUIRED ATTACHMENTS

The following lists the required documents that should be attached to the Annual Report when submitted .

Annual Dairy Facility Assessment
Provide an Annual Dairy Facility Assessment (an update to the Preliminary Dairy Facility Assessment in Attachment A) for each reporting period. On the PDFA Final page, click on the ADFA Report button to generate an ADFA report after updating information as needed .

Manure/Process Wastewater Tracking Manifests
Provide copies of all manure/process wastewater tracking manifests for the reporting period, signed by both the owner/operator and the hauler.

Corrective Actions Documents
Provide records documenting any corrective actions taken to correct deficiencies noted as a result of the inspections required in the Monitoring Requirements of the General Order. Deficiencies not corrected in 30 days must be accompanied by an explanation of the factors preventing immediate correction.

Groundwater Monitoring
Dischargers that monitor supply wells or subsurface (tile) drainage systems, or that have monitoring well systems must submit monitoring results as directed in the General Order, Groundwater Reporting Section starting on page MRP-13.

Storm Water Monitoring
Dischargers that are required to monitor storm water more frequently than required in the General Order must submit monitoring results as directed in the General Order, Storm Water Reporting Section on page MRP-14.

DELLAVALLE™ LABORATORY INC

Manuel Vieira Jr Dairy
5843 N Utah Road
Merced, CA 95342

Account# 00-0022211
Account Manager: Ben Nydam
Submitted By: FR Ag

Received: 02/23/2024 10:35
Reported: 02/28/2024 14:07

Samples in this Report

Lab ID	Sample	Matrix	Sampled By	Crop	Date Sampled
24B0722-01	IW #6 (DCW1)	Ag Water		Freshwater	02/23/2024 5:00
24B0722-02	Dom Field 5 House	Drinking Water		Freshwater	02/23/2024 5:05
24B0722-03	Dom Dairy Barn	Drinking Water		Freshwater	02/23/2024 5:15
24B0722-04	Dom Dairy House	Drinking Water		Freshwater	02/23/2024 5:25
24B0722-05	Dom Main House	Drinking Water		Freshwater	02/23/2024 5:35

Default Cooler Temperature on Receipt °C: 4.1

Containers Intact
COC/Labels Agree
Preservation Confirmed
Received On Ice

Notes and Definitions

Item	Definition
H	Hold Time Exceeded
MCL	Drinking Water Maximum Contaminant Level
ND	Analyte NOT DETECTED at or above the reporting limit.
NES	Not Enough Sample
*	Not Taken
RPD	Relative Percent Difference
%REC	Percent Recovery
Source	Sample that was matrix spiked or duplicated.

Scott McFriedland

Laboratory Director/Technical Manager

ELAP Certification #1595
A2LA Certification #6440.02

The results in this report apply to the samples as received and were analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Dellavalle Laboratory, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

DELLAVALLE™ LABORATORY INC

Manuel Vieira Jr Dairy
5843 N Utah Road
Merced, CA 95342

Account# 00-0022211
Account Manager: Ben Nydam
Submitted By: FR Ag

Received: 02/23/2024 10:35
Reported: 02/28/2024 14:07

Sample Results

Sample: IW #6 (DCW1)
24B0722-01 (Water)

Sampled: 2/23/2024 5:00
Sampled By:

Analyte	Result	Units	Reporting Limit	DIL	DW MCL	Date/Time Analyzed	Method	Notes	Batch
Electrical Conductivity	**0.27**	mmhos/cm	0.01	1		02/26/24 12:51	SM 2510 B		BFB0552
Electrical Conductivity umhos	**271**	umhos/cm	10.0	1		02/26/24 12:51	SM 2510 B		BFB0552
Nitrate Nitrogen as NO3N	**1.9**	mg/L	0.1	1	10	02/23/24 16:45	EPA 300.0		BFB0528
Temperature	**25.0**	units	0.0	1		02/26/24 12:51	SM 4500-H+	H	BFB0552
pH	**8.0**	units	1.0	1		02/26/24 12:51	SM 4500-H+	H	BFB0552
Total Filterable Solids (TDS)	**222**	mg/L	10.0	1		02/27/24 14:26	SM 2540 C		BFB0520
Kjeldahl Nitrogen (TKN), Total	ND	mg/L	1.00	1		02/27/24 09:21	SM 4500-NH3 C		BFB0536
Total Nitrogen	**2.09**	mg/L	1.00	1		02/27/24 09:21	SM 4500-NH3 C		BFB0536

The results in this report apply to the samples as received and were analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Dellavalle Laboratory, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

DELLAVALLE™ LABORATORY INC

Manuel Vieira Jr Dairy
5843 N Utah Road
Merced, CA 95342

Account# 00-0022211
Account Manager: Ben Nydam
Submitted By: FR Ag

Received: 02/23/2024 10:35
Reported: 02/28/2024 14:07

Sample Results
(Continued)

Sample: Dom Field 5 House
24B0722-02 (Water)

Sampled: 2/23/2024 5:05
Sampled By:

Analyte	Result	Units	Reporting Limit	DIL	DW MCL	Date/Time Analyzed	Method	Notes	Batch
Electrical Conductivity	**0.57**	mmhos/cm	0.01	1		02/26/24 14:19	SM 2510 B		BFB0554
Electrical Conductivity umhos	**574**	umhos/cm	10.0	1		02/26/24 14:19	SM 2510 B		BFB0554
Ammonia (as N)	*	mg/L	0.00	1		02/28/24 12:28	Field		BFB0618
Nitrate Nitrogen as NO3N	**10.8**	mg/L	0.1	1	10	02/23/24 22:25	EPA 300.0		BFB0528
Temperature	**25.0**	units	0.0	1		02/26/24 14:19	SM 4500-H+	H	BFB0554
pH	**7.6**	units	1.0	1		02/26/24 14:19	SM 4500-H+	H	BFB0554

The results in this report apply to the samples as received and were analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Dellavalle Laboratory, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

DELLAVALLE™ LABORATORY INC

Manuel Vieira Jr Dairy
5843 N Utah Road
Merced, CA 95342

Account# 00-0022211
Account Manager: Ben Nydam
Submitted By: FR Ag

Received: 02/23/2024 10:35
Reported: 02/28/2024 14:07

Sample Results
(Continued)

Sample: Dom Dairy Barn
24B0722-03 (Water)

Sampled: 2/23/2024 5:15
Sampled By:

Analyte	Result	Units	Reporting Limit	DIL	DW MCL	Date/Time Analyzed	Method	Notes	Batch
Electrical Conductivity	**0.58**	mmhos/cm	0.01	1		02/26/24 14:21	SM 2510 B		BFB0554
Electrical Conductivity umhos	**582**	umhos/cm	10.0	1		02/26/24 14:21	SM 2510 B		BFB0554
Ammonia (as N)	*	mg/L	0.00	1		02/28/24 12:28	Field		BFB0618
Nitrate Nitrogen as NO3N	**10.5**	mg/L	0.1	1	10	02/23/24 17:05	EPA 300.0		BFB0528
Temperature	**25.0**	units	0.0	1		02/26/24 14:21	SM 4500-H+	H	BFB0554
pH	**7.7**	units	1.0	1		02/26/24 14:21	SM 4500-H+	H	BFB0554

The results in this report apply to the samples as received and were analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Dellavalle Laboratory, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

DELLAVALLE™ LABORATORY INC

Manuel Vieira Jr Dairy
5843 N Utah Road
Merced, CA 95342

Account# 00-0022211
Account Manager: Ben Nydam
Submitted By: FR Ag

Received: 02/23/2024 10:35
Reported: 02/28/2024 14:07

Sample Results
(Continued)

Sample: Dom Dairy House
24B0722-04 (Water)

Sampled: 2/23/2024 5:25
Sampled By:

Analyte	Result	Units	Reporting Limit	DIL	DW MCL	Date/Time Analyzed	Method	Notes	Batch
Electrical Conductivity	**0.44**	mmhos/cm	0.01	1		02/26/24 14:22	SM 2510 B		BFB0554
Electrical Conductivity umhos	**436**	umhos/cm	10.0	1		02/26/24 14:22	SM 2510 B		BFB0554
Ammonia (as N)	*	mg/L	0.00	1		02/28/24 12:28	Field		BFB0618
Nitrate Nitrogen as NO3N	**8.5**	mg/L	0.1	1	10	02/23/24 16:53	EPA 300.0		BFB0539
Temperature	**25.0**	units	0.0	1		02/26/24 14:22	SM 4500-H+	H	BFB0554
pH	**7.7**	units	1.0	1		02/26/24 14:22	SM 4500-H+	H	BFB0554

The results in this report apply to the samples as received and were analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Dellavalle Laboratory, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

DELLAVALLE™ LABORATORY INC

Manuel Vieira Jr Dairy
5843 N Utah Road
Merced, CA 95342

Account# 00-0022211
Account Manager: Ben Nydam
Submitted By: FR Ag

Received: 02/23/2024 10:35
Reported: 02/28/2024 14:07

Sample Results
(Continued)

Sample: Dom Main House
24B0722-05 (Water)

Sampled: 2/23/2024 5:35
Sampled By:

Analyte	Result	Units	Reporting Limit	DIL	DW MCL	Date/Time Analyzed	Method	Notes	Batch
Electrical Conductivity	**0.24**	mmhos/cm	0.01	1		02/26/24 14:24	SM 2510 B		BFB0554
Electrical Conductivity umhos	**236**	umhos/cm	10.0	1		02/26/24 14:24	SM 2510 B		BFB0554
Ammonia (as N)	*	mg/L	0.00	1		02/28/24 12:28	Field		BFB0618
Nitrate Nitrogen as NO3N	**5.5**	mg/L	0.1	1	10	02/23/24 22:40	EPA 300.0		BFB0529
Temperature	**25.0**	units	0.0	1		02/26/24 14:24	SM 4500-H+	H	BFB0554
pH	**7.8**	units	1.0	1		02/26/24 14:24	SM 4500-H+	H	BFB0554

The results in this report apply to the samples as received and were analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Dellavalle Laboratory, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

DELLAVALLE™ LABORATORY INC

Manuel Vieira Jr Dairy
5843 N Utah Road
Merced, CA 95342

Account# 00-0022211
Account Manager: Ben Nydam
Submitted By: FR Ag

Received: 02/23/2024 10:35
Reported: 02/28/2024 14:07

Quality Control

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB0520										
Blank (BFB0520-BLK1)					Prepared: 2/23/2024	Analyzed: 2/27/2024				
Total Filterable Solids (TDS)	ND		10.0	mg/L						
LCS (BFB0520-BS1)					Prepared: 2/23/2024	Analyzed: 2/27/2024				
Total Filterable Solids (TDS)	26.2		10.0	mg/L	2000		1.31	0-200		
Duplicate (BFB0520-DUP1)		**Source: 24B0668-01**			Prepared: 2/23/2024	Analyzed: 2/27/2024				
Total Filterable Solids (TDS)	880		10.0	mg/L		890			1.13	10
Duplicate (BFB0520-DUP2)		**Source: 24B0718-08**			Prepared: 2/23/2024	Analyzed: 2/27/2024				
Total Filterable Solids (TDS)	480		10.0	mg/L		490			2.06	10
Reference (BFB0520-SRM1)					Prepared: 2/23/2024	Analyzed: 2/27/2024				
Total Filterable Solids (TDS)	390			mg/L	390.0		100	90-110		

The results in this report apply to the samples as received and were analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Dellavalle Laboratory, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

DELLAVALLE™ LABORATORY INC

Manuel Vieira Jr Dairy
5843 N Utah Road
Merced, CA 95342

Account# 00-0022211
Account Manager: Ben Nydam
Submitted By: FR Ag

Received: 02/23/2024 10:35
Reported: 02/28/2024 14:07

Quality Control
(Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB0528										
Blank (BFB0528-BLK1)					Prepared & Analyzed: 2/23/2024					
Nitrate Nitrogen as NO3N	ND		0.1	mg/L						
Blank (BFB0528-BLK2)					Prepared & Analyzed: 2/23/2024					
Nitrate Nitrogen as NO3N	ND		0.1	mg/L						
Blank (BFB0528-BLK3)					Prepared & Analyzed: 2/24/2024					
Nitrate Nitrogen as NO3N	ND		0.1	mg/L						
LCS (BFB0528-BS1)					Prepared & Analyzed: 2/23/2024					
Nitrate Nitrogen as NO3N	5.3		0.1	mg/L	5.000		106	90-110		
LCS (BFB0528-BS2)					Prepared & Analyzed: 2/24/2024					
Nitrate Nitrogen as NO3N	5.2		0.1	mg/L	5.000		104	90-110		
Duplicate (BFB0528-DUP1)		**Source: 24B0722-01**			Prepared & Analyzed: 2/23/2024					
Nitrate Nitrogen as NO3N	1.9		0.1	mg/L		1.9			0.00	10
Duplicate (BFB0528-DUP2)		**Source: 24B0722-02**			Prepared & Analyzed: 2/24/2024					
Nitrate Nitrogen as NO3N	10.8		0.1	mg/L		10.8			0.463	10
Matrix Spike (BFB0528-MS1)		**Source: 24B0722-01**			Prepared & Analyzed: 2/23/2024					
Nitrate Nitrogen as NO3N	7.7		0.1	mg/L	5.000	1.9	118	90-110		
Matrix Spike (BFB0528-MS2)		**Source: 24B0722-02**			Prepared & Analyzed: 2/24/2024					
Nitrate Nitrogen as NO3N	16.7		0.1	mg/L	5.000	10.8	118	90-110		
Reference (BFB0528-SRM1)					Prepared & Analyzed: 2/23/2024					
Nitrate Nitrogen as NO3N	10.5			mg/L	10.00		105	90-110		
Reference (BFB0528-SRM2)					Prepared & Analyzed: 2/23/2024					
Nitrate Nitrogen as NO3N	10.6			mg/L	10.00		106	90-110		
Reference (BFB0528-SRM3)					Prepared & Analyzed: 2/24/2024					
Nitrate Nitrogen as NO3N	10.6			mg/L	10.00		106	90-110		

The results in this report apply to the samples as received and were analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Dellavalle Laboratory, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

DELLAVALLE™ LABORATORY INC

Manuel Vieira Jr Dairy
5843 N Utah Road
Merced, CA 95342

Account# 00-0022211
Account Manager: Ben Nydam
Submitted By: FR Ag

Received: 02/23/2024 10:35
Reported: 02/28/2024 14:07

Quality Control
(Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB0529										
Blank (BFB0529-BLK1)					Prepared & Analyzed: 2/23/2024					
Nitrate Nitrogen as NO3N	ND		0.1	mg/L						
Blank (BFB0529-BLK2)					Prepared & Analyzed: 2/23/2024					
Nitrate Nitrogen as NO3N	ND		0.1	mg/L						
Blank (BFB0529-BLK3)					Prepared & Analyzed: 2/24/2024					
Nitrate Nitrogen as NO3N	ND		0.1	mg/L						
LCS (BFB0529-BS1)					Prepared & Analyzed: 2/23/2024					
Nitrate Nitrogen as NO3N	6.0		0.1	mg/L	5.000		121	90-110		
LCS (BFB0529-BS2)					Prepared & Analyzed: 2/24/2024					
Nitrate Nitrogen as NO3N	5.5		0.1	mg/L	5.000		109	90-110		
Duplicate (BFB0529-DUP1)		**Source: 24B0722-04**			Prepared & Analyzed: 2/23/2024					
Nitrate Nitrogen as NO3N	8.5		0.1	mg/L		8.5			0.258	10
Duplicate (BFB0529-DUP2)		**Source: 24B0722-05**			Prepared & Analyzed: 2/24/2024					
Nitrate Nitrogen as NO3N	5.5		0.1	mg/L		5.5			0.579	10
Matrix Spike (BFB0529-MS1)		**Source: 24B0722-04**			Prepared & Analyzed: 2/23/2024					
Nitrate Nitrogen as NO3N	14.2		0.1	mg/L	5.000	8.5	114	90-110		
Matrix Spike (BFB0529-MS2)		**Source: 24B0722-05**			Prepared & Analyzed: 2/24/2024					
Nitrate Nitrogen as NO3N	11.1		0.1	mg/L	5.000	5.5	112	90-110		
Reference (BFB0529-SRM1)					Prepared & Analyzed: 2/23/2024					
Nitrate Nitrogen as NO3N	10.6			mg/L	10.00		106	90-110		
Reference (BFB0529-SRM2)					Prepared & Analyzed: 2/23/2024					
Nitrate Nitrogen as NO3N	10.6			mg/L	10.00		106	90-110		
Reference (BFB0529-SRM3)					Prepared & Analyzed: 2/24/2024					
Nitrate Nitrogen as NO3N	10.6			mg/L	10.00		106	90-110		

The results in this report apply to the samples as received and were analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Dellavalle Laboratory, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

DELLAVALLE™ LABORATORY INC

Manuel Vieira Jr Dairy
5843 N Utah Road
Merced, CA 95342

Account# 00-0022211
Account Manager: Ben Nydam
Submitted By: FR Ag

Received: 02/23/2024 10:35
Reported: 02/28/2024 14:07

Quality Control
(Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB0536										
Blank (BFB0536-BLK1)					Prepared: 2/26/2024	Analyzed: 2/27/2024				
Kjeldahl Nitrogen (TKN), Total	ND		1.00	mg/L						
Total Nitrogen	ND		1.00	mg/L						
Blank (BFB0536-BLK2)					Prepared: 2/26/2024	Analyzed: 2/27/2024				
Kjeldahl Nitrogen (TKN), Total	ND		1.00	mg/L						
Total Nitrogen	ND		1.00	mg/L						
LCS (BFB0536-BS1)					Prepared: 2/26/2024	Analyzed: 2/27/2024				
Kjeldahl Nitrogen (TKN), Total	2.96		1.00	mg/L	2.854		104	90-110		
LCS (BFB0536-BS2)					Prepared: 2/26/2024	Analyzed: 2/27/2024				
Kjeldahl Nitrogen (TKN), Total	3.13		1.00	mg/L	2.854		110	90-110		
Duplicate (BFB0536-DUP1)		**Source: 24B0718-03**			Prepared: 2/26/2024	Analyzed: 2/27/2024				
Kjeldahl Nitrogen (TKN), Total	ND		1.40	mg/L		ND				10
Duplicate (BFB0536-DUP2)		**Source: 24B0728-01**			Prepared: 2/26/2024	Analyzed: 2/27/2024				
Kjeldahl Nitrogen (TKN), Total	27.7		3.50	mg/L		27.4			0.961	10
Matrix Spike (BFB0536-MS1)		**Source: 24B0718-03**			Prepared: 2/26/2024	Analyzed: 2/27/2024				
Kjeldahl Nitrogen (TKN), Total	4.34		1.40	mg/L	7.992	ND	54.3	90-110		
Matrix Spike (BFB0536-MS2)		**Source: 24B0728-01**			Prepared: 2/26/2024	Analyzed: 2/27/2024				
Kjeldahl Nitrogen (TKN), Total	36.4		3.50	mg/L	9.990	27.4	89.7	90-110		
Reference (BFB0536-SRM1)					Prepared: 2/26/2024	Analyzed: 2/27/2024				
Kjeldahl Nitrogen (TKN), Total	34.8			mg/L	31.90		109	90-110		

The results in this report apply to the samples as received and were analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Dellavalle Laboratory, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

DELLAVALLE™ LABORATORY INC

Manuel Vieira Jr Dairy
5843 N Utah Road
Merced, CA 95342

Account# 00-0022211
Account Manager: Ben Nydam
Submitted By: FR Ag

Received: 02/23/2024 10:35
Reported: 02/28/2024 14:07

Quality Control
(Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB0539										
Blank (BFB0539-BLK1)					Prepared & Analyzed: 2/26/2024					
Nitrate Nitrogen as NO3N	ND		0.1	mg/L						
Blank (BFB0539-BLK2)					Prepared & Analyzed: 2/26/2024					
Nitrate Nitrogen as NO3N	ND		0.1	mg/L						
Blank (BFB0539-BLK3)					Prepared & Analyzed: 2/26/2024					
Nitrate Nitrogen as NO3N	ND		0.1	mg/L						
LCS (BFB0539-BS1)					Prepared & Analyzed: 2/26/2024					
Nitrate Nitrogen as NO3N	6.2		0.1	mg/L	5.000		125	90-110		
LCS (BFB0539-BS2)					Prepared & Analyzed: 2/26/2024					
Nitrate Nitrogen as NO3N	5.2		0.1	mg/L	5.000		104	90-110		
Duplicate (BFB0539-DUP1)		**Source: 24B0722-04**			Prepared & Analyzed: 2/26/2024					
Nitrate Nitrogen as NO3N	8.4		0.1	mg/L		8.5			1.81	10
Duplicate (BFB0539-DUP2)		**Source: 24B0795-01**			Prepared & Analyzed: 2/27/2024					
Nitrate Nitrogen as NO3N	8.8		0.1	mg/L		8.9			0.136	10
Matrix Spike (BFB0539-MS1)		**Source: 24B0722-04**			Prepared & Analyzed: 2/26/2024					
Nitrate Nitrogen as NO3N	13.5		0.1	mg/L	5.000	8.5	99.5	90-110		
Matrix Spike (BFB0539-MS2)		**Source: 24B0795-01**			Prepared & Analyzed: 2/26/2024					
Nitrate Nitrogen as NO3N	14.5		0.1	mg/L	5.000	8.9	114	90-110		
Reference (BFB0539-SRM1)					Prepared & Analyzed: 2/26/2024					
Nitrate Nitrogen as NO3N	10.3			mg/L	10.00		103	90-110		
Reference (BFB0539-SRM2)					Prepared & Analyzed: 2/26/2024					
Nitrate Nitrogen as NO3N	10.4			mg/L	10.00		104	90-110		
Reference (BFB0539-SRM3)					Prepared & Analyzed: 2/27/2024					
Nitrate Nitrogen as NO3N	10.4			mg/L	10.00		104	90-110		

The results in this report apply to the samples as received and were analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Dellavalle Laboratory, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

DELLAVALLE™ LABORATORY INC

Manuel Vieira Jr Dairy
5843 N Utah Road
Merced, CA 95342

Account# 00-0022211
Account Manager: Ben Nydam
Submitted By: FR Ag

Received: 02/23/2024 10:35
Reported: 02/28/2024 14:07

Quality Control
(Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB0552										
Blank (BFB0552-BLK1)					Prepared & Analyzed: 2/26/2024					
Electrical Conductivity	ND		0.01	mmhos/cm						
Temperature	25.0		0.0	units						
pH	6.5		1.0	units						
Electrical Conductivity umhos	ND		10.0	umhos/cm						
Blank (BFB0552-BLK2)					Prepared & Analyzed: 2/26/2024					
Electrical Conductivity	ND		0.01	mmhos/cm						
Temperature	25.0		0.0	units						
pH	7.8		1.0	units						
Electrical Conductivity umhos	ND		10.0	umhos/cm						
Blank (BFB0552-BLK3)					Prepared & Analyzed: 2/26/2024					
Temperature	25.0		0.0	units						
Electrical Conductivity	ND		0.01	mmhos/cm						
pH	8.0		1.0	units						
Electrical Conductivity umhos	ND		10.0	umhos/cm						
Duplicate (BFB0552-DUP1)		**Source: 24B0710-03**			Prepared & Analyzed: 2/26/2024					
Electrical Conductivity	5.20		0.01	mmhos/cm		5.16			0.869	10
pH	7.1		1.0	units		7.0			0.567	1
Electrical Conductivity umhos	5200		10.0	umhos/cm		5160			0.869	10
Duplicate (BFB0552-DUP2)		**Source: 24B0719-01**			Prepared & Analyzed: 2/26/2024					
Electrical Conductivity	1.81		0.01	mmhos/cm		1.80			0.471	10
pH	7.7		1.0	units		7.7			0.259	1
Electrical Conductivity umhos	1810		10.0	umhos/cm		1800			0.471	10
Reference (BFB0552-SRM1)					Prepared & Analyzed: 2/26/2024					
Electrical Conductivity	445			umhos/cm	426.0		105	90-110		
Reference (BFB0552-SRM2)					Prepared & Analyzed: 2/26/2024					
pH	7.6			units	7.520		101	67021-101.32		
Reference (BFB0552-SRM3)					Prepared & Analyzed: 2/26/2024					
Electrical Conductivity	1060			umhos/cm	1000		106	90-110		
Electrical Conductivity umhos	1060			umhos/cm	1000		106	90-110		
Reference (BFB0552-SRM4)					Prepared & Analyzed: 2/26/2024					
Electrical Conductivity	1080			umhos/cm	1000		108	90-110		
Electrical Conductivity umhos	1080			umhos/cm	1000		108	90-110		
Reference (BFB0552-SRM5)					Prepared & Analyzed: 2/26/2024					
Electrical Conductivity	1090			umhos/cm	1000		109	90-110		

The results in this report apply to the samples as received and were analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Dellavalle Laboratory, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

DELLAVALLE™ LABORATORY INC

Manuel Vieira Jr Dairy
5843 N Utah Road
Merced, CA 95342

Account# 00-0022211
Account Manager: Ben Nydam
Submitted By: FR Ag

Received: 02/23/2024 10:35
Reported: 02/28/2024 14:07

Quality Control
(Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB0552 (Continued)										
Reference (BFB0552-SRM5)					Prepared & Analyzed: 2/26/2024					
Electrical Conductivity umhos	1090			umhos/cm	1000		109	90-110		
Reference (BFB0552-SRM6)					Prepared & Analyzed: 2/26/2024					
pH	4.0			units	4.000		101	97.5-102.5		
Reference (BFB0552-SRM7)					Prepared & Analyzed: 2/26/2024					
pH	4.0			units	4.000		101	97.5-102.5		
Reference (BFB0552-SRM8)					Prepared & Analyzed: 2/26/2024					
pH	4.0			units	4.000		101	97.5-102.5		

The results in this report apply to the samples as received and were analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Dellavalle Laboratory, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

DELLAVALLE™ LABORATORY INC

Manuel Vieira Jr Dairy
5843 N Utah Road
Merced, CA 95342

Account# 00-0022211
Account Manager: Ben Nydam
Submitted By: FR Ag

Received: 02/23/2024 10:35
Reported: 02/28/2024 14:07

Quality Control
(Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB0554										
Blank (BFB0554-BLK1)					Prepared & Analyzed: 2/26/2024					
Temperature	25.0		0.0	units						
Electrical Conductivity	ND		0.01	mmhos/cm						
pH	5.8		1.0	units						
Electrical Conductivity umhos	ND		10.0	umhos/cm						
Blank (BFB0554-BLK2)					Prepared & Analyzed: 2/26/2024					
Temperature	25.0		0.0	units						
Electrical Conductivity	ND		0.01	mmhos/cm						
pH	7.5		1.0	units						
Electrical Conductivity umhos	ND		10.0	umhos/cm						
Blank (BFB0554-BLK3)					Prepared & Analyzed: 2/26/2024					
Temperature	25.0		0.0	units						
Electrical Conductivity	ND		0.01	mmhos/cm						
pH	8.0		1.0	units						
Electrical Conductivity umhos	ND		10.0	umhos/cm						
Duplicate (BFB0554-DUP1)		**Source: 24B0722-05**			Prepared & Analyzed: 2/26/2024					
Electrical Conductivity	0.22		0.01	mmhos/cm		0.24			5.09	10
Electrical Conductivity umhos	224		10.0	umhos/cm		236			5.09	10
pH	7.5		1.0	units		7.8			4.45	1
Duplicate (BFB0554-DUP2)		**Source: 24B0719-04**			Prepared & Analyzed: 2/26/2024					
Electrical Conductivity	3.79		0.01	mmhos/cm		3.73			1.65	10
pH	7.8		1.0	units		7.5			3.92	1
Electrical Conductivity umhos	3790		10.0	umhos/cm		3730			1.65	10
Reference (BFB0554-SRM1)					Prepared & Analyzed: 2/26/2024					
pH	9.1		1.0	units				97.5-102.5		
Reference (BFB0554-SRM2)					Prepared & Analyzed: 2/26/2024					
pH	7.6			units	7.520		101	97.5-102.5		
Reference (BFB0554-SRM3)					Prepared & Analyzed: 2/26/2024					
pH	6.4		1.0	units				97.5-102.5		
Reference (BFB0554-SRM4)					Prepared & Analyzed: 2/26/2024					
pH	6.4		1.0	units				97.5-102.5		
Reference (BFB0554-SRM5)					Prepared & Analyzed: 2/26/2024					
pH	7.2		1.0	units				97.5-102.5		
Reference (BFB0554-SRM6)					Prepared & Analyzed: 2/26/2024					

The results in this report apply to the samples as received and were analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Dellavalle Laboratory, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

DELLAVALLE™ LABORATORY INC

Manuel Vieira Jr Dairy
5843 N Utah Road
Merced, CA 95342

Account# 00-0022211
Account Manager: Ben Nydam
Submitted By: FR Ag

Received: 02/23/2024 10:35
Reported: 02/28/2024 14:07

Quality Control
(Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BFB0554 (Continued)										
Reference (BFB0554-SRM6)					Prepared & Analyzed: 2/26/2024					
pH	4.0			units	4.000		101	97.5-102.5		
Reference (BFB0554-SRM7)					Prepared & Analyzed: 2/26/2024					
pH	4.0			units	4.000		101	97.5-102.5		
Reference (BFB0554-SRM8)					Prepared & Analyzed: 2/26/2024					
pH	4.0			units	4.000		101	97.5-102.5		

The results in this report apply to the samples as received and were analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. All results listed in this report are for the exclusive use of the submitting party. Dellavalle Laboratory, Inc. assumes no responsibility for report alteration, separation, detachment or third party interpretation.

DocuSign Envelope ID: A5AF3193-FC2C-4BE1-A464-40AAAB57837A

02/23/24 10:35 24B0722 JG

DELLAVALLE LABORATORY, INC.

1910 W. McKinley Avenue, Suite 110 • Fresno, CA 93728
www.dellavallelab.com 559 233-6129 · 800 228-9896 · Fax 559 268-8174

No. Samples: 5 No of Bottles: 10

Purchase Order No

Bill To: 22211 Acct # | 8 Cons #

Results Need By

Water Type: [X] Drinking Water [ ] Wastewater [X] Ag Water [ ] Groundwater [ ] Monitoring Well

Other:

Name: Manuel Vieira Jr Dairy
Address: 5843 N Utah Road
City: Merced **State:** CA **Zip:** 95342
Telephone: **Fax:**
Cell/Email: swhit33@aol.com
COPY TO: labs@fragservices.com
krhodes@fragservices.com
REQUESTED BY: PR Ag
PROJECT:
CROP: Freshwater

[X] Copy of Chain [X] QA/QC Documents
Sampled By: Noe Magic

Analysis and Bottles Required: (*Please indicate Analysis*)

(X) DWW1: EC, NO_3-N NH4-N Field Test
(1-1 Liter Plastic, Unpreserved) White Per Sample
( ) DWW2: DWW1 Plus SO_4, CO_3, HCO_3, Cl, Ca, Mg, Na, TDS
(1-1 Liter Plastic, Unpreserved) White Per Sample
(X) DCW1: EC, NO_3-N, TKN, TN, TDS
(1-1 Liter Plastic, Unpreserved) White Per Sample
( ) DPW1: EC, NO_3-N, NH_4-N, TKN, TDS, TP, TK
(1-1 Liter Plastic, Unpreserved) White Per Sample
( ) DPW2: DPW1 Plus Ca, Mg, Na, HCO_3, CO_3, SO_4, Cl
(1-1 Liter Plastic, Unpreserved) White Per Sample
( ) Other

	Description of Samples	Date Sampled	Time Sampled	Rec'd Temp °C	Field NH_4-N
1.9 1	IW #4 (DCW1)	2/23	0500	4.1	
10.8 2	DOM Field 5 House		0505	5.1	
10.5 3	DOM Dairy Barn		0515	4.3	
1.7 4	DOM Dairy House		0525	4.3	
1.7 5	DOM main House		0535	4.4	
6					
7					
8					
9					
10					

IR Thermometer SN: 221511276
Correction Factor: 0°C
Calibration Due: 03/06/2024
Location: Hanford

Notes: Jamie - 2/26/24 14:02 - Per Kierstan BF&Ag, OK & thanks

CHAIN OF CUSTODY

Carrier	Signature	Company	Received (Date/Time)	Relinquished (Date/Time)
First		PR Ag	2/23 0535	
Second		DLL	2/23 7:55	2/23 9:14
Third				
Fourth		DLL	2/23/24 10:35	

I guarantee that as the client, or on behalf of client named, I have the authority to contract the above requested services. Should it be found that I do not have such authority, I agree to be personally liable for all costs and, if there should be action against me for this breach, reasonable attorneys' fees. It is understood that payment is expected to be cash with samples unless terms have been previously arranged. Terms are net 30 days; overdue accounts will be charged a liquidated damage fee of 2% per month (annually 24%) or $5.00 per month whichever is greater.
If payment is not made when due and a legitimate dispute exists concerning the product or services of Dellavalle Laboratory, Inc., it will be submitted to mediation under the Rules and Procedures of Creative Alternative to Litigation, Inc. (*cal*). If the dispute is not resolved in mediation, then the dispute will be submitted to binding arbitration through *cal* under its Rules and Procedures. The parties will equally bear the costs of mediation/arbitration. If, however, the mediator declares that no legitimate dispute exists, then debtor will pay all mediation and arbitration costs, and in the event of arbitration, reasonable attorneys' fees of Dellavalle Laboratory.

Invoicing Information:
Sampling hrs
Miles
Consulting

Shipping
$ In
$ Out

Amt Paid	Rec By	Check #	Date

Signature

Sample received in cooler with ice (coolant)
[ ] Yes [ ] No

X:\1-CLIENT CUSTOM FIELDSHEETS\FIELDSHEETS\Dairy Fieldsheets\[Vieira Jr, Manuel Dairy Water.xls]Dairy Water

DocuSign Envelope ID: A5AF3193-FC2C-4BE1-A464-40AAAB57837A

02/23/24 10:35 24B0722

Shipping Information: Shipped In ☐ Picked-Up ☒ Walk In ☐ DLI Sampler ☐ Other ☐ _____

☐ Samples refridgerated before pick up ☐ Picked up samples placed in Ice chest

Container: Ice Chest ☒ Box ☐ None ☐ **Refrigerant:** Wet Ice ☒ Blue Ice ☐ None ☐

Samples Preserved with HNO_3 or H_2SO_4 were: ☐ Received Preserved ☒ Preserved Upon Receipt at Laboratory

Type of Container(s) Received	Sample Number 1	2	3	4	5	6	7	8	9	10
Sample Containers for Internal (DLI) Use *(Containers that go into the Lab)*										
Plastics: 100 mL sterile plastic $Na_2S_2O_3$ (Green)										
Plastics: 250 mL unpreserved (White) Plastic										
Plastics: 250 mL HNO_3 (Red) Plastic										
Plastics: * pH Value										
Plastics: 250 mL H_2SO_4 (Yellow) Plastic	✓	✓	✓	✓	✓					
Plastics: * pH Value	<2	<2	<2	<2	<2					
Plastics: 500 mL unpreserved (White) Plastic										
Plastics: 1 L unpreserved (White) Plastic	✓	✓	✓	✓	✓					
Plastics: 1 L unpreserved (BOD) (Purple) Plastic										
Special: 1 L AG unpreserved (White)										
Special: PO4-P Kit										
Special: **Other:**										
Sample Containers for Subcontracted ("Send Out") Analyses *(Containers that go in the Subcontract ("Send Out") Refrigerator)*										
Plastics: 100 mL sterile plastic $Na_2S_2O_3$ (Green)										
Plastics: 250 mL unpreserved (White) Plastic										
Plastics: 250 mL HNO_3 (Red) Plastic										
Plastics: 250 mL H_2SO_4 (Yellow) Plastic										
Plastics: 1 L unpreserved (White) Plastic										
Plastics: 1 L unpreserved (BOD) (Purple) Plastic										
Plastics: 1 L HNO_3 (Red) Plastic										
Plastics: 500 mL Amber Plastic HCl (Blue) (Ferrous Iron)										
VOA Vials: 40 mL VOA, $Na_2S_2O_3$ + MCAA (EPA531)										
VOA Vials: 40 mL VOA, $Na_2S_2O_3$ (EPA547)										
VOA Vials: 40 mL AG VOA HCl + Asc. Acid (Blue)(Set of 2) (123 TCP)										
VOA Vials: 40 mL AG VOA, $Na_2S_2O_3$ (Green) (Set of 3) (TTHM)										
VOA Vials: 40 mL VOA, H_3PO_4 (Set of 3) (TOC)										
VOA Vials: 40 mL VOA, HCl (Blue) (Set of 3) (EPA524)										
VOA Vials: 40 mL AG VOA, HCl (Blue) (Set of 3) (123 TCP)										
VOA Vials: 40 mL VOA, $Na_2S_2O_3$ (Green) (Set of 3) (EPA504)										
Glass: 250 mL AG H_2SO_4 (Yellow)										
Glass: 250 mL AG $Na_2S_2O_3$ (Green)										
Glass: 250 mL AG Ammonium Chlorite (HAA5)										
Glass: 500 mL glass unpreserved (White)										
Glass: 1 L AG unpreserved (White)										
Glass: 1 L AG H_2SO_4 (Yellow)										
Glass: 1 L AG $Na_2S_2O_3$ (Green) (EPA 549)										
Glass: 1 L AG HCl (Blue) (Oil & Grease)										
Glass: 1 L AG Asc. Acid, EDTA, KH_2CH (Set of 2) (EPA 507/525)										
Special: Cr^{6+} - 250 mL Plastic w/HN_4ON (N) SO_4										
Special: Cyanide - 250 mL NaOH										
Special: Asbestos - 1 L Plastic wrapped in foil (Set of 2)										
Special: Sulfide - 1 L Plastic NaOH + ZnAc										
Special: Chlorite/Bromate - 250 mL AG with EDA										
Special: DO KIT										
Special: **Other:**										
Special: **Other:**										

pH Strips
Lot 10BDH4501
Exp. Jan. 2025

SEND OUT