Lab 11 : Design Header & Navigation bar with dropdown using Tailwind CSS.

TAGS / CSS USED	ATTRIBUTES / VALUES USED	DESCRIPTION
<!DOCTYPE html>	html	Defines the document as HTML5.
<html>	—	Root element of the HTML page.
<head>	—	Contains page information and external resources.
<title>	Header and Navbar	Sets the title displayed in the browser tab.
<script>	src="https://cdn.tailwindcss.com"	Loads the Tailwind CSS framework using a CDN.
<body>	—	Contains the visible content of the webpage.
<header>	class="bg-[#7F1D1D] text-white p-4"	Creates the webpage header with background styling and padding.
	class="flex justify-between items-center"	Creates a Flexbox container for arranging the logo and navigation.
<h1>	class="text-2xl font-bold"	Displays the store name in large, bold text.
<nav>	class="flex gap-6"	Defines the navigation menu and arranges links horizontally.
<a>	href="#"	Creates a hyperlink for navigation.
<button>	class="hover:text-w-300"	Creates the Products dropdown trigger button.
	class="relative group"	Creates a parent container for positioning and controlling the dropdown menu.
	class="hidden group-hover:block absolute bg-white text-black p-2 w-32"	Creates a dropdown menu that appears when the parent group is hovered over.
<!-- -->	Header, Logo, Navigation, Dropdown	Adds comments to organize the HTML code.
class	Tailwind CSS classes	Applies predefined styling to HTML elements.
href	#	Specifies the destination of a hyperlink.
src	Tailwind CSS CDN URL	Specifies the source of the external script.
flex	display: flex	Arranges child elements using Flexbox.

justify-between	justify-content: space-between	Places the logo and navigation at opposite ends of the header.
items-center	align-items: center	Aligns elements vertically in the center.
text-2xl	1.5rem	Sets the font size to 24px.
font-bold	font-weight: 700	Makes the store name bold.
p-4	1rem	Adds 16px padding on all sides.
p-2	0.5rem	Adds 8px padding on all sides.
gap-6	1.5rem	Adds 24px spacing between navigation items.
relative	position: relative	Establishes a positioning reference for the dropdown menu.
group	Parent group class	Allows child elements to change their styling when the parent is hovered over.
hidden	display: none	Hides the dropdown menu by default.
group-hover:block	display: block on group hover	Displays the dropdown menu when the user hovers over the parent group.
absolute	position: absolute	Positions the dropdown menu relative to its positioned parent.
block	display: block	Displays dropdown links as block-level elements.
w-32	8rem	Sets the dropdown menu width to 128px.

Final Outcome:



Code Snipet :

```
<!DOCTYPE html>
<html>
<head>
  <title>Header and Navbar</title>
  <script src="https://cdn.tailwindcss.com"></script>
</head>

<body>

  <!-- Header -->
  <header class="bg-[#C24157] text-white p-4">

    <div class="flex justify-between items-center">

      <!-- Logo -->
      <h1 class="text-2xl font-bold">MyStore</h1>

      <!-- Navigation -->
      <nav class="flex gap-6">

        <a href="#" class="hover:text-red-500">Home</a>

        <a href="#" class="hover:text-red-500">About</a>

        <!-- Dropdown -->
        <div class="relative group">

          <button class="hover:text-w-300">
            Products
          </button>

          <div class="hidden group-hover:block absolute bg-white text-black p-2 w-32">

            <a href="#" class="block p-2 hover:bg-gray-200">
              Laptops
            </a>

            <a href="#" class="block p-2 hover:bg-gray-200">
              Mobiles
```

```
            </a>

            <a href="#" class="block p-2 hover:bg-gray-200">
              Watches
            </a>

            <a href="#" class="block p-2 hover:bg-gray-200">
              Personal Care
            </a>
          </div>
        </div>

        <a href="#" class="hover:text-yellow-300">Contact</a>

      </nav>

    </div>

  </header>

</body>
</html>
```