

Observations and Changes

Frontend/UI issue 1 – Duplicate logical pages in page list and OCR export page range

Location:

Project Workspace → left page list

Project Workspace → “OCR text” button → “Export OCR text (DOCX)” dialog

Current behavior:

The workspace page list shows the same logical pages multiple times, for example:

Page 1


Page 1

Page 2

Page 2

Page 3

Page 3



The same duplication also appears in the OCR export dialog. The “Page range” field is automatically filled with duplicated page numbers, for example:

1,1,2,2,3,3,4,4,5,5,...

The screenshot shows the 'Export OCR text (DOCX)' dialog. It has a title bar with a close button. Below the title, there is a note: 'Pflichtfragen require active answers per export. Saved profiles never replace this dialog (Sprint-OCR §B)'. The 'Page range (e.g. 1,2,5-7)' field is filled with the text '1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,11,11,12,12,13,13,14,14,15,15,16,16'. Below this, there is a section 'Block types enabled' with buttons for 'main_text', 'UE', 'HD', 'FN', 'QR', and 'RN'. There is also a checkbox for 'Markings enabled'. The 'Mode' section has two buttons: 'arbeitsstand' and 'endgueltig'. At the bottom, there are three buttons: 'Close', 'Check gate', and 'Export'.

Expected behavior:

Each logical page should appear only once in the workspace page list.

The OCR export page range should also be deduplicated and displayed as a clean normalized page range, for example:

1-16

or:

1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16

Required change:

Please fix the workspace page list and the OCR export dialog so that each active logical page appears only once.

Frontend/UI improvement 2A – Restructure comparison view buttons


Location:

Project Workspace → comparison/view mode toolbar.

Current behavior:

The toolbar currently shows all comparison modes directly in one row:

- Orig/OCR
- Orig/DE
- OCR/DE
- Triple
- Solo



In Solo mode, there is already a second-level selection for:

- Original
- OCR
- Translation



Required change:

Please restructure the view mode controls into three main buttons:

- Triple
- Double
- Solo

Behavior:

1. “Double” should open or reveal the three double-view options:

- Original / OCR
- Original / Translation
- OCR / Translation

So that in Double mode, there will be a second-level selection, just as it is in Solo mode. This keeps the toolbar cleaner, and makes the view logic easier to understand.

Frontend/UI issue 2B – OCR Read/Edit view must be page-based and preserve the original page structure


Location:

Project Workspace → OCR view in Solo, Double, and Triple layouts


Project Workspace → “Edit OCR” mode

Current behavior:

The OCR read view currently displays the OCR text in a compressed text area. Paragraphs, spacing, and the visual structure of the original page are not preserved well enough.




When clicking “Edit OCR”, the editable OCR field appears as a small textarea that must be manually resized by dragging the lower corner. This makes page-level OCR correction difficult and does not feel like editing a full page.



Expected behavior:

The OCR read view and OCR edit view should both be page-based views.




If the OCR process was successful (like in the picture above), the OCR text should visually follow the original page structure as closely as possible. This includes:

- preserving paragraphs and visible block structure
- preserving meaningful spacing and line separation


- preserving RTL direction correctly
- using a readable Arabic font size
- showing the OCR text as a full page-level working area, not as a small compressed box
- keeping the read view and edit view visually consistent with each other

The OCR edit mode should open as a large page editor inside the OCR pane. It should use the full available pane height/width by default and should not require the user to manually resize a tiny textarea.

- Directly open like this:



- Not like this:



This requirement applies across all view modes:

- Solo OCR view
- Double Original/OCR view
- Double OCR/Translation view
- Triple view

Required change:

Please redesign the OCR read and edit UI so that OCR text is displayed and edited as a full page-based OCR document view. The OCR read mode and OCR edit mode should preserve the same page/block/paragraph structure and should visually correspond to the original scan as closely as possible, assuming OCR succeeded.

Frontend/UI issue 2C – Translation editor must support page-like editing and global style/template changes

Location:

Project Workspace → Translation view

Project Workspace → Solo Translation view

Project Workspace → Double OCR/Translation and Triple view

DOCX/PDF export pipeline

Current behavior:

The translation area currently appears mainly as a segment-level translation area. This is acceptable for a basic segment action, but it is not sufficient for the main translation editing workflow.

Expected behavior:


The translation editor should behave like a page-based document editor, not only like small isolated segment input fields.

The user should be able to read and edit the translation as a continuous page/document view inside the website. The translation should feel like working on a book page, while still preserving the internal segment structure for synchronization, audit, revision history, and comparison.

Required editing model:

1. In Double and Triple comparison views:

- only simple editing is required
- plain text editing
- paragraph editing
- footnote indicators / footnote hints
- no full formatting toolbar required there



- In Solo Translation view:
- full formatting should be available
- the editor should use the predefined Waraq DOCX/Word export style templates as its default formatting
- the user should be able to adjust global document styles / layout profiles, not only local one-time styling
- examples: Body_DE, Heading levels, footnote text, Quran/Hadith/Quote block styles, spacing, typography, header/footer related layout settings where applicable

Important:

Formatting changes in Solo Translation must not be UI-only CSS changes.

If the user changes a predefined formatting/style setting in Solo Translation, this change must be persisted as a global project layout/style profile or style-template override. The change must then be reflected consistently in:

- Solo Translation view
- Double comparison views
- Triple comparison view
- Book Preview
- DOCX export
- PDF export

The final exported Word document must be generated from the effective active style profile:
canonical Waraq Formatvorlagen Baseline defaults

- saved user/project style overrides

This means: if the user changes the global formatting before or during translation and then exports the book, the exported DOCX must use the updated formatting, not only the original hardcoded baseline.

Document references:

- Dokument 1 / Kanon, section 3.7: the main editor requires view tabs, preview, save, export; the Preview mode requires a settings panel, live book preview, page format, German/Arabic typography, quote elements, header/footer, TOC, footnotes, chapter starts, and reusable layout profiles.
- Dokument 1 / Kanon, section 7.2: the Formatvorlagen-Baseline v1.1 is fully canonical.
- Formatvorlagen Baseline v1.1, section 7.2: defines the canonical DOCX layout and style templates, including page setup, header/footer, RTL model, footnotes, TOC, Body_DE, Body_DE_NoIndent, Quran_AR/DE/Quelle, Hadith_AR/DE/Quelle, Zitat_AR/DE/Quelle, Heading styles, footnote text, and character styles.
- Dokument 1 / Kanon, section 4.7 / 7.1 and Engineering Execution Baseline: format-template integrity and critical font availability are export-relevant guard/preflight concerns, so formatting cannot be only visual frontend decoration.

Required change:

Please implement the translation editor as a real page/document-style editor. Use the canonical Waraq export formatting as the default style system. Allow global style/template changes in Solo Translation, persist those changes as layout/style profile overrides, reflect them in all translation views, and ensure DOCX/PDF export consumes the active effective style profile.

Frontend/UI issue 3 – OCR review approval must be connected to the Attention List and issue resolution state

Location:

Project Workspace → “Enter review” / “Approve as GO”

Project Workspace → “Audit” → Attention List → expanded OCR issue rows

Current behavior:

The OCR review flow and the Audit Attention List are not clearly connected.

When a page is opened in OCR review, the main visible action is “Approve as GO”. After approving the page as GO, the page status changes visually, but the related OCR findings still appear in the Attention List as active issues. This makes it unclear whether “Approve as GO” actually resolves the page’s OCR review findings or only changes a visual page status.

There is also no clear button inside the Attention List item to mark a specific OCR issue as resolved, accepted, ignored, or approved with warning.

Expected behavior:

The OCR review state and the Attention List state must be synchronized.

If a user approves a page as GO, then all non-blocking OCR findings for that page should no longer appear as active unresolved items in the main Attention List. They may remain available in history or in a “resolved/accepted findings” view, but they should not continue to look like open issues.

If the user re-enters review later, previously approved findings should not automatically become unresolved again. They should remain resolved/accepted unless:

- OCR is re-run,
- the OCR text is changed,
- the user explicitly resets the review state,
- or a new finding is created.

Required UI behavior:

1. “Approve as GO” must clearly explain what it will do:
 - approve the current page
 - mark related non-blocking OCR findings as accepted/resolved
 - update the page OCR status
 - update the Attention List
2. If unresolved blocking or decision-required issues remain, the UI should not allow a simple “Approve as GO”. It should show something like:


- “Resolve required issues first”
 - or “Approve with warning” if only non-blocking warnings remain.
3. Each Attention List item should have clear issue-level actions, for example:
- Resolve / accept current OCR reading
 - Approve with warning
 - Mark as unresolved
 - Open in page review
 - Edit OCR text
4. The Attention List should distinguish clearly between:
- open issues
 - resolved issues
 - accepted warnings
 - historical findings
5. The Audit page should provide filters for open vs resolved findings, so the user can still review history without confusing it with active work.

Problem in the expanded Attention List view:

When expanding an OCR issue, the current UI shows:

- current segment text
- OCR engine outputs such as Gemini and OpenAI

The user does not see if Gemini or OpenAI is the basis of the current segment text and the differences between Gemini and OpenAI are not highlighted at all. It is only displayed the differences in characters:



That means the user needs to go through the whole text of both Gemini and OpenAI in order to find the exact difference.

Furthermore, this view is not sufficient for review because the original scan/crop is missing. The user cannot verify the OCR finding properly without seeing the original page image or crop next to the OCR readings. This makes it very hard for the user to decide which version he wants to approve.

Expected expanded issue view:

The expanded Attention List item should show:

- original scan
- page location (already implemented as 'open page')
- current accepted OCR reading (already implemented as 'Current segment text')
- highlighted differences between alternatives
- confidence/reason label
- clear decision buttons
- indication of which reading is currently active

Why this matters:

Waraq OCR review is page-based and decision-based. The user must understand whether a finding is still open, already accepted, resolved with warning, or only kept as historical information. A page approval should update the related issue state, otherwise the user cannot trust the review workflow.

Required change:

Please connect the OCR review approval flow with the Audit Attention List. Approving a page as GO must update the related findings so they no longer appear as unresolved active issues. Re-entering review must not reset already accepted findings unless OCR is re-run or the user explicitly resets the review state. The expanded issue view must also include the original scan/crop and clear issue-level decision actions. Differences between OCR alternatives should be highlighted.

Frontend/UI issue 4 – TOC / IVZ review must distinguish real TOC confirmation from page-by-page fallback

Location:

Project Workspace → "TOC" button

Current behavior:

The TOC panel opens and currently shows a "Page-by-page fallback" with read-only entries such as:

- p.1 / Seite 1
- p.2 / Seite 2
- etc.

This is acceptable as a fallback state when no real table of contents or chapter structure has been detected. However, the current UI does not yet make the full TOC/IVZ workflow clear.

Expected behavior:

Waraq needs two distinct TOC/IVZ-related workflows:

1. – Structural TOC/IVZ confirmation after OCR and before translation

Purpose:

- identify chapter headings (very important for editing and later for export)
- confirm hierarchy levels (very important for editing and later for export)
- compare Arabic/German headings where available
- allow chapter heading adjustments
- confirm whether the detected structure is usable for translation release

2. – Final TOC/IVZ review after translation and before export

Purpose:

- check that headings were correctly transferred into the translated book
- confirm final chapter names
- check export-relevant TOC structure
- this should not simply repeat Phase 4, but serve as the final content/export check

Current fallback state:

If no TOC/chapter structure was detected, the UI may show a page-by-page fallback.

However, this state should be clearly explained to the user:

“No table of contents or chapter structure was detected. Waraq is using page-by-page fallback for navigation. Manual TOC definition is not part of this version and requires a separate CR if added later.”

Important:

The page-by-page fallback should not look like a real confirmed TOC. It should be visually marked as fallback and should not silently count as confirmed chapter structure unless the user explicitly confirms the fallback state.

Required UI behavior:

Please add or prepare the TOC UI so it can handle the following states:

1. No TOC detected

- show page-by-page fallback
- explain fallback clearly
- allow confirmation of fallback if required for workflow

2. TOC detected

- show detected headings
- show heading level
- show page number
- show Arabic heading
- show German/translation heading when available
- allow editing/adjusting chapter headings
- allow confirming the structure

3. TOC requires attention

- show ambiguous headings
- show unstable hierarchy
- mark unclear entries
- require user confirmation before translation release if structurally relevant

4. Final TOC review before export

- show final translated headings
- show TOC position setting where relevant
- show whether Arabic chapter headings are displayed in the text
- connect to export/preflight settings

Please also connect this TOC workflow with the export/preflight questions:

- which heading level appears in the header
- which heading level marks chapter breaks
- TOC position: front or back
- whether Arabic chapter headings are shown in the text

Required change:

Please make the TOC/IVZ UI clearly state whether it is showing a real detected TOC or only a page-by-page fallback. Add the required confirmation/editing states for real TOC detection, make fallback confirmation explicit, and connect TOC decisions to preflight/export settings and final book export behavior.

Frontend/UI issue 5 – DPI Compare must become a targeted OCR retry and recovery tool

Location:

Project Workspace → “DPI compare”

Project Workspace → Audit / Attention List → OCR issue → related page/crop

Current behavior:

The current DPI Compare view shows two renderings of the same page side by side. The user can change Low DPI and High DPI values manually.

However, the view is currently isolated from OCR findings. It does not jump to the OCR problem area, does not highlight the relevant region, does not offer zoom-based OCR retry, and does not allow the user to re-run OCR on only the problematic region.

Expected behavior:

DPI Compare should not only be a passive visual comparison. It should be an OCR recovery tool connected to OCR review, Audit, and the Attention List.

Required layout:

1. Left side:

- fixed reference view
- the original scan / current source page
- this should remain the baseline reference

2. Right side:

- same page initially (just like left side)
- user can change DPI
- user can zoom into a specific area
- user can select/crop a problem region
- user can trigger OCR retry from the adjusted right-side view

Required OCR retry behavior:

The user should be able to choose between:

1. Re-run OCR for selected region only

- user zooms/selects the problematic area
- system runs OCR only for that region/crop
- system maps the new OCR result back to the corresponding segment/block/problem area
- the whole page OCR text should not be replaced automatically

2. Re-run OCR for the full page

- user chooses to replace the entire page OCR result
- system creates a new page OCR result/version
- user reviews before accepting

Required decision behavior:

After the new OCR result is generated, the user should see:

- current accepted OCR text
- new OCR candidate from selected DPI/crop
- original scan/crop
- highlighted differences
- confidence / reason labels
- buttons such as:
 - accept new region OCR
 - accept new full-page OCR
 - keep current OCR
 - edit manually
 - discard OCR retry result

Audit / Attention List integration:

If the user accepts the new OCR result and the issue is resolved, the old related OCR finding must no longer remain as an active unresolved Attention List item.

Instead:

- the old finding should be marked as resolved / replaced / accepted
- it may remain in history
- it should not continue to look like an open issue
- if the new OCR result is clean, the old low-confidence/divergent-engine warning for that area should disappear from the active list
- if new issues are detected, new findings should be created

Important:

Re-running OCR for a selected crop must not silently replace the whole page. The UI must clearly ask whether the user wants to replace only the mapped region/segment or the entire page OCR result.

Expected OCR issue flow:

1. User opens an OCR issue from the Attention List.
2. User clicks DPI Compare or “retry OCR from crop”.
3. Left side shows the original page/crop.
4. Right side allows DPI/zoom/crop adjustment.
5. User runs OCR on the selected region.
6. System shows old OCR vs new OCR candidate.
7. User accepts/rejects/edits.
8. Audit/Attention List updates automatically.

Why this matters:

The purpose of DPI Compare is not only to compare image quality. It should help fix OCR problems caused by low resolution, small footnotes, unclear ḥarakāt, degraded scan areas, bad rendering, or engine disagreement. The user must be able to use the improved DPI/crop to create a better OCR result and then connect that result back to the page, segment, and audit finding.

Document references:

- Block 3 OCR Maximum working document, point 6: high-risk blocks may require re-cropping, re-reading in multiple zoom levels, alternative preprocessing variants, and additional escalation.
- Block 3 OCR Maximum working document, point 7: difficult OCR places should show the original crop, strongest reading, alternative readings, understandable uncertainty reason, and why the place was prioritized.

Required change:

Please redesign DPI Compare as a connected OCR retry/recovery workflow. It should support original-vs-adjusted comparison, synchronized zoom, region selection/cropping, OCR retry on selected region or full page, review of the new OCR candidate, and automatic synchronization with Audit/Attention List resolution state.

Frontend/UI issue 6 – Difficulty Report should be a summary layer connected to Audit, Attention List, and DPI Compare

Location:

Project Workspace → “Difficulty” badge/button


Project Workspace → Audit page

Project Workspace → Attention List

Project Workspace → DPI Compare / OCR Review

Current behavior:

There is a visible “Difficulty” badge/button in the Workspace, for example “Difficulty 0”.



However, it is not yet clear what this difficulty value means, where the full difficulty report lives, and how the user should act on it.

Expected behavior:

The Difficulty feature should not become a separate duplicate review system. It should be a summary and navigation layer for OCR review.

Recommended placement:

1. Workspace Difficulty badge
 - Shows the current page difficulty level, e.g. “Difficulty 0”, “Difficulty 2”
 - Gives the user a quick page-level status
2. Click on Difficulty badge
 - Opens a compact page-level summary panel
 - Shows why the page has this difficulty level
 - Links to the relevant Audit / Attention List / DPI Compare actions
3. Audit page
 - Contains the full Difficulty Report for the project/pages
 - Shows page-level difficulty distribution and causes
 - Does not duplicate every Attention List item unnecessarily
4. Attention List
 - Contains the concrete actionable OCR issues
 - Items can be opened and resolved from there
5. DPI Compare / OCR Review

- Used as the practical tool to inspect or fix the difficulty cause, for example low OCR confidence, divergent engines, small print, unclear ḥarakāt, scan degradation, or layout problems

Expected compact Difficulty panel:

When clicking “Difficulty 0”:

- Difficulty: 0
- Reason: No active OCR difficulty detected for this page
- OCR confidence: OK
- Engine agreement: OK
- Layout issues: none
- Footnote/small-print risk: none
- Qur’ān/Hadith/Isnād risk: none

Buttons:

- Open full Audit report
- Open Attention List
- Open DPI Compare

When clicking a higher difficulty value, for example “Difficulty 3”:

- Difficulty: 3
- Reasons:
 - Low OCR confidence in 2 segments
 - Divergent OCR engines in 1 segment
 - Footnote/small-print risk detected

Buttons:

- Open issue 1
- Open issue 2
- Open DPI Compare for selected issue
- Open full Audit report

Important:

Difficulty should summarize and prioritize. It should not replace the Audit page, the Attention List, or DPI Compare.

Conceptual distinction:

- Difficulty = summary / prioritization
- Audit = full analysis overview
- Attention List = concrete open tasks
- DPI Compare / OCR Review = inspection and repair tools

Document references:

- Dokument 1 / Kanon, section 2.1: Phase 3 requires OCR review, difficulty report, guided review, and DPI comparison view.
- Dokument 1 / Kanon, section 3.4: unresolved OCR ambiguity must not be hidden; confidence decreases and the place is prioritized for OCR review.
- Block 3 OCR Maximum working document, point 7: OCR quality should not rely on one single confidence number, but on multiple quality indicators such as character stability, word stability, layout consistency, language plausibility, corpus proximity, special-block safety, and technical degradation.


Required change:

Please keep the Difficulty badge visible in the Workspace, but make it a compact summary entry point. The full Difficulty Report should live inside the Audit/OCR Review area. It should explain why a page is difficult and guide the user to the relevant Attention List item or DPI Compare/OCR Review action.

Frontend/UI issue 7 – Notifications panel must be connected to relevant Waraq workflow events

Location:

Top-right bell icon → Notifications panel



Current behavior:

The Notifications panel opens, but it currently appears empty or not connected to the main Waraq workflow events.

Expected behavior:

The Notifications panel should show relevant project and system notifications. At minimum, it should notify the user about:

- Upload started
- Upload completed
- Upload failed
- Duplicate upload detected
- OCR started progress (for example 50 of 500 pages)
- OCR paused
- OCR completed
- OCR failed
- OCR requires review
- Page requires OCR attention
- OCR retry completed
- Translation started and progress (for example 50 of 500 pages)
- Translation completed
- Translation paused
- Translation failed
- Translation chunk requires review
- API failure / model provider unavailable
- API restored
- Manual retry available
- Preflight blocked
- Preflight exportable with warnings
- Export started
- DOCX export completed
- PDF export completed
- OCR text export completed
- Export failed

- TOC/IVZ review required
- Final TOC/IVZ review completed
- Hadith verification requires user decision
- Qur'ān recognition requires user confirmation
- Open audit findings require attention
- Open conflicts require attention
- Account / subscription / access warnings where relevant

Required behavior:

Notifications should be project-linked and clickable where possible. Clicking a notification should take the user directly to the relevant project, page, issue, export, audit finding, or review screen.

The panel should also distinguish notification types:

- Info
- Success
- Warning
- Error
- Action required

Document references:

- Dokument 1 / Kanon: notifications are standard via In-App and E-Mail; E-Mail can be disabled by the user.
- Dokument 1 / Kanon, translation/API behavior: after 30 minutes without API recovery, the user must be actively informed via In-App and E-Mail.
- Dokument 1 / Kanon, Phase 6: user notification is part of the workflow after translation before final IVZ review.

Required change:

Please connect the Notifications panel to the main Waraq workflow events and make notifications actionable, project-linked, and categorized by severity/type.

Frontend/UI missing item 8 – Account settings and usage area

Location:

Dashboard / user profile menu

Current status:

Account settings, usage statistics, API usage statistics (for costs per user), notification settings, and subscription/access-level information are not yet visible in the current UI.

Required change:

Please add the missing Account Settings / Usage area according to the Waraq dashboard requirements, including at least:

- profile/account settings
- password/email management
- notification settings, including email notification
- usage statistics
- API usage statistics

Please distinguish between general usage statistics and API usage statistics.

General usage statistics should show user/project-level activity, such as number of projects / uploaded book, OCR-processed pages, translated pages, storage usage, and account limits.

API usage statistics should show technical provider usage, such as OpenAI/Gemini/Google Vision calls, token usage, OCR/API calls, Translation/API calls, and estimated API cost per project (very important)

Frontend/UI missing items 9 – remaining Waraq UI areas not yet visibly implemented

The following frontend areas are not yet clearly visible or not yet implemented in the current UI. Please add them accordingly.

1. Book Preview of the translation / Live Book Preview of the translation
A dedicated Book Preview mode is still needed. It should show a live book-style preview before export, separate from OCR/translation comparison views.
2. Morphology / Arabic word analysis
Clicking an Arabic word should open the morphology side panel. A separate word-form frequency analysis modal should also be available.
3. Diagnostics
The Diagnostics page should show useful system, job, OCR, translation, API, retry, and error status information, not only a placeholder.

4. Delete / Trash / Restore

Project deletion should connect to the Waraq trash logic, including restore behavior and the 10-day trash retention period.

5. Admin / Admissions

The Admin and Admissions areas should support applicant review, user access decisions, account levels, user management, and relevant admin actions.

6. 2. Glossary / Terminology / Religious formulas / Reference system / Style profile

The five visible Waraq archives/directories must be accessible in the UI:

- Glossary
- Terminology directory
- Religious formulas directory
- Reference and entity system
- Style Profile Option B

Style Profile Option B note:

The Waraq documents distinguish between two translation-style modes. Option A is the general/default Waraq translation style that applies at the beginning for every user. This is the standard translation behavior defined by the system. So the user either starts translating by his own (if he don't want to use API tokens) or he chooses Option A.

Option B is the individual user-specific translation style profile. It learns and applies the personal translation style of a specific user. For now, the defined individual style profile is only my own style; every future user may later have their own separate account-bound style profile.