

Observations and Changes

Frontend/UI issue 1 – Duplicate logical pages in page list and OCR export page range

Required change:

Please fix the workspace page list and the OCR export dialog so that each active logical page appears only once.

Status:

Well Done

Frontend/UI improvement 2A – Restructure comparison view buttons

Required change:

Please restructure the view mode controls into three main buttons:

- Triple
- Double
- Solo

Behavior:

1. “Double” should open or reveal the three double-view options:
 - Original / OCR
 - Original / Translation
 - OCR / Translation


Status:

Well Done

Frontend/UI issue 2B – OCR Read/Edit view must be page-based and preserve the original page structure

Expected behavior:

The OCR read view and OCR edit view should both be page-based views.



If the OCR process was successful (like in the picture above), the OCR text should visually follow the original page structure as closely as possible. This includes:

- preserving paragraphs and visible block structure
- preserving meaningful spacing and line separation
- preserving RTL direction correctly
- using a readable Arabic font size
- showing the OCR text as a full page-level working area, not as a small compressed box
- keeping the read view and edit view visually consistent with each other

Required change:

Please redesign the OCR read and edit UI so that OCR text is displayed and edited as a full page-based OCR document view. The OCR read mode and OCR edit mode should preserve the same page/block/paragraph structure and should visually correspond to the original scan as closely as possible, assuming OCR succeeded.

Status: Partially Done, still changes required

New Required changes:

Now it's like this in Solo View:

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

اللهم صل وسلم على أشرف خلقك محمد وآله وصحبه أبدأ، أحمدك
اللهم رب، وأسألك أعلى رتب الشهادة. وأشهد أن لا إله إلا أنت وأستودعك
هذه الشهادة، وأستغفرك لما تعلمه مني وأنت عالم الغيب والشهادة، وأبوء لك
بنعمتك علي وأستزيدك منها والشكر قمن(١) بالزيادة، وأبرأ إلى عظيم قدرتك
من الحول والقوة والإرادة، وأعترف بذنوبي ومن اعترف بما اقترف، اغترف من
بحر العفو مراده.

إلهي فجد بما تعلقت به أيدي الآمال من جزيل كرمك، ومُنَّ علي من مد
يد الافتقار إلى غناك فمدها أيضاً من نعمك، واعطف على ذل الأطماع فخرائن
جودك لا يغيضها(٢) الإنفاق والعطا، واعف عن هفواتنا، وإدراك(٣) قوائنا، قبل
كشف الغطا، رب وأسدل حجاب سترك المنيع علينا، وأسبل جلاب(٤)
المرجع(٥) لدينا، ووفقنا لما نرضاه، فيبيدك أزمة(٦) التوفيق، وألنا ما نتمناه،

(١) أي خليك وجدير. الصحاح : ٦/٢١٨٤.
(٢) لا ينقصها. الصحاح : ٣/١٠٩٦.
(٣) تدارك.
(٤) الجلاب : القميص، وثوب واسع للمرأة دون الملحفة، وما تغطي به ثيابها من فوق
كالمحفلة أو هو الخمار. القاموس : ١/٤٧.
(٥) المرجع : الخصب. القاموس المحيط : ٣/٨٤.
(٦)

And it's like this in Original/OCR View:

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

اللهم صل وسلم على أشرف خلقك محمد وآله وصحبه أبدأ، أحمدك
اللهم رب، وأسألك أعلى رتب الشهادة. وأشهد أن لا إله إلا أنت وأستودعك
هذه الشهادة، وأستغفرك لما تعلمه مني وأنت عالم الغيب والشهادة، وأبوء لك
بنعمتك علي وأستزيدك منها والشكر قمن(١) بالزيادة، وأبرأ إلى عظيم قدرتك
من الحول والقوة والإرادة، وأعترف بذنوبي ومن اعترف بما اقترف، اغترف من
بحر العفو مراده.

إلهي فجد بما تعلقت به أيدي الآمال من جزيل كرمك، ومُنَّ علي من مد
يد الافتقار إلى غناك فمدها أيضاً من نعمك، واعطف على ذل الأطماع فخرائن
جودك لا يغيضها(٢) الإنفاق والعطا، واعف عن هفواتنا، وإدراك(٣) قوائنا، قبل
كشف الغطا، رب وأسدل حجاب سترك المنيع علينا، وأسبل جلاب(٤)
المرجع(٥) لدينا، ووفقنا لما نرضاه، فيبيدك أزمة(٦) التوفيق، وألنا ما نتمناه،

(١) أي خليك وجدير. الصحاح : ٦/٢١٨٤.
(٢) لا ينقصها. الصحاح : ٣/١٠٩٦.
(٣) تدارك.
(٤) الجلاب : القميص، وثوب واسع للمرأة دون الملحفة، وما تغطي به ثيابها من فوق
كالمحفلة أو هو الخمار. القاموس : ١/٤٧.
(٥) المرجع : الخصب. القاموس المحيط : ٣/٨٤.
(٦) جمع زمام. القاموس : ١٢٢/٤.

Page 1

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

اللهم صل وسلم على أشرف خلقك محمد وآله وصحبه أبدأ، أحمدك
اللهم رب، وأسألك أعلى رتب الشهادة. وأشهد أن لا إله إلا أنت وأستودعك
هذه الشهادة، وأستغفرك لما تعلمه مني وأنت عالم الغيب والشهادة، وأبوء لك
بنعمتك علي وأستزيدك منها والشكر قمن(١) بالزيادة، وأبرأ إلى عظيم قدرتك
من الحول والقوة والإرادة، وأعترف بذنوبي ومن اعترف بما اقترف، اغترف من
بحر العفو مراده.

إلهي فجد بما تعلقت به أيدي الآمال من جزيل كرمك، ومُنَّ علي من
مد
يد الافتقار إلى غناك فمدها أيضاً من نعمك، واعطف على ذل

The Solo View is exactly 100/100 like the original. That's great. But in the comparison view Original/OCR or OCR/translation then you will see the OCR differently like in the above picture. The issue lies with the paragraphs. But even in comparison view the paragraphs should match with the original... And when the AI does the OCR process it should also recognize the alignment.

This is extracted from
Solo view

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

اللهم صل وسلم على أشرف خلقك محمد وآله وصحبه أبدأ، أحمدك

اللهم رب، وأسألك أعلى رتب الشهادة. وأشهد أن لا إله إلا أنت وأستودعك

هذه الشهادة، وأستغفرك لما تعلمه مني وأنت عالم الغيب والشهادة، وأبوء لك

بنعمتك علي وأستزيدك منها والشكر فمن (١) بالزيادة، وأبرأ إلى عظيم قدرتك

من الحول والقوة والإرادة، وأعترف بذنوبي ومن اعترف بما اقترف، اغترف من

بحر العفو مراده.

إلهي فجد بما تعلقت به أيدي الآمال من جزيل كرمك، وفئ علي من مد

يد الافتقار إلى غناك فمدّها أيضاً من نعمك، واعطف على ذل الأطماع فخرائن

جودك لا يغيثها (٢) الإنفاق والعطا، واعف عن هفواتنا، وإدراك (٣) فواتنا، قبل

كشف الغطا، رب وأسدل حجاب سترك المنيع علينا، وأسبل جلاب (٤)

المرجع (٥) لدينا، ووفقنا لما نرضاه، فيبيدك أزمة (٦) التوفيق، وأئتنا ما نتمناه،

(١) أي خليك وجدير. الصحاح : ٦/٢١٨٤.

(٢) لا ينقصها. الصحاح : ٣/١٠٩٦.

(٣) تدارك.

(٤) الجلاب : القميص، وثوب واسع للمرأة دون الملحفة، وما تغطي به ثيابها من فوق

كالمحفة أو هو الخمار. القاموس : ١/٤٧.

(٥) المرجع : الخصب. القاموس المحيط : ٣/٨٤.

Alignment

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

اللهم صل وسلم على أشرف خلقك محمد وآله وصحبه أبدأ، أحمدك
اللهم رب، وأسألك أعلى رتب الشهادة. وأشهد أن لا إله إلا أنت وأستودعك
هذه الشهادة، وأستغفرك لما تعلمه مني وأنت عالم الغيب والشهادة، وأبوء لك
بنعمتك علي وأستزيدك منها والشكر فمن (١) بالزيادة، وأبرأ إلى عظيم قدرتك
من الحول والقوة والإرادة، وأعترف بذنوبي ومن اعترف بما اقترف، اغترف من
بحر العفو مراده.

إلهي فجد بما تعلقت به أيدي الآمال من جزيل كرمك، ومُن علي من مد
يد الافتقار إلى غناك فمدّها أيضاً من نعمك، واعطف على ذل الأطماع فخرائن
جودك لا يغيثها (٢) الإنفاق والعطا، واعف عن هفواتنا، وإدراك (٣) فواتنا، قبل
كشف الغطا، رب وأسدل حجاب سترك المنيع علينا، وأسبل جلاب (٤)
المرجع (٥) لدينا، ووفقنا لما نرضاه، فيبيدك أزمة (٦) التوفيق، وأئتنا ما نتمناه،

(١) أي خليك وجدير. الصحاح : ٦/٢١٨٤.

(٢) لا ينقصها. الصحاح : ٣/١٠٩٦.

(٣) تدارك.

(٤) الجلاب : القميص، وثوب واسع للمرأة دون الملحفة، وما تغطي به ثيابها من فوق
كالمحفة أو هو الخمار. القاموس : ١/٤٧.


(٥) المرجع : الخصب. القاموس المحيط : ٣/٨٤.

(٦) جمع زمام. القاموس : ١٢٦/٤.

Alignment

Frontend/UI issue 2C – Translation editor must support page-like editing and global style/template changes

Current behavior:




Required change:

Please implement the translation editor as a real page/document-style editor. Use the canonical Waraq export formatting as the default style system. Allow global style/template changes in Solo Translation, persist those changes as layout/style profile overrides, reflect them in all translation views, and ensure DOCX/PDF export consumes the active effective style profile.

Status: Not what I've hoped for at all, still changes required

New Required changes:

I've hoped it looks much closer to Word-Microsoft (which will be by the way easier when you export), like this for example:



1. if you click here on the dropdown, then all paragraph / text styles will be listed defined in the document "Formatvorlagen Baseline v1.1" from google docs
2. as soon as you choose a different paragraph / text style, then all these formatting settings in the toolbar update according to the defined style... in other words, when you apply a different style, the formatting options at the top automatically adjust to match the style...
3. every user can customize the paragraph / text style. The paragraph / text style is predefined according to "Formatvorlagen Baseline v1.1" from google docs, but any changes will automatically apply to all the text using that style... in other words, they can modify its formatting settings and the changes are applied to the entire style...

Important distinction:

The main dropdown should be a Paragraph Style dropdown, not a generic formatting dropdown.

It should list the paragraph styles defined in Formatvorlagen Baseline v1.1, for example:

Body_DE, Body_DE_NoIndent, Heading 1–6, UeberschriftAR_1–6, Quran_AR, Quran_DE, Quran_Quelle, Hadith_AR, Hadith_DE, Hadith_Quelle, Zitat_AR, Zitat_DE, Zitat_Quelle, Titel_* styles, footnote text, and TOC styles where applicable.

Character styles such as Begriff_AR, FussN_AR, FN_Uebersetzer, FN_Herausgeber and FN_Verlag should be handled separately as character/inline styles, not mixed into the paragraph-style dropdown.

Users may change the visible display label / alias of a paragraph style, but they must not change the internal canonical style key.

Example:

- Internal canonical style key: Body_DE
- User-visible label / alias: MainText_DE

The internal style key must remain stable because it is required for mapping the website editor to the Waraq formatting baseline, DOCX export, PDF export, Preflight checks, and style-integrity checks.

Therefore, renaming a style must only change the user-visible label, not the internal style identifier.


The toolbar only shows the most common inline editing controls. It is not sufficient for editing the full Waraq document styles.

Every paragraph style must have an “Edit style...” / “Advanced style settings” panel where the user can adjust the style-level properties defined in Formatvorlagen Baseline v1.1, including:

- font family
- font size
- line spacing
- spacing before
- spacing after
- first-line indent
- left indent
- paragraph alignment
- RTL / LTR behavior where applicable
- border / left rule for Quran, Hadith and Quote block styles
- tab stops where applicable, especially TOC-related styles

These edits are style-level edits. They must apply globally to all text using that style, not only to the selected paragraph.

The Quran / Hadith / Quote buttons must not behave like simple visual decorations.



They should insert or apply structured block-style sequences according to Formatvorlagen Baseline v1.1:

- Quran block: Quran_AR → Quran_DE → Quran_Quelle
- Hadith block: Hadith_AR → Hadith_DE → Hadith_Quelle
- Quote block: Zitat_AR → Zitat_DE → Zitat_Quelle

Each block style must preserve its baseline-defined indentation, spacing and left border/rule. The left border/rule must be editable only through the style settings, not as an accidental manual line.

The first screenshot may show a custom user font '**Charis SIL**' and the second screenshot may show another custom user font '**Georgia**', but the default Waraq Baseline template must load the fonts defined in Formatvorlagen Baseline v1.1 and Engineering Execution Baseline v1.0.

If a required critical font is missing, Waraq must not silently replace it with another font. This must be treated as a font availability issue before export. Users should be able to upload or select additional fonts through a project/account font library and assign those fonts to paragraph or character styles.

However, fonts must not behave like browser-only styling. Any font used in the editor must also be available to the server-side DOCX/PDF export engine.

Waraq must never silently replace a missing font with another fallback font.

Users may change the visible display label / alias of a paragraph style, but they must not change the internal canonical style key.

Example:

- Internal canonical style key: Body_DE
- User-visible label / alias: MainText_DE

The internal style key must remain stable because it is required for mapping the website editor to the Waraq formatting baseline, DOCX export, PDF export, Preflight checks, and style-integrity checks.

Required implementation:

Store two separate values for every style:

1. internal_style_key — fixed, canonical, not editable by the user
2. display_label — editable user-facing name / alias

All export, Preflight, template mapping and style-integrity logic must use internal_style_key, never the editable display_label.

Users should also be able to upload or select additional fonts through a project/account font library and assign those fonts to paragraph or character styles.

However, fonts must not behave like browser-only styling. Any font used in the editor must also be available to the server-side DOCX/PDF export engine.

Required implementation:

- Fonts can be selected from the Waraq baseline fonts and from an account/project font library.
- Uploaded fonts must be stored in a controlled font library.
- A font assigned to a style must be available for the website editor, DOCX export and PDF export.

- Waraq must never silently replace a missing font with another fallback font.
- If a font is missing, Waraq must show a warning or block export depending on severity.
- Missing critical baseline fonts must block before the Preflight dialog.

Critical baseline fonts must be protected:

- KFGQPC Uthmanic Script HAFS
- Traditional Naskh
- Noto Sans Arabic
- Calibri

If one of these critical baseline fonts is required by the active formatting template but is not available, Waraq must not silently substitute it. The issue must be treated as a critical font-availability problem and must block before the Preflight dialog.

Frontend/UI issue 3 – OCR review approval must be connected to the Attention List and issue resolution state

Location:

Project Workspace → “Enter review” / “Approve as GO”

Project Workspace → “Audit” → Attention List → expanded OCR issue rows

Required change:

Please connect the OCR review approval flow with the Audit Attention List. Approving a page as GO must update the related findings so they no longer appear as unresolved active issues. Re-entering review must not reset already accepted findings unless OCR is re-run or the user explicitly resets the review state. The expanded issue view must also include the original scan/crop and clear issue-level decision actions. Differences between OCR alternatives should be highlighted.

Status: Partially Done, still quite a lot of changes required


New Required changes:

Many things in **Frontend/UI issue 3** were not implemented as expected.


If a user approves a page as GO, then all non-blocking OCR findings for that page should no longer appear as active unresolved items in the main Attention List (**done**). They may remain available in history or in a “resolved/accepted findings” view, but they should not continue to look like open issues (**not done**).

If the user re-enters review later, previously approved findings should not automatically become unresolved again. They should remain resolved/accepted unless:

- OCR is re-run (**you cannot re-run OCR for a specific page once 'approved as go'**),
OCR done, but no entered review yet:




Re-entered review, but now you can only approve as go:



Required UI behavior:

1. "Approve as GO" must clearly explain what it will do (**lot of improving necessary but couldn't find the time to test it currently**):
 - approve the current page
 - mark related non-blocking OCR findings as accepted/resolved
 - update the page OCR status
 - update the Attention List

2. If unresolved blocking or decision-required issues remain, the UI should not allow a simple “Approve as GO”. It should show something like (lot of improving necessary but couldn't find the time to test it currently):
 - “Resolve required issues first”
 - or “Approve with warning” if only non-blocking warnings remain.
3. Each Attention List item should have clear issue-level actions, for example ():
 - Resolve / accept current OCR reading (done)
 - Approve with warning (done)
 - Mark as unresolved (done)
 - Open in page review (done)
 - Edit OCR text (not possible unless you open the page)
4. The Attention List should distinguish clearly between:
 - open issues (if it's the list at all then it's done)
 - resolved issues (no such a list exists)
 - accepted warnings (no such a list exists)
 - historical findings (no such a list exists)
5. The Audit page should provide filters for open vs resolved findings, so the user can still review history without confusing it with active work. (currently no distinction between open and resolved findings)



That's

The user does not see if Gemini or OpenAI is the basis of the current segment text (done)

7v

OCR ENGINES (DIVERGENT - CONFIDENCE 0.619 - DEFICIENT)

gemini · 1681 chars

active

وكم للموت على الفراش من سكرة وغصة(١)، وأن الطاعم النائم(٢) في الجهاد أفضل من الصائم القائم في سواه(٣)، ومن حرس في سبيل الله لا تبصر النار عيناه(٤)، وأن المرباط يجري له أجر عمله الصالح إلى يوم القيامة(٥)، وأن ألف يوم لا تساوي يوماً من أيامه(٦)، وأن رزقه يجري عليه كالشاهد أبداً لا ينقطع(٧)، وأن رباط يوم خير من الدنيا وما فيها أجمع(٨)، وأنه يؤمن من فتنة القبر وعذابه(٩)، وأن الله يكرمه في القيامة بحسن مأبه ... إلى غير ذلك من الفضل الذي لا يضاهاه، والخير الذي لا يتناهى.

وإذا كان الأمر كذلك فيتعين على كل عاقل التعرض لهذه الرتب وإن كان

Current OCR

openai · 1601 chars

وكم للموت على الفراش من سكرة وغصة(١)، وأن الطاعم النائم(٢) في الجهاد أفضل من الصائم القائم في سواه(٣)، ومن حرس في سبيل الله لا تبصر النار عيناه(٤)، وأن المرباط يجري له أجر عمله الصالح إلى يوم القيامة(٥)، وأن ألف يوم لا تساوي يوماً من أيامه(٦)، وأن رزقه يجري عليه كالشاهد أبداً لا ينقطع(٧)، وأن رباط يوم خير من الدنيا وما فيها أجمع(٨)، وأنه يؤمن من فتنة القبر وعذابه(٩)، وأن الله يكرمه في القيامة بحسن مأبه ... إلى غير ذلك من الفضل الذي لا يضاهاه، والخير الذي لا يتناهى.

وإذا كان الأمر كذلك فيجب على كل عاقل التعرض لهذا الرتب وإن كان

Accept this reading

Divergent engines

page #5 · block #0 · seg #0

engines disagreed

Open page

and the differences between Gemini and OpenAI are not highlighted at all (not done). It is only displayed the differences in characters: That means **the user still needs to go through the whole text** of both Gemini and OpenAI in order to find the exact difference. Furthermore, this view is not sufficient for review because the original scan/crop is missing (done, but please make the original bigger, otherwise it's hard to compare):

OCR REVIEW ACTIONS

Accept current OCR

Approve with warning

Mark unresolved

Open page

Critical OCR confidence still blocks approval. Use Open page to edit OCR directly or rerun OCR from the workspace.

ORIGINAL PAGE #5



Region crop/retry is handled in the DPI Compare recovery tool.

CURRENT OCR TEXT

وكم للموت على الفراش من سكرة وغصة(١)، وأن الطاعم النائم(٢) في الجهاد أفضل من الصائم القائم في سواه(٣)، ومن حرس في سبيل الله لا تبصر النار عيناه(٤)، وأن المرباط يجري له أجر عمله الصالح إلى يوم القيامة(٥)، وأن ألف يوم لا تساوي يوماً من أيامه(٦)، وأن رزقه يجري عليه كالشاهد أبداً لا ينقطع(٧)، وأن رباط يوم خير من الدنيا وما فيها أجمع(٨)، وأنه يؤمن من فتنة القبر وعذابه(٩)، وأن الله يكرمه في القيامة بحسن مأبه ... إلى غير ذلك من الفضل الذي لا يضاهاه، والخير الذي لا يتناهى.

وإذا كان الأمر كذلك فيتعين على كل عاقل التعرض لهذه الرتب وإن كان نيلها مقسوماً، وصرف/ عمره في طلبها وإن كان منها محروماً، والتشهير للجهاد [١/٣] عن ساق الاجتهاد، والنفير إلى ذوي العناد من كل العباد، وتجهيز الجيوش والسرايا، وبذل الصلوات(٦) والعطايا، وإقراض الأموال لمن يضاعفها ويكرها، ودفع سلع النفوس من غير ماطلة لمشترئها، وأن نفر في سبيل الله خفافاً وثقالاً، وتوجه لجهاد أعداء الله ركباً ورجلاً، وأن نجر الخميس(٧) العرمرم(٨) القمقام(٩) إلى أولياء إبليس الطعام(١٠) اللثام(١١)، حتى يخرجوا إلى

(١) الغصة: الشج، وما اعترض في الحلق فأشرق، القاموس المحيط: ٣١٠/٢، مادة (الغصة).

(٢) في (ن): القائم.

(٣) اقتباس من حديث يأتي تخريجه برقم ١١٣.

(٤) اقتباس من حديث يأتي تخريجه برقم ٧١٧ وما بعده.

(٥) هذه كلها مقتبسة من أحاديث متفرقة يأتي تخريجها في الباب السادس عشر إن شاء الله.

(٦) الصلوات بكسر الصاد، جمع صلة وهي العطية، المعجم الوسيط: ١٠٤٩/٢.

(٧) الخميس: الجيش لأنهم خمس فرق، المقدمة والقلب والميمنة والميسرة والساقة، انتهى، الصالح: ٩٢٤/٣.

(٨) العرمرم: الجيش الكثير، الصالح: ١٩٨٤/٥، مادة (عرم).

(٩) القمقام: بالفتح، العدد الكثير، الصالح: ٢٠١٥/٥.

(١٠) الطعام: أوغاد الناس، الصالح: ١٩٧٥/٥.

الغسل البتة ...

Expected expanded issue view:

The expanded Attention List item should show:

- original scan (done, but please bigger)
 - must be large enough to compare with the OCR text
 - always when im in the attention list and click on 'open page' I will be redirected to the page... it would be great if I can do the opposite too, redirect back to the attention list to the exact listing.
- page location (done)
- current accepted OCR reading (done)
- highlighted differences between alternatives (not done, just the differences should be highlighted for more efficient user analysis)
 - differences between OCR alternatives must be highlighted inline
 - it is not enough to show only character counts
 - the user must not be forced to manually compare long Arabic texts line by line
- confidence/reason label (need improvement)
- clear decision buttons (done, but they don't really work, there are also no folders where they move)
- indication of which reading is currently active (done)

In the attention list are always two listings per page... and I don't really understand the difference, that's why I said: "confidence/reason label (need improvement)" because it cannot stay like that:

ATTENTION LIST (56)			
▶ Low OCR confidence	page #9 · block #0 · seg #0	deficient (0.632)	
▶ Divergent engines	page #9 · block #0 · seg #0	engines disagreed	
▶ Low OCR confidence	page #10 · block #0 · seg #0	deficient (0.626)	
▶ Divergent engines	page #10 · block #0 · seg #0	engines disagreed	
▶ Low OCR confidence	page #11 · block #0 · seg #0	deficient (0.625)	
▶ Divergent engines	page #11 · block #0 · seg #0	engines disagreed	
▶ Low OCR confidence	page #12 · block #0 · seg #0	deficient (0.626)	
▶ Divergent engines	page #12 · block #0 · seg #0	engines disagreed	
▶ Low OCR confidence	page #13 · block #0 · seg #0	deficient (0.634)	
▶ Divergent engines	page #13 · block #0 · seg #0	engines disagreed	
▶ Low OCR confidence	page #14 · block #0 · seg #0	deficient (0.647)	
▶ Divergent engines	page #14 · block #0 · seg #0	engines disagreed	

the issue must explain why it is listed:

“Low OCR confidence”

“Divergent engines”

“Critical confidence”

“Layout/order uncertainty”

“Footnote/small print risk”

etc.

and with definition of what these labeling mean...

currently it's like this:

Low OCR confidence
page #9 · block #0 · seg #0
deficient (0.632)

OCR REVIEW ACTIONS


Accept current OCR

Approve with warning

Mark unresolved

Open page

Critical OCR confidence still blocks approval. Use Open page to edit OCR directly or rerun OCR from the workspace.



If multiple findings refer to the same page/block/segment, the UI should group them into one finding group.

Inside the expanded view, the user should see all reasons together, not as separate confusing list entries unless they truly require separate decisions.

The user must understand whether one decision resolves both findings or whether each finding requires a separate decision.

Additional clarification – OCR review, Attention List and issue lifecycle must work as one connected workflow

The current implementation still feels like the OCR review page, the “Approve as GO” button, the Audit page and the Attention List are separate UI elements. They must be connected through one clear issue lifecycle.

Required concept:

Every OCR finding must have a clear state, for example:

- open
- decision required
- accepted / resolved
- accepted with warning
- unresolved
- superseded by rerun OCR
- historical
- deleted / ignored

The main Attention List should show active unresolved work only by default. Resolved or accepted findings must not continue to look like open issues.

Page approval behavior:

When the user approves a page as GO, the system must:

1. approve the page OCR status,
2. create/persist the required review decision,
3. mark all related non-blocking OCR findings on that page as accepted/resolved,
4. remove those resolved findings from the default active Attention List,
5. keep them available in a separate resolved/history view,
6. update the page status, Audit counters and Attention List immediately.

Re-enter review behavior:

Re-entering review must not automatically reset accepted/resolved findings back to unresolved.

Previously accepted findings may only become active again if:

- OCR is re-run,
- the page OCR text is changed in a way that invalidates the previous decision,
- or the user explicitly resets the review state.

Blocking vs non-blocking findings:

“Approve as GO” must only be available when no unresolved blocking or decision-required findings remain.

If blocking findings remain, the UI should show:

“Resolve required OCR issues first.”

If only non-blocking warnings remain, the UI may offer:

“Approve with warning.”

Attention List behavior:**The Audit page must provide separate filters or tabs:**

- Open findings
- Blocking / decision required
- Warnings
- Accepted / resolved
- Accepted with warning
- Historical / superseded
- deleted / ignored

The default Attention List must not mix active issues with already accepted findings.

Issue-level actions:

Each expanded Attention List item must have actions that actually persist and move the finding into the correct state:

- Accept current OCR reading
- Accept alternative reading
- Approve with warning
- Mark unresolved
- Edit OCR text
- Open page review
- Rerun OCR for this page/region if applicable

After an action is taken, the UI must clearly show where the finding moved:

Example:

“Finding accepted and moved to Resolved findings.”

or

“Finding remains open because OCR confidence is still critical.”

Important:


Please do not treat this as a cosmetic UI issue. The missing part is the connection between OCR review decisions, finding states, page approval, Audit counters and the Attention List. The user must always understand:

- what is still open,
- what was accepted,
- what was accepted with warning,
- what is blocking,
- what became historical,
- and what action changed the state.

Frontend/UI issue 4 – TOC / IVZ review must distinguish real TOC confirmation from page-by-page fallback

Location:

Project Workspace → “TOC” button



TOC / IVZ Review Screen – Explanation and Required Functional Scope

Please use the attached mockup image as the target direction for the TOC / IVZ Review screen.

Important:

This image is not meant to be a final design. It is an approximate design I’ve designed as reference that shows the intended workflow, page structure, and functional areas. The final UI may be adjusted visually, but the functional concept must remain the same.

Purpose of this screen:

The TOC / IVZ Review screen is the structural review step after OCR and before translation. The user confirms the manuscript’s table of contents, heading hierarchy, page links, and export/navigation structure before the project is released to translation.

This screen is not just a table. It is a review and decision screen that connects:

- original TOC scan

- editable TOC OCR text
- structured TOC table
- target-page matching
- issue resolution
- export/preflight configuration
- heading style customization for DOCX/PDF export

Main layout concept:

1. Top workflow area

Step 1 is used before translation.

It confirms Arabic OCR headings, hierarchy levels, target-page links, and the structural chapter logic.

Step 2 happens after translation.

It confirms final German headings, final TOC wording, final page numbers, and export readiness.

The user must immediately understand that Step 1 is not the final translated TOC review.

2. Original TOC Scan panel

This panel shows the original scanned table of contents from the uploaded book.

Required functions:

- show the original TOC page scan
- zoom in / zoom out
- page navigation if TOC spans multiple pages
- highlight the currently selected TOC line
- synchronize the selected line with the OCR text panel and the structured TOC table
- allow re-running OCR for the TOC page
- ideally allow re-running OCR for a selected TOC area only

Suggested button placement:

- zoom buttons in the top-right of the Original TOC Scan panel

- page navigation below the scan
- “Re-run OCR” below the scan
- later, if supported: “OCR selected area” next to “Re-run OCR”

3. OCR Text panel

This panel shows the editable OCR result of the original TOC scan.

Required functions:

- display OCR lines from the TOC page
- allow direct editing of OCR lines
- save OCR correction
- cancel OCR correction
- split OCR line
- merge OCR lines
- mark line as TOC entry
- mark line as not TOC
- synchronize selected OCR line with the original scan and the structured TOC table
- protect manual OCR corrections from being silently overwritten by a later OCR/re-detection run

Suggested button placement:

- small edit icon per OCR line
- line action menu per OCR line
- “Sync” button in the OCR Text panel header
- when a line is selected, show actions such as:
 - Edit line
 - Split line
 - Merge with previous/next
 - Mark as TOC entry
 - Mark as not TOC

4. Structured TOC Ta

This table is the structured result of the TOC detection.

It should show:

- heading level, e.g. H1, H2, H3
- TOC page number
- Arabic OCR heading
- target page
- status
- actions

Recommended columns:

- Level
- P.
- Arabic OCR
- Target
- Target Heading, if there is enough space
- Status
- DE Heading Preview
- Actions

The current mockup is acceptable even if not every column is visible, but the data must exist and must be accessible from the row details.

Required functions:

- select a TOC row
- highlight the selected row in original scan, OCR text, and table
- edit heading
- change heading level
- change target page

- relink to another heading
- confirm match
- mark as not TOC entry
- add missing TOC entry from selected OCR/source line

Important:

The “Add Entry” button must be controlled. It should not mean that the user can freely create an entire manual TOC from scratch. It should mean:

- add entry from selected OCR line
- add entry from selected scan/source line
- add missing detected TOC entry

Suggested button placement:

- “Add Entry” in the Structured TOC Table header
- row actions on the right side of each row:
 - edit heading
 - relink page/heading
 - row menu

5. Issue Resolution panel

When a row has a problem, the user must be able to open a resolution panel.

This panel should explain:

- what was detected in the TOC source
- what was detected on the target page
- why the match is OK / Missing / Verify / Mismatch
- what the user can do to resolve it

Required functions:

- show source evidence
- show target evidence
- show OCR confidence if available
- show detected heading candidates on the target page
- show reason for issue
- Confirm Match
- Edit Heading
- Relink Page
- Change target page
- Change heading level
- Create / confirm heading on target page
- Mark as not TOC entry
- Keep with warning, only if allowed

Important:

If the screen says “Verified / 0 issues remaining”, then any remaining issue panel should not look like an unresolved required action. In that case, it should appear as resolved history or confirmed match information.

If an issue is still unresolved, the panel must show clear resolution actions.

6. Release Gate / Confirm & Proceed

The screen must clearly show whether the project may proceed to translation.

Required behavior:

- If unresolved blocking TOC issues exist:
 - Release Gate is blocked
 - Confirm & Proceed is disabled
 - user sees how many issues remain
- If all structural TOC issues are resolved:
 - Release Gate becomes ready/verified
 - Confirm & Proceed becomes active

- user can proceed to the translation phase

Important:

The sidebar Release Gate, top status, issue count, and Confirm & Proceed button must always use the same source of truth.

7. TOC & Heading Export Settings

This area controls export-relevant TOC and heading behavior.

Required functions:

- choose which heading level is used for running headers
- choose which heading level marks chapters
- choose TOC position: front / back
- choose whether Arabic headings are included in the translated body text
- choose navigation depth / bookmarks depth
- save these settings to the export profile

Suggested wording:

Use user-friendly labels, not only technical “preflight” language.

Examples:

- “Which level appears in running headers?”
- “Which level marks chapters?”
- “TOC position”
- “Include Arabic headings in body text?”
- “Navigation depth / bookmarks”

8. Heading Style Customization

This is important:

This TOC / IVZ screen should allow Word-style customization of heading styles only.

It should not become the full document formatting editor.

Allowed here:

- H1
- H2
- H3
- H4
- H5
- H6
- German heading style
- Arabic heading style

Not allowed here:

- Body_DE
- Body_AR
- Qur'ān styles
- Hadith styles
- Quote styles
- Footnote styles
- full document layout
- general translation text formatting

Those belong to the main Solo Translation Editor / Document Formatting / Export Layout screen.

Heading style customization should include, where supported by the baseline:

- font family
- font size
- bold
- italic
- underline, if allowed
- alignment

- spacing before
- spacing after
- line spacing
- indentation if relevant
- chapter/page break behavior if relevant
- reset to baseline
- save heading style
- preview effect

The mockup currently shows H1–H6 and separates German Style / Target from Arabic Style / Original. This is the correct direction.

Suggested improvement:

Add “Save heading style” and “Reset to baseline” buttons inside the Heading Style Customization area.

Also make clear that changes affect:

- TOC preview
- book preview
- DOCX export
- PDF export

9. Synchronization requirement

The selected TOC item must stay synchronized across:

- original TOC scan
- OCR text
- structured TOC table
- issue resolution panel
- target page evidence

When the user clicks a row in the structured table:

- the corresponding scan line should be highlighted

- the OCR text line should be highlighted
- target evidence should update
- the issue/resolution panel should update

10. Re-detect TOC

The “Re-detect TOC” function should re-run TOC detection, but it must not silently overwrite manual decisions.

Required behavior:

- re-detection produces suggestions
- manually confirmed entries remain protected
- if re-detection conflicts with manual corrections, show a comparison:
 - current confirmed value
 - newly detected suggestion
- user decides what to apply

Do not silently overwrite:

- manually corrected OCR lines
- confirmed target pages
- confirmed heading levels
- confirmed TOC entries

Final expectation:

This screen should feel like a structural manuscript review station, not just a data table.

The user should clearly understand:

- “This is where I confirm the book’s table of contents structure before translation.”
- “This structure controls chapters, navigation, headers, TOC, DOCX export, and PDF export.”
- “The final German heading wording will be reviewed later in Step 2.”
- “Heading styles can be adjusted here, but only heading styles, not the full document formatting.”

Frontend/UI issue 5 – DPI Compare must become a targeted OCR retry and recovery tool

Location:

Project Workspace → “DPI compare”

Project Workspace → Audit / Attention List → OCR issue → related page/crop

The current image covers the DPI comparison and OCR retry setup stage well.

However, it does not yet show the full OCR recovery workflow after the retry result is generated.

The second stage must appear after the user clicks “Retry selected region” or “Retry full page”.

After retry, show an “OCR Retry Result Review” panel below the image comparison or as a modal.

This panel must include:

- original crop / page region
- current accepted OCR text
- new OCR candidate
- highlighted differences
- confidence / reason labels
- mapping target: page, block, segment, or OCR finding
- buttons:
 - Accept new region OCR
 - Accept new full-page OCR
 - Keep current OCR
 - Edit manually
 - Discard retry result

If the retry was opened from Audit / Attention List, the panel must also show:

- original issue type, e.g. low confidence / divergent engines
- issue ID or page/block/segment reference
- whether accepting the new OCR candidate will resolve the issue

After accepting a retry result:

- the mapped OCR text must update
- the OCR finding must be marked as resolved / replaced / accepted
- the old issue must disappear from the active Attention List
- the action must remain in history/logs