

		· · · · · · · · · · · · · · · · · · ·	
		* ID_NOTIFY	NUMBER (10)
	F	* ID_EVENT	NUMBER
		* DESC_PRODUCER	VARCHAR2 (500 CHAR)
	F	* ID_PEOPLE_RECEIVER	NUMBER (10)
	F	ID_GROUP_RECEIVER	NUMBER (10)
		* TYPE_NOTIFY	CHAR (1 CHAR)
		* DTA_NOTIFY	DATE
		FIELD_1	VARCHAR2 (4000 CHAR)
		FIELD_2	VARCHAR2 (4000 CHAR)
		FIELD_3	VARCHAR2 (4000 CHAR)
		FIELD_4	VARCHAR2 (4000 CHAR)
TORY_R01 MULTIPLICITY		MULTIPLICITY	CHAR (3 CHAR)
		SPECIALIZED_FIELD	VARCHAR2 (4000 CHAR)
		TYPE_EVENT	VARCHAR2 (256 CHAR)
		DOMAINOBJECT	VARCHAR2 (128 BYTE)
	F	ID_OBJECT	NUMBER (10)
	F	ID_SPECIALIZED_OBJECT	NUMBER (10)
		* DTA_EVENT	DATE
		READ_NOTIFICATION	CHAR (1 CHAR)
		NOTES	VARCHAR2 (2000 CHAR)
		DPA_NOTIFY_HISTORY_PK (S	YSTEM ID)
	-	5. /	

NUMBER (10)

Schema-ER.DPA_LOG_STORICO				
P * SYSTEM_ID	NUMBER (10)			
USERID_OPERATORE	VARCHAR2 (20 BYTE)			
F * ID_PEOPLE_OPERATORE	NUMBER (10)			
F ID_GRUPPO_OPERATORE	NUMBER (10)			
F ID_AMM	NUMBER (10)			
* DTA_AZIONE	DATE			
* VAR_OGGETTO	VARCHAR2 (64 BYTE)			
F ID_OGGETTO	NUMBER (10)			
VAR_DESC_OGGETTO	VARCHAR2 (2000 BYTE)			
* VAR_COD_AZIONE	VARCHAR2 (32 BYTE)			
* VAR_DESC_AZIONE	VARCHAR2 (2000 BYTE)			
* CHA_ESITO	VARCHAR2 (1 BYTE)			
VAR_COD_WORKING_APPLICATION	VARCHAR2 (200 BYTE)			
DESC_PRODUCER	VARCHAR2 (500 CHAR)			
DPA_LOG_STORICO_PK (SYSTEM_ID)				

VARCHAR2 (4000 CHAR)

VARCHAR2 (256 CHAR)

VARCHAR2 (128 BYTE)

VARCHAR2 (200 CHAR)

VARCHAR2 (2000 CHAR)

NUMBER (10)

NUMBER (10)

CHAR (1 CHAR)

DATE

INDX_NOTIFY1 (ID_PEOPLE_RECEIVER, ID_GROUP_RECEIVER)

SPECIALIZED_FIELD

ID_SPECIALIZED_OBJECT

READ_NOTIFICATION

DPA_NOTIFY_PK (SYSTEM_ID)

INDX_LOG_STO1 (ID_OGGETTO)

INDX2 (ID_PEOPLE_OPERATORE)

INDX_DTA_AZIONE_STORICO (DTA_AZIONE)

TYPE EVENT

ID_OBJECT

* DTA_EVENT

COLOR

NOTES

DOMAINOBJECT